

## Abstract

Given a graph  $G = (V, E)$  and an integer  $k \in \mathbb{N}$ , we study *k-Vertex Separator* (resp. *k-Edge Separator*), where the goal is to remove the minimum number of vertices (resp. edges) such that each connected component in the resulting graph has at most  $k$  vertices. Our primary focus is on the case where  $k$  is either a constant or a slowly growing function of  $n$  (e.g.  $O(\log n)$  or  $n^{o(1)}$ ). Our problems can be interpreted as a special case of three general classes of problems that have been studied separately (balanced graph partitioning, Hypergraph Vertex Cover (HVC), and fixed parameter tractability (FPT)). Our main result is an  $O(\log k)$ -approximation algorithm for *k-Vertex Separator* that runs in time  $2^{O(k)}n^{O(1)}$ , and an  $O(\log k)$ -approximation algorithm for *k-Edge Separator* that runs in time  $n^{O(1)}$ . Our result on *k-Edge Separator* improves the best previous graph partitioning algorithm for small  $k$ . Our result on *k-Vertex Separator* improves the simple  $(k + 1)$ -approximation from HVC. When  $\text{OPT} > k$ , the running time  $2^{O(k)}n^{O(1)}$  is faster than the lower bound  $k^{\Omega(\text{OPT})}n^{\Omega(1)}$  for exact algorithms assuming the Exponential Time Hypothesis. While the running time of  $2^{O(k)}n^{O(1)}$  for *k-Vertex Separator* seems unsatisfactory, we show that the superpolynomial dependence on  $k$  may be needed to achieve a polylogarithmic approximation ratio, based on hardness of *Densest k-Subgraph*. We also study *k-Path Transversal*, where the goal is to remove the minimum number of vertices such that there is no simple path of length  $k$ . With additional ideas from FPT algorithms and graph theory, we present an  $O(\log k)$ -approximation algorithm for *k-Path Transversal* that runs in time  $2^{O(k^3 \log k)}n^{O(1)}$ . Previously, the existence of even  $(1 - \delta)k$ -approximation algorithm for fixed  $\delta > 0$  was open.