

SIAM Conference on Applications of Dynamical Systems

Figure courtesy J. Meiss and D. Simpson, DSWeb media gallery.



**May 19-23, 2013
Snowbird Ski and Summer Resort
Snowbird, Utah, USA**

Sponsored by the SIAM Activity Group on Dynamical Systems

The SIAM Activity Group on Dynamical Systems provides a forum for the exchange of ideas and information between mathematicians and applied scientists whose work involves dynamical systems. The goal of this group is to facilitate the development and application of new theory and methods of dynamical systems. The techniques in this area are making major contributions in many areas, including biology, nonlinear optics, fluids, chemistry, and mechanics. This activity group supports the web portal DSWeb, sponsors special sessions at SIAM meetings, organizes a biennial conference, and awards biennial prizes—the Jürgen Moser Lecture and the J. D. Crawford Prize. The activity group also sponsors the DSWeb Student Competition for tutorials on dynamical systems and its applications written by graduate and undergraduate students and recent graduates. Members of SIAG/DS receive a complimentary subscription to the all-electronic, multimedia SIAM Journal on Applied Dynamical Systems.

2013 is designated as the year of Math of Planet Earth.
SIAM supports MPE2013.

<http://www.crm.umontreal.ca/Math2013/en/>



siam.

Society for Industrial and Applied Mathematics
3600 Market Street, 6th Floor
Philadelphia, PA 19104-2688 USA

Telephone: +1-215-382-9800 Fax: +1-215-386-7999

Conference E-mail: meetings@siam.org

Conference Web: www.siam.org/meetings/

Membership and Customer Service: (800) 447-7426 (US & Canada) or +1-215-382-9800 (worldwide)

www.siam.org/meetings/ds13

Table of Contents

Program-at-a-Glance.....	Separate handout
Featured Minisymposia.....	7
General Information.....	2
Get-togethers.....	4
Invited Plenary Presentations.....	8
Minitutorial	6
Poster Session	62
Prize and Special Lecture	10
Program Schedule.....	13
Abstracts	95
Speaker and Organizer Index.....	241
Conference Budget ...	Inside Back Cover
Hotel Meeting Room Map...	Back Cover

Organizing Committee Co-Chairs

Charles Doering

University of Michigan, USA

George Haller

ETH Zürich, Switzerland

Organizing Committee

Eli Ben-Naim

Los Alamos National Laboratory, USA

John Dabiri

California Institute of Technology, USA

Timothy Elston

University of North Carolina at Chapel Hill, USA

Jürgen Kurths

University of Potsdam, Germany

Maria Josefina Olascoaga

University of Miami, USA

Robert Pego

Carnegie Mellon University, USA

Alastair Rucklidge

University of Leeds, United Kingdom

Tere Seara

Universitat Politècnica de Catalunya, Spain

Leah Shaw

College of William and Mary, USA

SIAM Registration Desk

The SIAM registration desk is located in the Ballroom Foyer. It is open during the following times:

Saturday, May 18

4:00 PM - 8:00 PM

Sunday, May 19

7:00 AM - 6:00 PM

Monday, May 20

7:30 AM - 5:45 PM

Tuesday, May 21

7:30 AM - 4:45 PM

Wednesday, May 22

7:30 AM - 5:45 PM

Thursday, May 23

7:30 AM - 2:15 PM

Hotel Address

Snowbird Ski and Summer Resort
Highway 210, Little Cottonwood Canyon

Snowbird, UT 84092 USA

Phone Number: +1-801-933-2222

Toll Free Reservations (USA and Canada): 1-800-453-3000

Fax: +1-801-947-8227

Hotel web address:

<http://www.snowbird.com/>

Hotel Telephone Number

To reach an attendee or to leave a message, call +1-801-933-2222. The hotel operator can either connect you with the SIAM registration desk or to the attendee's room. Messages taken at the SIAM registration desk will be posted to the message board located in the registration area.

Hotel Check-in and Check-out Times

Check-in time is 4:00 PM and check-out time is 11:00 AM.

Child Care

As a service to SIAM attendees, SIAM has made arrangements for in-room child care. All sitters should be requested with at least 48 hours notice. If you have not already made reservations for child care, please contact Camp Snowbird at +1-801-933-2256 or e-mail the camp at campsnowbird@snowbird.com for fee information and to determine availability.

Corporate Members and Affiliates

SIAM corporate members provide their employees with knowledge about, access to, and contacts in the applied mathematics and computational sciences community through their membership benefits. Corporate membership is more than just a bundle of tangible products and services; it is an expression of support for SIAM and its programs. SIAM is pleased to acknowledge its corporate members and sponsors. In recognition of their support, non-member attendees who are employed by the following organizations are entitled to the SIAM member registration rate.

Corporate Institutional Members

The Aerospace Corporation

Air Force Office of Scientific Research

AT&T Laboratories - Research

Bechtel Marine Propulsion Laboratory

The Boeing Company

CEA/DAM

Department of National Defence (DND/CSEC)

DSTO- Defence Science and Technology Organisation

Hewlett-Packard

IBM Corporation

IDA Center for Communications Research, La Jolla

IDA Center for Communications Research, Princeton

Institute for Computational and Experimental Research in Mathematics (ICERM)

Institute for Defense Analyses, Center
for Computing Sciences
Lawrence Berkeley National Laboratory
Lockheed Martin
Los Alamos National Laboratory
Mathematical Sciences Research
Institute
Max-Planck-Institute for Dynamics of
Complex Technical Systems
Mentor Graphics
National Institute of Standards and
Technology (NIST)
National Security Agency (DIRNSA)
Oak Ridge National Laboratory,
managed by UT-Battelle for the
Department of Energy
Sandia National Laboratories
Schlumberger-Doll Research
Tech X Corporation
U.S. Army Corps of Engineers, Engineer
Research and Development Center
United States Department of Energy

List current April 2013.

Funding Agencies

SIAM and the Conference Organizing
Committee wish to extend their thanks
and appreciation to the U.S. National
Science Foundation and the U.S.
Department of Energy for their support
of this conference.



U.S. DEPARTMENT OF
ENERGY

Office of
Science

Leading the applied mathematics community ... Join SIAM and save!

SIAM members save up to \$130 on full registration for the SIAM Conference on Applications of Dynamical Systems (DS13)! Join your peers in supporting the premier professional society for applied mathematicians and computational scientists. SIAM members receive subscriptions to *SIAM Review*, *SIAM News*, *Unwrapped*, and enjoy substantial discounts on SIAM books, journal subscriptions, and conference registrations.

If you are not a SIAM member and paid the *Non-Member* or *Non-Member Mini Speaker/Organizer* rate to attend the conference, you can apply the difference between what you paid and what a member would have paid (\$130 for a *Non-Member* and \$65 for a *Non-Member Mini Speaker/Organizer*) towards a SIAM membership. Contact SIAM Customer Service for details or join at the conference registration desk.

If you are a SIAM member, it only costs \$10 to join the SIAM Activity Group on Dynamical Systems (SIAG/DS). As a SIAG/DS member, you are eligible for an additional \$10 discount on this conference, so if you paid the SIAM member rate to attend the conference, you might be eligible for a free SIAG/DS membership. Check at the registration desk.

Free Student Memberships are available to students who attend an institution that is an Academic Member of SIAM, are members of Student Chapters of SIAM, or are nominated by a Regular Member of SIAM.

Join onsite at the registration desk, go to www.siam.org/joinsiam to join online or download an application form, or contact SIAM Customer Service:

Telephone: +1-215-382-9800
(worldwide); or 800-447-7426 (U.S. and
Canada only)

Fax: +1-215-386-7999

E-mail: membership@siam.org

Postal mail:

Society for Industrial
and Applied Mathematics,
3600 Market Street, 6th floor
Philadelphia, PA 19104-2688 USA

Standard Audio/Visual Set-Up in Meeting Rooms

SIAM does not provide computers for any speaker. When giving an electronic presentation, speakers must provide their own computers. SIAM is not responsible for the safety and security of speakers' computers.

The Plenary Session Room will have two (2) screens, one (1) data projector and one (1) overhead projector. Cables or adaptors for Apple computers are not supplied, as they vary for each model. Please bring your own cable/adaptor if using a Mac computer.

All other concurrent/breakout rooms will have one (1) screen and one (1) data projector. Cables or adaptors for Apple computers are not supplied, as they vary for each model. Please bring your own cable/adaptor if using a Mac computer. Overhead projectors will be provided only when requested.

If you have questions regarding availability of equipment in the meeting room of your presentation, or to request an overhead projector for your session, please see a SIAM staff member at the registration desk.

E-mail Access

Email stations are available to attendees during registration hours.

The Cliff Lodge at Snowbird offers wireless Internet access to hotel guests in the lodging and public areas of the hotel at no additional charge.

Complimentary wireless Internet is also available in the Cliff Lodge meeting space.

Registration Fee Includes

- Admission to all technical sessions
- Business Meeting (open to SIAG/DS members)
- Coffee breaks daily
- Room set-ups and audio/visual equipment
- Poster Session and Dessert Reception
- Welcome Reception

Job Postings

Please check with the SIAM registration desk regarding the availability of job postings or visit <http://jobs.siam.org>.

Important Notice to Poster Presenters

The poster session is scheduled for Tuesday, May 21, at 8:30 PM. Boards and push pins will be available for presenters to put up their posters between 8:00 PM and 8:30 PM on Tuesday. Poster displays must be removed at 10:30 PM, the end of the session. For information about preparing a poster, please visit <http://www.siam.org/meetings/guidelines/presenters.php>.

SIAM Books and Journals

Display copies of books and complimentary copies of journals are available on site. SIAM books are available at a discounted price during the conference. If a SIAM books representative is not available, completed order forms and payment (credit cards are preferred) may be taken to the SIAM registration desk. The books table will close at 11:30 AM on Thursday, May 23.

Table Top Displays

IOP Publishing

SIAM

Solar Crest Publishing

Springer

Name Badges

A space for emergency contact information is provided on the back of your name badge. Help us help you in the event of an emergency!

Comments?

Comments about SIAM meetings are encouraged! Please send to:

Sven Leyffer, SIAM Vice President for Programs (vpp@siam.org)

Get-togethers

• Welcome Reception

Saturday, May 18

6:00 PM – 8:00 PM



• Business Meeting (open to SIAG/DS members)

Monday, May 20

8:15 PM – 9:00 PM

Complimentary beer and wine will be served.



• Poster Session and Dessert Reception

Tuesday, May 21

8:30 PM – 10:30 PM



Please Note

SIAM is not responsible for the safety and security of attendees' computers. Do not leave your laptop computers unattended. Please remember to turn off your cell phones, pagers, etc. during sessions.

Recording of Presentations

Audio and video recording of presentations at SIAM meetings is prohibited without the written permission of the presenter and SIAM.

Social Media


SIAM is promoting the use of social media, such as Facebook and Twitter, in order to enhance scientific discussion at its meetings and enable attendees to connect with each other prior to, during and after conferences. If you are tweeting about a conference, please use the designated hashtag to enable other attendees to keep up with the Twitter conversation and to allow better archiving of our conference discussions. The hashtag for this meeting is #SIAMDS13.

2015 SIAM Conference on Applications of Dynamical Systems

Figure courtesy J. Meiss and D. Simpson, DSWeb media gallery.



**Snowbird Ski and Summer Resort
Snowbird, Utah, USA**



Save the Date!

2015 SIAM Conference on Applications
of Dynamical Systems

May 17 – May 21, 2015

Snowbird Ski and Summer Resort
Snowbird, Utah, USA

Minitutorial

MT1: Geometric Detection of Lagrangian Coherent Structures

Tuesday, May 21

4:20 PM - 5:40 PM

Room: Ballroom I

Lagrangian Coherent Structures or LCSs is the term widely employed to refer to key material surfaces that shape global mixing patterns in temporally-aperiodic flows defined over a finite-time interval. Recent developments in dynamical systems have led to the formulation of a geodesic theory of transport that enables unified detection of all relevant LCS types in two-dimensional flows. In the incompressible case the relevant LCS type are: hyperbolic LCS (generalized invariant manifolds); elliptic LCS (generalized KAM tori); and parabolic LCS (generalized shear jets). The purpose of this minitutorial series is to review the elements of the geodesic transport theory, discuss aspects of its numerical implementation, and present the results from recent applications to problems of geophysical interest.

Organizer:

Francisco J. Beron-Vera

University of Miami, USA

Speakers:

Francisco J. Beron-Vera

University of Miami, USA

George Haller

ETH Zürich, Switzerland

Kristjan Onu

McGill University, Canada

NEW!! Featured Minisymposia

The following Featured Minisymposia are scheduled during the conference. These sessions have been solicited by the conference co-chairs, and are intended to give an overview of an area.

Marian Gidea, *Northeastern Illinois University, USA*

Tere M. Seara, *Universitat Politècnica de Catalunya, Spain*

MS12: Advances in the Theory and Computation of Hamiltonian Systems

Josep Masdemont, *Technical University of Catalonia, Spain*

Gerard Gomez, *University of Barcelona, Spain*

MS41: Celestial Dynamics

Gabor Stepan, *Budapest University of Technology and Economics, Hungary*

MS98: Delayed Oscillators

Victoria Booth, *University of Michigan, USA*

Jeff Moehlis, *University of California, Santa Barbara, USA*

Michal Zochowski, *University of Michigan, USA*

MS13 and MS39: Dynamics and Control of Neurons and Networks, Parts I and II

Drew LaMar, *College of William and Mary, USA*

Leah Shaw, *College of William and Mary, USA*

MS97: Dynamics of Marine Ecosystems

Jürgen Kurths, *Humboldt University, Berlin, Germany*

MS96: Dynamics of Networks of Networks

Hans Kaper, *Argonne National Laboratory and Georgetown University, USA*

MS38: Dynamics of Planet Earth

M. Josefina Olascoaga, *University of Miami, USA*

MS15: Lagrangian Dynamics in Geophysical Flows

Alastair Rucklidge, *University of Leeds, United Kingdom*

MS14: Localized Pattern Formation

Rafael de la Llave, *Georgia Institute of Technology, USA*

Alex Haro, *University of Barcelona, Spain*

MS99: Recent Developments in KAM Theory

Silas Alben, *University of Michigan, USA*

MS40: Vortex Dynamics

Invited Plenary Speakers

*** All Invited Plenary Presentations will take place in the Ballroom***

Sunday, May 19

11:30 AM - 12:15 PM

IP1 Tire Tracks, the Stationary Schrödinger's Equation and Forced Vibrations

Mark Levi, *Pennsylvania State University, USA*

1:45 PM - 2:30 PM

IP2 Linear and Nonlinear Problems of Mathematical Finance

Alexander Lipton, *Bank of America Merrill Lynch, USA and Imperial College London, United Kingdom*

Monday, May 20

11:15 AM - 12:00 PM

IP3 Particle Trajectories Beneath Irrotational Travelling Water Waves

Adrian Constantin, *King's College London, United Kingdom*

1:30 PM - 2:15 PM

IP4 Triggered Slip Processes in Earth

Paul Johnson, *Los Alamos National Laboratory, USA*

Tuesday, May 21

11:15 AM - 12:00 PM

IP5 Pattern Recognition with Weakly Coupled Oscillatory Networks

Katharina Krischer, *Technical University of Munich, Germany*

1:30 PM - 2:15 PM

IP6 The Topology of Fluid Mixing

Jean-Luc Thiffeault, *University of Wisconsin, Madison, USA*

Invited Plenary Speakers

*** All Invited Plenary Presentations will take place in the Ballroom***

Wednesday, May 22

11:15 AM - 12:00 PM

IP7 Modeling Reactive Events in Complex Systems

Eric Vanden-Eijnden, *Courant Institute of Mathematical Sciences, New York University, USA*

1:30 PM - 2:15 PM

IP8 Predicting Epidemic Rare Events:

A Dynamical Systems Perspective of Disease Extinction and Control

Lora Billings, *Montclair State University, USA*

Thursday, May 23

11:30 AM - 12:15 PM

IP9 Engineered Gene Circuits: From Oscillators to Synchronized Clocks and Biopixels

Jeff Hasty, *University of California, San Diego, USA*

Prizes and Special Lecture

*** The Prize Presentations and Special Lecture will take place in the Ballroom***

SIAM Activity Group on Dynamical Systems Prizes

Sunday, May 19

8:15 PM - 8:30 PM

Prize Presentations –

Jürgen Moser and J. D. Crawford Prize

J. D. Crawford Prize Recipient

Panayotis G. Kevrekidis, *University of Massachusetts, USA*

8:30 PM - 9:15 PM

Jürgen Moser Lecture

Dynamics of Cognition

Nancy Kopell, *Boston University, USA*

SIAM Activity Group on Dynamical Systems (SIAG/DS)

www.siam.org/activity/ds



A GREAT WAY TO GET INVOLVED!

Collaborate and interact with mathematicians and applied scientists whose work involves dynamical systems.

ACTIVITIES INCLUDE:

- DSWeb portal
- Special sessions at SIAM meetings
- Biennial conference
- Jürgen Moser Lecture
- J. D. Crawford Prize
- DSWeb Student Competition for tutorials

BENEFITS OF SIAG/DS MEMBERSHIP:

- Listing in the SIAG's online membership directory
- Additional \$10 discount on registration at SIAM Conference on Dynamical Systems (*excludes students*)
- Subscription to *SIAM Journal on Applied Dynamical Systems*
- Electronic communications about recent developments in your specialty
- Eligibility for candidacy for SIAG/DS office
- Participation in the selection of SIAG/DS officers

ELIGIBILITY:

- Be a current SIAM member.

COST:

- \$10 per year
- Student members can join 2 activity groups for free!

2012-13 SIAG/DS OFFICERS

Chair: Hans Kaper, Georgetown University

Vice Chair: Mariana Haragus, Université de Franche-Comté

Program Director: Charles Doering, University of Michigan

Secretary and DS Magazine Chief Editor: Lennaert van Veen, University of Ontario Institute of Technology

DSWeb Portal Editor-in-Chief: Peter van Heijster, Queensland University of Technology

DSWeb Magazine Managing Editor: Kresimir Josic, University of Houston

SIAM Conference on Applications of Dynamical Systems

Figure courtesy J. Meiss and D. Simpon, DSWeb media gallery.



May 19-23, 2013
Snowbird Ski and Summer Resort
Snowbird, Utah, USA

TO JOIN:

SIAG/DS: my.siam.org/forms/join_siag.htm

SIAM: www.siam.org/joinsiam

Notes

Final Program

SIAM Conference on Applications of Dynamical Systems

Figure courtesy J. Meiss and D. Simpson, DSWeb media gallery.



May 19-23, 2013
Snowbird Ski and Summer Resort
Snowbird, Utah, USA

Saturday, May 18

Registration

4:00 PM-8:00 PM

Room: Ballroom Foyer

Welcome Reception

6:00 PM-8:00 PM

Room: Ampitheater Lobby Terrace



Sunday, May 19

Registration

7:00 AM-6:00 PM

Room: Ballroom Foyer

MS1

Applied Stochastic Dynamical Systems - Part I of II

8:00 AM-9:20 AM

Room: Ballroom I

For Part 2 see MS16

The purpose of this minisymposium is to bring together experts in both continuous (differential equations) and discrete (difference equations) dynamical systems which are subject to stochastic perturbations. Such systems occur in population ecology, fluid dynamics, system control, financial markets and medical modeling.

Organizer: Elena Braverman
University of Calgary, Canada

8:00-8:15 Asymptotic Classification of Affine and Linear Stochastic Functional Differential Equations, and Applications to Volatility Modelling

John Appleby, Dublin City University, Ireland

8:20-8:35 Stabilization of Difference Equations with Stochastic Perturbations

Elena Braverman, University of Calgary, Canada; Alexandra Rodkina, University of the West Indies, Jamaica; Leonid Braverman, Athabasca University, Canada, and St. Mary's University College, Canada

8:40-8:55 Stochastic Dynamical Systems in Finance

Anatoliy Swishchuk, University of Calgary, Canada

9:00-9:15 Large Deviations in Affine Stochastic Functional Differential Equations

Huizhong Appleby-Wu, St. Patrick's College, Ireland

Sunday, May 19

MS2

Control of Cardiac Arrhythmias

8:00 AM-9:20 AM

Room: Ballroom II

Suppression of cardiac arrhythmias using electrical feedback control is one of the frontline medical problems whose solution could save millions of lives every year. However, the application of contemporary control theoretic tools to cardiac tissue dynamics is hampered by its strong nonlinearity and infinite dimensionality. This minisymposium focuses on the approaches aimed at overcoming these challenges by bringing together the leading researchers in cardiac dynamics and control.

Organizer: Roman Grigoriev
Georgia Institute of Technology, USA

8:00-8:15 Coherent Structures and Nonlinear Control of 2D Cardiac Tissue

Christopher Marcotte and Roman Grigoriev, Georgia Institute of Technology, USA

8:20-8:35 Cardiac Alternans Annihilation by Model Predictive Control Techniques

Stevan Džurđević and Felicia Yapari, University of Alberta, Canada

8:40-8:55 Continuous-time Feedback Control of Alternans in Purkinje Fibers

Alejandro Garzon, Universidad Sergio Arboleda, Colombia; Roman Grigoriev and Flavio Fenton, Georgia Institute of Technology, USA

9:00-9:15 The Role of Cardiac Tissue Anatomy during Electric-Field Stimulation

Philip Bittihn, Max-Planck-Institute for Dynamics and Self-Organization, Germany

Sunday, May 19

MS3

Separation of Scales in Geophysical Fluid Dynamics

8:00 AM-9:20 AM

Room: Ballroom III

The wide range of scales present in geophysical fluid dynamics presents a particularly difficult challenge to numerical simulation and modeling. This difficulty may be alleviated when there is a clear separation between different spatial and/or temporal scales. In this case, asymptotic methods can be used to formulate reduced models that can lead to increased understanding of the full system and may lead to more efficient numerical techniques. This mini-symposium will demonstrate recent advances in the derivation of reduced models, their impact on the field, and the influence of these asymptotic methods on the development of novel numerical techniques.

Organizer: Jared Whitehead
Los Alamos National Laboratory, USA

Organizer: Terry Haut
University of Colorado Boulder, USA

8:00-8:15 Approaching the Limit of Strong Rotation in the Rotating, Stratified Boussinesq System

Jared Whitehead and Beth Wingate,
Los Alamos National Laboratory,
USA

8:20-8:35 Multiscale Asymptotic Approaches to Rotationally Constrained Flows

Keith Julien and Antonio Rubio,
University of Colorado Boulder,
USA; Edgar Knobloch and Geoffrey
M. Vasil, University of California,
Berkeley, USA

8:40-8:55 A Balance Model for Equatorial Long Waves

Ian Chan, University of Toronto,
Canada; Theodore Shepherd,
University of Reading, United
Kingdom

continued in next column

9:00-9:15 A Fast and Accurate Parallel-in-time Integrator for Nonlinear PDEs with Scale Separation

Terry Haut, University of Colorado
Boulder, USA; Beth Wingate, Los
Alamos National Laboratory, USA

Sunday, May 19

MS4

Chimera States

8:00 AM-9:20 AM

Room: Magpie A

Chimera states are remarkable spatio-temporal patterns in networks of identical oscillators, where part of the oscillators are mutually synchronized, while others remain desynchronized. Being discovered ten years ago, chimera states have attracted a lot of attention recently as a new paradigm for the emergence of partially coherent dynamical structures in nonlocally coupled networks. This type of behavior can serve as a prototype for various physical and biological, e.g., neuronal, systems on the transition from complete coherence to complete incoherence. The goal of the minisymposium is to present different aspects of current studies on chimera states, including analytical and numerical techniques and experimental realizations.

Organizer: Eckehard Schöll
Technische Universität Berlin, Germany

Organizer: Yuri Maistrenko
Institute of Mathematics and Centre for
Medical and Biotechnical Research,
Kiev, Ukraine

8:00-8:15 Chimera States for Repulsively Coupled Phase Oscillators

Yuri Maistrenko, Institute of
Mathematics and Centre for Medical
and Biotechnical Research, Kiev,
Ukraine

8:20-8:35 The Spectrum of Chimera States: From Discrete Maps to Neural Systems

Philipp Hövel, Technical University of
Berlin, Germany

continued on next page

Sunday, May 19

MS4

Chimera States

8:00 AM-9:20 AM

continued

8:40-8:55 Experimental Observation of Chimeras in Coupled-map Lattices

Aaron M. Hagerstrom, University of Maryland, USA; *Thomas E. Murphy* and *Rajarshi Roy*, University of Maryland, College Park, USA; *Philipp Hövel* and *Iryna Omelchenko*, Technical University of Berlin, Germany; *Eckehard Schöll*, Technische Universität Berlin, Germany

9:00-9:15 Chimera in Space-time Representation of Optoelectronic Nonlinear Delay Dynamics

Laurent Larger, Université de Franche-Comté, France; *Bogdan Penkovskyi*, National University of Kyiv-Mohyla Academy, Ukraine; *Yuri Maistrenko*, Institute of Mathematics and Centre for Medical and Biotechnical Research, Kiev, Ukraine

Sunday, May 19

MS5

Modeling Biocomotion

8:00 AM-9:20 AM

Room: Magpie B

From a practical perspective it is natural that we would want to understand the mathematics of locomotion. With such understanding we could build swimming robots, improve prosthetics, and create new methods of transportation. However, to do these things we must first simplify the physics in order to get comprehensible models. In this series of short lectures we will present and analyze models of locomotion in biological systems ranging from jellyfish to bipedal robotic walkers.

Organizer: *Henry O. Jacobs*
Imperial College London, United Kingdom

Organizer: *Joris Vankerschaver*
Imperial College London, United Kingdom

8:00-8:15 May We Interpret Swimming as a Limit Cycle?

Henry O. Jacobs, Imperial College London, United Kingdom

8:20-8:35 A Variational, Second-order Integrator for Point Vortices on the Sphere

Joris Vankerschaver, Imperial College London, United Kingdom; *Melvin Leok*, University of California, San Diego, USA

8:40-8:55 Computationally Tractable Tools for the Identification of Hybrid Dynamical Models of Human Movement

Ram Vasudevan, University of California, Berkeley, USA

9:00-9:15 Pinch-off and Optimal Vortex Formation in Biological Propulsion

Clara O'Farrell and *John O. Dabiri*, California Institute of Technology, USA

Sunday, May 19

MS6

Variational Principles

8:00 AM-9:20 AM

Room: Wasatch A

As one of the techniques of global analysis, variational principles are well known to be of fundamental importance in mechanics and physics. This minisymposium will discuss some of the contemporary trends in variational principles. The lectures will focus on the variational structures associated with dynamics of a rigid body submerged in a fluid, variational approach to Hamel's formalism, variational integrators for field theories, and applications to control and stabilization of mechanical systems.

Organizer: *Dmitry Zenkov*
North Carolina State University, USA

8:00-8:15 The Hamilton-Pontryagin Principle and Lie-Dirac Reduction on Semidirect Product

Hiroaki Yoshimura, Waseda University, Japan; *Francois Gay-Balmaz*, Ecole Normale Supérieure, France

8:20-8:35 Variational Structures for Hamel's Equations

Dmitry Zenkov and *Kenneth Ball*, North Carolina State University, USA; *Anthony M. Bloch*, University of Michigan, USA

8:40-8:55 Spectral Variational Integrators

Melvin Leok and *James Hall*, University of California, San Diego, USA

9:00-9:15 Controlled Lagrangians and Stabilization of Discrete Spacecraft with Rotor

Yuanyuan Peng, Claflin University, USA; *Syrena Huynh* and *Dmitry Zenkov*, North Carolina State University, USA; *Anthony M. Bloch*, University of Michigan, USA

Sunday, May 19

MS7

Nonsmooth Dynamical Systems: Theory and Applications - Part I of II

8:00 AM-9:20 AM

Room: Wasatch B

For Part 2 see MS22

Recent and ongoing work has revealed a wide variety of novel dynamical behavior in nonsmooth systems. Much of this work is physically motivated and has broad applications-- from climate and oceanic modeling problems to suspension bridge and beam equations. In this minisymposium, we showcase many aspects of nonsmooth systems, such as discontinuity-induced bifurcations, extensions of geometric singular perturbation theory, and analysis of semilinear equations with jumping nonlinearities. Overall these talks aim to provide the audience with an understanding of the effects that lack of smoothness can have on the dynamics as well as new techniques designed to handle nonsmooth systems.

Organizer: David J. Simpson
Massey University, New Zealand

Organizer: Nitsan Ben-Gal
University of Minnesota, USA

Organizer: Anna M. Barry
University of Minnesota, USA

8:00-8:15 Grazing Induced Bifurcations in Impact Oscillators: Theory and Experiments

Marian Wiercigroch, University of Aberdeen, United Kingdom

8:20-8:35 Homoclinic Bifurcations Leading to Merging and Expansion of Chaotic Attractors

Viktor Avrutin, University of Stuttgart, Germany

8:40-8:55 Global Attractors for Slowly Non-Dissipative Equations with Jumping Nonlinearities

Nitsan Ben-Gal, University of Minnesota, USA; Kristen Moore, University of Michigan, USA; Juliette Hell, Freie Universitaet Berlin, Germany

9:00-9:15 Dynamics at Infinity for a PDE with Jumping Nonlinearity

Juliette Hell, Freie Universitaet Berlin, Germany; Nitsan Ben-Gal, University of Minnesota, USA

Sunday, May 19

MS8

Bifurcations in Coupled Cell Networks - Part I of II

8:00 AM-9:20 AM

Room: Maybird

For Part 2 see MS23

Coupled cell networks appear in many areas of science and arise as electrical circuits, power grids, the world wide web, neural networks, systems biology, etc. The last decade has seen the development of a mathematical theory of dynamical systems with a network structure. It is known that the network structure has an impact on the behavior of the associated dynamical systems, but it is not always clear how and why. We aim to give an overview of recent developments in the field, focusing on bifurcation theory and including results for general networks.

Organizer: Bob Rink
Free University Amsterdam, Netherlands

Organizer: Ana Paula S. Dias
Universidade do Porto, Portugal

8:00-8:15 Wilson Networks for Binocular Rivalry

Martin Golubitsky, The Ohio State University, USA

8:20-8:35 Normal Forms and Bifurcations of Semigroup Networks

Bob Rink and Jan Sanders, VU University, Amsterdam, Netherlands

8:40-8:55 Rigid Phase-shifts in Periodic Solutions of Network Systems

Yunjiao Wang, Rice University, USA

9:00-9:15 Random Dynamical Systems Approach to the Problem of Gene Expression

Fernando Antoneli, Renata Carmona, and Francisco Bosco, Universidade Federal de São Paulo, Brazil

continued in next column

Sunday, May 19

MS9

Sensing and Modeling Coherent Structures in Flows - Part I of II

8:00 AM-9:20 AM

Room: Superior A

For Part 2 see MS24

Lagrangian Coherent Structures (LCS) are distinguished invariant surfaces that act as the skeleton of observable tracer trajectories in complex dynamical systems, ranging from micro-scale to geophysical flows. Major advances have recently been made in LCS theory including analytic and computational results, with applications to contaminant transport, environmental monitoring, underwater acoustic propagation, bio-inspired flows, and robotic tracking of LCS. The purpose of this minisymposium is to expose the audience to recent progress in the field of LCS sensing and modeling, as well as to bring together researchers developing new mathematical methods and applications for use in understanding flow transport.

Organizer: Eric Forgoston
Montclair State University, USA

Organizer: M. Ani Hsieh
Drexel University, USA

8:00-8:15 Stochastic Prediction and Control in Time-dependent Dynamical Systems

Eric Forgoston and Lora Billings,
Montclair State University, USA; Ani Hsieh, Drexel University, USA; Ira B. Schwartz, Naval Research Laboratory, USA; Philip Yecko, Montclair State University, USA

8:20-8:35 Relatively Coherent Sets as a Hierarchical Partition Method in Time-dependent Chaotic Dynamical Systems

Tian Ma and Erik Bollt, Clarkson University, USA

8:40-8:55 Revealing the Phase Portrait of Aperiodic Time Dependent Dynamical Systems: New Tools and Applications

Ana M. Mancho, Consejo Superior Investigaciones Cientificas, Spain; Stephen Wiggins, University of Bristol, United Kingdom; Jezabel Curbelo, Institute de Ciencias Matematicas-CSIC, Spain; Carolina Mendoza, Universidad Politécnica de Madrid, Spain

9:00-9:15 Chaotic Advection in a Steady, Three-dimensional, Ekman-driven Eddy

Lawrence Pratt and Irina Rypina, Woods Hole Oceanographic Institute, USA; Tamay Ozgokmen, University of Miami, USA

Sunday, May 19

MS10

Supermodeling Climate by Synchronization of Alternative Models

8:00 AM-9:20 AM

Room: Superior B

The synchronization of an objective process with a model of that process, both viewed as abstract dynamical systems, has been suggested as a general framework for data assimilation – the problem, well known in meteorology, of continually re-initializing a running model to take account of new observations that are noisy and sparse. The problem has been likened to biological perception. Alternative models can also “observe” each other, in a 3-way synchronization process among models and reality, with adaptable couplings. This strategy allows the intimate fusion of expert models that make divergent predictions, such as alternative models of climate change.

Organizer: Gregory S. Duane
University of Colorado, Boulder, USA
and Macedonian Academy of Sciences and Arts, Macedonia

8:00-8:15 Truth-model Synchronization and Model-model Synchronization: A Path to Intelligent Compact Representation of a High-dimensional Reality

Gregory S. Duane, University of Colorado, Boulder, USA and Macedonian Academy of Sciences and Arts, Macedonia

8:20-8:35 Improvement in Predictive Modeling by Coupling Imperfect Models

Carsten Grabow, Potsdam Institute for Climate Impact Research, Germany; Juergen Kurths, Potsdam Institute for Climate Impact Research and Humboldt University Berlin, Germany

continued in next column

continued on next page

**8:40-8:55 Climate Model
Intercomparison at the Dynamics
Level**

Karsten Steinhäuser, University
of Minnesota, Twin Cities, USA;
Anastasios Tsonis, University of
Wisconsin, Milwaukee, USA

**9:00-9:15 Synchronous Coupling of
Large Climate Models for Improved
Climate Change Projection**

Joseph J. Tribbia and Alicia Karspeck,
National Center for Atmospheric
Research, USA

Sunday, May 19

MS11

Dynamics of Basal Ganglia in Brain Disorders

8:00 AM-9:20 AM

Room: White Pine

Abnormal synchronous oscillatory activity in the basal ganglia (BG) is believed to be a characteristic feature of many BG-associated disorders, including Parkinson's disease (PD). How do the brain disorders change the dynamics of BG neurons and networks? How these changes may be effectively reversed by different treatments, such as deep brain stimulation (DBS)? These questions clearly call for dynamical systems approach. We will discuss mathematical and computational strategies to the study of the dynamical mechanisms of pathological dynamics as well as means to control them in Parkinson's disease and other BG disorders.

Organizer: Sungwoo Ahn
Indiana University - Purdue University
Indianapolis, USA

Organizer: Leonid Rubchinsky
Indiana University - Purdue University
Indianapolis, USA

**8:00-8:15 Striatum as a Potential
Generator of Beta Oscillations in
Parkinson's Disease**

Michelle McCarthy and Xue Han,
Boston University, USA; Ed Boyden,
Massachusetts Institute of Technology,
USA; Nancy J. Kopell, Boston
University, USA

**8:20-8:35 On the Generation of
Beta Oscillations in the Subthalamic
Nucleus-globus Pallidus Network**

John Hogan, Bristol Centre for Applied
Nonlinear Mathematics and University
of Bristol, United Kingdom

**8:40-8:55 Dynamical Circuits Coupling
Between Basal Ganglia and Cerebral
Cortex**

Leonid Rubchinsky and Sungwoo Ahn,
Indiana University - Purdue University
Indianapolis, USA; Elizabeth Zaubert
and Robert Worth, Indiana University,
USA

**9:00-9:15 Intrinsic Dynamics of
Dopamine Neurons: Modeling and
Experiments**

Na Yu, Louisiana State University, USA

Sunday, May 19

Intermission

9:20 AM-9:30 AM

CP1

Transport Barriers and Coherent Structures

9:30 AM-10:45 AM

Room: Ballroom I

Chair: Michael Allshouse,
Massachusetts Institute of Technology,
USA

**9:30-9:40 A New, Braid-Theoretic
Approach to Uncovering Transport
Barriers**

Michael Allshouse and Thomas
Peacock, Massachusetts Institute
of Technology, USA; Jean-Luc
Thiffeault, University of Wisconsin,
Madison, USA

**9:45-9:55 Detecting Invariant
Manifolds in Aperiodically Forced
Mechanical Systems**

Alireza Hadjighasem, McGill
University, Canada; Mohammad
Farazmand and George Haller, ETH
Zürich, Switzerland

**10:00-10:10 Development of An
Efficient and Flexible Pipeline for
Lagrangian Coherent Structure
Computation**

Shawn C. Shadden, Sivash Ameli, and
Yogin Desai, Illinois Institute of
Technology, USA

**10:15-10:25 New Developments in
LCS Theory: Forward-Time Unstable
Manifolds and Generalized Shearless
Tori**

Mohammad Farazmand, Daniel
Blazevski, and George Haller, ETH
Zürich, Switzerland

**10:30-10:40 Finite-time Scalar
Reaction-diffusion with Lagrangian
Coherent Structures**

Wenbo Tang, Arizona State University,
USA

Sunday, May 19

CP2

Waves and Fluid Flows

9:30 AM-10:30 AM

Room: Ballroom III

Chair: David Henry, University of Vienna, Austria

9:30-9:40 Steady Periodic Waves Bifurcating for Fixed-Depth Rotational Flows

David Henry, University of Vienna, Austria

9:45-9:55 Cross-Waves Driven by Extended Forcing

Jeff Porter, Ignacio Tinao, and Ana Laveron-Simavilla, Universidad Politécnica de Madrid, Spain

10:00-10:10 Rayleigh Surface Wave in An Incompressible Earth's Crustal Layer Sandwiched Between a Rigid Boundary Plane and a Half Space

Sumit K. Vishwakarma, Indian School of Mines, India

10:15-10:25 Revisiting the Two Wakes Interaction

Jose Ignacio H. Lopez, Mackenzie Presbyterian University, Brazil

Sunday, May 19

CP3

Population Dynamics

9:30 AM-10:30 AM

Room: Magpie A

Chair: Debra Lewis, University of California, Santa Cruz, USA

9:30-9:40 An Age-Structured Population Model with State-Dependent Delay: Derivation and Numerical Integration

Felicia Magpantay, Nemanja Kosovalic, and Jianhong Wu, York University, Canada

9:45-9:55 Highly Heteroclinically Connected Population Models

Debra Lewis, University of California, Santa Cruz, USA

10:00-10:10 Bifurcation Analysis of Reaction-Diffusion Vegetation Pattern Formation Models for Semi-Arid Ecosystems

Karna V. Gowda, Mary Silber, and Hermann Riecke, Northwestern University, USA

10:15-10:25 Measurement and Validation of Coupled-Patch Population Models Via Computational Topology

Sarah Day and Jesse Berwald, College of William & Mary, USA

Sunday, May 19

CP4

Dynamical Systems and Nonlinear Analysis I

9:30 AM-10:45 AM

Room: Magpie B

Chair: Richard Kollar, Comenius University, Bratislava, Slovakia

9:30-9:40 Metric Entropy for Nonautonomous Dynamical Systems

Christoph Kawan, University of Augsburg, Germany

9:45-9:55 Bifurcation of Safe Sets in 1-Dimensional Dynamical Systems

Suddhasattwa Das, University of Maryland, College Park, USA

10:00-10:10 Graphical Krein Signature and Its Application to Hamiltonian-Hopf Bifurcations

Richard Kollar, Comenius University, Bratislava, Slovakia

10:15-10:25 Two Linear Foci Suffice to Get Three Nested Limit Cycles

Francisco Torres and Emilio Freire, Universidad de Sevilla, Spain; Enrique Ponce, Escuela Técnica Superior de Ingenieros, Seville, Spain

10:30-10:40 Second Invariants for the Topological Characterization of the Iteration of Differentiable Functions

Maria F. Correia, University of Evora, Portugal

Sunday, May 19

CP5

Patterns and Materials Science

9:30 AM-10:45 AM

Room: Wasach A

Chair: Gregory Faye, University of Minnesota, USA

9:30-9:40 Spinodal Decomposition for the Cahn-Hilliard-Cook Equation

Philipp Dören and Dirk Blömker, Universität Augsburg, Germany

9:45-9:55 A Continuous Generalization of the Ising Model

Haley Yapple and Daniel Abrams, Northwestern University, USA

10:00-10:10 Fluctuations of Lyapunov Exponents in Space-Time Chaos: A Diffusion Process Linked to Surface Roughening

Juan M. Lopez and Diego Pazo, Instituto de Física de Cantabria (IFCA), Spain; Antonio Politi, University of Aberdeen, United Kingdom

10:15-10:25 Localized Radial Solutions of the Swift-Hohenberg Equation on the Poincaré Disk

Gregory Faye, University of Minnesota, USA

10:30-10:40 Invariant Manifolds Describing the Dynamics of a Hyperbolic-Parabolic Equation from Nonlinear Viscoelasticity

J. Patrick Wilber, University of Akron, USA

Sunday, May 19

CP6

Nonsmooth and Nonlinear Dynamical Systems

9:30 AM-10:30 AM

Room: Wasatch B

Chair: Anna M. Barry, University of Minnesota, USA

9:30-9:40 Reduction Methods for a Family of Infinite-dimensional Nonsmooth Energy Balance Models

Anna M. Barry, University of Minnesota, USA

9:45-9:55 Effects of Noise on Grazing Bifurcations

David J. Simpson, Massey University, New Zealand; John Hogan, Bristol Centre for Applied Nonlinear Mathematics and University of Bristol, United Kingdom; Rachel Kuske, University of British Columbia, Canada

10:00-10:10 On Quasi-Periodic Perturbations of Hyperbolic-Type Degenerate Equilibrium Point of a Class of Planar Systems

Junxiang Xu, Southeast University, Nanjing, China

10:15-10:25 Infinitely Many Homoclinic Orbits for Superlinear Hamiltonian Systems

Wang Jun, Jiangsu University, China; Junxiang Xu and Fubao Zhang, Southeast University, Nanjing, China

Sunday, May 19

CP7

Networks and Systems

9:30 AM-10:30 AM

Room: Maybird

Chair: Dane Taylor, University of Colorado Boulder, USA

9:30-9:40 Self-Organized Network Structure by Co-Evolving Dynamics Between Reaction-Diffusive Resources on Nodes and Weighted Connections

Takaaki Aoki, Kagawa University, Japan; Toshio Aoyagi, Kyoto University, Japan

9:45-9:55 Interplay Between Network Topology and Stability of a Linear Time Invariant (LTI) Control System with Homogeneous Delays

Wei Qiao and Rifat Sipahi, Northeastern University, USA

10:00-10:10 Large Systems of Interconnected Switches and Oscillators

Dane Taylor and Juan G. Restrepo, University of Colorado Boulder, USA; Elana Fertig, Johns Hopkins University, USA

10:15-10:25 The Joint Effect of Network Topology and Update Functions on the Stability of Boolean Networks

Shane A. Squires and Andrew Pomerance, University of Maryland, College Park, USA; Edward Ott, University of Maryland, USA; Michelle Girvan, University of Maryland, College Park, USA

Sunday, May 19

CP8

Neuronal Network Dynamics I

9:30 AM-10:45 AM

Room: Superior A

Chair: Dan D. Wilson, University of California, Santa Barbara, USA

9:30-9:40 Optimal Chaotic Desynchronization and Its Application in Neural Populations

Dan D. Wilson and Jeff Moehlis, University of California, Santa Barbara, USA

9:45-9:55 On the Role of Intrinsic Neuronal Dynamics for Relay Synchronization

Christian Finke, University of Oldenburg, Germany; Epaminondas Rosa, Illinois State University, USA; Hans Braun, Philipps-Universität Marburg, Germany; Ulrike Feudel, University of Oldenburg, Germany

10:00-10:10 Mathematical Models of Bidirectional Signaling in the Neurovascular Unit

Alix Witthoft, Brown University, USA

10:15-10:25 Suppression of Bursting Synchronization in Clustered Scale-Free Neuronal Networks

Ricardo L. Viana, Federal University of Paraná, Brazil; Ewanson Lameu, State University of Ponta Grossa, Brazil; Carlos Batista, Federal University of Paraná, Brazil; Antonio Batista and Kelly Iarosz, State University of Ponta Grossa, Brazil; Sergio R. Lopes, Federal University of Paraná, Brazil; Juergen Kurths, Potsdam Institute for Climate Impact Research and Humboldt University Berlin, Germany

10:30-10:40 Limb Coordination in Crayfish Swimming: The Neural Mechanisms and Mechanical Implications

Calvin Zhang, University of California, Davis, USA; Qinghai Zhang, University of Utah, USA; Robert D. Guy, Brian Mulloney, and Timothy Lewis, University of California, Davis, USA

Sunday, May 19

CP9

Control and System Dynamics

9:30 AM-10:45 AM

Room: Superior B

Chair: Stanley Huddy, Clarkson University, USA

9:30-9:40 Amplitude Death Solutions for Stabilization of Dc Microgrids with Instantaneous Constant-Power Loads

Stanley R. Huddy and Joseph Skufca, Clarkson University, USA

9:45-9:55 Bio-Inspired Sensing and Control of An Underwater Vehicle in a Karman Vortex Street

Levi DeVries and Derek A. Paley, University of Maryland, USA

10:00-10:10 The Average Velocity of Planar Jordan Curves

Ido Bright, University of Washington, USA; Zvi Artstein, Weizmann Institute of Science, Israel

10:15-10:25 Controller Space Categorization for Delay-Independent Stability of Linear Time-Invariant (LTI) Systems with Multiple Uncertain Delays

Payam M. Nia and Rifat Sipahi, Northeastern University, USA

10:30-10:40 Branch and Bound Approach to the Optimal Control of System Dynamics Models

Ingmar Vierhaus and Armin Fügenschuh, Zuse Institute Berlin, Germany

Sunday, May 19

CP10

Oscillations and Cell Cycles

9:30 AM-10:45 AM

Room: White Pine

Chair: Richard Buckalew, Ohio University, USA

9:30-9:40 Cell Cycle Clustering in a Nonlinear Mediated Feedback Model

Richard Buckalew and Todd Young, Ohio University, USA; Erik Boczeko, Vanderbilt University, USA

9:45-9:55 Period-Adding Cascades in Models of the Eukaryotic Cell Cycle

Harry Dankowicz, University of Illinois at Urbana-Champaign, USA; Mike R. Jeffrey, University of Bristol, United Kingdom

10:00-10:10 Universality of Stable Periodic Solutions in a Cell Cycle Mode

Gregory Moses, Ohio University, USA

10:15-10:25 On Cyclin/cdk Oscillations in the Cell Cycle

Thomas Todd, University of Bristol, United Kingdom

10:30-10:40 Dispersion and Breakup of Clusters in Cell Cycle Dynamics by Various Mechanisms

Xue Gong, Todd Young, Alexander Neiman, and Richard Buckalew, Ohio University, USA; Erik M. Boczeko, Vanderbilt University, USA

Coffee Break

10:45 AM-11:15 AM



Room: Golden Cliff

Opening Remarks

11:15 AM-11:30 AM

Room: Ballroom

Sunday, May 19

IP1

Tire Tracks, the Stationary Schrödinger's Equation and Forced Vibrations

11:30 AM-12:15 PM

Room: Ballroom

Chair: Tere M. Seara, *Universitat Politecnica de Catalunya, Spain*

I will describe a newly discovered equivalence between the first two objects mentioned in the title. The stationary Schrödinger's equation, a.k.a. Hill's equation, is ubiquitous in mathematics, physics, engineering and chemistry. Just to mention one application, the main idea of the Paul trap (for which W. Paul earned the 1989 Nobel Prize in physics) amounts to a certain property of Hill's equation. Surprisingly, Hill's equation is equivalent to a seemingly completely unrelated problem of "tire tracks". As a further surprise, there is a yet another connection between the "tire tracks" problem and the high frequency forced vibrations.

Mark Levi

Pennsylvania State University, USA

Lunch Break

12:15 PM-1:45 PM

Attendees on their own

Sunday, May 19

IP2

Linear and Nonlinear Problems of Mathematical Finance

1:45 PM-2:30 PM

Room: Ballroom

Chair: George Haller, *ETH Zürich, Switzerland*

We start with a general overview of financial markets as dynamical systems and introduce primary financial assets including bonds, equities, currencies, and commodities. Next, we give a broad outline of market microstructure, market impact, and algorithmic trading, with a particular emphasis of limit order books and their dynamics. We also discuss technical trading and time-series analysis. After that, we introduce financial derivatives and describe their risk-neutral and real-world valuation. We discuss possible choices of stochastic processes used for modeling primary assets; derive the corresponding pricing equations for derivatives, and demonstrate how these equations can be solved. We conclude our presentation by formulating some open problems of mathematical finance.

Alexander Lipton

Bank of America Merrill Lynch, USA and Imperial College London, United Kingdom

Intermission

2:30 PM-2:45 PM

Sunday, May 19

MS12

Featured Minisymposium: Advances in the Theory and Computation of Hamiltonian Systems

2:45 PM-5:00 PM

Room: Ballroom I

This minisymposium is devoted to the study of local and global phenomena in Hamiltonian systems and Hamiltonian PDE. The featured presentations will discuss some recent theoretical advances in Hamiltonian instability, celestial mechanics, and PDE, as well as applications. One of the underlying themes shared by these works is to describe and compute structures that organize the dynamics, and solutions that are localized in space with long lifetimes.

Organizer: Marian Gidea
Northeastern Illinois University, USA

Organizer: Tere M. Seara
Universitat Politecnica de Catalunya, Spain

2:45-3:15 Geometric and Topological Structures in Hamiltonian Dynamics

Marian Gidea, *Northeastern Illinois University, USA*

3:20-3:40 Small Generalized Breathers with Exponentially Small Tails for Klein-Gordon Equations

Chongchun Zeng, *Georgia Institute of Technology, USA*; Nan Lu, *University of Massachusetts, Amherst, USA*

3:45-4:05 Low-dimensional Dynamics in Nonlinear Wave Systems

Roy Goodman, *New Jersey Institute of Technology, USA*

4:10-4:30 Regularizing Transformations in the Planar Three-body Problem

Richard Moeckel, *University of Minnesota, USA*; Richard Montgomery, *University of California, Santa Cruz, USA*

4:35-4:55 Instability in Nearly Integrable Hamiltonian Systems with Three Degrees of Freedom

Chong-Qing Cheng, *Nanjing University, China*

Sunday, May 19

MS13

Featured Minisymposium: Dynamics and Control of Neurons and Networks - Part I of II

2:45 PM-5:00 PM

Room: Ballroom II

For Part 2 see MS39

There is by now a long, fruitful history of using dynamical systems techniques to understand the dynamics of neurons and neuronal networks. More recently, there has been growing interest in controlling activity in neuronal networks, motivated, for example, by treatment of neurological diseases such as Parkinson's disease and epilepsy. Talks in this session will address different dynamical systems approaches for understanding the dynamics and control of neurons and networks.

Organizer: Victoria Booth
University of Michigan, USA

Organizer: Jeff Moehlis
University of California, Santa Barbara, USA

Organizer: Michal Zochowski
University of Michigan, USA

2:45-3:15 Controlling Populations of Neurons

Jeff Moehlis, University of California,
Santa Barbara, USA

3:20-3:40 Symmetry in the Observability and Controllability of Neuronal Networks

Steven J. Schiff, Andrew Whalen, and
Sean Brennan, Pennsylvania State
University, USA; Timothy Sauer,
George Mason University, USA

3:45-4:05 Transient Neurodynamics and the Role of Sensory Dead Zones

John Milton, Claremont College, USA;
Gabor Stepan and Tamas Insperger,
Budapest University of Technology and
Economics, Hungary

continued in next column

4:10-4:30 Optimal Control of Spiking Neuron Ensembles

Jr-Shin Li and Isuru Dasanayake,
Washington University in St. Louis,
USA; Justin Ruths, Singapore
University of Technology & Design,
Singapore

4:35-4:55 Data-driven Mesoscopic Neural Modelling

Dean R. Freestone and David Grayden,
University of Melbourne, Australia;
Mark Cook, St. Vincent's Hospital,
Melbourne, Australia; Dragan Nešić,
University of Melbourne, Australia

Sunday, May 19

MS14

Featured Minisymposium: Localized Pattern Formation

2:45 PM-5:00 PM

Room: Ballroom III

Localized patterns can occur in a wide range of situations, but particularly where two different stable patterns exist at the same parameter values. They occur in one or two-dimensional problems, in steady or time-dependent problems, in problems where one pattern is featureless and the other spatially periodic or even turbulent, or where both patterns have their own characteristic wavelength. This minisymposium presents theoretical and numerical advances, and is organised in memory of Thomas Wagenknecht.

Organizer: Alastair M. Rucklidge
University of Leeds, United Kingdom

2:45-3:15 An Overview of Localized Pattern Formation, with Comments on Non-variational and Non-local Problems

Jonathan Dawes, University of Bath,
United Kingdom; John Burke, Boston
University, USA

3:20-3:40 Exponential Asymptotics and Homoclinic Snaking

Andrew Dean, University of Leeds,
United Kingdom; Paul C. Matthews,
Stephen M. Cox, and John King,
University of Nottingham, United
Kingdom

3:45-4:05 Spatial Patterns in Shear Flows

Tobias Schneider, Max Planck Institute
for Dynamics and Self-Organization,
Germany; John Gibson, University of
New Hampshire, USA

4:10-4:30 Radially Symmetric Spot Solutions for the Swift--Hohenberg Equation

Scott McCalla, University of California,
Los Angeles, USA; Bjorn Sandstede,
Brown University, USA

4:35-4:55 Localized Patterns in Systems with Two Length Scales, and Oscillons in Parametrically Forced Systems

Abeer Al-Nahdi, David Bentley, Jitse
Niesen, Alastair M. Rucklidge, and
Thomas Wagenknecht, University of
Leeds, United Kingdom

Sunday, May 19

MS15

Featured Minisymposium: Lagrangian Dynamics in Geophysical Flows

2:45 PM-5:00 PM

Room: Maybird

Observations of geophysical flows reveal intricate patterns of tracer distributions. Advances in dynamical systems theory led to the discovery of a structure that organize such distributions. This minisymposium is devoted to discuss the occurrence of tracer patterns distributions in the ocean, and Earth and planetary atmospheres, as well as on techniques devised to unveil their organizing structures.

Organizer: M. Josefina
Olascoaga

University of Miami, USA

2:45-3:15 Hyperbolic Lagrangian Coherent structures (LCSs) and LCS- cores

M. Josefina Olascoaga, University of
Miami, USA; George Haller, ETH
Zürich, Switzerland; Laura Fiorentino
and Francisco J. Beron-Vera,
University of Miami, USA

3:20-3:40 Identification and Tracking of Optimally Coherent Sets in the Ocean and Atmosphere via Transfer Operators

Gary Froyland, University of New
South Wales, Australia; Christian
Horenkamp, University of Paderborn,
Germany; Adam Monahan, University
of Victoria, Canada; Vincent Rossi,
University of New South Wales,
Australia; Naratip Santitissadeekorn,
University of North Carolina at
Chapel Hill, USA; Alex Sen Gupta
and Erik van Sebille, University of
New South Wales, Australia

3:45-4:05 Lagrangian Fronts and Potential Fishing Grounds

S.V. Prants, M.V. Budyansky, and
M.Yu. Uleysky, Pacific Oceanological
Institute of the Russian Academy of
Sciences, Russia

continued in next column

4:10-4:30 Space-Filling Lattices of 3D Vortices Created by the Self- Replication of Critical Layers in Linearly Stable, Shearing, Stratified, Rotating Flows

Philip S. Marcus, Chung-Hsiang Jiang,
Suyang Pei, and Pedram Hassandadeh,
University of California, Berkeley,
USA

4:35-4:55 Scale-dependent Relative Dispersion and Application to Submesoscale Lagrangian Parametrization

Angelique C. Haza and Tamay
Ozgokmen, University of Miami,
USA; Annalisa Griffa, CNR, Italy;
Zulema Garraffo, National Oceanic
and Atmospheric Administration,
USA; Leonid Piterba Piterbarg,
University of Southern California,
USA

Coffee Break

5:00 PM-5:30 PM

Room: Golden Cliff



Sunday, May 19

MS16

Applied Stochastic Dynamical Systems - Part II of II

5:30 PM-6:30 PM

Room: Ballroom I

For Part 1 see MS1

The purpose of this minisymposium is to bring together experts in both continuous (differential equations) and discrete (difference equations) dynamical systems which are subject to stochastic perturbations. Such systems occur in population ecology, fluid dynamics, system control, financial markets and medical modeling.

Organizer: Elena Braverman
University of Calgary, Canada

5:30-5:45 The Poincare Map of Randomly Perturbed Periodic Motion

Georgi S. Medvedev, Drexel University,
USA

5:50-6:05 Stochastic Effects in Non- normal Systems: An Example from Ecology

Conall Kelly, University of the West
Indies, Jamaica

6:10-6:25 On Discrete Itô Formula and Applications

Alexandra Rodkina, University of the
West Indies, Jamaica

Sunday, May 19

MS17

Dynamically Generated Complex Spatiotemporal Patterns in Cardiac Tissue

5:30 PM-6:50 PM

Room: Ballroom II

Period-doubling bifurcations are common dynamical features of many nonlinear systems. In cardiac tissue, a bifurcation appears at rapid pacing rates and leads to the formation of alternans (period-2 dynamics) in the electrical activation that produces contraction. This behavior not only reduces the mechanical efficiency of the heart, but also leads to a series of interesting patterns that induce irregular spatial distribution of electrical activations that can induce potentially fatal arrhythmias. In this minisymposium, we will show different mechanisms that can induce these complex spatiotemporal patterns and describe the underlying bifurcations.

Organizer: Flavio M. Fenton
Georgia Institute of Technology, USA

5:30-5:45 Dynamically Generated Complex Spatiotemporal Patterns in Cardiac Tissue

Flavio M. Fenton, Georgia Institute of Technology, USA; Alessio Gizzi, Campus Bio-Medico of Rome, Italy; Elizabeth M. Cherry, Rochester Institute of Technology, USA; Stefan Luther, Max Planck Institute for Dynamics and Self-Organization, Germany

5:50-6:05 Cardiac Wave Instabilities in Tissue with Inhomogeneous Distribution of Calcium Alternans

Carlos Lugo, Centro de Astrobiologia INTA-CSIC, Spain; Inma R Cantalapiedra, Angelina Penaranda, Enric Alvarez-Lacalle, and Blas Echebarria, Universitat Politècnica de Catalunya, Spain

continued in next column

6:10-6:25 Reduced Order Modeling of Cardiac Dynamics and Prediction of Alternans

Xiaopeng Zhao, University of Tennessee, USA; Elena Tolkacheva, University of Minnesota, USA

6:30-6:45 Mechanisms of Spatially Discordant Alternans

Daisuke Sato and Donald Bers, University of California, Davis, USA; Yohannes Shiferaw, California State University, Northridge, USA

Sunday, May 19

MS18

Numerical Approximation of Manifolds and Applications

5:30 PM-6:50 PM

Room: Ballroom III

Stable and unstable manifolds play an important role in organizing the behavior of dynamical systems. Stable manifold, for example, may indicate boundaries of basins of attraction, while if a stable and unstable manifolds intersect, the systems presents a chaotic dynamics. The geometry of these invariant sets can be very complex. Consequently, the numerical estimation of these sets represents, in general, a computational challenge. The main objective of this minisymposium is to present and discuss up-to-date approaches to compute these sets and to show how these approaches can be used in technological applications.

Organizer: Elbert E. Macau
Laboratory for Computing and Applied Mathematics and Brazilian Institute for Space Research, Brazil

5:30-5:45 Computing Global Manifolds in the Lorenz System

Eusebius Doedel, Concordia University, Canada; Bernd Krauskopf and Hinke M. Osinga, University of Auckland, New Zealand

5:50-6:05 Parameterization Methods for Computing Normally Hyperbolic Invariant Tori

Marta Canadell and Alex Haro, Universitat de Barcelona, Spain

6:10-6:25 Computing Singularity-Free Paths on the Configuration Manifold for Closed-Chain Manipulators

Michael E. Henderson, IBM T.J. Watson Research Center, USA

6:30-6:45 Trajectory Design in the Spatial Circular Restricted Three-Body Problem using Higher-Dimensional Poincaré Maps

Amanda Haapala and Kathleen C. Howell, Purdue University, USA

Sunday, May 19

MS19

Complex Systems with Delays

5:30 PM-6:50 PM

Room: Magpie A

Time delays arise naturally in many complex systems in biology, engineering, neuroscience, physics and laser interactions. Mathematical models of such phenomena are particularly challenging due to the infinite-dimensionality of the phase space and possible non-smoothness of solutions in delay differential equations. The speakers of this minisymposium will present the latest developments in modelling and mathematical analysis of a range of systems with time delays.

Organizer: Yuliya Kyrychko
University of Sussex, United Kingdom

Organizer: Konstantin Blyuss
University of Sussex, United Kingdom

5:30-5:45 Control of Desynchronization Transitions by the Balance of Excitatory and Inhibitory Coupling in Delay-Coupled Networks
Eckehard Schöll, Technische Universität Berlin, Germany

5:50-6:05 Integro-differential Equations in Epidemiology Explored via Delays
Thomas W. Carr, Southern Methodist University, USA

6:10-6:25 Networks with Multiple Connection Delays: Dynamical Properties, Scaling bBehaviour and Synchronisation Patterns
Otti D'Huys, Steffen Zeeb, Sven Heiligenthal, Thomas Juengling, and Wolfgang Kinzel, University of Würzburg, Germany; Serhiy Yanchuk, Humboldt University at Berlin, Germany

6:30-6:45 Delay- and Coupling-Induced Firing Patterns in Oscillatory Neural Loops
Oleksandr Popovych, Research Centre Juelich, Germany; Serhiy Yanchuk, Humboldt University Berlin, Germany; Peter A. Tass, Research Centre Juelich, Germany

Sunday, May 19

MS20

Generation and Termination of Extreme Events in Spatially Extended Systems

5:30 PM-6:30 PM

Room: Magpie B

Extreme events are considered to be rare events characterized by a large impact on a particular system which is measured in terms of some observable or order parameter. The aim of this minisymposium is to discuss the mechanisms the generation and termination of extreme events in spatially extended excitable systems. We will present studies on a small number of coupled excitable units such as FitzHugh-Nagumo equations as well as large networks composed from excitable subsystems. Besides dynamical features leading to extreme events we search for precursors. Special emphasis is given to applications to epileptic seizures.

Organizer: Klaus Lehnertz
University of Bonn, Germany

Organizer: Ulrike Feudel
University of Oldenburg, Germany

5:30-5:45 The Dynamics of Two Coupled Excitable Units
Rajat Karnatak and Ulrike Feudel, University of Oldenburg, Germany

5:50-6:05 Extreme Events in Networks of Excitable Units
Gerrit Ansmann and Klaus Lehnertz, University of Bonn, Germany

6:10-6:25 Detecting Precursors of Bursting Dynamics in Simplified Neuronal Networks
Michał Zochowski, University of Michigan, USA

Sunday, May 19

MS21

Internal Waves in the Ocean, Laboratory and Theory

5:30 PM-6:50 PM

Room: Wasatch A

The idea of this minisymposium is to bring people together who study internal waves in stratified fluids from theoretical point of view, from observational point of view and from experimental point of view. This will provide a community with broad point of view on this fascinating phenomenon and will facilitate exchange of ideas. Talks will include theoretical overview of recent developments in internal wave theory, overview of recent and historical observational programs, reduced models of internal waves, novel Hamiltonian structure for waves in stratified flows and will also talk open questions and challenges.

Organizer: Yuri V. Lvov
Rensselaer Polytechnic Institute, USA

5:30-5:45 Internal Waves in the Ocean: Theoretical Perspective
Yuri V. Lvov, Rensselaer Polytechnic Institute, USA

5:50-6:05 Internal Waves: Synthesis Between Theory and Observations
Kurt Polzin, Woods Hole Oceanographic Institute, USA

6:10-6:25 Hamiltonian Formalism for Internal Waves and Turbulence in Stratified Flows
Benno Rumpf, Southern Methodist University, USA

6:30-6:45 Reduced Model of Internal Waves
Roberto Camassa, University of North Carolina at Chapel Hill, USA

Sunday, May 19

MS22

Nonsmooth Dynamical Systems: Theory and Applications - Part II of II

5:30 PM-6:50 PM

Room: Wasatch B

For Part 1 see MS7

Recent and ongoing work has revealed a wide variety of novel dynamical behavior in nonsmooth systems. Much of this work is physically motivated and has broad applications—from climate and oceanic modeling problems to suspension bridge and beam equations. In this minisymposium, we showcase many aspects of nonsmooth systems, such as discontinuity-induced bifurcations, extensions of geometric singular perturbation theory, and analysis of semilinear equations with jumping nonlinearities. Overall these talks aim to provide the audience with an understanding of the effects that lack of smoothness can have on the dynamics as well as new techniques designed to handle nonsmooth systems.

Organizer: David J. Simpson
Massey University, New Zealand

Organizer: Nitsan Ben-Gal
University of Minnesota, USA

Organizer: Anna M. Barry
University of Minnesota, USA

5:30-5:45 From Bearings to Biscuits, Practical Applications of Nonsmooth Dynamics

Chris Budd, University of Bath, United Kingdom

5:50-6:05 Regularization and Singular Perturbation Techniques for Nonsmooth Systems

Marco Teixeira, Universidade Estadual de Campinas, Brazil

6:10-6:25 Dynamics of a Fast Slow Piecewise Smooth Conceptual Climate Model

Esther Widiasih, University of Arizona, USA; Anna M. Barry, University of Minnesota, USA

6:30-6:45 Sustained Oscillations in a Nonsmooth Idealized Ocean Circulation Models

Andrew Roberts, University of North Carolina at Chapel Hill, USA

Sunday, May 19

MS23

Bifurcations in Coupled Cell Networks - Part II of II

5:30 PM-6:30 PM

Room: Maybird

For Part 1 see MS8

Coupled cell networks appear in many areas of science and arise as electrical circuits, power grids, the world wide web, neural networks, systems biology, etc. The last decade has seen the development of a mathematical theory of dynamical systems with a network structure. It is known that the network structure has an impact on the behavior of the associated dynamical systems, but it is not always clear how and why. We aim to give an overview of recent developments in the field, focusing on bifurcation theory and including results for general networks.

Organizer: Bob Rink

Free University Amsterdam, Netherlands

Organizer: Ana Paula S. Dias
Universidade do Porto, Portugal

5:30-5:45 Dynamics on Asynchronous Networks

Mike Field, Rice University, USA

5:50-6:05 Synchrony in Coupled Cell Networks

Manuela A. Aguiar and Ana Paula S. Dias, Universidade do Porto, Portugal

6:10-6:25 Bifurcations in Symmetrically Coupled Devices

Pietro-Luciano Buono, University of Ontario Institute of Technology, Canada

Sunday, May 19

MS24

Sensing and Modeling Coherent Structures in Flows - Part II of II

5:30 PM-6:50 PM

Room: Superior A

For Part 1 see MS9

Lagrangian Coherent Structures (LCS) are distinguished invariant surfaces that act as the skeleton of observable tracer trajectories in complex dynamical systems, ranging from micro-scale to geophysical flows. Major advances have recently been made in LCS theory including analytic and computational results, with applications to contaminant transport, environmental monitoring, underwater acoustic propagation, bio-inspired flows, and robotic tracking of LCS. The purpose of this minisymposium is to expose the audience to recent progress in the field of LCS sensing and modeling, as well as to bring together researchers developing new mathematical methods and applications for use in understanding flow transport.

Organizer: Eric Forgoston
Montclair State University, USA

Organizer: M. Ani Hsieh
Drexel University, USA

5:30-5:45 Lagrangian and Eulerian Indicators in a Model of the Chesapeake Bay

Reza Malek-Madani and Kevin McIlhany, U. S. Naval Academy, USA; Kayo Ide, University of Maryland, College Park, USA; Bin Zhang, University of Maryland, USA

5:50-6:05 LCS Based Detection of Key Ocean Transport Barriers: Advances and Applications

Thomas Peacock and Michael Allshouse, Massachusetts Institute of Technology, USA; C.J. Beegle-Krause, National Oceanic and Atmospheric Administration, USA; Jean-Luc Thiffeault, University of Wisconsin, Madison, USA; George Haller, ETH Zürich, Switzerland; M. Josefine Olascoaga, University of Miami, USA

continued on next page

**6:10-6:25 Lagrangian Data
Assimilation Within the Ocean:
Subsurface Observations and Three
Dimensional Models**

*Elaine Spiller, Marquette University,
USA*

**6:30-6:45 Collaborative Tracking of
Coherent Structures in Flows by Robot
Teams**

*M. Ani Hsieh, Drexel University, USA;
Eric Forgoston, Montclair State
University, USA; Matthew Michini,
Drexel University, USA; Ira B.
Schwartz, Naval Research Laboratory,
USA*

Sunday, May 19

MS25

Rigorous Numerics for ODEs and PDEs

5:30 PM-6:50 PM

Room: Superior B

The understanding of finite and infinite dimensional nonlinear dynamical systems is largely based on global analysis and numerical simulation. Computer assisted proofs of the existence of dynamical structures (fixed points, periodic orbits, connecting orbits) provide a bridge between these approaches. The computed solutions can be used as building blocks in global analysis via gluing methods or Morse-Conley-Floer theory. In this way local, rigorously verified, numerical solutions form the seeds of information from which additional global understanding can be gained. This minisymposium explores recent advances in rigorous numerics for connecting orbits, spatio-temporal periodic solutions and parameter continuation in ODEs and PDEs.

Organizer: Jean-Philippe Lessard
Université Laval, Canada

Organizer: Jan Bouwe Van Den Berg
VU University, Amsterdam, Netherlands

**5:30-5:45 Recent Advances in
Rigorous Numerics for Periodic and
Connecting Orbits**

*Jan Bouwe Van Den Berg, VU
University, Amsterdam, Netherlands*

**5:50-6:05 Rigorous Computation
of Connecting Orbits in Higher
Dimensions**

*Jason Mireles James, Rutgers University,
USA*

**6:10-6:25 Rigorous Continuation
of Solutions of Infinite Dimensional
Nonlinear Problems**

*Marcio Gameiro, University of Sao
Paulo, Brazil*

**6:30-6:45 Rigorous Numerics for
Nonlinear ODEs Using Chebyshev
Series**

*Christian Reinhardt, TU Munich,
Germany; Jean-Philippe Lessard,
Université Laval, Canada*

Sunday, May 19

MS26

Model Reduction and Epsilon-free Methods in Singular Perturbation Problems

5:30 PM-6:50 PM

Room: White Pine

In dynamical systems with multiple timescales a key feature is the existence of invariant low-dimensional manifolds, corresponding to the asymptotic slow evolution of the system. Finding such manifolds is an important step in a model reduction, and points where they lose regularity are associated with rapid transitions and complex dynamics with canards and mixed-mode oscillations. In the classical setting the timescales are controlled by a small parameter but many systems display multiple slow/fast behavior where no such parameter can be identified. We report recent progress on the dynamics of slow/fast systems both with and without an explicit small parameter.

Organizer: Morten Brøns
*Technical University of Denmark,
Denmark*

Organizer: Mathieu Desroches
INRIA Paris-Rocquencourt, France

**5:30-5:45 Inflection Methods for
Singular Perturbation Problems**

*Mathieu Desroches and Martin Krupa,
INRIA Paris-Rocquencourt, France;
Serafim Rodrigues, Plymouth
University, United Kingdom*

**5:50-6:05 An Iterative Method for the
Canard Explosion in General Planar
Systems**

*Morten Brøns, Technical University of
Denmark, Denmark*

**6:10-6:25 An Iterative Approach for
the Computation of Canards and
their Transients**

*Kristian U. Kristiansen, Technical
University of Denmark, Denmark*

**6:30-6:45 Algorithmic Multiscale
Reduction: Analysis, Challenges, Hits
and Misses**

*Antonios Zagaris, University of Twente,
Netherlands*

Sunday, May 19

Dinner Break

6:50 PM-8:15 PM

Attendees on their own

Prize Presentations - Jürgen Moser and J. D. Crawford



8:15 PM-8:30 PM

Room: Ballroom

J. D. Crawford Prize Recipient

Panayotis G. Kevrekidis,
*University of Massachusetts,
USA*

Jürgen Moser Lecture: Dynamics of Cognition

8:30 PM-9:15 PM

Room: Ballroom

*Chair: Hans Kaper, Argonne
National Laboratory and Georgetown
University, USA*

The nervous system produces activity with rhythmic components at all times, and in all cognitive states. These “brain rhythms” are believed to be centrally important in all aspects of cognition, from sensory processing to attention and decision making to motor planning. Nevertheless, the functions of brain rhythms in cognition are far from understood. This lecture will discuss examples of how the physiology of brain rhythms shapes their cognitive effects in normal and pathological situations. The work discussed uses the mathematical structure of equations for networks of neurons and suggests a wide range of open mathematical questions.

*Nancy Kopell, Boston University,
USA*

Monday, May 20

Registration

7:30 AM-5:45 PM

Room: Ballroom Foyer

Monday, May 20

MS27

Virus Dynamics, Immunology, and Transmission - Part I of II

8:00 AM-9:20 AM

Room: Ballroom I

For Part 2 see MS42

Viruses are a major public health concern. Those currently in the news include HIV, Influenza, Dengue, Rabies, and Ebola. Mathematical modeling has yielded many insights into virus infection, replication, transmission, as well as prevention and treatment strategies. This minisymposium will bring together leading researchers in all these areas of virus research to discuss their latest findings.

Organizer: Anna Mummert
Marshall University, USA

Organizer: Howard Weiss
Georgia Institute of Technology, USA

8:00-8:15 A Perspective on Multiple Waves of Influenza Pandemics

*Anna Mummert, Marshall University,
USA; Howard Weiss, Georgia
Institute of Technology, USA; Li-Ping
Long, Mississippi State University,
USA; José M. Amigó, Centro de
Investigación Operativa, Spain;
Xiu-Feng Wan, Mississippi State
University, USA*

8:20-8:35 Mathematical Model of Infection by Genetically-Engineered Viruses to Induce An Anti-Cancer Immune Response

*Peter S. Kim, University of Sydney,
Australia; Joseph J. Crivelli,
Weill Medical College of Cornell
University, USA; Joanna Wares,
University of Richmond, USA*

8:40-8:55 The Impact of Vaccination & Transgenic Mosquitoes on the Evolution of the Dengue Virus

*Jan Medlock, Oregon State University,
USA*

9:00-9:15 Identifiability and Parameter Estimation of Multiple Transmission Pathways in Disease

*Marisa Eisenberg, University of
Michigan, USA*

Monday, May 20

MS28

Dynamics of Scroll Waves

8:00 AM-9:20 AM

Room: Ballroom II

Spiral and scroll waves are nonlinear dissipative patterns occurring in 2- and 3-dimensional excitable media, respectively, where they act as (desired or undesired) organizing centers. The extra degrees of freedom present in three spatial dimensions make the dynamics of scroll waves richer and more complicated. This minisymposium focuses on recent advances in understanding of the role and limitation of the concept of tension of filaments of scroll waves, and of the effects of geometric features and discrete medium structure on the dynamics of scroll waves. The selection of talks represent analytical, numerical and experimental approaches to the problem.

Organizer: Vadim N. Biktashev
University of Exeter, United Kingdom

8:00-8:15 Dynamics of Scroll Filaments, and Buckling of Scrolls in Thin Media

Hans Dierckx and Henri Verschelde,
Ghent University, Belgium; Ozgur Selsil, University of Liverpool, United Kingdom; Vadim N. Biktashev,
University of Exeter, United Kingdom

8:20-8:35 Effects of Reduced Discrete Coupling on Filament Tension in Excitable Media

Sergio Alonso, Physikalisch-Technische Bundesanstalt, Germany

8:40-8:55 Low-energy Control of Electrical Turbulence in the Heart

Stefan Luther, Max Planck Institute for Dynamics and Self-Organization, Germany

9:00-9:15 Filament Interaction and Self-Wrapping Filaments in An Excitable Reaction System

Oliver Steinbock, Florida State University, USA

Monday, May 20

MS29

Granular Flow from a Dynamical Systems Perspective - Part I of II

8:00 AM-9:20 AM

Room: Ballroom III

For Part 2 see MS44

The purpose of this minisymposium is to present a cross-section of leading-edge research on granular flows from the modern dynamical systems theory viewpoint, which includes analytical, computational, visualization and experimental approaches. Investigations featuring dynamical systems models—ranging from the finite-dimensional discrete to infinite-dimensional continuous—for particulate configurations and flows shall be presented with a focus on determining such features as bifurcations, dynamic time scales, invariant manifolds, integrability, interaction force fields, coherent structures, wave-like solutions, chaos and KAM tubes. Among the specific granular flow aspects treated are avalanching, segregation, shearing, cutting, shuffling, mixing, diffusion and characterization of particle-particle interaction effects.

Organizer: Denis Blackmore
New Jersey Institute of Technology, USA

Organizer: Anthony Rosato
New Jersey Institute of Technology, USA

Organizer: Xavier M. Tricoche
Purdue University, USA

8:00-8:15 Analysis of a Dynamical Systems Model for Granular Flow

Denis Blackmore and Anthony Rosato,
New Jersey Institute of Technology, USA; Xavier M. Tricoche, Purdue University, USA; Hao Wu and Kevin Urban, New Jersey Institute of Technology, USA

8:20-8:35 Particle Size Segregation and Spontaneous Levee Formation in Geophysical Mass Flows

Nico Gray and James Baker, University of Manchester, United Kingdom

8:40-8:55 Important Time Scales in the Dynamics of Granular Material

Miroslav Kramar and Konstantin Mischaikow, Rutgers University, USA; Lou Kondic, New Jersey Institute of Technology, USA; Arnaud Goulet, Rutgers University, USA

9:00-9:15 Mixing by Cutting & Shuffling in 3D Granular Flow

Paul Umbanhowar, Paul Park, Richard M. Lueptow, and Julio Ottino, Northwestern University, USA

continued in next column

Monday, May 20

MS30

Construction and Analysis of Empirical Brain Networks (Connectomes)

8:00 AM-9:20 AM

Room: Magpie A

The analysis of empirical brain networks (connectomes) derived from medical imaging is becoming increasingly important to the study and diagnosis of a variety of brain disorders, ranging from schizophrenia to Alzheimer's disease to traumatic brain injuries. This minisymposium will focus on foundational questions in the construction and analysis of these networks, from the reliability of the measured links and the connections between different empirical modalities to the foundations of their statistical analysis and the relationship between network structure and brain dynamics.

Organizer: Eric Friedman
International Computer Science Institute, USA

Organizer: Adam S. Landsberg
Claremont McKenna, Pitzer and Scripps Colleges, USA

8:00-8:15 Geometric Network Models of the Functional Connectome

Eric Friedman, International Computer Science Institute, USA; Adam Landsberg, Claremont College, USA

8:20-8:35 Network Structure and Predictive Dynamics of Brain Systems

Danielle S. Bassett and Nicholas F. Wymbs, University of California, Santa Barbara, USA; Mason A. Porter, University of Oxford, United Kingdom; Peter J. Mucha, University of North Carolina at Chapel Hill, USA; Jean M. Carlson and Scott T. Grafton, University of California, Santa Barbara, USA

8:40-8:55 A Linear Model Based on Network Diffusion Predicts Functional Correlation Networks in the Brain from Structural Connectivity Networks

Ashish Raj, Cornell University, USA

9:00-9:15 Statistical Aspects of Diffusion Fiber Tracking

Roland Henry, University of California, San Francisco, USA

Monday, May 20

MS31

Transfer Operator Methods for Maps and Flows

8:00 AM-9:20 AM

Room: Magpie B

In practical applications, transfer operator methods amount to numerical techniques involving transition matrices that describe the action of a map or flow on measures. Backed by transfer operator theory, this minisymposium will cover methods to analyse coherent structures in time-dependent systems, to study transport and quantify mixing rates, to discover connections with topological analyses, and to control and stabilise systems.

Organizer: Gary Froyland
University of New South Wales, Australia

8:00-8:15 Transfer Operator Based Numerical Methods for Analysing Coherent Structures in Time-dependent Systems

Kathrin Padberg-Gehle, Dresden University of Technology, Germany; Gary Froyland, University of New South Wales, Australia

8:20-8:35 Identifying Topological Chaos Using Set-oriented Methods

Mark A. Stremler and Pradeep Rao, Virginia Tech, USA

8:40-8:55 Exploiting Numerical Diffusion to Study Transport and Chaotic Mixing

Patrick Anderson, Eindhoven University of Technology, Netherlands

9:00-9:15 Global Stability Design of Autonomous Time-continuous Systems

Péter Koltai, Munich University of Technology, Germany

Monday, May 20

MS32

Nonlinear Surface Water Waves - Part I of II

8:00 AM-9:20 AM

Room: Wasatch A

For Part 2 see MS47

The mathematics of surface water waves is a challenging subject, which has received a lot of interest over the years. This minisymposium focuses on the analysis of the complete hydrodynamic equations for both irrotational water waves and water waves with vorticity. The purpose is to present recent analytical and numerical developments for a number of mathematical questions arising in the study of the dynamics of water waves.

Organizer: Mariana Haragus
Universite de Franche-Comte, France

Organizer: Erik Wahlen
Lund University, Sweden

8:00-8:15 A Dimension-breaking Phenomenon for Steady Water Waves with Weak Surface Tension

Mark D. Groves, Universität des Saarlandes, Germany; Shu-Ming Sun, Virginia Tech, USA; Erik Wahlen, Lund University, Sweden

8:20-8:35 Solitary Waves on Water and Their Stability

Shu-ming Sun, Virginia Tech, USA

8:40-8:55 Relating the Water Wave Pressure to its Surface Elevation

Bernard Deconinck, University of Washington, USA; Katie Oliveras, Seattle University, USA

9:00-9:15 Quasi-periodic Perturbations of Time-periodic Water Waves

Jon Wilkening, University of California, Berkeley, USA

Monday, May 20

MS33**Nonsmooth Dynamical Systems: Uncertainties, Singularities and Bifurcations**

8:00 AM-9:20 AM

Room: Wasatch B

This session will introduce surprising new results on the theory of bifurcations and singularities in nonsmooth dynamical systems. With applications including friction and impact, relays in electrical control circuits, and switches of behaviour in biological models, it is becoming ever more important to bring the theory of dynamical systems with discontinuities to a state of maturity. Key issues that will be addressed here are the intrinsic dependence of grazing bifurcations on system dimension, the breakdown of determinism at singularities and their robustness to unmodelled errors, novel border splitting bifurcations, and the exponentially small phenomena that appear when a discontinuity is smoothed.

Organizer: Mike R. Jeffrey
University of Bristol, United Kingdom

Organizer: Alessandro Colombo
Politecnico di Milano, Italy

8:00-8:15 The Uncertainties of Nonsmooth Dynamics

Mike R. Jeffrey, University of Bristol, United Kingdom

8:20-8:35 Singular Matching Near a Visible Fold-regular Point: Asymptotics of the Return Map

Tere M. Seara and Carles Bonet, Universitat Politecnica de Catalunya, Spain

8:40-8:55 The Curse of Dimensionality for the Border Collision Normal Form

Paul Glendinning, University of Manchester, United Kingdom

9:00-9:15 Singular Dynamics in Gene Network Models

Anna Machina, University of Victoria, Canada

Monday, May 20

MS34**Koopman Operator Methods in Dynamical Systems**

8:00 AM-9:20 AM

Room: Maybird

Koopman (or composition) operator is a linear infinite-dimensional operator that can be defined for any nonlinear dynamical system. The linear operator retains the full information of the nonlinear state-space dynamics. The formalism based on Koopman operator representation holds promise for extension of dynamical systems methods to systems in high-dimensional spaces as well as hybrid systems, with a mix of smooth and discontinuous dynamics. Recently, Koopman operator properties have been intensely studied, and applications pursued in fields as diverse as fluid mechanics and power grid dynamics. In this mini-symposium, we aim to present the current status of Koopman operator methods in dynamical systems and their applications.

Organizer: Igor Mezic
University of California, Santa Barbara, USA

Organizer: Yoshihiko Susuki
Kyoto University, Japan

8:00-8:15 Koopman Operator Methods: An Overview

Igor Mezic, University of California, Santa Barbara, USA

8:20-8:35 Linearization Theorems and Koopman Operator Spectrum

Yueheng Lan, Tsinghua University, P. R. China

8:40-8:55 Isochrons and Isostables of Dynamical Systems: Relationship to Koopman Operator Spectrum

Alexandre Mauroy and Igor Mezic, University of California, Santa Barbara, USA

9:00-9:15 Koopman Operator Methods in Fluid Mechanics

Clarence Rowley, Princeton University, USA

Monday, May 20

MS35**Recent Advances in Large Eddy Simulations of Turbulent Flows - Part I of II**

8:00 AM-9:20 AM

*Room: Superior A***For Part 2 see MS50**

Large Eddy Simulation (LES) of turbulent flows is today one of the main fluid mechanic's challenge. This symposium aims at an interdisciplinary synthesis of methods currently developed in LES, and applications to environment and engineering. Models are derived from the Navier-Stokes Equations, such as Leray-alpha, approximate deconvolution, proper orthogonal decompositions, entropy-viscosity, Boltzmann Lattice. Closure and energy spectra issues are discussed about the models, for which we show recent mathematical developments. Numerical methods and practical algorithms are exposed, together with numerical results for academic as well as realistic cases, like the ocean and the atmospheric boundary layer.

Organizer: Roger Lewandowski
University of Rennes 1 and INRIA Rennes, France

8:00-8:15 Modeling Error in Approximate Deconvolution Models

Roger Lewandowski, University of Rennes 1 and INRIA Rennes, France

8:20-8:35 Approximate Deconvolution Large Eddy Simulation of the Quasi-Geostrophic Equations of the Ocean

Traian Iliescu, Virginia Tech, USA

8:40-8:55 Unconditionally Stable and Optimally Accurate Timestepping Methods for Approximate Deconvolution Models

Leo Rebholz, Clemson University, USA

9:00-9:15 Approximate Deconvolution Models for LES of Atmospheric Boundary Layer Flows

Tina Katopodes Chow, Lauren Goodfriend, and Bowen Zhou, University of California, Berkeley, USA

Monday, May 20

MS36

Hierarchical Modeling in Arctic Sea Ice

8:00 AM-9:20 AM

Room: Superior B

Global circulation models (GCMs) are currently the primary tool used to project climate over the next century. The complexity of these highly parameterized models makes it difficult to assess feedbacks, isolated climate processes, or differences in climate feedbacks among GCMs, without the concurrent use of more conceptual mathematical models where the physical processes can be understood. The talks address the stability of Arctic sea ice and the reversibility of sea ice retreat in a changing climate, employing a hierarchy of models that include low order dynamical systems, lattice models and idealized GCMs together with mathematical concepts from dynamical systems theory.

Organizer: Renate A. Wackerbauer

University of Alaska, Fairbanks, USA

8:00-8:15 Response of the Sea Ice Seasonal Cycle to Climate Change

Ian Eisenman, Scripps Institution of Oceanography, USA

8:20-8:35 On the Existence of Stable Seasonally Varying Arctic Sea Ice in Simple Models

John S. Wettlaufer, Yale University, USA

8:40-8:55 Multiple Sea Ice States and Hysteresis in Simple and Complex Climate Models: Why the Oceans Matter

Brian Rose, University of Washington, USA

9:00-9:15 Reversibility of Arctic Sea Ice Retreat - A Conceptual Multi-scale Modeling Approach

Renate A. Wackerbauer and Marc Mueller-Stoffels, University of Alaska, Fairbanks, USA

Monday, May 20

MS37

Recent Computational and Theoretical Advances in Global Bifurcations

8:00 AM-9:20 AM

Room: White Pine

Global bifurcations of maps and vector fields such as homo- and heteroclinic phenomena are characterized by the re-arrangement of stable and unstable manifolds of invariant objects under parameter variation. This may result in drastic changes of the dynamics, including transitions to chaotic regimes, transforming or creating basins of attraction and, ultimately, reorganizing the overall structure of the phase space. The aim of this minisymposium is to present recent advances in the computation and study of global bifurcations in both theoretical and applied contexts, in order to obtain deeper insight into old and new challenges arising from these global phenomena.

Organizer: Stefanie Hittmeyer
University of Auckland, New Zealand

Organizer: Pablo Aguirre
Universidad Técnica Federico Santa María, Chile

8:00-8:15 Understanding Homoclinic Bifurcations via the Computation of Global Invariant Manifolds

Pablo Aguirre, Universidad Técnica Federico Santa María, Chile; Bernd Krauskopf and Hinke M. Osinga, University of Auckland, New Zealand

8:20-8:35 Global Bifurcations Lead to Bursting in a Two-Mode Laser

Andreas Amann, Nicholas Blackbeard, Simon Osborne, and Stephen O'Brien, University College Cork, Ireland

8:40-8:55 Topological Structures and Parameter-Sweeping Techniques in the Hindmarsh-Rose Neuron Model

Roberto Barrio, University of Zaragoza, Spain; Marc Lefranc, Université de Lille 1, France; M. Angeles Martinez and Sergio Serrano, University of Zaragoza, Spain; Andrey Shilnikov, Georgia State University, USA

9:00-9:15 Interacting Invariant Sets in a Noninvertible Planar Map Model of Wild Chaos

Stefanie Hittmeyer, Bernd Krauskopf, and Hinke M. Osinga, University of Auckland, New Zealand

Intermission

9:20 AM-9:30 AM

continued in next column

Monday, May 20

CP11

Virus Dynamics, Immunology, and Transmission

9:30 AM-10:45 AM

Room: Ballroom I

Chair: James A. Yorke, University of Maryland, USA

9:30-9:40 The Significance of HIV Modelling on Public Health Strategies
James A. Yorke, University of Maryland, USA

9:45-9:55 On Spread of Phage Infection of Bacteria in a Petri Dish
Hal L. Smith, Horst Thieme, and Don Jones, Arizona State University, USA

10:00-10:10 Calculating Early Treatment Gains
Erik M. Boczko, Vanderbilt University, USA; Todd Young, Ohio University, USA

10:15-10:25 A Perspective on Multiple Waves of Influenza Pandemics
Howard Weiss, Georgia Institute of Technology, USA

10:30-10:40 The Heterogeneous Dynamics of the Transcription Factor NF- κ B
Samuel Zambrano and Marco E. Bianchi, San Raffaele University, Italy; Alessandra Agresti, San Raffaele Research Institute, Italy

Monday, May 20

CP12

Algorithms, Assimilation, Approximations and Applications

9:30 AM-10:30 AM

Room: Ballroom III

Chair: Sean Kramer, Clarkson University, USA

9:30-9:40 Monitoring the State of in-Land and Coastal Waters from Space
Nicholas Tufillaro, dynamic penguin, LLC

9:45-9:55 Autosynchronization Methods for Pde Model Fitting and Nonlinear Data Assimilation for Ocean Ecology Informed by Partially-Observed Hyperspectral Satellite Imagery
Sean Kramer, Clarkson University, USA

10:00-10:10 The Approximation of Coherent Structures in Non-Autonomous Dynamical Systems
Christian Horenkamp and Michael Dellnitz, University of Paderborn, Germany

10:15-10:25 An Approach to Secure Communication in Chaotic Systems Without Synchronization
Fabiano Ferrari and Ricardo L. Viana, Federal University of Paraná, Brazil; Romeu Szmoski and Sandro Pinto, Universidade Estadual de Ponta Grossa, Brazil

Monday, May 20

CP13

Patterns and Localization

9:30 AM-10:45 AM

Room: Magpie A

Chair: Kaitlin Speer, Northwestern University, USA

9:30-9:40 Localized Pattern Formation in Reaction Diffusion Equations with a Source Term
Alan R. Champneys and Victor Brena-Medina, University of Bristol, United Kingdom

9:45-9:55 Spatial Localization in Two-Dimensional Convection with a Large Scale Mode
Hsien-Ching Kao, Cedric Beaume, and Edgar Knobloch, University of California, Berkeley, USA; Alain Bergeon, Universite de Toulouse, France

10:00-10:10 Multiple Snaking Scenarios in Three-Dimensional Doubly Diffusive Convection
Cedric Beaume, University of California, Berkeley, USA; Alain Bergeon, Universite de Toulouse, France; Edgar Knobloch, University of California, Berkeley, USA

10:15-10:25 Eisenman2012 Arctic Sea Ice Model: Analysis in Discontinuous Albedo Limit
Kaitlin Speer and Mary Silber, Northwestern University, USA

10:30-10:40 Phase Reduction Analysis of Oscillatory Patterns in Reaction-Diffusion Systems
Hiroya Nakao, Tokyo Institute of Technology, Japan; Tatsuo Yanagita, Osaka University, Japan; Yoji Kawamura, Japan Agency for Marine-Earth Science and Technology, Japan

Monday, May 20

CP14

Biological Dynamics

9:30 AM-10:45 AM

Room: Magpie B

Chair: Gregory A. Robinson, University of Colorado Boulder, USA

9:30-9:40 Understanding Cellular Architecture in Cancer Cells

Simone Bianco and Yee-Hung Mark Chan, University of California, San Francisco, USA; Susanne Rafelski, University of California, Irvine, USA; Morgan Truitt, Wallace Marshall, and Davide Ruggero, University of California, San Francisco, USA; Chao Tang, Peking University, China and UC, San Francisco, USA

9:45-9:55 Robustness of Gene Regulatory Networks

Claus Kadelka, Virginia Tech, USA; David Murrugarra, Georgia Institute of Technology, USA; Reinhard Laubenbacher, Virginia Bioinformatics Institute, USA

10:00-10:10 Stability and Hopf Bifurcation in a Mathematical Model for Erythropoiesis

Susana Serna, Universitat Autònoma de Barcelona, Spain

10:15-10:25 Chemical Signal Processing for Biological Magnetic Sensors

Gregory A. Robinson, University of Colorado Boulder, USA

10:30-10:40 Structural Adaptation of a Microvascular Network

John B. Geddes, Elizabeth Threlkeld, and Margaret-Ann Seger, Franklin W. Olin College of Engineering, USA; Rachel Nancollas, University of California, Berkeley, USA; Alisha Sieminski, Franklin W. Olin College of Engineering, USA

Monday, May 20

CP15

Complex Fluids and Complex Flows

9:30 AM-10:45 AM

Room: Wasatch A

Chair: Louis C. Atsaves, Massachusetts Institute of Technology, USA

9:30-9:40 Multistable Dynamics in Electroconvecting Liquid Crystals

Zrinka Greguric Ferencek, John Cressman, Tyrus Berry, and Timothy Sauer, George Mason University, USA

9:45-9:55 Marangoni Oscillations in Rheology of Langmuir Polymer Monolayers

Maria Higuera, Jose M. Perales, and Jose Vega, Universidad Politécnica de Madrid, Spain

10:00-10:10 Chaotic Sickle Cell Blood Flow

Louis C. Atsaves and Wesley Harris, Massachusetts Institute of Technology, USA

10:15-10:25 Nonlinear Stability Analysis of Convective Rolls in Granular Fluid

Priyanka Shukla, Indian Institute of Science Education and Research, India; Meheboob Alam, Jawaharlal Nehru Centre for Advanced Scientific Research, Bangalore, India

10:30-10:40 Front Propagation in Steady Cellular Flows: A Large-Deviation Approach

Alexandra Tzella and Jacques Vanneste, University of Edinburgh, United Kingdom

Monday, May 20

CP16

Networks, Oscillators, and Synchronization

9:30 AM-10:45 AM

Room: Wasatch B

Chair: Joel D. Nishimura, Cornell University, USA

9:30-9:40 Effects of Degree-Frequency Correlations on Network Synchronization

Per Sebastian Skardal, University of Colorado Boulder, USA; Jie Sun, Clarkson University, USA; Dane Taylor and Juan G. Restrepo, University of Colorado Boulder, USA

9:45-9:55 Synchronous Dynamics and Bifurcation Analysis in Two Delay Coupled Oscillators with Recurrent Inhibitory Loops

Jian Peng, Hunan University, China

10:00-10:10 Designing Pulse Coupled Oscillators

Joel D. Nishimura, Cornell University, USA; Eric Friedman, International Computer Science Institute, USA

10:15-10:25 Controlling Macroscopic Chaos in a Network of Coupled Oscillators

Alexandre Wagemakers, Universidad Rey Juan Carlos, Spain; Ernest Barreto, George Mason University, USA; Miguel A.F. Sanjuan, Universidad Rey Juan Carlos, Spain; Paul So, George Mason University, USA

10:30-10:40 Loop Searching System with Self-Recovery Property

Kei-Ichi Ueda, University of Toyama, Japan

Monday, May 20

CP17

Koopman Operator Methods in Dynamical Systems

9:30 AM-10:45 AM

Room: Maybird

Chair: Michael Georgescu, University of California, Santa Barbara, USA

9:30-9:40 Building Energy Efficiency Using Koopman Operator Methods

Michael Georgescu and Igor Mezic, University of California, Santa Barbara, USA

9:45-9:55 Comparison of PCA and Koopman Mode Decomposition Applied to Estuary Flow

John Wells, Ritsumeikan University, Japan; Yoshihiko Susuki, Kyoto University, Japan; Tuy N.M. Phan and Linh V. Nguyen, Ritsumeikan University, Japan; William Kirkey, Md. Shahidul Islam, and James Bonner, Clarkson University, USA

10:00-10:10 Spectral Representation of Oscillators

Shervin Bagheri, KTH Stockholm, Sweden

10:15-10:25 Detecting Unstable Koopman Modes from Power Grid Disturbance Data

Yoshihiko Susuki, Kyoto University, Japan; Igor Mezic, University of California, Santa Barbara, USA

10:30-10:40 Sparsity-Promoting Dynamic Mode Decomposition

Mihailo R. Jovanovic, University of Minnesota, USA; Peter Schmid, Ecole Polytechnique, France; Joseph W. Nichols, Stanford University, USA

Monday, May 20

CP18

Turbulence and Transport

9:30 AM-10:15 AM

Room: Superior A

Chair: Sergio R. Lopes, Federal University of Paraná, Brazil

9:30-9:40 Deterministic Signature for Intermittent Convective Transport in Turbulent Systems

Sergio R. Lopes, Paulo Galuzio, and Ricardo L. Viana, Federal University of Paraná, Brazil; Gustavo Lima, Federal University of Rio Grande do Norte, Brazil

9:45-9:55 Analytical Approaches of One-Dimensional Conservative Solute Transport in Heterogeneous Porous Medium

Atul Kumar and R R Yadav, Lucknow University, India

10:00-10:10 Inclination-Flip Homoclinic Orbits in Ageostrophic Flows with Viscoelastic-Type Reynolds Stress

Maleafisha Stephen Tladi, University of Limpopo, South Africa

Monday, May 20

CP19

Materials and Optics Applications

9:30 AM-10:30 AM

Room: Superior B

Chair: Peter Kay, Western Illinois University, USA

9:30-9:40 Nonlinear Dynamics of Photoinduced Structural Change in Molecular Crystals

Kunio Ishida, Toshiba Corporation, Japan; Keiichiro Nasu, Institute of Materials Structure Science, Japan

9:45-9:55 Modeling Temperature Dynamics of Inductively Heated Shape Memory Polymers Doped with Magnetic Nanoparticles

Peter Kay and Dinesh Ekanayake, Western Illinois University, USA

10:00-10:10 Chaos Induced Energy Hopping

Korana Burke, University of California, Davis, USA; Kevin A. Mitchell, University of California, Merced, USA; Shuzhen Ye and Barry Dunning, Rice University, USA

10:15-10:25 Reduced Order Modeling of a Nonlinear Piezoelectric Energy Harvester

Louis Van Blarigan, University of California, Santa Barbara, USA; Jeff Moehlis, University of California, Santa Barbara, USA

Monday, May 20

CP20

Dynamical Systems and Chaos

9:30 AM-10:45 AM

Room: White Pine

Chair: Vadim Zharnitsky, University of Illinois at Urbana-Champaign, USA

9:30-9:40 On the Chaotic Cubic-Quintic Oscillator

Patanjali Sharma, Banasthali University, India

9:45-9:55 The Sigma-Delta Modulator as a Chaotic Nonlinear Dynamical System

Donald O. Campbell, University of Waterloo, Canada

10:00-10:10 Almost Lyapunov Functions

Vadim Zharnitsky, Daniel Liberzon, and Charles Ying, University of Illinois, USA

10:15-10:25 Families of Hyperbolic Lorenz Knots

Nuno Franco, Évora University, Portugal; Luis F. Silva and Gomes Paulo, ISEL-Engineering Superior Institute of Lisbon, Portugal

10:30-10:40 Invariants of Templates, Knots and Links Generated by Renormalizable Lorenz Maps

Luis F. Silva, ISEL-Engineering Superior Institute of Lisbon, Portugal

Coffee Break

10:45 AM-11:15 AM



Room: Golden Cliff

Monday, May 20

IP3

Particle Trajectories Beneath Irrotational Travelling Water Waves

11:15 AM-12:00 PM

Room: Ballroom

Chair: Alastair M. Rucklidge, University of Leeds, United Kingdom

We describe the pattern of the particle trajectories beneath a travelling wave moving at the surface of water in irrotational flow and with a flat bed, with no underlying current, both in the setting of periodic waves and in the setting of solitary waves.

Adrian Constantin
King's College London, United Kingdom

Lunch Break

12:00 PM-1:30 PM

Attendees on their own

Monday, May 20

IP4

Triggered Slip Processes in Earth

1:30 PM-2:15 PM

Room: Ballroom

Chair: Eli Ben-Naim, Los Alamos National Laboratory, USA

In 1992, a magnitude 7.3 Landers earthquake occurred in Southern California. As seismic waves were radiated, other earthquakes were dynamically triggered both nearby and far away, and elevated seismicity, termed delayed triggering, lasted for several months. Recent observations based on rapidly improving instrumentation show that a majority of earthquakes may be dynamically triggered. Our work indicates that the granular physics of the fault core, fault "gouge", plays a key role in triggering. Because direct access to the fault is not possible, we are characterizing the granular physics of triggering at laboratory scales using physical experiments and numerical simulations.

Paul Johnson
Los Alamos National Laboratory, USA

Intermission

2:15 PM-2:30 PM

Monday, May 20

MS38

Featured Minisymposium: Dynamics of Planet Earth

2:30 PM-4:45 PM

Room: Ballroom I

This Featured Minisymposium is part of “Mathematics of Planet Earth 2013” (MPE2013) and focuses on applications of dynamical systems techniques to problems in climate and sustainability. Our planet is the setting for dynamic processes of all sorts, including the atmospheric and oceanic processes that determine our weather and climates; the physical and chemical processes that mediate the carbon cycle; the biological processes involving living species and their interactions; and the human processes of agriculture, water, transportation, and energy. The challenges facing our planet and our civilization are multidisciplinary and multifaceted, and the mathematical sciences play a central role in the scientific effort to understand and deal with these challenges. The minisymposium will feature an overview talk and four talks highlighting issues of climate transitions, predictability, resource management, and social and ecological systems.

Organizer: Hans G. Kaper
*Argonne National Laboratory and
Georgetown University, USA*

2:30-3:00 Dynamical Systems and Planet Earth

*Hans G. Kaper, Argonne National
Laboratory and Georgetown
University, USA*

3:05-3:25 Forecasting the Truth with a Cleverly Inflated Ensemble

*Chris Danforth, University of Vermont,
USA; Ross Lieb-Lappen, Dartmouth
College, USA; James A. Yorke,
University of Maryland, USA*

3:30-3:50 Tipping Points: Overview and Challenges

*Mary Silber, Northwestern University,
USA*

3:55-4:15 The Topology of Non- Linear Global Carbon Dynamics: From Tipping Points to Planetary Boundaries

*Marty Anderies, Arizona State
University, USA*

4:20-4:40 Exploring the Decision- support Component of MPE Questions

*Mary Lou Zeeman, Bowdoin College
and Cornell University, USA*

Monday, May 20

MS39

Featured Minisymposium: Dynamics and Control of Neurons and Networks - Part II of II

2:30 PM-4:45 PM

Room: Ballroom II

For Part 1 see MS13

There is by now a long, fruitful history of using dynamical systems techniques to understand the dynamics of neurons and neuronal networks. More recently, there has been growing interest in controlling activity in neuronal networks, motivated, for example, by treatment of neurological diseases such as Parkinson's disease and epilepsy. Talks in this session will address different dynamical systems approaches for understanding the dynamics and control of neurons and networks.

Organizer: Victoria Booth
University of Michigan, USA

Organizer: Jeff Moehlis
*University of California, Santa Barbara,
USA*

Organizer: Michal Zochowski
University of Michigan, USA

2:30-3:00 From Neuron Dynamics to Network Plasticity

*Michal Zochowski and Victoria Booth,
University of Michigan, USA*

3:05-3:25 Ionic Dynamics Mediate Pattern Generation in Epilepsy

*Maxim Bazhenov and Giri Krishnan,
University of California, Riverside,
USA; Andrey Shilnikov, Georgia State
University, USA*

3:30-3:50 The Impact of Network Structure on Criticality in Cortical Circuits

*John M. Beggs, Indiana University,
USA; Karin Dahmen and Lee
DeVill, University of Illinois, USA;
Tom Butler, Massachusetts Institute
of Technology, USA; Nir Friedman,
University of Illinois, USA; Masanori
Shimono and Shinya Ito, Indiana
University, USA; Braden Brinkman,
University of Illinois, USA*

continued in next column

continued on next page

Monday, May 20

MS39

**Featured Minisymposium:
Dynamics and Control of
Neurons and Networks -
Part II of II**
continued

3:55-4:15 Distributed Control in Mean-field Cortical Network Models

ShiNung Ching, Washington University
in St. Louis, USA; Mark Kramer,
Boston University, USA

4:20-4:40 Performance Limitations of Thalamic Relay: New Insights into Thalamo-Cortical Processing, Parkinson's Disease and Deep Brain Stimulation

Sridevi Sarma and *Rahul Agarwal*,
Johns Hopkins University, USA

Monday, May 20

MS40

**Featured Minisymposium:
Vortex Dynamics**

2:30 PM-4:45 PM

Room: Ballroom III

This minisymposium showcases recent work in which the dynamics of vortices (and related flow structures) play important roles. The studies are both fundamental and applied, with applications to (and inspiration from) problems in engineering and biology. The topics considered include the dynamics of singular and regularized distributions of vorticity, the formation of vorticity at solid boundaries, and interactions among ensembles of vortical structures and solid bodies and boundaries.

Organizer: *Silas Alben*
University of Michigan, USA

2:30-3:00 Collision of a Flexible Filament with a Point Vortex

Silas Alben, University of Michigan,
USA

3:05-3:25 Numerical Study of Viscous Starting Flow Past Flat Plates

Monika Nitsche, University of New
Mexico, USA; *Ling Xu*, Georgia State
University, USA

3:30-3:50 Vortex Dipoles

Stefan Llewellyn Smith, University
of California, San Diego, USA;
Raymond Nagem, Boston University,
USA

3:55-4:15 Dipole Interactions in Doubly-periodic Domains

Eva Kanso and *Alan Cheng Hou Tsang*,
University of Southern California,
USA

4:20-4:40 Improving Vortex Models for Agile Bio-inspired Flight via Optimal Control Theory

Jeff D. Eldredge and *Maziar Hemati*,
University of California, Los Angeles,
USA

Monday, May 20

MS41

**Featured Minisymposium:
Celestial Dynamics**

2:30 PM-4:45 PM

Room: Maybird

In this section we will briefly survey the salient works of the past decades, describe some of the most interesting applications in recent missions, and conclude with the most recent advances and applications of Dynamical Systems to Celestial Mechanics and Astrodynamics problems.

Organizer: *Gerard Gomez*
Universitat de Barcelona, Spain

Organizer: *Josep Masdemont*
*Universitat Politecnica de Catalunya,
Spain*

2:30-3:00 Dynamics in Astronomical and Astrodynamical Problems

Josep Masdemont, Universitat Politecnica
de Catalunya, Spain; *Gerard Gomez*,
Universitat de Barcelona, Spain

3:05-3:25 Attainable Sets, Fast Numerical Approximation of Invariant Manifolds and Applications

Francesco Topputo and *Franco Bernelli-Zazzera*, Politecnico di Milano, Italy;
Giorgio Mingotti, University of
Strathclyde, United Kingdom; *Renyong Zhang*, Northwestern Polytechnical
University, China

3:30-3:50 Perturbed Restricted Few- Body Problems and their Applications

James Biggs, *Marta Ceccaroni*, and *Colin McInnes*, University of Strathclyde,
United Kingdom

3:55-4:15 Spacecraft Transfer Trajectory Design Exploiting Resonant Orbits and Manifolds in Multi-Body Regimes

Kathleen C. Howell and *Mar Vaquero*,
Purdue University, USA

4:20-4:40 Constant Sun Angle Solar Sail Trajectories

Brian Stewart, *Phil Palmer*, and *Mark Roberts*, University of Surrey, United
Kingdom

Coffee Break

4:45 PM-5:15 PM



Room: Golden Cliff

Monday, May 20

MS42

Virus Dynamics, Immunology, and Transmission - Part II of II

5:15 PM-6:35 PM

Room: Ballroom I

For Part 1 see MS27

Viruses are a major public health concern. Those currently in the news include HIV, Influenza, Dengue, Rabies, and Ebola. Mathematical modeling has yielded many insights into virus infection, replication, transmission, as well as prevention and treatment strategies. This minisymposium will bring together leading researchers in all these areas of virus research to discuss their latest findings.

Organizer: Anna Mummert
Marshall University, USA

Organizer: Howard Weiss
Georgia Institute of Technology, USA

5:15-5:30 Branching Process Models for HIV and SIV Infection

Daniel Coombs, University of British Columbia, Canada; Jessica M. Conway, Los Alamos National Laboratory, USA; Bernhard Konrad and Alejandra Herrera Reyes, University of British Columbia, Canada

5:35-5:50 Epidemics Dynamics in a City: A Network Model and Season Variations

Stefanella Boatto, Universidade Federal do Rio De Janeiro, Brazil

5:55-6:10 Modeling Dengue Fever: Recent Developments

Alun Lloyd, North Carolina State University, USA

6:15-6:30 Sharing Infectious-Disease Risk Across Communities

Timothy C. Reluga, Pennsylvania State University, USA

Monday, May 20

MS43

Dynamics of Spiral Waves - Part I of II

5:15 PM-6:35 PM

Room: Ballroom II

For Part 2 see MS54

Spiral and scroll waves are nonlinear dissipative patterns occurring in 2- and 3-dimensional excitable media, respectively, where they act as (desired or undesired) organizing centers. Important examples are biological excitable media, such as heart muscle where they correspond to dangerous arrhythmias, and self-organizing microorganisms. Study of their dynamics by experimental, numerical and analytical approaches goes back nearly forty years. Recent advances in theoretical and experimental techniques have our understanding and brought the studies closer to practical applications than ever before. This two-part mini-symposium provides a sampling of the current state of experimental and theoretical research in this field.

Organizer: Irina Biktasheva
University of Liverpool, United Kingdom

5:15-5:30 Asymptotic Dynamics of Spiral and Scroll Waves in a Mathematical Model of Ischaemic Border Zone

Irina Biktasheva, University of Liverpool, United Kingdom; Vadim N. Biktashev, University of Exeter, United Kingdom; Narine Sarvazyan, George Washington University, USA

5:35-5:50 Curvature-Dependent Excitation Propagation in Cultured Cardiac Tissue

Konstantin Agladze, Kyoto University, Japan

5:55-6:10 Dynamics of Spiral Waves on Non-Uniformly Curved Anisotropic Surfaces

Hans Dierckx, Evelien Brisard, Henri Vershelde, and Alexander V Panfilov, Ghent University, Belgium

6:15-6:30 Mechanisms of Low Energy Fibrillation Termination in the Cardiac Muscle. Role of Pinned Vortices

Valentin Krinsky, CNRS, France; Stefan Luther, Max Planck Institute for Dynamics and Self-Organization, Germany

Monday, May 20

MS44

Granular Flow from a Dynamical Systems Perspective - Part II of II

5:15 PM-6:35 PM

Room: Ballroom III

For Part 1 see MS29

The purpose of this minisymposium is to present a cross-section of leading-edge research on granular flows from the modern dynamical systems theory viewpoint, which includes analytical, computational, visualization and experimental approaches. Investigations featuring dynamical systems models—ranging from the finite-dimensional discrete to infinite-dimensional continuous—for particulate configurations and flows shall be presented with a focus on determining such features as bifurcations, dynamic time scales, invariant manifolds, integrability, interaction force fields, coherent structures, wave-like solutions, chaos and KAM tubes. Among the specific granular flow aspects treated are avalanching, segregation, shearing, cutting, shuffling, mixing, diffusion and characterization of particle-particle interaction effects.

Organizer: Denis Blackmore
New Jersey Institute of Technology, USA

Organizer: Anthony Rosato
New Jersey Institute of Technology, USA

Organizer: Xavier M. Tricocche
Purdue University, USA

5:15-5:30 Visualization of the Dynamics of Granular Flow Models

Xavier M. Tricocche, Purdue University, USA

5:35-5:50 Anomalous Diffusion in Granular Flow: Fractional Kinetics or Intermediate Asymptotics?

Ivan C. Christov and Howard A Stone, Princeton University, USA

continued on next page

Monday, May 20

MS44

Granular Flow from a Dynamical Systems Perspective - Part II of II

5:15 PM-6:35 PM

continued

5:55-6:10 Molecular Dynamics Based Calculation of the Coefficient of Restitution in Collision between Two Identical Nanoscale Grains

Surajit Sen and Yoichi Takato, State University of New York, Buffalo, USA

6:15-6:30 Analysis and Simulation of the BSR Model

Hao Wu, Aminur Rahman, and Denis Blackmore, New Jersey Institute of Technology, USA

Monday, May 20

MS45

Novel State Representations for Computational Dynamics

5:15 PM-6:35 PM

Room: Magpie A

Nonlinear and high-dimensional dynamical systems represent significant challenges for computational techniques, with many algorithms suffering from difficulties with highly nonlinear systems or falling prey to the curse of dimensionality as the system complexity increases. This minisymposium explores novel approaches to computationally challenging dynamical systems based on the use of new state representations and the subsequent development of new algorithms for dynamic simulation, estimation, and optimization.

Organizer: Michael Dellnitz
University of Paderborn, Germany

Organizer: Matthew West
University of Illinois at Urbana-Champaign, USA

5:15-5:30 Weighted Particle Methods for Atmospheric Aerosol Simulation

Matthew West, University of Illinois at Urbana-Champaign, USA

5:35-5:50 Dynamic Programming Using Radial Basis Functions

Oliver Junge, Technische Universität München, Germany

5:55-6:10 Anticorrelated Sampling Techniques for Variance-reduced Simulation of Markov Processes

Peter A. Maginnis, University of Illinois at Urbana-Champaign, USA

6:15-6:30 On the Approximation of Transport Phenomena in Ocean Dynamics

Michael Dellnitz, University of Paderborn, Germany; Gary Froyland, University of New South Wales, Australia; Christian Horenkamp, University of Paderborn, Germany

Monday, May 20

MS46

Mathematics Meets Sustainable Energies

5:15 PM-6:35 PM

Room: Magpie B

The idea of this minisymposium is to bring together people concerned with mathematical problems arising in the world of sustainable energy research. This implies that the focus is not a specific mathematical area but the application the problem originates. We plan to present applications from the main areas like solar thermal energy, photovoltaic energy, socio-economic aspects, bio energies, and wind energy.

Organizer: Ingenuin Gasser
University of Hamburg, Germany

5:15-5:30 Solar Updraft Towers for High Latitudes

Ingenuin Gasser and Muhammad Junaid Kamboh, University of Hamburg, Germany

5:35-5:50 The Mathematical Modelling and Numerical Simulation of Organic Photovoltaic Devices

Klemens Fellner, University of Graz, Austria; Daniel Brinkman, University of Cambridge, United Kingdom

5:55-6:10 Renewable Energy Incentive Schemes: Performance Comparison Using Optimal Control

Neeraj Oak, Alan R. Champneys, and Daniel Lawson, University of Bristol, United Kingdom

6:15-6:30 Mathematical Modeling of Nanofluids: Properties and Applications in the Renewable Energy and Biomedical Field

Federica Di Michele, Barbara Mazzolai, and Edoardo Sinibaldi, Istituto Italiano di Tecnologia (IIT), Italy

Monday, May 20

MS47

Nonlinear Surface Water Waves - Part II of II

5:15 PM-6:35 PM

Room: Wasatch A

For Part 1 see MS32

The mathematics of surface water waves is a challenging subject, which has received a lot of interest over the years. This minisymposium focuses on the analysis of the complete hydrodynamic equations for both irrotational water waves and water waves with vorticity. The purpose is to present recent analytical and numerical developments for a number of mathematical questions arising in the study of the dynamics of water waves.

Organizer: Mariana Haragus
Universite de Franche-Comte, France

Organizer: Erik Wahlén
Lund University, Sweden

5:15-5:30 On the Benjamin-Feir Instability

Vera Mikyoung Hur and Jared Bronski,
University of Illinois at Urbana-Champaign, USA; Mathew Johnson, University of Kansas, USA

5:35-5:50 Large-amplitude Solitary Water Waves with Vorticity

Miles Wheeler, Brown University, USA

5:55-6:10 On the Existence and Stability of Solitary-wave Solutions to a Class of Evolution Equations of Whitham Type

Mats Ehrnstrom, Norwegian University of Science and Technology, Norway;
Mark D. Groves, Universität des Saarlandes, Germany; Erik Wahlén, Lund University, Sweden

6:15-6:30 Existence and Conditional Energetic Stability of Solitary Gravity-capillary Water Waves with Constant Vorticity

Mark D. Groves, Universität des Saarlandes, Germany; Erik Wahlen, Lund University, Sweden

Monday, May 20

MS48

Nontwist Hamiltonian Systems: Theory and Applications

5:15 PM-6:35 PM

Room: Wasatch B

In recent years, more and more physical systems have been found that can be modeled by Hamiltonians that locally violate a non-degeneracy condition leading to the appearance of so-called shearless invariant tori which act as particularly robust transport barriers in phase space. This minisymposium brings together researchers from physics and applied mathematics to present the latest developments and applications in the subject of nontwist Hamiltonian systems. Recent numerical studies of breakup and emergence of shearless tori and applications in plasma and molecular physics will be discussed.

Organizer: Alexander Wurm
Western New England University, USA

Organizer: P. J. Morrison
University of Texas at Austin, USA

5:15-5:30 Breakup of Shearless Tori in Multi-harmonic Area-preserving Nontwist Maps

Alexander Wurm, Western New England University, USA

5:35-5:50 Shearless Elliptic LCS, Shearless Cantori and non-local heat transport

Daniel Blazevski, ETH Zürich, Switzerland; Diego Del-Castillo-Negrete, Oak Ridge National Laboratory, USA; Mohammad Farazmand and George Haller, ETH Zürich, Switzerland

5:55-6:10 Annular Billiard Dynamics in a Circularly Polarized Laser Field

Cristel Chandre, Centre de Physique Théorique - CNRS, France; Adam Kamor, Georgia Institute of Technology, USA; Francois Mauger, Aix-Marseille Université, France; Turgay Uzer, Georgia Institute of Technology, USA

6:15-6:30 Onset of Shearless Tori in Twist Maps

Ibere L. Caldas, and Celso Abud,
Universidade Federal de São Paulo, Brazil

Monday, May 20

MS49

Quantum Chaos and Transport Dynamics

5:15 PM-6:35 PM

Room: Maybird

Classically chaotic behavior manifests itself in surprising ways in a quantum system. In nano-devices such as quantum dots this behavior becomes important for the functioning of new electronics. We focus on electron transport in quantum dot systems with chaotic scattering dynamics. In Graphene systems we calculate relativistic wave functions in non-symmetric systems where chaotic behavior occurs. Such systems show fluctuations of current differing between regular and chaotic potentials. We show how electron-electron interactions can be added to give a first order approximation to the interaction between many body effects and chaotic dynamics in conductances of quantum dots.

Organizer: Louis Pecora
US Naval Research Laboratory

Organizer: Ying-Cheng Lai
Arizona State University, USA

5:15-5:30 Conductances and Electron Interactions in Regular and Chaotic Quantum Dots

Louis Pecora, US Naval Research Laboratory

5:35-5:50 Conductance Fluctuations in Graphene Systems: The Relevance of Classical Dynamics

Celso Grebogi, King's College, University of Aberdeen, United Kingdom; Lei Ying, Arizona State University, USA; Liang Huang, Lanzhou University, China; Ying-Cheng Lai, Arizona State University, USA

5:55-6:10 Complex Paths for Regular-to-chaotic Tunneling Rates

Roland Ketzmerick, Technische Universität Dresden, Germany

6:15-6:30 Application of Chaos in Harnessing Quantum Systems: Modulating Quantum Transport by Transient Chaos

Ying-Cheng Lai, Arizona State University, USA

Monday, May 20

MS50

Recent Advances in Large Eddy Simulations of Turbulent Flows - Part II of II

5:15 PM-6:35 PM

Room: Superior A

For Part I see MS35

Large Eddy Simulation (LES) of turbulent flows is today one of the main fluid mechanic's challenge. This symposium aim at an interdisciplinary synthesis of methods currently developed in LES, and applications to environment and engineering. Models are derived from the Navier-Stokes Equations, such as Leray-alpha, approximate deconvolution, proper orthogonal decompositions, entropy- viscosity, Boltzmann Lattice. Closure and energy spectra issues are discussed about the models, for which we show recent mathematical developments. Numerical methods and practical algorithms are exposed, together with numerical results for academic as well as realistic cases, like the atmospheric boundary layer.

Organizer: Roger Lewandowski
University of Rennes 1 and INRIA
Rennes, France

5:15-5:30 Spectral Scaling of the NS- α and Leray- α Model for Two Dimensional Turbulence

Evelyn Lunasin, University of Michigan, USA; Susan Kurien, Los Alamos National Laboratory, USA; Mark A. Taylor, Sandia National Laboratories, USA; Edriss Titi, University of California, Irvine, USA

5:35-5:50 Large-eddy Simulation for Lattice Boltzmann Models

Pierre Sagaut, Universite Pierre et Marie Curie (Paris 6), France

5:55-6:10 The Entropy-Viscosity Method For Hydrodynamic Models

Adam Larios, Texas A&M University, USA

6:15-6:30 Reduced-order Modeling of Complex Flows

Zhu Wang, University of Minnesota, USA

Monday, May 20

MS51

Numerical Methods for Stochastic Dynamical Systems

5:15 PM-6:35 PM

Room: Superior B

Recent progress in dynamical systems with 'random' or 'stochastic' effects has shown that noise is often extremely important in the analysis of many models. In particular, for complex nonlinear systems, it is necessary to develop new numerical methods to treat stochastic models. Efficient algorithms for stochastic dynamics have already seen a wide applicability in areas such as computational chemistry, ecology, geoscience, neuroscience and systems biology among others. This minisymposium brings together experts in stochastic numerics and aims to provide an outlook on the major challenges of stochastic computational dynamics.

Organizer: Christian Kuehn
Vienna University of Technology,
Austria

5:15-5:30 Some New Numerical Methods for Stochastic Des and Pdes

Grant Lythe, University of Leeds, United Kingdom

5:35-5:50 Computing Stochastic Travelling Waves

Efthalia Tzitzili, Heriot-Watt University, United Kingdom

5:55-6:10 The String Method for the Study of Rare Events

Weiqing Ren, National University of Singapore and IHPC, Singapore

6:15-6:30 Coarse-grained Bifurcation Analysis in Agent Based Models: Lifting Using Weights

Daniele Avitabile, University of Nottingham, United Kingdom; Rebecca B. Hoyle, University of Surrey, United Kingdom; Giovanni Samaey, K.U. Leuven, Belgium

Monday, May 20

MS52

Some Non-standard Pattern Formation

5:15 PM-6:35 PM

Room: White Pine

This minisymposium showcases some non-typical pattern formation problems ranging from basic mathematical theory to applications. What happens to near-equilibrium patterns if the underlying domain is growing, or with added stochasticity? What drives pattern formation in unstable fluid media? Can spatial multi-scale problems still be explicitly analyzed with a nonlinear large scale part? How does the established pattern formation theory for semilinear equations work for parabolic quasilinear problems? This minisymposium highlights the broad range of problems to which pattern formation theory with its unifying viewpoint can be successfully applied.

Organizer: Peter van Heijster
Queensland University of Technology,
Australia

Organizer: Jens Rademacher
CWI, Amsterdam, Netherlands

5:15-5:30 Pattern Formation in Unstable Media in Binary Fluids

Yasumasa Nishiura, Tohoku University, Japan; Takeshi Watanabe and Makoto Iima, Hiroshima University, Japan

5:35-5:50 Instability of Travelling Waves in a Singular Chemotaxis Model

Martin Meyries, University of Halle, Germany

5:55-6:10 Stochastic Reaction and Diffusion on Growing Domains: Understanding the Breakdown of Robust Pattern Formation

Thomas E. Woolley, Ruth Baker, Eamonn Gaffney, and Philip K. Maini, University of Oxford, United Kingdom

6:15-6:30 Breathers in Singularly Perturbed Reaction-diffusion Systems

Frits Veerman, Leiden University, Netherlands

Monday, May 20

Dinner Break

6:35 PM-8:15 PM

Attendees on their own

SIAG/DS Business Meeting

8:15 PM-9:00 PM

Room: Ballroom II



Complimentary wine and beer will be served.

Tuesday, May 21

Registration

7:30 AM-4:45 PM

Room: Ballroom Foyer

Tuesday, May 21

MS53

Stochasticity in Large Networks of the Brain - Part I of II

8:00 AM-9:20 AM

Room: Ballroom I

For Part 2 see MS64

Recordings from the brain reveal a tremendous amount of variability. However, pinpointing the main source of noise in sensory, motor, and memory tasks can be difficult. Mathematical models of large neuronal networks are extraordinarily important for interpreting and guiding understanding of the brain's stochasticity. For example, noise can move the mean position of bifurcations or even generate new spatiotemporal dynamics. Noise correlations have been shown to improve the ability of a network to store information, in the presence of uncorrelated background noise. Analysis of such phenomena requires innovative methods in large deviations theory and estimates, multiscale methods, and homogenization theory.

Organizer: Zachary Kilpatrick
University of Houston, USA

Organizer: Jonathan D. Touboul
INRIA, France

Organizer: Bard Ermentrout
University of Pittsburgh, USA

8:00-8:15 Beyond the Neural Master Equation

Paul C. Bressloff, University of Utah,
USA and University of Oxford, United Kingdom

8:20-8:35 Effective Stochastic Behavior in Dynamical Systems with Incomplete Information

Carson C. Chow, National Institutes of Health, USA

8:40-8:55 Capturing Effective Neuronal Dynamics in Random Networks with Complex Topologies

Duane Nykamp, University of Minnesota, USA

9:00-9:15 The Impact of Architecture on Higher Order Statistics of Network Dynamics

Kresimir Josic, University of Houston, USA

Tuesday, May 21

MS54

Dynamics of Spiral Waves - Part II of II

8:00 AM-9:20 AM

Room: Ballroom II

For Part 1 see MS43

Spiral and scroll waves are nonlinear dissipative patterns occurring in 2- and 3-dimensional excitable media, respectively, where they act as (desired or undesired) organizing centers. Important examples are biological excitable media, such as heart muscle where they correspond to dangerous arrhythmias, and self-organizing microorganisms. Study of their dynamics by experimental, numerical and analytical approaches goes back nearly forty years. Recent advances in theoretical and experimental techniques have our understanding and brought the studies closer to practical applications than ever before. This two-part minisymposium provides a sampling of the current state of experimental and theoretical research in this field.

Organizer: Irina Biktasheva
University of Liverpool, United Kingdom

8:00-8:15 Termination of Reentrant Cardiac Action Potential Propagation Using Far-Field Electrical Pacing

Niels F. Otani, Cornell University, USA

8:20-8:35 Spiral Waves and the Onset of Labor in Pregnant Uterus

Alain Pumir, Ecole Normale Supérieure de Lyon, France

8:40-8:55 Anchoring of Spirals

Christian Zemlin, Old Dominion University, USA; Marcel Wellner and Arkady Pertsov, SUNY Upstate Medical University, USA

9:00-9:15 Selection of Spiral Waves in Excitable Media with a Phase Wave at the Wave Back

Vladimir Zykov, Max Planck Institute for Dynamics and Self-Organization, Germany; Noriko Oikawa and Eberhard Bodenschatz, MPI DS Goettingen, Germany

Tuesday, May 21

MS55

Dynamics, Prediction and Control of Noisy Complex Systems from Physiology to the Atmosphere

8:00 AM-9:20 AM

Room: Ballroom III

Noisy dynamics, their prediction, and their control is problem that crosses inter-field boundaries. In this minisymposium we have brought together researchers from physics, atmospheric science, engineering, and biomedical informatics to discuss their recent work with the goal of finding overlap, seeding cross disciplinary work, and communicating recent results. The hope is that between the interfield overlap and similarities, new insights will be introduced across fields. The talks will explicitly include the following topics: random dynamics in fluid systems, random dynamics in physiologic and biomedical systems, control of physiologic dynamics, and prediction of atmospheric dynamics.

Organizer: David J. Albers
Columbia University, USA

8:00-8:15 Population Scale Physiologic Measurement, Dynamics, Prediction, and Control

David J. Albers, Columbia University, USA

8:20-8:35 Random Dynamics from Time Series: An Overview in Relation to Noise-induced Phenomena

Yuzuru Sato, Hokkaido University, Japan

8:40-8:55 Capturing Intermittent and Low-frequency Variability in High-dimensional Data through Nonlinear Laplacian Spectral Analysis

Dimitris Giannakis, New York University, USA

9:00-9:15 Data Assimilation of Biological Dynamics

Bruce J. Gluckman, Pennsylvania State University, USA

Tuesday, May 21

MS56

Existence and Stability of Traveling Wave Solutions - Part I of II

8:00 AM-9:20 AM

Room: Magpie A

For Part 2 see MS67

The study of Nonlinear Waves is of broad scientific interest. It pertains to the understanding of water waves, light-matter interaction, optical fiber transmission, traffic flow, chemical reactions, earthquakes, and galaxy formation. Traveling waves are coherent structures in nonlinear equations that are sought by reducing the underlying partial differential equation to the traveling wave ordinary differential equation. The question of their existence and stability of traveling waves is crucial since they carry the information of underlying complex nonlinear evolutionary processes. Our minisymposium will bring speakers who address the existence and stability of traveling waves using numerical or analytical methods.

Organizer: Stephane Lafortune
College of Charleston, USA

Organizer: Anna Ghazaryan
Miami University, USA

Organizer: Vahagn Manukian
Miami University, USA

8:00-8:15 Coherent Structures in a Model for Mussel-algae Interaction
Vahagn Manukian and Anna Ghazaryan, Miami University, USA

8:20-8:35 Linear Stability and Instability of Water Waves

Milena Stanislavova, University of Kansas, Lawrence, USA

continued on next page

8:40-8:55 New Developments in Evans Function Computation and Shock Layer Stability

Jeffrey Humpherys, Brigham Young University, USA; *Blake Barker*, Indiana University, USA; *Gregory Lyng*, University of Wyoming, USA; *Joshua Lytle*, Brigham Young University, USA; *Kevin Zumbrun*, Indiana University, USA

9:00-9:15 The Morse and Maslov Indices for Matrix Hill's Equations

Christopher Jones, University of North Carolina at Chapel Hill and University of Warwick, United Kingdom; *Yuri Latushkin*, University of Missouri, Columbia, USA; *Robert Marangell*, University of Sydney, Australia

Tuesday, May 21

MS57**Oscillations and Localization in Various Classes of Nonlinear Equations - Part I of II**

8:00 AM-9:20 AM

Room: *Maggie B*

For Part 2 see MS68

Structures featuring oscillations and localization can be found in a wide variety of equations including reaction-diffusion systems, the Nonlinear Schroedinger equation, the Ginzburg-Laundau equation, or lattice equations like the FPU system or Nagumo lattices, to name a few. As such, they are of importance in a diverse range of applications. This minisymposium intends to highlight the state-of-the-art of this subject and to provide a platform for the exchange of ideas and methods across the boundaries of equation classes and applications.

Organizer: *Martina Chirilus-Bruckner*

Boston University, USA

Organizer: *Christopher Chong*
University of Massachusetts, Amherst, USA

8:00-8:15 Multi-dimensional Stability of Travelling Waves through Rectangular Lattices

Hermen Jan Hupkes, University of Leiden, The Netherlands; *Aaron Hoffman*, Franklin W. Olin College of Engineering, USA; *Erik Van Vleck*, University of Kansas, USA

8:20-8:35 Microscale Granular Crystals and Surface Acoustic Waves

Nicholas Boechler, Massachusetts Institute of Technology, USA

8:40-8:55 Macroscopic Analysis of Traveling Waves in Microscopic Traffic Models

Christian Marschler, Technical University of Denmark, Denmark; *Jan Sieber*, University of Exeter, United Kingdom; *Jens Starke*, Technical University of Denmark, Denmark

9:00-9:15 On the Existence of Breathers in Periodic Media: An Approach via Inverse Spectral Theory

Martina Chirilus-Bruckner and *C.E. Wayne*, Boston University, USA

continued in next column

Tuesday, May 21

MS58

Melnikov Methods in Piecewise Smooth Systems

8:00 AM-9:00 AM

Room: Wasatch A

Bifurcation theory in piecewise smooth systems is mainly carried out on specific examples, and does not approach the generality found in smooth systems. A major obstacle to the development of a general theory is the inability to extend results to n dimensions. Recently excellent progress has been made in extending Melnikov methods to piecewise smooth systems by the participants in this minisymposium. By bringing together these active researchers for the first time, we can expect more exciting developments to follow.

Organizer: John Hogan
Bristol Centre for Applied Nonlinear Mathematics and University of Bristol, United Kingdom

8:00-8:15 Melnikov Theory for Planar Hybrid Systems: Invariant Cones in Piecewise Linear Systems

Victoriano Carmona, Soledad Fernandez-Garcia, Emilio Freire, and Francisco Torres, Universidad de Sevilla, Spain

8:20-8:35 On the Splitting of Heteroclinic Manifolds in Coupled Systems with Impacts

Albert Granados, University of Stuttgart, Germany; Tere M. Seara, Universitat Politècnica de Catalunya, Spain; John Hogan, Bristol Centre for Applied Nonlinear Mathematics and University of Bristol, United Kingdom

8:40-8:55 Application of the Subharmonic Melnikov Method to Piecewise Smooth Systems

Kazuyuki Yagasaki, Hiroshima University, Japan

Tuesday, May 21

MS59

The Effect of the Basset History Force on Particle Advection

8:00 AM-9:00 AM

Room: Wasatch B

The basic equations of motion for small spherical particles in a viscous fluid are given by the Maxey-Riley equations. Their precise form contains an integral, also called the history force, which describes the diffusion of vorticity around the particle during its full time history. Because of numerical difficulties, the history force has been neglected in nearly all applications to chaotic advection so far. Recent results show that the history force has significant effects. Here we review these in experiments, in open flows, in sedimentation, and point out a relation of asymptotic bound orbits to snapshot/pullback attractors.

Organizer: Tamas Tel
Eötvös Loránd University, Hungary

8:00-8:15 Memory Effects in Chaotic Advection and Snapshot Attractors

Tamas Tel, Eötvös Loránd University, Hungary

8:20-8:35 Memory Effects of Inertial Particles in Chaotic Advection

Anton Daitche, University of Münster, Germany; Tamas Tel, Eötvös Loránd University, Hungary

8:40-8:55 The Influence of the History Force on the Motion of Inertial Particles in Chaotic Advection: Gravitational Effects and Horizontal Diffusion

Ksenia Guseva and Ulrike Feudel, University of Oldenburg, Germany

Tuesday, May 21

MS60

Data-driven Methods for Characterizing Large-scale Dynamical Systems - Part I of II

8:00 AM-9:20 AM

Room: Maybird

For Part 2 see MS71

Modern experiments and simulations are producing data in unprecedented amounts. Though these datasets can be very large, the behavior they capture is often low-dimensional. Such data encode key dynamical information, and data-based analysis can provide insight even when direct analysis of the governing equations is intractable. This minisymposium presents advances in the intersection of data-driven numerical analysis and dynamical systems theory. Session I focuses on exploiting sparsity to characterize and model low-order dynamics. Session II focuses on identifying long-time coherent structures in large-scale systems. Methods that will be discussed include dynamic mode decomposition, compressed sensing, and Lagrangian coherent structures.

Organizer: Jonathan Tu
Princeton University, USA

Organizer: Dirk Martin Luchtenburg
Princeton University, USA

8:00-8:15 Dynamic Mode Decomposition with Sub-Nyquist-Rate Data Samples

Jonathan Tu, Princeton University, USA

8:20-8:35 The Dynamic Mode Decomposition: Extensions and Variations

Peter Schmid, Ecole Polytechnique, France; Mihailo R. Jovanovic, University of Minnesota, USA

8:40-8:55 Randomized Algorithms for Very Large-Scale Linear Algebra

Gunnar Martinsson, University of Colorado Boulder, USA

9:00-9:15 Data-driven Modeling Approach for Olfaction Dynamics

Eli Shlizerman, University of Washington, Seattle, USA

Tuesday, May 21

MS61**Granular Chains as Dynamical Systems**

8:00 AM-9:20 AM

Room: Superior A

Over the past decade, there has been a large volume of interest in chains of tightly packed elastically interacting particles with different geometric and material properties. These tunable elastic media can be tailored to have tunable nonlinear responses, ranging from linear, to weakly or even strongly (or purely) nonlinear. This minisymposium aims to focus on the considerable advancements made possible by viewing granular chains as dynamical systems that have the possibility to sustain a multitude of nonlinear wave and related phenomena. It wishes to bring together a mix of younger and more senior researchers from different communities that tackle such problems in the hope of a fruitful dialogue between rigorous and asymptotic theory, numerical computation and state-of-the-art experiments.

Organizer: Panayotis Kevrekidis
University of Massachusetts, Amherst, USA

Organizer: Anna Vainchtein
University of Pittsburgh, USA

8:00-8:15 Long Lived Solitary Waves in a 1D Granular Chain

Surajit Sen and Yoichi Takato, State University of New York, Buffalo, USA

8:20-8:35 Energy Exchanges in Embedded Granular Media

M. Arif Hasan, Shinhu Cho, Waltraud Kriven, and Alexander Vakakis, University of Illinois, USA

8:40-8:55 Nonlinear Wave Propagation in the Arrays of Coupled Granular Chains

Yuli Starosvetsky, Technion - Israel Institute of Technology, Israel

9:00-9:15 Existence of Bell-shaped Traveling Waves in Monomer Chains with Precompression

Atanas Stefanov, University of Kansas, USA

Tuesday, May 21

MS62**Modeling with Branching Processes: Applications in Biology - Part I of II**

8:00 AM-9:20 AM

Room: Superior B

For Part 2 see MS73

Branching process models are a subclass of Markov population models that prove to be useful in many settings. Calculations which are intractable for general Markov process models are often straightforward for branching processes. Interestingly, there are a wide class of systems in biology which can be approximately modeled by branching process. This minisymposium will briefly introduce the basic results of the branching process formalism and then present a panoply of recent applications. Topics covered include in-host disease dynamics, cellular physiology, and development and treatment of cancers.

Organizer: Jessica M. Conway
Los Alamos National Laboratory, USA

Organizer: Paul Tupper
Simon Fraser University, Canada

8:00-8:15 Brisk Introduction to Branching Processes with a Model of Gene Expression

Paul Tupper, Simon Fraser University, Canada

8:20-8:35 SIV Infection Dynamics in Macaques After Interruption of Intensified Treatment

Alejandra Herrera Reyes, University of British Columbia, Canada; Jessica M. Conway, Los Alamos National Laboratory, USA; Daniel Coombs, University of British Columbia, Canada

8:40-8:55 Modeling Early Events in HIV Infection

Jessica M. Conway, Los Alamos National Laboratory, USA

9:00-9:15 A Branching Process Model of Prion Dynamics

Peter Olofsson, Trinity University, USA

Tuesday, May 21

MS63**Nonlinear Dynamics in Experiments**

8:00 AM-9:20 AM

Room: White Pine

This minisymposium discusses how one can extract in laboratory experiments some of the less accessible properties of interest from a dynamical systems perspective. These properties include, for example, unstable branches of equilibria or periodic orbits, their stable or unstable manifolds, or, more generally, material separation curves.

Organizer: Jan Sieber
University of Exeter, United Kingdom

Organizer: David A. Barton
University of Bristol, United Kingdom

8:00-8:15 Fatigue Accumulation Under Chaotic Loading is Slower than Under Statistically and Spectrally Similar Stochastic Excitation

David Chelidze, Son Hai Nguyen, Mike Falco, and Ming Liu, University of Rhode Island, USA

8:20-8:35 Localized Spikes and Flats on the Surface of Magnetic Liquids

Reinhard Richter and M Szech, University of Bayreuth, Germany; Ingo Rehberg, Universitaet Bayreuth, Germany

8:40-8:55 Control of Nonlinear Lateral Dynamics in a Rotor-Stator System

Nicholas Vljajic and Balakumar Balachandran, University of Maryland, USA

9:00-9:15 Bifurcation Analysis in a Mechanical Impact Oscillator Experiment

Jens Starke, Emil Bureau, Frank Schilder, Michael Elmegaard, Jon Juel Thomsen, and Ilmar Santos, Technical University of Denmark, Denmark; Hinke M. Osinga and Bernd Krauskopf, University of Auckland, New Zealand

Intermission

9:20 AM-9:30 AM

Tuesday, May 21

CP21

Stochasticity in Large Networks of the Brain

9:30 AM-10:30 AM

Room: Ballroom I

Chair: Zachary Kilpatrick, University of Houston, USA

9:30-9:40 Complexity of Random Neural Networks

Gilles Wainrib, Université Paris 13, France

9:45-9:55 Formation and Maintenance of Multistability in Balanced Neuronal Networks with Plasticity

Ashok Litwin-Kumar, Carnegie Mellon University, USA

10:00-10:10 Heterogeneity-induced Transitions in Large-scale Systems

Jonathan D. Touboul, INRIA, France

10:15-10:25 Synaptic Architecture that Promotes Robust Spatiotemporal Neural Dynamics

Zachary Kilpatrick, University of Houston, USA

Tuesday, May 21

CP22

Numerical Methods and Fluid Dynamics

9:30 AM-10:45 AM

Room: Ballroom III

Chair: Ashish Gupta, University of Tennessee, Chattanooga, USA

9:30-9:40 The Numerical Integration of a Convection Problem with Temperature Dependent Viscosity: Simulations and Results

Jezabel Curbelo and Ana M. Mancho, Instituto de Ciencias Matemáticas, Spain

9:45-9:55 Navier-Stokes Equations on Rotating Surfaces: Regularity, Algorithm, Analysis, Simulations

Mahadevan Ganesh, Colorado School of Mines, USA

10:00-10:10 Study of Explicit and Implicit Time Integration Methods for Various Low Mach Number Preconditioners and Low Dissipation Schemes Applied to Steady and Unsteady Inviscid Flows

Ashish Gupta, University of Tennessee, Chattanooga, USA

10:15-10:25 An Online Manifold Learning Approach for Model Reduction

Liqian Peng, University of Florida, USA; Kamran Mohseni, University of Florida, Gainesville, USA

10:30-10:40 Accuracy and Stability of the Continuous-Time 3dvar-Filter for 2D Navier-Stokes Equation

Dirk Blömker, Universität Augsburg, Germany; Kody Law and Andrew Stuart, University of Warwick, United Kingdom; Konstantinos Zygalakis, University of Southampton, United Kingdom

Tuesday, May 21

CP23

Parameter Estimation, Model Fitting and Parametric Driving

9:30 AM-10:30 AM

Room: Magpie A

Chair: Ulrich Parlitz, University of Goettingen, Germany

9:30-9:40 Challenges and Tools for State and Parameter Estimation from Time Series

Ulrich Parlitz, University of Goettingen, Germany; Jan Schumann-Bischoff and Stefan Luther, Max Planck Institute for Dynamics and Self-Organization, Germany

9:45-9:55 Gyrostatic Extensions of the Lorenz 1963 System as Novel Time Series Models for Atmospheric Data

Alexander Gluhovsky, Purdue University, USA

10:00-10:10 Phase Characterization of Complex Systems

Rosangela Follmann, University of Sao Paulo, Brazil; Elbert E. Macau, Laboratory for Computing and Applied Mathematics and Brazilian Institute for Space Research, Brazil; Epaminondas Rosa, Illinois State University, USA; Jose Roberto Castilho Piqueira, University of Sao Paulo, Brazil

10:15-10:25 Stability of Intrinsic Localized Modes in Parametrically Driven Coupled Cantilever Arrays

Masayuki Kimura, University of Shiga Prefecture, Japan; Takashi Hikiyama, Kyoto University, Japan; Yasuo Matsushita, University of Shiga Prefecture, Japan

Tuesday, May 21

CP24

Dynamical Systems and Bifurcations

9:30 AM-10:45 AM

Room: Magpie B

Chair: Timothy K. Callahan, Embry-Riddle Aeronautical University, USA

9:30-9:40 Unfolding the Piecewise Linear Analogous of Hopf-Zero Bifurcation

Enrique Ponce, Escuela Tecnica Superior de Ingenieros, Seville, Spain; Javier Ros and Elisabet Vela, Universidad de Sevilla, Spain

9:45-9:55 Explicit Inhomogeneities in Symmetry-Breaking Systems

Timothy K. Callahan, Embry-Riddle Aeronautical University, USA

10:00-10:10 Mathematical Physics of Cellular Automata

Vladimir Garcia-Morales, Technische Universität München, Germany

10:15-10:25 Morse Theory for Lagrange Multipliers

Stephen Schecter, North Carolina State University, USA; Guangbo Xu, Princeton University, USA

10:30-10:40 Connecting Curves in Higher Dimensions

Greg Byrne, George Mason University, USA; Bob Gilmore, Drexel University, USA

Tuesday, May 21

CP25

Evolutionary Dynamics

9:30 AM-10:15 AM

Room: Wasatch A

Chair: Daniel Abrams, Northwestern University, USA

9:30-9:40 Ecological and Evolutionary Stability of Single-Species Dispersal in a Two-Patch Habitat

Theodore E. Galanthay, University of Colorado, USA

9:45-9:55 Alternate Models of Replicator Dynamics

Elizabeth N. Wesson and Richard H. Rand, Cornell University, USA

10:00-10:10 Existence and Stability of Left-Handedness: An Evolutionary Model

Daniel Abrams and Mark J. Panaggio, Northwestern University, USA

Tuesday, May 21

CP26

Dynamical Systems and Nonlinear Analysis

9:30 AM-10:30 AM

Room: Wasatch B

Chair: Robert Szalai, University of Bristol, United Kingdom

9:30-9:40 The Memory of Non-Smooth Systems

Robert Szalai, University of Bristol, United Kingdom

9:45-9:55 Finite-Time Lyapunov Analysis of Two Timescale Systems

Kenneth Mease and Marco Maggia, University of California, Irvine, USA

10:00-10:10 Integrated Semigroups and the Cauchy Problem for Some Nonlinear Fractional Differential Equations

Mahmoud M. El-Borai, Alexandria University, Egypt

10:15-10:25 Competitive Modes As Reliable Predictors of Chaos Versus Hyperchaos, and As Geometric Mappings Accurately Delimiting Attractors

Roy Choudhury and Robert Van Gorder, University of Central Florida, USA

Tuesday, May 21

CP27

Stochastics and Dynamics I

9:30 AM-10:45 AM

Room: Maybird

Chair: Joshua Garland, University of Colorado Boulder, USA

9:30-9:40 Modelling Computer Dynamics: Can Complexity Overshadow Determinism?

Joshua Garland and Elizabeth Bradley, University of Colorado Boulder, USA

9:45-9:55 Parametrically Driven Oscillators with Added Noise

Adriano A. Batista, Universidade Federal de Campina Grande, Brazil

10:00-10:10 Dynamical Regimes and Transitions in Plio-Pleistocene Asian Monsoon

Nishant Malik, University of North Carolina at Chapel Hill, USA;
Yong Zou, Hong Kong Polytechnic University, China; Norbert Marwan, Potsdam Institute for Climate Impact Research, Germany; Juergen Kurths, Potsdam Institute for Climate Impact Research and Humboldt University Berlin, Germany

10:15-10:25 Conditionally Stationary Measures for Random Diffeomorphisms

Fritz Colonius, University of Augsburg, Germany

10:30-10:40 Nondeterminism of Piecewise Smooth System

Alessandro Colombo, Politecnico di Milano, Italy

Tuesday, May 21

CP28

Classical Mechanics of Particle Systems

9:30 AM-10:30 AM

Room: Superior A

Chair: Lennard F. Bakker, Brigham Young University, USA

9:30-9:40 The Rhomboidal Symmetric Mass Four-Body Problem

Lennard F. Bakker and Skyler Simmons, Brigham Young University, USA

9:45-9:55 Stability of Relative Equilibria in the N-Vortex Problem

Gareth E. Roberts, College of the Holy Cross, USA

10:00-10:10 Collinear Equilibrium Points and Linear Stability in the Generalized Photogravitational Chermnykh-Like Problem with Power-Law Profile

Ram Kishor and Badam Singh Kushvah, Indian School of Mines, India

10:15-10:25 Implementation of Dynamical Systems Techniques for the Mars-Phobos Three-Body Problem with Additional Gravity Harmonics

Mattia Zamaro, Advanced Space Concepts Laboratory, United Kingdom; James Biggs, University of Strathclyde, United Kingdom

Tuesday, May 21

CP29

Social Science Applications

9:30 AM-10:45 AM

Room: Superior B

Chair: Catherine A. Bliss, University of Vermont, USA

9:30-9:40 Twitter Reciprocal Reply Networks Exhibit Assortativity with Respect to Happiness

Catherine A. Bliss, University of Vermont, USA; Isabel Kloumann, Cornell University, USA; Kameron D. Harris, University of Washington, USA; Chris Danforth and Peter Dodds, University of Vermont, USA

9:45-9:55 Intra-Community Clustering and Solvency in a Simulated Banking Network Model

Peter C. Anselmo, New Mexico Institute of Mining and Technology, USA

10:00-10:10 Optimal Control of the Spread of Marijuana Smoking Among the Youth

Tunde Tajudeen Yusuf and Olubode Kolade Koriko, Federal University of Technology, Akure, Nigeria

10:15-10:25 Time-Scale Lyapunov Functions for Incentive Dynamics on Riemannian Geometries

Dashiell Fryer, Pomona College, USA; Marc Harper, University of California, Los Angeles, USA

10:30-10:40 Fractal Encoding of Recursive Dynamics

Whitney Tabor, University of Connecticut, USA; Harry Dankowicz, University of Illinois at Urbana-Champaign, USA; Pyeong Whan Cho and Emily Szkudlarek, University of Connecticut, USA

Tuesday, May 21

CP30**Neuroscience Applications**

9:30 AM-10:30 AM

Room: White Pine

Chair: Ali Nabi, University of California, Santa Barbara, USA

9:30-9:40 Minimum Energy Control for in Vitro Neurons

Ali Nabi, University of California, Santa Barbara, USA; Tyler Stigen, University of Minnesota, USA; Jeff Moehlis, University of California, Santa Barbara, USA; Theoden I. Netoff, University of Minnesota, USA

9:45-9:55 Singularly Perturbed Phase Response Curves

Pierre Sacré, Alessio Franci, and Rodolphe Sepulchre, Université de Liège, Belgium

10:00-10:10 Global Sensitivity of Spiking Neuron Models: The Power of a Local Analysis

Laura Trotta, Alessio Franci, and Rodolphe Sepulchre, Université de Liège, Belgium

10:15-10:25 Singularity Theory Sheds Light on Bursting Mechanisms in Conductance-Based Models

Alessio Franci, Guillaume Drion, and Rodolphe Sepulchre, Université de Liège, Belgium

Coffee Break

10:45 AM-11:15 AM



Room: Golden Cliff

Tuesday, May 21

IP5**Pattern Recognition with Weakly Coupled Oscillatory Networks**

11:15 AM-12:00 PM

Room: Ballroom

Chair: Juergen Kurths, Potsdam Institute for Climate Impact Research and Humboldt University Berlin, Germany

Traditional neural networks consist of many interconnected units and are thus inherently difficult to construct. In the lecture, we focus on neural network models of weakly coupled oscillators with time-dependent coupling. In these models, each oscillator has only one connection to a common support, which makes them predestinated for hard-ware implementation. Two coupling strategies are considered. The first network was proposed by Hoppensteadt and Izhikevich [F.C: Hoppensteadt and E.M. Izhikevich, Phys. Rev. Lett. 82, 2983 (1999)] and possesses a global coupling function. The second one is a novel architecture with individual coupling functions. We present experimental realizations of both networks and demonstrate that the devices can reliably perform pattern recognition tasks. However, the scalability of the novel network architecture is much superior to the one of the globally coupled oscillators.

Katharina Krischer
Technical University of Munich,
Germany

Co-authors:

Robert Hölzel and Kathrin Kostorz
Technische Universität München,
Germany**Lunch Break**

12:00 PM-1:30 PM

Attendees on their own

Tuesday, May 21

IP6**The Topology of Fluid Mixing**

1:30 PM-2:15 PM

Room: Ballroom

Chair: M. Josefina Olascoaga,
University of Miami, USA

Topological chaos is a type of chaotic behavior that is forced by the motion of obstacles in some domain. I will review two approaches to topological chaos, with applications in particular to stirring and mixing in fluid dynamics. The first approach involves constructing devices where the fluid motion is topologically complex, usually by imposing a specific motion of stirring rods. I will then discuss optimization strategies that can be implemented. The second approach is diagnostic, where flow characteristics are deduced from observations of periodic or random orbits and their topological properties. Many tools and concepts from topological surface dynamics have direct applications: mapping class groups, braids, the Thurston-Nielsen classification theorem, topological entropy, coordinates for equivalence classes of loops, and the Bestvina-Handel algorithm for train tracks.

Jean-Luc Thiffeault
University of Wisconsin, Madison, USA**Intermission**

2:15 PM-2:30 PM

Tuesday, May 21

MS64

Stochasticity in Large Networks of the Brain - Part II of II

2:30 PM-3:50 PM

Room: Ballroom I

For Part I see MS53

Recordings from the brain reveal a tremendous amount of variability. However, pinpointing the main source of noise in sensory, motor, and memory tasks can be difficult. Mathematical models of large neuronal networks are extraordinarily important for interpreting and guiding understanding of the brain's stochasticity. For example, noise can move the mean position of bifurcations or even generate new spatiotemporal dynamics. Noise correlations have been shown to improve the ability of a network to store information, in the presence of uncorrelated background noise. Analysis of such phenomena requires innovative methods in large deviations theory and estimates, multiscale methods, and homogenization theory.

Organizer: Zachary Kilpatrick
University of Houston, USA

Organizer: Jonathan D. Touboul
INRIA, France

Organizer: Bard Ermentrout
University of Pittsburgh, USA

2:30-2:45 Spike-based Coding in Chaotic Neural Networks

Eric Shea-Brown, University of Washington, USA

2:50-3:05 Reliable and Unreliable Behavior in Balanced Spiking Networks

Kevin K. Lin, University of Arizona, USA; Guillaume Lajoie and Eric Shea-Brown, University of Washington, USA

3:10-3:25 Maximized Reliability Despite Maximized Variability in Sensory Cortex

Woodrow Shew, University of Arkansas, USA

3:30-3:45 Collective Effects and Cascading Dynamics for Systems Defined on Complex Networks

Lee DeVille, University of Illinois, USA

Tuesday, May 21

MS65

Mechanisms for Cardiac Fibrillation and Defibrillation

2:30 PM-3:50 PM

Room: Ballroom II

The most dangerous cardiac arrhythmias are characterized by electrical spiral or scroll waves that circulate repeatedly through the heart and override its natural pacemaking behavior. In particular, fibrillation represents complex behavior generally thought to be chaotic. In most circumstances, fibrillation is difficult to induce, unlikely to become sustained, and challenging to terminate through defibrillation. The mechanisms responsible for these qualitative changes in the heart's behavior are still not well understood. This minisymposium will focus on mechanisms for the initiation, maintenance, and termination of cardiac arrhythmias with an emphasis on concepts and techniques from nonlinear dynamics.

Organizer: Elizabeth M. Cherry
Rochester Institute of Technology, USA

2:30-2:45 Mechanisms of Ventricular Arrhythmias

Elizabeth M. Cherry, Rochester Institute of Technology, USA

2:50-3:05 Cardiac Arrhythmia Prediction Using a 1D Dynamical Model

Laura Munoz, Niels F. Otani, and Anna Gelzer, Cornell University, USA; Flavio Fenton, Georgia Institute of Technology, USA; Weiye Lin, Min Chul Shin, and Andrea Liu, Cornell University, USA; Robert Gilmour, Jr., University of Prince Edward Island, Canada

3:10-3:25 Spiral Wave Generation and Instabilities in Cardiac Systems with Pacemaker-obstacle Interactions

Thomas D. Quail, McGill University, Canada

3:30-3:45 Defibrillation Mechanisms on a One-dimensional Ring of Cardiac Tissue

Jean Bragard, Universidad de Navarra, Spain

Tuesday, May 21

MS66

Urban Dynamics

2:30 PM-3:50 PM

Room: Ballroom III

Our world is becoming increasingly urban, with more than half the world's population now living in cities (WHO 2010). This has great implications for the health, safety and sustainability of the lives of their citizens and the world they affect. Understanding how cities grow and function is therefore vitally important for global development. Many features of the evolution of cities and of the urban environment can be modeled as dynamical systems. This mini-symposium brings together recent work on important aspects of the dynamical processes governing the development and function of cities, including their growth, energy systems and crime.

Organizer: Nick McCullen
University of Bath, United Kingdom

2:30-2:45 Mathematical Models of Crime and Energy Use in Urban Societies

Luis Bettencourt, Santa Fe Institute, USA

2:50-3:05 Rate Effects on the Growth of Centres

Hannah Fry and Frank Smith, University College London, United Kingdom

3:10-3:25 Mathematics of Crime

Martin Short and Andrea L. Bertozzi, University of California, Los Angeles, USA

3:30-3:45 What can Dynamical Systems Tell Us About Urban Energy Systems?

James Keirstead, Imperial College London, United Kingdom

Tuesday, May 21

MS67

Existence and Stability of Traveling Wave Solutions - Part II of II

2:30 PM-3:50 PM

Room: Magpie A

For Part 1 see MS56

The study of Nonlinear Waves is of broad scientific interest. It pertains to the understanding of water waves, light-matter interaction, optical fiber transmission, traffic flow, chemical reactions, earthquakes, and galaxy formation. Traveling waves are coherent structures in nonlinear equations that are sought by reducing the underlying partial differential equation to the traveling wave ordinary differential equation. The question of their existence and stability of traveling waves is crucial since they carry the information of underlying complex nonlinear evolutionary processes. Our minisymposium will bring speakers who address the existence and stability of traveling waves using numerical or analytical methods.

Organizer: Stephane Lafortune
College of Charleston, USA

Organizer: Anna Ghazaryan
Miami University, USA

Organizer: Vahagn Manukian
Miami University, USA

2:30-2:45 Nonlinear Schrodinger Models and PT-Symmetry: Living at the Interface between Hamiltonian and Dissipative

Panayotis Kevrekidis, University of Massachusetts, Amherst, USA

2:50-3:05 Stability of Traveling Waves on Vortex Filaments

Stephane Lafortune and Annalisa M. Calini, College of Charleston, USA

3:10-3:25 A Simple Criterion of Transverse Linear Instability for Nonlinear Waves

Mariana Haragus, Universite de Franche-Comte, France

3:30-3:45 Periodic Waves in Fire-diffuse-fire Model of Calcium Dynamics in Cardiac Cells

Peter Gordon, University of Akron, USA; Louis Tao, Peking University, China

Tuesday, May 21

MS68

Oscillations and Localization in Various Classes of Nonlinear Equations - Part II of II

2:30 PM-3:50 PM

Room: Magpie B

For Part 1 see MS57

Structures featuring oscillations and localization can be found in a wide variety of equations including reaction-diffusion systems, the Nonlinear Schroedinger equation, the Ginzburg-Landau equation, or lattice equations like the FPU system or Nagumo lattices, to name a few. As such, they are of importance in a diverse range of applications. This minisymposium intends to highlight the state-of-the-art of this subject and to provide a platform for the exchange of ideas and methods across the boundaries of equation classes and applications.

Organizer: Martina Chirilus-Bruckner

Boston University, USA

Organizer: Christopher Chong
University of Massachusetts, Amherst, USA

2:30-2:45 Of Slugs and Snakes: Moving Localized Structures in Fluid Flows

Edgar Knobloch, University of California, Berkeley, USA

2:50-3:05 Nonlocal Interactions and Localized Patterns

Paul C. Matthews, Madallah Alenazi, and Stephen M. Cox, University of Nottingham, United Kingdom

3:10-3:25 Oscillons Near Hopf Bifurcations of Planar Reaction Diffusion Equations

Kelly Mcquighan and Bjorn Sandstede, Brown University, USA

3:30-3:45 Unstable Solitons in Inhomogeneous Nonlinear Schrodinger Equations

Robert Marangell, University of Sydney, Australia; Russell Jackson, US Naval Academy, USA; Christopher Jones, University of North Carolina at Chapel Hill and University of Warwick, United Kingdom; Hadi Susanto, University of Nottingham, United Kingdom

continued in next column

Tuesday, May 21

MS69

Non-equilibrium Steady States and Fluctuations in Granular Dynamics

2:30 PM-3:50 PM

Room: Wasatch A

We present recent theoretical and experimental work on the motion of particles and objects immersed in a granular gas. Collisions involving granular particles exhibit dissipative kinematics. Hence, the motion of granular particles cannot be described using thermodynamics alone, warranting an examination of theories of non-equilibrium steady states and fluctuation theorems. We will present work on deriving the motion of particles in a granular gas from stochastics. Subsequently the validity of fluctuation theorems is discussed. Finally a novel non-equilibrium steady state model is presented along with experimental work on the motion of shaken wet granular matter.

Organizer: Johannes P. Blaschke
Max Planck Institute for Dynamics and Self-Organization, Germany

Organizer: Devaraj van der Meer
University of Twente, Netherlands

2:30-2:45 Fluctuations and Equipartition in the Dynamics of Granular Ratchets

Johannes P. Blaschke and Jürgen Vollmer, Max Planck Institute for Dynamics and Self-Organization, Germany

2:50-3:05 A Granular Ratchet: Spontaneous Symmetry Breaking and Fluctuation Theorems in a Granular Gas

Devaraj van der Meer, University of Twente, Netherlands

3:10-3:25 Momentum Transfer in Non-equilibrium Steady States

Ken Sekimoto, CNRS, France; Antoine Fruleux, ESPCI, France; Ryoichi Kawai, University of Alabama at Birmingham, USA

3:30-3:45 Symmetry Breaking Induced Rotating Spirals in Agitated Wet Granular Matter

Lorenz Butzhammer, Ingo Rehberg, and Kai Huang, Universitaet Bayreuth, Germany

Tuesday, May 21

MS70

Dynamical Models with Uncertainty and Constraints

2:30 PM-3:50 PM

Room: Wasatch B

All real-life processes are related to forms of uncertainty and imprecision. These two aspects are challenging in both theoretical and computational regards. Our goal consists of several (analytical and numerical) concepts and their applications to real examples. Many approaches use stochastic tools, but probability was originally developed for modelling processes which are repeated very frequently. Sets and multivalued maps provide interesting alternatives - particularly if the real application is realized only once (like a flight). Both branches of the "tree of uncertainty" have a joint mathematical challenge: Lacking smoothness makes analysis and numerics more complicate.

Organizer: Thomas Lorenz
Goethe University, Germany

Organizer: Jens Starke
Technical University of Denmark, Denmark

2:30-2:45 Deterministic Numerical Continuation for Stochastic Dynamical Systems

Christian Kuehn, Vienna University of Technology, Austria

2:50-3:05 Exact Solution to Estimation Problems in Scalar Conservation Laws and Hamilton-Jacobi PDEs. Applications to Transportation Engineering

Christian Claudel, King Abdullah University of Science & Technology (KAUST), Saudi Arabia

3:10-3:25 Set-Valued Iteration Schemes for the Computation of Invariant Sets

Mirko Hessel-von Molo, University of Paderborn, Germany

3:30-3:45 Robust Optimal Control Problems: Extending Differential Approaches via Sets

Thomas Lorenz, Goethe University, Germany

continued in next column

Tuesday, May 21

MS71

Data-driven Methods for Characterizing Large-scale Dynamical Systems - Part II of II

2:30 PM-3:50 PM

Room: Maybird

For Part 1 see MS60

Modern experiments and simulations are producing data in unprecedented amounts. Though these datasets can be very large, the behavior they capture is often low-dimensional. Such data encode key dynamical information, and data-based analysis can provide insight even when direct analysis of the governing equations is intractable. This minisymposium presents advances in the intersection of data-driven numerical analysis and dynamical systems theory. Session I focuses on exploiting sparsity to characterize and model low-order dynamics. Session II focuses on identifying long-time coherent structures in large-scale systems. Methods that will be discussed include dynamic mode decomposition, compressed sensing, and Lagrangian coherent structures.

Organizer: Jonathan Tu
Princeton University, USA

Organizer: Dirk Martin Luchtenburg
Princeton University, USA

2:30-2:45 Coherent Structure Identification Using Flow Map Composition and Spectral Interpolation

Dirk Martin Luchtenburg, Princeton University, USA

2:50-3:05 Flow Map Composition for Non-autonomous Dynamical Systems

Steven Brunton, University of Washington, USA

3:10-3:25 Coherent Sets from Data: Bifurcations, Braiding, and Predicting Critical Transitions

Shane D. Ross, Virginia Tech, USA

3:30-3:45 Koopman Mode Analysis of Networks

Ryan Mohr, University of California, Santa Barbara, USA

Tuesday, May 21

MS72

Canard Phenomena in Applications

2:30 PM-3:50 PM

Room: Superior A

Systems with at least two different time scales may feature canard orbits, which are characterised by segments on an unstable slow manifold. This minisymposium consists of case studies that illustrate how canard orbits give rise to different dynamical phenomena in applications.

Organizer: Hinke M. Osinga
University of Auckland, New Zealand

Organizer: Bernd Krauskopf
University of Auckland, New Zealand

2:30-2:45 Canard Cycles in Aircraft Ground Manoeuvres

James Rankin, INRIA Sophia Antipolis, France; Mathieu Desroches, INRIA Paris-Rocquencourt, France; Bernd Krauskopf, University of Auckland, New Zealand; Mark Lowenberg, University of Bristol, United Kingdom

2:50-3:05 Canard- and Hopf-induced Mixed-mode Oscillations in Pituitary Cells

Theodore Vo, University of Sydney, Australia; Joel Tabak and Richard Bertram, Florida State University, USA; Martin Wechselberger, University of Sydney, Australia

3:10-3:25 Spike-adding Mechanisms in Transient Bursts

Jakub Nowacki, Tessella, United Kingdom; Hinke M. Osinga, University of Auckland, New Zealand; Krasimira Tsaneva-Atanasova, University of Bristol, United Kingdom

3:30-3:45 Mixed-mode Oscillations in the Belousov-Zhabotinsky Reaction

John Guckenheimer, Cornell University, USA

Tuesday, May 21

MS73

Modeling with Branching Processes: Applications in Biology - Part II of II

2:30 PM-3:50 PM

Room: Superior B

For Part 1 see MS62

Branching process models are a subclass of Markov population models that prove to be useful in many settings. Calculations which are intractable for general Markov process models are often straightforward for branching processes. Interestingly, there are a wide class of systems in biology which can be approximately modeled by branching process. This minisymposium will briefly introduce the basic results of the branching process formalism and then present a panoply of recent applications. Topics covered include in-host disease dynamics, cellular physiology, and development and treatment of cancers.

Organizer: Jessica M. Conway
Los Alamos National Laboratory, USA

Organizer: Paul Tupper
Simon Fraser University, Canada

2:30-2:45 HPV and Cervical Cancer: A Stochastic Model at Tissue Level

Marc D. Ryser, Duke University, USA

2:50-3:05 Iterated Birth and Death Markov Branching Processes as a Model of Irradiated Cancer Cell Survival

Leonid G. Hanin, Idaho State University, USA

3:10-3:25 Multistage Carcinogenesis and Cancer Evolution as a Branching Process

Rafael Meza, University of Michigan, USA

3:30-3:45 Multiscale Stochastic Reaction-diffusion Algorithms Combining Markov Chain Models with SPDEs

Hye-Won Kang, Ohio State University, USA

Tuesday, May 21

MS74

Coarse Grained Modelling with Stochastic Effects in Space and Time

2:30 PM-3:50 PM

Room: White Pine

In current modelling the underlying microscopic mechanisms are known, often chaotic, but the closures to translate microscale knowledge to a system level macroscopic description are rarely available. In ideal systems we can identify macroscale variables and determine conditions when they are accurately modelled. But it is essential to systematically identify coarse level descriptors rather than assume we will necessarily know. Then variance reduction of the stochastic processes empowers greater predictability, but the uncertainty and its effects needs to be estimated.

Organizer: Anthony J. Roberts
University of Adelaide, Australia

2:30-2:45 Patch Dynamics for Macroscale Modelling of Diffusion in Heterogeneous Media

Anthony J. Roberts, University of Adelaide, Australia

2:50-3:05 Linking Diffusion Maps with Coarse-graining Complex System Dynamics

Ioannis Kevrekidis, Princeton University, USA

3:10-3:25 Accurate Bifurcation Diagrams of an Agent-based Sociological Model Using Variance-reduced Jacobian-vector Products

Giovanni Samaey, Katholieke Universiteit Leuven, Belgium

3:30-3:45 Uncertainty Quantification and Decisions in Markovian Dynamics

Roger Ghanem, University of Southern California, USA

Coffee Break

3:50 PM-4:20 PM

Room: Golden Cliff



Tuesday, May 21

MT1

Geometric Detection of Lagrangian Coherent Structures

4:20 PM-5:40 PM

Room: Ballroom I

Chair: Francisco J. Beron-Vera,
University of Miami, USA

Lagrangian Coherent Structures or LCSs is the term widely employed to refer to key material surfaces that shape global mixing patterns in temporally-aperiodic flows defined over a finite-time interval. Recent developments in dynamical systems have led to the formulation of a geodesic theory of transport that enables unified detection of all relevant LCS types in two-dimensional flows. In the incompressible case the relevant LCS type are: hyperbolic LCS (generalized invariant manifolds); elliptic LCS (generalized KAM tori); and parabolic LCS (generalized shear jets). The purpose of this minitutorial series is to review the elements of the geodesic transport theory, discuss aspects of its numerical implementation, and present the results from recent applications to problems of geophysical interest.

Speakers:

Francisco J. Beron-Vera, University of Miami, USA

George Haller, ETH Zürich, Switzerland

Kristjan Onu, McGill University, Canada

Tuesday, May 21

MS75

Computational Social Science: An Exploration of Human Dynamics

4:20 PM-5:40 PM

Room: Ballroom II

Social media and mobile communication enable people to interact with friends, family, and social networks at an unprecedented scale. This session will illuminate recent data driven advances in understanding human mobility, language evolution, and emotional expression through the perspective of the emerging field of Computational Social Science.

Organizer: Chris Danforth
University of Vermont, USA

Organizer: Lewis Mitchell
University of Vermont, USA

Organizer: Peter Dodds
University of Vermont, USA

4:20-4:35 The English Language has a Self-similar, Positively-biased Emotional Spectrum

Peter Dodds, University of Vermont, USA; Isabel Kloumann, Cornell University, USA; Chris Danforth, University of Vermont, USA; Kameron D. Harris, University of Washington, USA; Catherine A. Bliss, University of Vermont, USA

4:40-4:55 Unraveling Daily Human Mobility Motifs

Marta Gonzalez, Christian Schneider, and Vitaly Belik, Massachusetts Institute of Technology, USA

5:00-5:15 Mesoscopic Structure and Social Aspects of Human Mobility

James Bagrow, Northwestern University, USA; Yu-Ru Lin, Northeastern University, USA

5:20-5:35 Revealing the Character of Cities Through Data and Hedonometrics

Lewis Mitchell, Chris Danforth, Peter Dodds, and Morgan R. Frank, University of Vermont, USA

Tuesday, May 21

MS76

Dynamical Analysis of Continuum Models of the Human Cortex

4:20 PM-5:40 PM

Room: Ballroom III

Mean-field models of the cortex describe the electrical potentials, generated by excitatory and inhibitory neuron populations, as continuous in space and time. The two-dimensional cortical sheet is modelled as an excitable medium, supporting waves and nonlinear oscillations. The model output is directly linked to the electroencephalogram. To parse the dynamics of such models should help us understand elements of brain function, such as attention and cognition, as well as pathological states like seizures and unconsciousness. However, the analysis and application of mean-field models have only recently taken off. In this minisymposium we present an overview of recent results and future work.

Organizer: Lennaert van Veen
University of Ontario Institute of Technology, Canada

4:20-4:35 Mean Field Models of the EEG: Physiological Relevance and Mathematical Challenges

David Liley, Swinburne University of Technology, Australia

4:40-4:55 Using Neural Mass Models and Bifurcation Theory to Understand Transitions to Pathological Oscillations in Neural Systems

Alex Blenkinsop, University of Sheffield, United Kingdom; John Terry, University of Exeter, United Kingdom

5:00-5:15 Use of Mesoscale Models to Understand Data on Sleep and Seizures, and to Investigate Options for Seizure Control

Vera Dadok, Prashanth Selvaraj, and Andrew Szeri, University of California, Berkeley, USA

5:20-5:35 Bifurcation and Pattern Formation in a Mean-field Model of the Electroencephalogram

Lennaert van Veen and Kevin R. Green, University of Ontario Institute of Technology, Canada

Tuesday, May 21

MS77

Maxwell-Bloch Equations

4:20 PM-5:40 PM

Room: Magpie A

Interaction between light and an active optical medium is one of the most applicable areas in applied physics, having provided the basic mechanism underlying lasing and optical amplification. The broad range of physical phenomena light interaction with active media exhibits has generated an equally broad range of rich mathematical problems, ranging from chaotic and turbulent to completely integrable, exhibited by the corresponding Maxwell-Bloch equations. The minisymposium will present recent work addressing some of these mathematical problems, including a new look at self-induced transparency in three-level media, integrable/stochastics polarization dynamics, light stopping, and pulse propagation in metamaterials doped with active atoms.

Organizer: Alexander O. Korotkevich
University of New Mexico, USA

4:20-4:35 Dynamics of Light Propagating through Active Optical Media

Gregor Kovacic, Rensselaer Polytechnic Institute, USA; Katherine Newhall and Ethan Atkins, Courant Institute of Mathematical Sciences, New York University, USA; Kathryn Rasmussen, Brevard College, USA; Alexander O. Korotkevich, University of New Mexico, USA; Peter R. Kramer, Rensselaer Polytechnic Institute, USA; Gino Biondini, State University of New York, Buffalo, USA; Ildar R. Gabitov, University of Arizona, USA

4:40-4:55 On the Maxwell-Bloch Equations with Non-zero Boundary Conditions

Gino Biondini, State University of New York, Buffalo, USA

5:00-5:15 On the Coupled Maxwell-Bloch Equations with Inhomogeneous Broadening for a 3-level System

Barbara Prinari, University of Colorado, Colorado Springs, USA

5:20-5:35 Light Propagation in Lambda-configuration Metamaterials with Mixed Positive and Negative Refractive Index

Alexander O. Korotkevich, University of New Mexico, USA

continued in next column

Tuesday, May 21

MS78

Models of Biopolymer Creation and Destruction

4:20 PM-5:40 PM

Room: Magpie B

DNA, mRNA, proteins and microtubules are examples of biopolymers that play a crucial role in biology of each cell. There are three modeling paradigms for their creation and destruction. First describes stochastic uni-directional hopping of particles on one dimensional strand with discrete sites. Description of mean occupancy at each site yields ODE models. Finally, replacing discrete sites by a continuum yields PDE models. We have assembled a mix of senior contributors to the field (Kolomeisky, Chou), young investigators (Dong) and new contributors (Gedeon) The presentations will span the applications microtubules (Kolomeisky), mRNA polymerase (Gedeon), ribosomes (Chou, Dong) and modeling techniques.

Organizer: Tomas Gedeon
Montana State University, USA

4:20-4:35 Traffic Flow Model for Bio-Polymerization Processes

Tomas Gedeon, Lisa G. Davis, Jennifer Thorensen, and Jakub Gedeon,
Montana State University, USA

4:40-4:55 Random Hydrolysis Controls the Dynamic Instability in Microtubules

Anatoly B. Kolomeisky, Rice University, USA

5:00-5:15 Hydrodynamic Mean-field Solutions of 1D Exclusion Processes with Spatially Varying Hopping Rates

Thomas Chou, University of California, Los Angeles, USA

5:20-5:35 Novel Features in an Accelerated Exclusion Process Towards Modeling Transcription

JiaJia Dong, Bucknell University, USA;
Stefan Klumpp, Max Planck Institute of Colloids and Interfaces, Germany;
R.K.P. Zia, Iowa State University, USA

Tuesday, May 21

MS79

Neuromechanical Locomotion from Electrical Signals to Muscle to Body to Fluids

4:20 PM-5:40 PM

Room: Wasatch A

The lamprey has served as a model system for vertebrate locomotion from both a experimental and a modeling perspective. The focus of this minisymposium is to highlight a successful interdisciplinary collaboration between biologists, engineers, and applied mathematicians that have independently and collaboratively studied the components of neuromechanical locomotion. The system consists of the central pattern generator in the spinal cord sending an electrical signal to the muscle, which is attached to the body modeled as an elastic rod interacting with the fluid environment. Speakers will highlight advances in neuromechanical locomotion that were possible because of the interdisciplinary collaboration.

Organizer: Kathleen A. Hoffman
University of Maryland, Baltimore County, USA

4:20-4:35 Strategies for Swimming: Explorations on the Behaviour of a Neuro-musculo-mechanical Model of the Lamprey

Tyler McMillan, California State University, Fullerton, USA; Thelma Williams, Princeton University, USA

4:40-4:55 Optimal Open- and Closed-loop Control of Anguilliform Swimming

Tim Kiemel, University of Maryland, USA; Kathleen Hoffman, University of Maryland, Baltimore County, USA

5:00-5:15 Lamprey Swimming, a Hydrodynamic Approach

Megan C. Leftwich, George Washington University, USA

5:20-5:35 Lamprey Locomotion Driven by Non-linear Muscle Mechanics and Work-dependent Deactivation

Christina Hamlet and Lisa J. Fauci, Tulane University, USA; Eric Tytell, Tufts University, USA

Tuesday, May 21

MS80

Stability of Localized Structures in Evolutionary PDEs

4:20 PM-5:40 PM

Room: Wasatch B

Localized structures such as traveling and solitary waves, spots and boundary layers play an important role in the analysis of time-dependent partial differential equations. This minisymposium will focus on the analysis and computation of the stability of these structures in for example convection-diffusion-reaction equations. The question to be answered is which of the solutions will persist in the presence of small perturbations? In the talks in this minisymposium different mathematical approaches to the analysis of the stability of localized structures are considered. These studies are analytical as well as numerical.

Organizer: Vivi Rottschäfer
Leiden University, Netherlands

Organizer: Paul A. Zegeling
Utrecht University, The Netherlands

4:20-4:35 Stability of Multiple Solutions in a Convection-diffusion-reaction PDE

Paul A. Zegeling, Utrecht University, The Netherlands

4:40-4:55 Unstable Spots in a FitzHugh-Nagumo System

Peter van Heijster, Queensland University of Technology, Australia;
Bjorn Sandstede, Brown University, USA

5:00-5:15 Stationary Co-dimension 1 Structures in the Functionalized Cahn-Hilliard Model

Arjen Doelman, Leiden University, Netherlands

5:20-5:35 Stability of Multi-Bump, Blowup Solutions of the Ginzburg-Landau Equation with Respect to Non-Radially Symmetric Perturbations

Vivi Rottschäfer, Martin Van Der Schans, and Arjen Doelman, Leiden University, Netherlands

Tuesday, May 21

MS81

Dynamics and Evolution of Complex Networks: Theory and Applications

4:20 PM-5:40 PM

Room: Maybird

The objective of this minisymposium is to address the challenging topic of studying the dynamics and evolution of complex networks. The MS intends to focus on a rapidly expanding area, namely, mathematical analysis and modeling of networks that are composed of dynamical systems, whose coupling structure evolves over time, on a time scale that ranges from fast to slow. Researchers are only now beginning to investigate the link between evolving structure and the overall network dynamics and the MS will offer a set of talks ranging from theory to applications to consensus and synchronization.

Organizer: Mario Di Bernardo
Università di Napoli Federico II, Italy

Organizer: Maurizio Porfiri
Polytechnic Institute of New York University, USA

4:20-4:35 Evolution of Networks of Multi-agent Systems on Low-dimensional Manifolds

Sachit Butail, Polytechnic Institute of New York University, USA; Nicole Abaid, Virginia Tech, USA; Erik Bollt, Clarkson University, USA; Maurizio Porfiri, Polytechnic Institute of New York University, USA

4:40-4:55 Dynamics of Delocalized Consensus Formation

Thilo Gross, University of Bristol, United Kingdom

5:00-5:15 Computation from Adaptive Synchronization

Massimiliano Zanin, Universidad Politécnica de Madrid, Spain

5:20-5:35 A Novel Model for Collective Behavior in Groups of Predators

Yuan Lin and Nicole Abaid, Virginia Tech, USA

Tuesday, May 21

MS82

Dynamics and Bifurcations of Hybrid Systems

4:20 PM-5:40 PM

Room: Superior A

The aim of the minisymposium is to address recent advances in the bifurcation theory of hybrid systems and discuss the dynamics of hybrid models of relevance to applications. Current research interests cover: understanding the onset of multiple stable states in nonsmooth bifurcations, transient and chattering dynamics, and the application of hybrid models in biomechanics. Thus, the talks will, specifically, focus on: (a) multiple attractors near grazing-sliding bifurcations, (b) numerical and analytical methods for effective investigations of chattering and transient dynamics in impacting systems, and (c) the dynamics of hybrid models used to study human balance during quiet standing.

Organizer: Piotr Kowalczyk
Manchester Metropolitan University, United Kingdom

Organizer: Petri T. Piiroinen
National University of Ireland, Galway, Ireland

4:20-4:35 Attractors Near Grazing-sliding Bifurcations

Piotr Kowalczyk, Manchester Metropolitan University, United Kingdom; Paul Glendinning, University of Manchester, United Kingdom; Arne Nordmark, Royal Institute of Technology, Sweden

4:40-4:55 Transient Dynamics in Impacting Systems

Petri T. Piiroinen, National University of Ireland, Galway, Ireland; Arne Nordmark, Royal Institute of Technology, Sweden; David Chillingworth, University of Southampton, United Kingdom

5:00-5:15 Dynamics Near Incomplete Chattering

Arne Nordmark, Royal Institute of Technology, Sweden

5:20-5:35 Bifurcation Analysis of an Intermittent Control Model During Human Quiet Stance: A Possible Mechanism of Postural Sway

Taishin Nomura, Yasuyuki Suzuki, Tomohisa Yamamoto, and Ken Kiyono, Osaka University, Japan; Pietro Morasso, Italian Institute of Technology, Italy

continued in next column

Tuesday, May 21

MS83

Extending Classical Thermodynamics: Statistical Mechanics of Complex Systems

4:20 PM-5:20 PM

Room: Superior B

Recently, there has been rapid progress in experimental and numerical studies of far-from equilibrium dynamics in complex systems. Their description inspired theoretical developments on the interface between dynamical-systems theory, stochastic processes, and statistical physics. Relaxing some of the well-known assumptions of equilibrium thermodynamics, the scope of statistical mechanics can be widely extended. This minisymposium presents four applications of this approach: stochastic thermodynamics and molecular machinery, cold systems and gravitational waves, climate models and entropy production, and phase coexistence in granular fluids.

Organizer: Bernhard Altaner
Max Planck Institute for Dynamics and Self-Organization, Germany

4:20-4:35 A Deterministic Perspective on Stochastic Thermodynamics: Local Equilibrium and Information Theory
Bernhard Altaner and Jürgen Vollmer,
Max Planck Institute for Dynamics and Self-Organization, Germany

4:40-4:55 Gravity-Wave Detectors and Nonequilibrium Statistical Physics of Very Cold Systems
Lamberto Rondoni, Politecnico di Torino, Italy

5:00-5:15 Phase Coexistence and Surface Tension in Vibrated Granular Fluids
Michael Swift, University of Nottingham, United Kingdom

Tuesday, May 21

MS84

Quantifying State and Parameter Uncertainties Constrained by Physical Laws

4:20 PM-5:40 PM

Room: White Pine

We present recent work on quantifying uncertainty about both the states of physical systems and the equations of motion that govern their dynamics. For problems ranging from engineered systems to understanding climate change, one must invert information from a finite number of uncertain measurements to characterize high dimensional equations and states. For these under constrained inverse problems, regularization issues and realizability constraints, e.g. equations must be thermodynamically consistent are essential.

Organizer: Andrew M. Fraser
Los Alamos National Laboratory, USA
4:20-4:35 Propagating Uncertainty About Gas EOS to Performance Bounds for an Ideal Gun
Andrew M. Fraser, Los Alamos National Laboratory, USA

4:40-4:55 Bayesian Data Assimilation with Optimal Maps
Tarek El Moselhy, Massachusetts Institute of Technology, USA

5:00-5:15 Coarse-graining Emergent Behavior from Complex Models
Mark K. Transtrum, University of Texas MD Anderson Cancer Center, USA

5:20-5:35 Estimating Global Electric and Magnetic Fields in Plasma Experiments and Particle-in-Cell Codes in the Presence of Noise for the Purpose of Predicting Incipient Magnetic Reconnection
John M. Finn, Los Alamos National Laboratory, USA

Dinner Break

5:40 PM-8:30 PM

Attendees on their own

Tuesday, May 21

PP1: Poster Session and Dessert Reception

8:30 PM-10:30 PM

Room: Ballroom

The Transport Through Nontwist Barriers in a Model Describing Magnetic Field Lines in Tokamaks

Celso Abud, Universidade Federal de São Paulo, Brazil; Ibere L. Caldas, University of São Paulo, Brazil

Dynamics of Short Desynchronization Episodes in the Brain

Sungwoo Ahn and Leonid Rubchinsky, Indiana University - Purdue University Indianapolis, USA

The Swarm and the Mosquito: Information Transfer, Co-Operation and Decision Making in a Group

Andy Aldersley, Martin Homer, Alan R. Champneys, and Daniel Robert, University of Bristol, United Kingdom

Localized Pattern in Periodically Forced Systems

Abeer Al-Nahdi, University of Leeds, United Kingdom

Travelling Waves in a Fractional Fisher Equation Using the Homotopy Analysis Method

Inan Ates and Paul A. Zegeling, Utrecht University, The Netherlands

Mesoscale Symmetries Explain Dynamical Equivalence of Food Webs

Helge Aufderheide, Lars Rudolf, and Thilo Gross, University of Bristol, United Kingdom

Investigating Physical Experiments with Control-Based Continuation

David A. Barton, University of Bristol, United Kingdom; Jan Sieber, University of Exeter, United Kingdom

Analysis of Fluid Systems from the Optical Flow-Approximate Vector Fields

Ranil Basnayake and Erik Bollt, Clarkson University, USA

continued on next page

Spatiotemporal Dynamics of Alternans Nodes in Heterogeneous Cardiac Tissue

Michael Bell and Elizabeth M. Cherry,
Rochester Institute of Technology,
USA

Coarse-Graining of Bursting Dynamics

Alona Ben-Tal, Massey University, New Zealand; Ioannis Kevrekidis, Princeton University, USA; Joshua Duley, Massey University, New Zealand

Why People Walk in Circles?

Katarina Bodova and Michal Janosi,
Comenius University, Bratislava,
Slovakia

Use of Quasi-Steady-State Assumptions in the Analysis of Biophysical Models

Sebastian D. Boie, James Sneyd, and Vivien Kirk, University of Auckland, New Zealand

Entrainment of Neuronal Models in Noise

Alla Borisjuk, University of Utah, USA

Bifurcations in Bifurcations: a Dynamical Analysis of An Impacting T-Junction Flow

Kevin K. Chen, Clarence Rowley, and Howard A. Stone, Princeton University, USA; Stefan Radl, Graz University of Technology, Austria; Daniele Vigolo, Princeton University, USA

Regulation of Electrical Bursting in a Spatio-Temporal Model of a Gnrh Neuron

Xingjiang Chen, University of Auckland, New Zealand

Acoustic Detection and Ranging Using Solvable Chaos

Ned J. Corron, US Army RDECOM, USA; Mark Stahl, NASA/Marshall Space Flight Center, USA; Jonathan N. Blakely, US Army RDECOM, USA

The Lorenz System Near the Loss of the Foliation Condition

Jennifer Creaser, Bernd Krauskopf, and Hinke M. Osinga, University of Auckland, New Zealand

Symmetry Breaking in Colliding Disk Systems

Joseph Dinius and Joceline Lega, University of Arizona, USA

Spatially-Shifted Feedback Control of Turbulent Behavior in Advection Diffusion Systems

Christophe Szwaj, *Clement Evain*, and Serge Bielawski, Universite de Lille 1, France; Masahito Hosaka, Nagoya University, Japan; Akira Mochihashi, JASRI, Japan; Masahiro Katoh, UVSOR, Institute for Molecular Science, Japan; Marie-Emmanuel Couprie, Synchrotron SOLEIL, France

Happiness and Movement on Twitter

Morgan R. Frank, Chris Danforth, and Peter Dodds, University of Vermont, USA

Random and Regular Dynamics of Stochastically Driven Neuronal Networks

Pamela B. Fuller, Rensselaer Polytechnic Institute, USA

Formation of Localized Hot Spots of Criminal Activity in a Model Incorporating Non-Local Effects

Evan Haskell and *Dean Gardner*, Nova Southeastern University, USA

Stochastic Simulation of RNAP Elongation

Jakub Gedeon and Tomas Gedeon, Montana State University, USA

Traveling Waves in a Gasless Combustion Model with Heat Loss

Anna Ghazaryan, Miami University, USA; Stephen Schechter, North Carolina State University, USA; Peter L. Simon, Eötvös Loránd University, Hungary

Bifurcation Analysis of a Civil Transport Aircraft's Upset Behaviour

Stephen J. Gill and Mark Lowenberg, University of Bristol, United Kingdom; Bernd Krauskopf, University of Auckland, New Zealand; Simon Neild, University of Bristol, United Kingdom; Guilhem Puyou, Airbus Operation S.A.S., France; Etienne Coetzee, Airbus, United Kingdom

Approximate Deconvolution for Large-eddy Simulation (LES) on Adaptive Grids

Lauren Goodfriend and Fotini K. Chow, University of California, Berkeley, USA; Marcos Vanella and Elias Balaras, George Washington University, USA

Interplay Between Energy-Market Dynamics and Physical Stability of a Smart Power Grid

Jeffrey R. Gordon, Francesco Sorrentino, and Andrea Mamolli, University of New Mexico, USA; Sergio Picozzi, University of Maryland, USA

Using the Ensemble Kalman Filter to Track Links in Neuronal Networks

Franz Hamilton, George Mason University, USA

Shock-Fronted Travelling Wave Solutions Arising in a Model of Tumour Invasion

Kristen Harley, Graeme Pettet, and Peter van Heijster, Queensland University of Technology, Australia

Observability of Nonlinear Dynamics of Elastic Flight Vehicle

Hossein Hashemi, Amirkabir University of Technology, Iran

Analysis of Size Structured Population Models in Marine Ecosystems

Irene Heilmann, Jens Starke, Ken Andersen, Uffe Thygesen, and Mads Peter Sørensen, Technical University of Denmark, Denmark; Thomas Lorenz, Goethe University, Germany

Characterization and Observations of Nonlinear Charged Particle Dynamics and Chaos in the Magnetotail

Daniel L. Holland, Richard Martin, and Hiroshi Matsuoka, Illinois State University, USA

Effects of Freeplay on the Dynamic Stability of An Aircraft Main Landing Gear

Chris Howcroft, University of Bristol, United Kingdom; Bernd Krauskopf, University of Auckland, New Zealand; Mark Lowenberg and Simon Neild, University of Bristol, United Kingdom; Duncan Patrick, Airbus, United Kingdom

continued in next column

continued in next column

continued on next page

Poster Session and Dessert Reception

continued

Computing Stability of Mosquito Motion

Sarah Iams, Bowdoin College and Cornell University, USA

Synchronization of Hypernetworks: Dimensionality Reduction Through Simultaneous Block-Diagonalization of Matrices

Daniel Irving and *Francesco Sorrentino*, University of New Mexico, USA

2- θ Neuron Model for 3-Cell Inhibitory Central Pattern Generators

Aaron Kelley, *Andrey Shilnikov*, and *Joesph Youker*, Georgia State University, USA

Interaction Between Aircraft Landing Gear Dynamics and Fuselage Modes

Sarah E. Kewley, University of Bristol, United Kingdom; *Bernd Krauskopf*, University of Auckland, New Zealand; *Mark Lowenberg* and *Simon Neild*, University of Bristol, United Kingdom; *Thomas Wilson* and *Robert Jung*, Airbus, United Kingdom

Distributive Zooplankton Digestion Delay on Planktonic Dynamic

Swati Khare, Hindustan College of Science & Technology, India

A Closed Npz Model With Delayed Nutrient Recycling

Matt Kloosterman, *Sue Ann Campbell*, and *Francis Poulin*, University of Waterloo, Canada

Chaos and Reliability in Fluctuation-Driven, Balanced Spiking Networks

Guillaume Lajoie, University of Washington, USA; *Kevin K. Lin*, University of Arizona, USA; *Eric Shea-Brown*, University of Washington, USA

Isochrons in the Fitzhugh-Nagumo Model

Peter Langfeld, *Bernd Krauskopf*, and *Hinke M. Osinga*, University of Auckland, New Zealand

Aggressive Shadowing of a Low-Dimensional Model of Atmospheric Dynamics

Ross Lieb-Lappen, Dartmouth College, USA; *Chris Danforth*, University of Vermont, USA

Numerical Continuation of Invariant Solutions of Pdes with Symmetries

Vanessa Lopez-Marrero, IBM T.J. Watson Research Center, USA

Asymmetric Coherent Structures in One and Two Space Dimensions

Elizabeth J. Makrides and *Bjorn Sandstede*, Brown University, USA

Assimilation of Lagrangian Ocean Data

Adam B. Mallen, Marquette University, USA

Asynchronous Inhibition and Small Neuronal Network Dynamics

Sashi Marella, University of Pittsburgh, USA

Voltage-Dependent Stochastic Gating Models Of Tric-B Channels

Antoni Matyjaszkiewicz and *Elisa Venturi*, University of Bristol, United Kingdom; *Daiju Yamazaki*, *Miyuki Nishi*, and *Hiroshi Takeshima*, Kyoto University, Japan; *Krasimira Tsaneva-Atanasova*, and *Rebecca Sitsapesan*, University of Bristol, United Kingdom

Dynamics, Networks and Energy Efficiency

Nick McCullen, University of Bath, United Kingdom; *Alastair M. Rucklidge*, *Catherine Bale*, *Timothy Foxon*, and *William Gale*, University of Leeds, United Kingdom

Optimal Control in Lagrangian Data Assimilation

Richard O. Moore, New Jersey Institute of Technology, USA; *Damon McDougall*, University of Texas at Austin, USA

An Adaptive Algorithm for Estimation of Synaptic Strengths in a Network of Neurons

Anish Mitra and *Andre Manitius*, George Mason University, USA

Lobe Dynamics and Homoclinic Tangles in Atmospheric Flows

Shibabrat Naik and *Shane D. Ross*, Virginia Tech, USA

Stability and Bifurcation Analysis of Rigid Spacecraft Spin Stabilization Using Delayed Feedback Control

Eric A. Butcher and *Morad Nazari*, New Mexico State University, USA

Bifurcations of Large Networks of Two Dimensional Integrate and Fire Neurons

Wilten Nicola and *Sue Ann Campbell*, University of Waterloo, Canada

Pattern Formation in Small-world Networks

Jitse Niesen, University of Leeds, United Kingdom

Rigorous Numerical Verification of Uniqueness and Smoothness in a Surface Growth Model

Christian Nolde and *Dirk Blömker*, Universität Augsburg, Germany; *James Robinson*, University of Warwick, United Kingdom

Sleep-Wake Transition Dynamics

Fatih Olmez, *Janet Best*, and *Jung Eun Kim*, Ohio State University, USA; *Deena Schmidt*, Case Western Reserve University, USA; *Peter R. Kramer*, Rensselaer Polytechnic Institute, USA; *John McSweeney*, Statistical and Applied Mathematical Sciences Institute, USA

Bifurcations and Rhythms in a Mutually Inhibitory Three-Neuron Network

Choongseok Park and *Jonathan Rubin*, University of Pittsburgh, USA

Saturated Perturbation in Pyragas Methods Through Nonlinear Feedback Control

Verónica E. Pastor and *Graciela Gonzalez*, University of Buenos Aires, Argentina

Prey Switching with a Linear Preference Trade-off

Sofia Piltz, *Mason A. Porter*, and *Philip K. Maini*, University of Oxford, United Kingdom

Global Dynamics of the Subcritical Hopf Normal Form Subject to Pyragas Time-Delayed Feedback Control

Anup S. Purewal, *Claire Postlethwaite*, and *Bernd Krauskopf*, University of Auckland, New Zealand

continued in next column

continued in next column

continued on next page

Localised States and Pattern Formation in a Neural Field Model of the Primary Visual Cortex

James Rankin, INRIA Sophia Antipolis, France; *David Lloyd*, University of Surrey, United Kingdom; *Gregory Faye*, University of Minnesota, USA; *Frederic Chavane*, CNRS, France

Mining Experimental Data from the Chaotic Waterwheel

George Rutherford and *Richard Martin*, Illinois State University, USA

Dynamics of An Seqihrs Epidemic Model with Media Awareness, Quarantine, Isolation and Cross-Protective-Immunity

Govind P. Sahu, Indian Institute of Information Technology, India; *Joydip Dhar*, Indian Institute of Information Technology & Management Gwalior, India

Delayed Feedback Attitude Stabilization of Rigid Body Motion on $So(3)$ Via Liapunov-Krasovskii Functionals

Ehsan Samiei, *Maziar Izadi*, *Amit Sanyal*, and *Eric A. Butcher*, New Mexico State University, USA

An Agent-Based Model for Stripe Formation in Zebra Fish

Bjorn Sandstede and *Alexandria Volkening*, Brown University, USA

Use of Optogenetics for Control of Cortical Seizures

Prashanth Selvaraj and *Andrew Szeri*, University of California, Berkeley, USA

Dynamics of Vegetation Patterns under Slowly Varying Conditions

Eric Siero, Leiden University, Netherlands; *Jens Rademacher*, CWI, Amsterdam, Netherlands; *Arjen Doelman*, Leiden University, Netherlands

Amplitude Equations for a Period-Doubling Bifurcation in a Neural-Field Model

Ruth M. Smith, University of Nottingham, United Kingdom

Multiple Rhythms from One Network: Phase Plane Analysis of Rhythmic Activity in Turtle Motor Circuits

Abigail Snyder and *Jonathan Rubin*, University of Pittsburgh, USA

Investigating Network Structure in Locomotor Models

Lucy Spardy, University of Pittsburgh, USA

Growth of Diffusion Limited Aggregation (DLA)-Grass like branched pattern via Turing pattern formation in a Belousov-Zhabotinskii (B-Z) type reaction system

Rohit Srivastava, Birla Institute of Technology, Deoghar, India; *Prem Kumar Srivastava*, Birla Institute of Technology Pilani, India

Return Times and Rates of Fluid Mixing

Rob Sturman, University of Leeds, United Kingdom

Stochastic Endemic Sir Model and Its Properties

Mariya Y. Svishchuk, Mount Royal University, Canada

Performance Evaluation of Indoor Power Line Communication Using Chaos CDMA

Ryo Takahashi and *Ken Umeno*, Kyoto University, Japan

Coupled Aircraft Nose Landing Gear and Fuselage Dynamics

Nandor Terkovics, *Simon Neild*, and *Mark Lowenberg*, University of Bristol, United Kingdom; *Bernd Krauskopf*, University of Auckland, New Zealand; *Sanjiv Sharma* and *Peter Hart*, Airbus, United Kingdom

A Discontinuous Galerkin Method for Modeling Transcription

Jennifer Thorenson, *Lisa G. Davis*, and *Tomas Gedeon*, Montana State University, USA

Linear Frequency Response Theory for Autonomous, Chaotic Oscillators

Ralf Toenjes and *Hiroshi Kori*, Ochanomizu University, Japan; *Kazumasa Takeuchi*, University of Tokyo, Japan

Empirically Determined Adjoint Operators for the Coarse Control of Distributed Microscopic Processes

Matthew O. Williams, *Ioannis Kevrekidis*, and *Clarence Rowley*, Princeton University, USA

Kneading Invariants for the Elucidation of Chaos

Jeremy Wojcik and *Tingli Xing*, Georgia State University, USA; *Roberto Barrio*, University of Zaragoza, Spain; *Andrey Shilnikov*, Georgia State University, USA

continued in next column

continued in next column

Wednesday, May 22

Registration

7:30 AM-5:45 PM

Room: Ballroom Foyer

Wednesday, May 22

MS85

Scroll and Spiral Waves in Experiments

8:00 AM-9:00 AM

Room: Ballroom I

Scroll and spiral waves are nonlinear dissipative patterns occurring in 3- and 2-dimensional excitable media, respectively, where they act as (desired or undesired) organizing centers. Recent experimental studies of biological and chemical excitable systems help to form novel views on the formation of spiral and scroll waves, interaction of scroll wave filaments and spiral tips with each other, with gradients, boundaries and local inhomogeneities. The minisymposium provides a sampling of the current state of experimental research in the field and related numerical modelling.

Organizer: Marcus Hauser
Otto-von-Guericke-Universität
Magdeburg, Germany

8:00-8:15 Twists of Opposite Handedness on a Scroll Wave

Marcus Hauser and Patricia Dähmlow,
Otto-von-Guericke-Universität
Magdeburg, Germany; Sergio Alonso
and Markus Bär, Physikalisch-
Technische Bundesanstalt, Germany

8:20-8:35 Geometrically Constrained Wave Propagation in Excitable Media

Harald Engel, Technische Universität
Berlin, Germany

8:40-8:55 Surfactant-induced Gradients in the Three-dimensional Belousov-Zhabotinsky Reaction

Markus Bär and Sergio Alonso,
Physikalisch-Technische
Bundesanstalt, Germany; Dennis
Kupitz and Marcus Hauser, Otto-von-
Guericke-Universität Magdeburg,
Germany

Wednesday, May 22

MS86

Microscopic and Mean Field Models in Socioeconomics and Life Sciences - Part I of II

8:00 AM-9:20 AM

Room: Ballroom II

For Part 2 see MS101

The dynamics of various complex systems in biology, social sciences and economics can be approximated on a microscopic level by particle interaction models. The qualitative features of the original macroscopic dynamics, like concentration phenomena or emergence of fat tails, can be studied on suitable - kinetic, hydro-dynamic or mean-field - limits of these microscopic models. This minisymposium will contain talks discussing both the mathematically rigorous passage from micro to macro as well as the analysis and numerics of the resulting fluid-type equations. Areas of application include, but are not limited to flocking, wealth distribution, population dynamics, and opinion formation.

Organizer: Daniel Matthes
Technische Universität München,
Germany

Organizer: Bertram Düring
University of Sussex, United Kingdom

8:00-8:15 Smoothing Transformations and Wealth Distributions

Daniel Matthes, Technische Universität
München, Germany; Federico
Bassetti, Università di Pavia, Italy

8:20-8:35 Instability and Bifurcation in a Trend Depending Price Formation Model

Maria Del Mar Gonzalez, Universitat
Politecnica de Catalunya, Spain;
Maria Gualdani, George Washington
University, USA; Joan Sola-Morales,
Universitat Politecnica de Catalunya,
Spain

continued on next page

8:40-8:55 Computing Stationary States of Kinetic Swarming Models

Stephan Martin, Imperial College
London, United Kingdom

9:00-9:15 Stability Analysis of Flock Rings for 2nd Order Models in Swarming

Daniel Balague, Universitat Autònoma de Barcelona, Spain; *Giacomo Albi*, Università di Ferrara, Italy; *Jose Carrillo*, Imperial College London, United Kingdom; *James von Brecht*, University of California, Los Angeles, USA

Wednesday, May 22

MS87**Immunity and Infection - Part I of II**

8:00 AM-9:00 AM

Room: Ballroom III

For Part 2 see MS102

The bio-medical communities came to understand that the mammalian immune system is an extremely complex system with thousands of components and even more interactions. In recent years the inherent dynamical nature of infections and the immune response have been shown in various scales - from human populations to sub-cellular mechanisms. Mathematical modeling and analysis plays a role in understanding HIV, antibiotic resistance and other public health issues. We will highlight examples in which practitioners of applied dynamical systems have risen to the challenge of modeling and analyzing various components and functions of this high-dimensional system.

Organizer: *Todd Young*
Ohio University, USA

Organizer: *Roy Malka*
Harvard Medical School, USA

8:00-8:15 Innate Immune Response in Healthy and Immunocompromised Host

Roy Malka, Harvard Medical School,
USA

8:20-8:35 Systems Biology of the Pulmonary Infection Process in Humans

Erik M. Boczek, Vanderbilt University, USA; *Todd Young*, Ohio University, USA

8:40-8:55 Modeling the Host Response to Inhalation Anthrax

Judy Day, University of Tennessee, USA

Wednesday, May 22

MS88**Intermittent Balance Control with Reflex Delay**

8:00 AM-9:20 AM

Room: Magpie A

The development of strategies which provide robust control in the face of delay and noise has wide applications ranging from medicine to robotics to machine control. Surprisingly, the human nervous system employs an intermittent control strategy to regulate the balance. This mini-symposium provides an overview of mathematical models for intermittent balance control.

Organizer: *Tamas Insperger*
Budapest University of Technology and Economics, Hungary

Organizer: *John Milton*
Claremont College, USA

8:00-8:15 Clock-Driven Intermittent Controller and Model Based Predictive Controller for Human Balancing Models

Tamas Insperger, Budapest University of Technology and Economics, Hungary; *John Milton*, Claremont College, USA

8:20-8:35 Intermittent Open Loop Control in Humans: Can the Hypothesis be Tested?

Ian Loram, Manchester Metropolitan University, United Kingdom; *Peter Gawthrop*, University of Glasgow, United Kingdom and University of Melbourne, Australia; *Henrik Gollee*, University of Glasgow, Scotland, UK; *Martin Lakie*, University of Birmingham, United Kingdom; *Cornelis van de Kamp*, Manchester Metropolitan University, United Kingdom

continued on next page

Wednesday, May 22

MS88

Intermittent Balance Control with Reflex Delay

8:00 AM-9:20 AM

continued

8:40-8:55 An Intermittent Control of a Double Inverted Pendulum: Roles of Hip Motions Examined with Human Postural Sway

Yasuyuki Suzuki and *Taishin Nomura*,
Osaka University, Japan; *Maura Casadio*, University of Genoa, Italy;
Pietro Morasso, Fondazione Istituto Italiano di Tecnologia, Italy

9:00-9:15 Evidence for Continuous Versus Intermittent Control Mechanisms Contributing to Control of Human Upright Stance

Robert Peterka, Oregon Health & Science University, USA; *Christoph Maurer*, University of Freiburg, Germany

Wednesday, May 22

MS89

Stochastic Dynamics on Neuronal Networks - Part I of II

8:00 AM-9:20 AM

Room: Magpie B

For Part 2 see MS104

Neuronal activity can involve stochasticity on many interacting levels including ion channel dynamics, the probability of neurotransmitter release, irregular firing intervals, and random network architectures. Among the mathematical approaches for modeling the resulting dynamics are stochastic processes on networks, doubly stochastic processes, and random graphs. This minisymposium will feature mathematical models of neuronal networks incorporating stochasticity, with a focus on the mathematical challenges that arise in studying these models and approaches for achieving analytical results.

Organizer: *Janet Best*
Ohio State University, USA

Organizer: *John McSweeney*
Statistical and Applied Mathematical Sciences Institute, USA

Organizer: *Deena Schmidt*
Case Western Reserve University, USA

8:00-8:15 Modeling Stochastic Neural Dynamics: Approaches and Mathematical Issues

Janet Best, Ohio State University, USA

8:20-8:35 Jigsaw Percolation: Which Networks Can Solve a Puzzle?

David Sivakoff, Duke University, USA

8:40-8:55 Interaction of Biochemical and Neural Networks in the Brain

Michael Reed, Duke University, USA;
Janet Best, Ohio State University, USA; *H Frederik Nijhout*, Duke University, USA

9:00-9:15 Optimal Reduction of Complexity for Ornstein-Uhlenbeck Processes on Random Graphs

Deena Schmidt, Case Western Reserve University, USA

Wednesday, May 22

MS90

Models of Anomalous Diffusion

8:00 AM-9:20 AM

Room: Wasatch A

The phenomenon of anomalous diffusion, which is widespread in nature, can be caused by numerous physical reasons. Therefore, qualitatively different mathematical models can be needed for its description. The goal of the minisymposium is to present recent achievements in modeling the anomalous diffusion. The talks include the description of tests for distinguishing essentially different classes of subdiffusive processes (non-ergodic and ergodic ones), the construction of subdiffusive models in the case of space-dependent anomalous exponents and in the presence of chemical reactions and force fields, as well as a discussion of front propagation in systems with subdiffusion.

Organizer: *Alexander Nepomnyashchy*
Technion, Israel

Organizer: *Sergei Fedotov*
University of Manchester, United Kingdom

8:00-8:15 Models and Tests for Anomalous Diffusion in Crowded Environment

Igor Sokolov, Humboldt University at Berlin, Germany

8:20-8:35 Subdiffusive Fractional Equations with Space-dependent Anomalous Exponents

Sergei Fedotov, University of Manchester, United Kingdom

8:40-8:55 Propagation of Fronts in Subdiffusive Media

Alexander Nepomnyashchy, Technion Israel Institute of Technology, Israel;
Vladimir A. Volpert, Northwestern University, USA; *Yulia Kanevsky* and *Mohammad Abu Hamed*, Technion - Israel Institute of Technology, Israel

9:00-9:15 Weakly Nonlinear Analysis of the Superdiffusive Brusselator Model near a Codimension-two Turing-Hopf Bifurcation Point

Justin Tzou, Israel Institute of Technology, Israel

Wednesday, May 22

MS91**Nonautonomous Dynamics and Invariant Manifolds: Recent Progress in Theory and Applications**

8:00 AM-9:20 AM

Room: Wasatch B

Nonautonomous (time-dependent) dynamical systems are common in applications ranging from geophysics to economics to mechanics, and are challenging because results from the autonomous or periodically time-varying cases do not necessarily transfer easily. This minisymposium brings together recent advances on invariant manifolds in nonautonomous systems from both theoretical and applied perspectives. Topics include the nonautonomous control of invariant manifolds with a view to controlling fluid flows, defining finite-time hyperbolicity via exponential monotonicity dichotomy, finding attractors of an aperiodically forced chaotic beam, and the effect of a time-varying discount rate on the Ramsey model of economic growth.

Organizer: Sanjeeva Balasuriya
Connecticut College, USA

Organizer: James D. Meiss
University of Colorado Boulder, USA

8:00-8:15 Finite-Size Lyapunov Exponents (FSLE) and Lagrangian Coherent Structures

Daniel Karrasch and George Haller,
ETH Zürich, Switzerland

8:20-8:35 Nonautonomous Control of Invariant Manifolds

Sanjeeva Balasuriya, Connecticut College, USA; Kathrin Padberg-Gehle, Dresden University of Technology, Germany

8:40-8:55 A Stable Principle Manifold of a Separable Attractor of the Nonautonomous Chaotic Beam System

Erik Bollt and Joseph Skufca, Clarkson University, USA

9:00-9:15 Invariant Manifolds in Non-autonomous Equations

Hector E. Lomeli, Instituto Tecnológico Autónomo de México, Mexico, and University of Texas at Austin, USA

Wednesday, May 22

MS92**Lagrangian Approaches to Front Propagation in Advection-reaction-diffusion Systems**

8:00 AM-9:20 AM

Room: Maybird

Reaction fronts are significantly influenced by flows in a wide range of fluid systems, including microfluidic chemical reactors, plankton blooms in oceanic flows, and biochemical processes in cellular-scale flows. In this minisymposium, we present experimental and theoretical studies on the propagation of chemical and biological fronts in laminar and turbulent fluid flows. Theoretically, the behavior is interpreted by extending Lagrangian techniques used to describe passive mixing to the advection-reaction-diffusion regime. These techniques include (a) burning invariant manifolds that act as barriers to front propagation; and (b) generalizations of Lagrangian coherent structures that can describe barriers in turbulent flows.

Organizer: Thomas H. Solomon
Bucknell University, USA

8:00-8:15 Experimental Studies of Barriers to Front Propagation in Vortex-dominated Flows

Thomas H. Solomon, Bucknell University, USA

8:20-8:35 Plankton Bloom Front Meets Chain of Vortices in a Flow

Ulrike Feudel, University of Oldenburg, Germany

8:40-8:55 Pinning and Invariant Barriers in Advection-reaction-diffusion Systems

John R. Mahoney, University of California, Merced, USA

9:00-9:15 A Chemical Front in the Faraday Flow

Alexandra Von Kameke, University of Santiago de Compostela, Spain; Florian Huhn, ETH Zürich, Switzerland; Vicente Perez-Munuzuri and Alberto P. Munuzuri, University of Santiago de Compostela, Spain; George Haller, ETH Zürich, Switzerland

Wednesday, May 22

MS93**Transport and Flow in Complex Networks: From Search and Discovery to Power-Grids**

8:00 AM-9:20 AM

Room: Superior A

One of the major technological developments of the past two decades has been the ever-increasing inter-connectivity of a broad class of information, communication, and infrastructure networks. This inter-connectivity has led to immense temporal and spatial complexity in real-life networks and a critical need for basic mathematical theory and statistical modeling of the underlying dynamical processes, and the scalability, stability and vulnerability of these networks. This minisymposium will present both theoretical and data-driven research, with an attempt to gain insights from fundamental problems (diffusion and random walks) to applications (transportation networks and power-grids). This minisymposium is supported in part by DTRA.

Organizer: Gyorgy Korniss
Rensselaer Polytechnic Institute, USA

8:00-8:15 Transport and Flow in Complex Networks: Cascading Overload Failures in Networks with Distributed Flows

Gyorgy Korniss, Andrea Asztalos, Sameet Sreenivasan, and Boleslaw Szymanski, Rensselaer Polytechnic Institute, USA

8:20-8:35 Walking and Searching in Time-Varying Networks

Nicola Perra, Northeastern University, USA

8:40-8:55 Predicting Traffic Changes in the Wake of Geo-Localized Damages in Large-Scale Transportation Networks

Yihui Ren, University of Notre Dame, USA; Maria Ercsey-Ravasz, Babes-Bolyai University, Romania; Zoltan Toroczkai, University of Notre Dame, USA

9:00-9:15 Power Grid Vulnerability to Geographically Correlated Failures

Gil Zussman, Columbia University, USA

Wednesday, May 22

MS94

Aggregation, Fragmentation and Flow: Evolution of Emerging Aggregate Size Distributions

8:00 AM-9:20 AM

Room: Superior B

Recently, advances in data capturing and processing have provided a wealth of data about aggregate size distributions and their evolution. Comparing data on irreversible droplet aggregation with detailed numerical simulations has spawned substantial extension of classical models on irreversible clustering. Concurrently, detailed predictions of the evolution of aggregate size distributions in turbulent flows become available because our understanding of polydisperse particles in flows has reached a level where modeling of the pertinent collisions kernels comes into reach. The symposium focuses on these advances in the modeling of aggregate size distributions, and highlights recent applications to natural processes.

Organizer: Jürgen Vollmer
Max Planck Institute for Dynamics and Self-Organization, Germany

8:00-8:15 Revisiting the Scaling Analysis of Irreversible Aggregation Dynamics

Jürgen Vollmer, Max Planck Institute for Dynamics and Self-Organization, Germany

8:20-8:35 Title not available at time of publication

Bernhard Mehlig, University of Gothenburg, Sweden

8:40-8:55 Understanding Rainfall: Collisional Versus Non-collisional Mechanisms for Droplet Growth

Michael Wilkinson, The Open University, United Kingdom

9:00-9:15 Interaction of Droplets and Turbulence in Rayleigh-Benard Convection

Bipin Kumar, Technische Universitaet Ilmenau, Germany; Raymond Shaw, Michigan Technological University, USA; Joerg Schumacher, Technische Universitaet Ilmenau, Germany

Wednesday, May 22

MS95

Bifurcations in Piecewise Smooth and Discontinuous Maps

8:00 AM-9:20 AM

Room: White Pine

There are a large number of physical systems which give rise to piecewise smooth maps. The discrete-time phase space is divided into compartments described by smooth functions, separated by “borderlines”. In some cases the map function is continuous but the Jacobian matrix changes abruptly across the borderline. There are also many physical systems where the map function itself is discontinuous across the borderline. The proposed mini-symposium will report the recent work on such systems from four different angles, that amalgamate into a complete body of knowledge applicable to physical systems.

Organizer: Soumitro Banerjee
Indian Institute for Science Education and Research, Kolkata, India

Organizer: Laura Gardini
University of Urbino, Italy

8:00-8:15 Bifurcation Phenomena in a 2D Discontinuous Map

Soumitro Banerjee, Indian Institute for Science Education and Research, Kolkata, India

8:20-8:35 Codimension Two Border Collision Bifurcations in Piecewise Monotone Discontinuous Maps

Laura Gardini, University of Urbino, Italy

8:40-8:55 Bifurcation Structure in a Piecewise Smooth Map with Two Kink Points

Iryna Sushko, National Academy of Science, Ukraine

9:00-9:15 Multistability and Arithmetically Period-adding Bifurcations in Piecewise Smooth Dynamical Systems

Younghae Do, Kyungpook National University, Korea

Intermission

9:20 AM-9:30 AM

Wednesday, May 22

CP31

Stochastics and Dynamics II

9:30 AM-10:45 AM

Room: Ballroom III

Chair: Peter R. Kramer, Rensselaer Polytechnic Institute, USA

9:30-9:40 Stochastic Resonance in a Self-Repressing Gene with Transcriptional Memory

Jingkui Wang, Quentin Thommen, and Marc Lefranc, Universite de Lille 1, France

9:45-9:55 Stochastic Asymptotic Analysis for Cooperative Multiple Motor Systems

Scott McKinley, University of Florida, USA; Avanti Athreya, Johns Hopkins University, USA; Peter R. Kramer, Rensselaer Polytechnic Institute, USA; John Fricks, Pennsylvania State University, USA

10:00-10:10 Network Topological Conditions for Stochastically Amplified and Coherent Oscillations

Jaewook Joo, University of Tennessee, USA

10:15-10:25 Analytical Approach to Noise-Induced Phase Synchronization of Chaotic Oscillators

Wataru Kurebayashi, Tokyo Institute of Technology, Japan; Kantaro Fujiwara, Saitama University, Japan; Hiroya Nakao, Tokyo Institute of Technology, Japan; Tohru Ikeguchi, Saitama University, Japan

10:30-10:40 Mathematical Analysis of Flows on Stochastic Fractal Networks

Christina Mcleman, Marco Thiel, and Doerthe Tetzlaff, University of Aberdeen, United Kingdom

Wednesday, May 22

CP32

Transitions and Bifurcations

9:30 AM-10:45 AM

Room: Magpie A

Chair: Justin Wiser, Ohio State University, USA

9:30-9:40 Rate-Induced Tipping Points

Clare G. Hobbs and Sebastian M. Wiczorek, University of Exeter, United Kingdom

9:45-9:55 Periodically Forced Hopf Bifurcations

Justin Wiser and Martin Golubitsky, Ohio State University, USA

10:00-10:10 Analysis of Bifurcations and the Study of Competition in Phase Oscillator Networks with Positive and Negative Coupling

Oleksandr Burylko, National Academy of Science, Ukraine; Yakov Kazanovich, Russian Academy of Sciences, Russia; Roman M. Borisyuk, University of Plymouth, United Kingdom

10:15-10:25 On States with Two Frequencies in Ensembles of Coupled Oscillators

Michael Zaks, Humboldt University Berlin, Germany

10:30-10:40 Transition Curves for the Elliptic Mathieu Equation

Si Mohamed Sah and Brian Mann, Duke University, USA

Wednesday, May 22

CP33

Iterated Maps

9:30 AM-10:45 AM

Room: Magpie B

Chair: Bruce B. Peckham, University of Minnesota, Duluth, USA

9:30-9:40 Dynamics of Certain Rational Maps of the Plane

Bruce B. Peckham, University of Minnesota, Duluth, USA; Brett Bozyk, University of Minnesota, USA

9:45-9:55 Robustness of Periodic Windows in the Presence of Sporadic Noise

Madhura Joglekar and James A. Yorke, University of Maryland, USA

10:00-10:10 A Comparison of the Local and Global Dynamics of Monotone and Antimonotone Maps in the Plane

Sukanya Basu, Central Michigan University, USA

10:15-10:25 Trichotomy of Singularities of 2-Dimensional Bounded Invertible Piecewise Rational Rotations

Byungik Kahng, University of North Texas, USA

10:30-10:40 Adaptation for Fast Chaos Control

Christian Bick, Max Planck Institute for Dynamics and Self-Organization, Germany

Wednesday, May 22

CP34

Dynamics of Disease Transmission and Infection

9:30 AM-10:45 AM

Room: Wasatch A

Chair: Leah Shaw, College of William & Mary, USA

9:30-9:40 A Mathematical Model Studying Mosquito-Stage Transmission-Blocking Vaccines

Ruijun Zhao, Minnesota State University Mankato, USA; Jemal Mohammed-Awel, Valdosta State University, USA; Nghiep Huynh, Minnesota State University, USA

9:45-9:55 Epidemiological Model for X-Linked Recessive Diseases

Carmen Del Vecchio and Luigi Glielmo, University of Sannio, Italy; Martin Corless, Purdue University, USA

10:00-10:10 Disease Persistence in Epidemiological Models: The Interplay Between Vaccination and Migration

Jackson Burton and Lora Billings, Montclair State University, USA; Derek Cummings, Johns Hopkins University, USA; Ira B. Schwartz, Naval Research Laboratory, USA

10:15-10:25 Epidemics in Adaptive Social Networks with Temporary Link Deactivation

Leah Shaw, Ilker Tunc, and Maxim S. Shkarayev, College of William & Mary, USA

10:30-10:40 Modeling the Role of the Biofilm Formation in the Development of Plant Diseases

Matthew Donahue, Florida State University, USA

Wednesday, May 22

CP35

Synchronization and Chimera States

9:30 AM-10:45 AM

Room: Wasatch B

Chair: Daniel Abrams, Northwestern University, USA

9:30-9:40 Chimera States on Periodic Spaces

Mark J. Panaggio and Daniel Abrams, Northwestern University, USA

9:45-9:55 Spontaneous Formation of Two-Dimensional Chimera States in Oscillatory Media

Lennart Schmidt, Konrad Schönleber, Katharina Krischer, and Vladimir Garcia-Morales, Technische Universität München, Germany

10:00-10:10 The Kuramoto Model with Distributed Shear

Diego Pazo, Instituto de Física de Cantabria (IFCA), Spain; Ernest Montbrió, Universitat Pompeu Fabra, Spain

10:15-10:25 Nonuniversal Transitions to Synchrony in the Sakaguchi-Kuramoto Model

Oleh Omel'chenko and Matthias Wolfrum, Weierstrass Institute for Applied Analysis and Stochastics, Germany

10:30-10:40 Necessary Condition for Frequency Synchronization in Network Structures

Fumito Mori, Ochanomizu University, Japan

Wednesday, May 22

CP36

Numerical Methods and Simulations

9:30 AM-10:45 AM

Room: Maybird

Chair: Angeles Dena, University of Zaragoza, Spain

9:30-9:40 High Precision Periodic Orbits

Angeles Dena, Alberto Abad, and Roberto Barrio, University of Zaragoza, Spain; Warwick Tucker, Uppsala University, Sweden

9:45-9:55 Efficient Algorithms for Rigorous Integration of Dpdes

Jacek Cyranka, Jagiellonian University, Poland

10:00-10:10 Comparison of ODE Solvers for Parallel Uses: GPGPU and CPU

Marcos Rodriguez, Roberto Barrio, and Fernando Blesa, University of Zaragoza, Spain

10:15-10:25 Numerical Solutions of Delay Reaction-Diffusion Equations of Lotka-Volterra Type

Ishtiaq Ali, University of Warsaw, Poland; Xiang Xu, Michigan State University, USA

10:30-10:40 Adaptive Numerical Simulation of Intracellular Calcium Dynamics Using Discontinuous Galerkin Methods

Jared O. Okiro, Otto-von-Guericke-Universität Magdeburg, Germany; Chamakuri Nagaiah, Radon Institute for Computational and Applied Mathematics, Austria; Gerald Warnecke, Otto-von-Guericke-Universität Magdeburg, Germany; Martin Falcke, Hahn Meitner Institut, Germany

Wednesday, May 22

CP37

Dynamics of Vehicles and Bodies

9:30 AM-10:30 AM

Room: Superior A

Chair: John Judge, Catholic University, USA

9:30-9:40 Decomposition of Nonlinear Network Dynamics: Understanding Oscillations In Multi-Vehicle Systems

Sergei S. Avedisov and Gabor Orosz, University of Michigan, Ann Arbor, USA

9:45-9:55 Nonlinear Dynamics in the Transverse Plane of High-Speed Planing Boats

John Judge, Catholic University, USA; Carolyn Judge, United States Naval Academy, USA

10:00-10:10 Lyapunov Stability of Rigid Bodies with Frictional Supports

Peter L. Varkonyi, Budapest University of Technology and Economics, Hungary

10:15-10:25 An Artificial Neural Network Approach for the Mass Balance of a Reactor in Steady State

Neha Yadav and Manoj Kumar, Motilal Nehru National Institute of Technology, India; Kevin Mcfall, Southern Polytechnic State University, USA

Wednesday, May 22

CP38

Cellular and Systems Biodynamics

9:30 AM-10:30 AM

Room: Superior B

Chair: Joo Lee, Northwestern
University, USA

9:30-9:40 Nonlinearity Explains Inefficient Energy Strategy of Cancer Cells

Joo Sang Lee, John Marko, and Adilson
E. Motter, Northwestern University,
USA

9:45-9:55 The Relation Between Two- Cell Model and N-Cell Model on Somitogenesis of Zebrafish

Kang-Ling Liao, Ohio State University,
USA; Chih-Wen Shih and Jui-
Pin Tseng, National Chiao Tung
University, Taiwan

10:00-10:10 Stable Periodic Oscillations in the Biotic Pyrite Iron Cycle

Miguel A. Dumett, CGG Veritas, Brazil;
James P. Keener, University of Utah,
USA

10:15-10:25 Firing Threshold Manifolds: Folded Saddle Canards in a Model of Propofol Anaesthesia

John Mitry, University of Sydney,
Australia; Michelle McCarthy and
Nancy Kopell, Boston University, USA;
Martin Wechselberger, University of
Sydney, Australia

Wednesday, May 22

CP39

Neuronal Network Dynamics II

9:30 AM-10:45 AM

Room: White Pine

Chair: Paul So, George Mason
University, USA

9:30-9:40 Exact Collective Dynamics for a Heterogeneous Network of Theta Neurons

Tanushree Luke, Ernest Barreto, and
Paul So, George Mason University,
USA

9:45-9:55 Networks of Theta Neurons with Time-Varying Excitability: Macroscopic Chaos, Multistability, and Final-State Uncertainty

Paul So, Tanushree Luke, and Ernest
Barreto, George Mason University,
USA

10:00-10:10 Linking Graph Motifs and Collective Spiking in Neuronal Networks

Yu Hu, University of Washington,
USA; James Trousdale and Kresimir
Josic, University of Houston, USA;
Eric Shea-Brown, University of
Washington, USA

10:15-10:25 Learning Cycles in Hopfield-Type Networks with Delayed Coupling

Chuan Zhang, Gerhard Dangelmayr,
and Iuliana Oprea, Colorado State
University, USA

10:30-10:40 Core-Periphery Organization of Human Brain Dynamics

Mason A. Porter, University of Oxford,
United Kingdom

Coffee Break

10:45 AM-11:15 AM



Room: Golden Cliff

Wednesday, May 22

Poster Prizes: Red Sock Award Announcements

11:10 AM-11:15 AM

Room: Ballroom

Chair: Leah Shaw, College of William
& Mary, USA

Chair: Tere M. Seara, Universitat
Politecnica de Catalunya, Spain

Wednesday, May 22

IP7

Modeling Reactive Events in Complex Systems

11:15 AM-12:00 PM

Room: Ballroom

Chair: Robert Pego, Carnegie Mellon University, USA

Reactive events such as conformation change of macromolecules, chemical reactions in solution, nucleation events during phase transitions, thermally induced magnetization reversal in micromagnets, etc. pose challenges both for computations and modeling. At the simplest level, these events can be characterized as the hopping over a free energy barrier associated with the motion of the system along some reaction coordinate. Indeed this is the picture underlying classical tools such as transition state theory or Kramers reaction rate theory, and it has been successful to explain reactive events in a wide variety of context. However this picture presupposes that we know or can guess beforehand what the reaction coordinate of the event is. In many systems of interest -- protein folding, enzyme kinetics, protein-protein interactions, etc. -- making such educated guesses is hard if not impossible. The question then arises whether we can develop a more general framework to describe reactive events, elucidate their pathway and mechanism, and give a precise meaning to a concept such as the reaction coordinate. In this talk I will discuss such a framework, termed transition path theory, and indicate how it can be used to develop efficient algorithms to accelerate the calculations and analysis of reactive events.

Eric Vanden-Eijnden
Courant Institute of Mathematical Sciences, New York University, USA

Lunch Break

12:00 PM-1:30 PM

Attendees on their own

Wednesday, May 22

IP8

Predicting Epidemic Rare Events: A Dynamical Systems Perspective of Disease Extinction and Control

1:30 PM-2:15 PM

Room: Ballroom

Chair: Charles R. Doering, University of Michigan, Ann Arbor, USA

As seen by the many new vaccination campaigns across the world, disease control is of paramount importance in public health with eradication as the ultimate goal. Without intervention, disease extinction in a large well mixed population would be a rare event. In this talk, I will review some of the mathematical models and machinery used to describe the underlying dynamics of rare events in finite population disease models. I will show how to derive a new dynamical model that includes a dynamical systems description of the effective fluctuations of the noise that drives the disease to extinction. In analyzing the dynamic topology of the new expanded model, we can understand extinction from a dynamical systems perspective, thus discovering how to best use disease controlling resources.

Lora Billings
Montclair State University, USA

Intermission

2:15 PM-2:30 PM

Wednesday, May 22

MS96

Featured Minisymposium: Dynamics of Networks of Networks

2:30 PM-4:45 PM

Room: Ballroom I

Our world is more connected than ever. Worldwide individual network systems are becoming increasingly interconnected and interdependent yielding a network of networks. The network of networks presents a new scientific paradigm of significant challenge. They behave significantly different from isolated networks studied so far and are prone to richer and unexpected phenomena. Here theoretical results as well as applications to the Earth System, cargo ship movement and bioinvasion as well as chemical oscillators are presented.

Organizer: Juergen Kurths
Potsdam Institute for Climate Impact Research and Humboldt University Berlin, Germany

2:30-3:00 Network of Networks and the Climate System

Juergen Kurths, Potsdam Institute for Climate Impact Research and Humboldt University Berlin, Germany; Jonathan Donges, Reik Donner, Norbert Marwan, and Kira Rehfeld, Potsdam Institute for Climate Impact Research, Germany

3:05-3:25 Extreme Vulnerability of Network of Networks

Shlomo Havlin, Bar-Ilan University, Israel

3:30-3:50 Marine Bioinvasion in the Network of Global Shipping Connections

Bernd Blasius, University of Oldenburg, Germany

continued on next page

3:55-4:15 Successful Strategies for Competing Networks

Javier Buldu, Universidad Politécnica de Madrid and Universidad Rey Juan Carlos, Madrid, Spain; *Jacobo Aguirre*, Centro de Astrobiología INTA-CSIC, Spain; *David Papo*, Universidad Politécnica de Madrid, Spain

4:20-4:40 Synchronization in Populations of Chemical Oscillators: Quorum Sensing, Phase Clusters and Chimeras

Kenneth Showalter, West Virginia University, USA

Wednesday, May 22

MS97**Featured Minisymposium: Dynamics of Marine Ecosystems**

2:30 PM-4:20 PM

Room: Ballroom II

Modeling of marine ecosystems includes many features of interest to dynamicists. For example, marine species interact with the fluid in which they live, which can include highly asymmetric and/or time varying flows due to currents and tides, and form a complex food web with many external perturbations, such as climate change and fishery harvesting. This minisymposium brings together modelers from a variety of approaches and backgrounds to help answer questions in these areas.

Organizer: *M. Drew LaMar*
College of William & Mary, USA

Organizer: *Leah Shaw*
College of William & Mary, USA

2:30-3:00 Nonlinear Effects in Size-structured Models of Zooplankton Communities

M. Drew LaMar, College of William & Mary, USA

3:05-3:25 The Response of a Size-structured Plankton Community to Environmental Variability

Ariane Verdy, Scripps Institution of Oceanography, USA

3:30-3:50 Modeling the Response of Coastal Ecosystems to Nutrient Loading, Climate Change, and Shellfish Aquaculture

Mark Brush, Virginia Institute of Marine Science, USA

3:55-4:15 Size- and Stage-structured Population Model to Assess the Growth-mediated Effect of Environmental Conditions on Population Dynamics

Masami Fujiwara, Texas A&M University, USA

Wednesday, May 22

MS98**Featured Minisymposium: Delayed Oscillators**

2:30 PM-4:45 PM

Room: Ballroom III

Apart of the first delayed models of population dynamics, the delayed mechanical oscillators have served as a driving force for the development of the theory of functional differential equations since the middle of the 20th century. The lectures provide a brief review of the actual delayed oscillator models of engineering and present the recent results of their analyses from discrete delays through distributed, stochastic and state-dependent ones together with the corresponding applied numerical techniques.

Organizer: *Gabor Stepan*
Budapest University of Technology and Economics, Hungary

2:30-3:00 Dynamic Contact Problems Modeled by Delayed Oscillators

Gabor Stepan, Budapest University of Technology and Economics, Hungary

3:05-3:25 Oscillators with Large Delay

Jan Sieber, University of Exeter, United Kingdom; *Serhiy Yanchuk*, Humboldt University at Berlin, Germany; *Matthias Wolfrum*, WIAS, Berlin, Germany

3:30-3:50 Delayed Control of Self-excited Vibrations in Elastic Structures

Zaihua Wang, Nanjing University of Aeronautics and Astronautics, China

3:55-4:15 Time-delayed Switching Control of Structures with Uncertainties

Rachel Kuske, University of British Columbia, Canada

4:20-4:40 Irregular Motion Caused by State-dependent Delay

Hans-Otto Walther, University of Giessen, Germany

Wednesday, May 22

MS99

Featured Minisymposium: Recent Developments in KAM Theory

2:30 PM-4:45 PM

Room: Maybird

The KAM theory on the persistence of quasi-periodic motions was an important theoretical breakthrough in the 60's. This symposium, covers some recent developments in computational approaches to KAM theory and in applications to concrete physical problems). This requires some novel numerical methods (KAM is a phenomenon related to high regularity) as well as some theory for degenerate situations that appear in practice.

Organizer: Rafael De La Llave
Georgia Institute of Technology, USA

Organizer: Alex Haro
Universitat de Barcelona, Spain

2:30-3:00 Singularity Theory for Non-twist KAM Tori: A Methodology

Alex Haro, Universitat de Barcelona, Spain; Rafael de la Llave, Georgia Institute of Technology, USA; Alejandra Gonzalez-Enriquez, Universitat de Barcelona, Spain

3:05-3:25 Periodic Orbits and Transition to Chaos in Many-degrees-of-freedom, Mean-field Hamiltonian Systems

Diego Del-Castillo-Negrete, Oak Ridge National Laboratory, USA; Arturo Olvera, IIMAS - UNAM, Mexico

3:30-3:50 Breakup of Invariant Tori of Volume Preserving Maps

James D. Meiss and Adam M. Fox, University of Colorado Boulder, USA

3:55-4:15 Numerical Extension of the Center-stable and Center-unstable Manifolds of the Collinear Libration Points of the Spatial, Circular Restricted Three-body Problem

Josep-Maria Mondelo, Universitat Autònoma de Barcelona, Spain; Esther Barrabes, Universitat de Girona, Spain; Gerard Gomez, Universitat de Barcelona, Spain; Merce Olle, Universitat Politècnica de Catalunya, Spain

4:20-4:40 Zonal Jets and Meridional Transport Barriers in Planetary Atmospheres

Francisco J. Beron-Vera, University of Miami, USA

Coffee Break

4:45 PM-5:15 PM 

Room: Golden Cliff

Wednesday, May 22

MS100

Geometric Mechanics: Methods and Applications

5:15 PM-6:35 PM

Room: Ballroom I

Recently, there has been a lot of exciting progress in both the development of methodology of geometric mechanics, as well as applications of these methods to particular problems in various fields. This minisymposium explores some of the progress in the area, and outlines new directions for future research. In particular, the lectures will discuss mechanics with constraints, integrable systems, celestial mechanics, and molecular dynamics.

Organizer: Vakhtang Putkaradze
University of Alberta, Canada

5:15-5:30 Geometric Mechanics of Elastic Rods in Contact

Vakhtang Putkaradze, University of Alberta, Canada

5:35-5:50 Geometric Methods Applied to Non-holonomic Mechanics

Anthony M. Bloch, University of Michigan, USA

5:55-6:10 Geometry of the Three Body Problem

Richard Montgomery, University of California, Santa Cruz, USA

6:15-6:30 Integrability and Quantization: A Geometric Approach

Oscar Fernandez, University of Minnesota, USA

Wednesday, May 22

MS101

Microscopic and Mean Field Models in Socioeconomics and Life Sciences - Part II of II

5:15 PM-6:35 PM

Room: Ballroom II

For Part 1 see MS86

The dynamics of various complex systems in biology, social sciences and economics can be approximated on a microscopic level by particle interaction models. The qualitative features of the original macroscopic dynamics, like concentration phenomena or emergence of fat tails, can be studied on suitable - kinetic, hydro-dynamic or mean-field - limits of these microscopic models. This minisymposium will contain talks discussing both the mathematically rigorous passage from micro to macro as well as the analysis and numerics of the resulting fluid-type equations. Areas of application include, but are not limited to flocking, wealth distribution, population dynamics, and opinion formation.

Organizer: Daniel Matthes
Technische Universität München, Germany

Organizer: Bertram Düring
University of Sussex, United Kingdom

5:15-5:30 Mathematical Modeling and Simulation of Pedestrian Motion

Marie-Therese Wolfram, University of Vienna, Austria

5:35-5:50 Flocking Dynamics and Mean-field Limit in the Cucker-Smale-type Model with Topological Interactions

Jan Haskovec, King Abdullah University of Science & Technology (KAUST), Saudi Arabia

5:55-6:10 Measure Solutions for Some Models in Population Dynamics

Jose A. Cañizo, University of Cambridge, United Kingdom; José Carrillo, Imperial College London, United Kingdom; Silvia Cuadrado, Universitat Autònoma de Barcelona, Spain

6:15-6:30 Kinetic Models for Opinion Formation

Bertram Düring, University of Sussex, United Kingdom

Wednesday, May 22

MS102

Immunity and Infection - Part II of II

5:15 PM-6:35 PM

Room: Ballroom III

For Part 1 see MS87

The bio-medical communities came to understand that the mammalian immune system is an extremely complex system with thousands of components and even more interactions. In recent years the inherent dynamical nature of infections and the immune response have been shown in various scales - from human populations to sub-cellular mechanisms. Mathematical modeling and analysis plays a role in understanding HIV, antibiotic resistance and other public health issues. We will highlight examples in which practitioners of applied dynamical systems have risen to the challenge of modeling and analyzing various components and functions of this high-dimensional system.

Organizer: Todd Young
Ohio University, USA

Organizer: Roy Malka
Harvard Medical School, USA

5:15-5:30 Ensemble Modeling of Immune Response to Influenza A Virus Infection

David Swigon, University of Pittsburgh, USA

5:35-5:50 Mathematical and Statistical Modeling of Human Lymphocyte Proliferation with CFSE Data

H. T. Banks, North Carolina State University, USA

5:55-6:10 The Interaction of Antibiotic Drug Combinations is Dynamic: the Genomic and Theoretical Basis of Rapid Synergy Loss in Edible E.coli

Robert Beardmore, Imperial College of London, United Kingdom

6:15-6:30 Optimal Self-Sacrifice Facilitates Pathogen Invasion of the Gut

Glenn S. Young, University of Pittsburgh, USA

continued in next column

Wednesday, May 22

MS103

Dynamics within Networks of Neurons

5:15 PM-6:35 PM

Room: Magpie A

Collective rhythmic dynamics from neurons is vital for cognitive functions such as memory formation but how neurons self-organize to produce such activity is not well understood. A major challenge for the brain is to maintain a stable operating state while retaining sufficient flexibility to grow and experience plasticity. But how these two opposing constraints reconcile remains an open question and reflects how the complexity of the neuron and the networks they create modulates dynamics. This symposium will present computational and experimental models that attempt to explore the complexity of neurons within networks.

Organizer: Rhonda Dzakpasu
Georgetown University, USA

Organizer: Francesco Sorrentino
University of New Mexico, USA

5:15-5:30 Using Dynamical Information from One Node to Estimate the States and Parameters of Small Networks of Coupled Neuronal Oscillators

Francesco Sorrentino, University of New Mexico, USA

5:35-5:50 How Synaptic Potentiation Balances Plasticity and Stability Within An {In Vitro} Network of Neurons

Rhonda Dzakpasu, Georgetown University, USA

5:55-6:10 Scale-invariant Brain Dynamics: Theory Versus Experiments

Mauro Copelli, Universidade Federal de Pernambuco, Brazil

6:15-6:30 Networks from the Bottom Up

Henry D. Abarbanel, University of California, San Diego, USA

Wednesday, May 22

MS104

Stochastic Dynamics on Neuronal Networks - Part II of II

5:15 PM-6:15 PM

Room: Magpie B

For Part 1 see MS89

Neuronal activity can involve stochasticity on many interacting levels including ion channel dynamics, the probability of neurotransmitter release, irregular firing intervals, and random network architectures. Among the mathematical approaches for modeling the resulting dynamics are stochastic processes on networks, doubly stochastic processes, and random graphs. This minisymposium will feature mathematical models of neuronal networks incorporating stochasticity, with a focus on the mathematical challenges that arise in studying these models and approaches for achieving analytical results.

Organizer: Janet Best
Ohio State University, USA

Organizer: John McSweeney
Statistical and Applied Mathematical Sciences Institute, USA

Organizer: Deena Schmidt
Case Western Reserve University, USA

5:15-5:30 Characterizing Bistability in Stochastic Processes on Modular Neural Networks

John McSweeney, Statistical and Applied Mathematical Sciences Institute, USA

5:35-5:50 Stochastic Switching and Alternating Activity Bouts Resulting from Reciprocal Inhibition and Applications to Sleep-Wake Cycling

Badal Joshi, University of Minnesota, USA; Mainak Patel, Duke University, USA

5:55-6:10 Mutually Inhibiting Two Cluster Model for Sleep-Wake Transitions

Jung Eun Kim, Janet Best, and Fatih Olmez, Ohio State University, USA; Deena Schmidt, Case Western Reserve University, USA; John McSweeney, Rose-Hulman Institute of Technology, Israel; Peter R. Kramer, Rensselaer Polytechnic Institute, USA

Wednesday, May 22

MS105

Nonlinear Phenomena in Microfluidic Mixing

5:15 PM-6:35 PM

Room: Wasatch A

Effective mixing is an important task in microfluidics for chemical and biochemical applications. Due to the small size, turbulent flows are absent, and molecular diffusion across the microchannels is slow. Consequently effective mixing in microchannels relies on nonlinear particle transport. In this minisymposium, we review recent developments in the use of chaotic laminar flows to improve microfluidic mixing.

Organizer: Sophie Loire
University of California, Santa Barbara, USA

5:15-5:30 Chaotic Fluid Mixing for AC Electrothermal Flows by Blinking Vortices

Sophie Loire, University of California, Santa Barbara, USA

5:35-5:50 Experimental Study of Electrothermal 3D Mixing using 3D MicroPIV

Paul Kauffmann, Sophie Loire, and Igor Mezic, University of California, Santa Barbara, USA

5:55-6:10 Creation and Manipulation of Lagrangian Flow Structures in 3D ACEO Micro-flows

Michel Speetjens, Hans de Wispelaere, and Anton van Steenhoven, Eindhoven University of Technology, Netherlands

6:15-6:30 Understanding Chaotic Mixing and Reversal Using Linear Flow Models

Pavithra Sundararajan, Cornell University, USA; Joseph Kirtland, Alfred University, USA; Donald Koch and Abraham Stroock, Cornell University, USA

Wednesday, May 22

MS106

Active Agents in Fluid Flows: Fronts, Swimmers, and Reaction-diffusion Dynamics

5:15 PM-6:35 PM

Room: Wasatch B

While the advective transport of passive agents has stimulated much research, this minisymposium focuses on the transport of active agents in fluid flows--e.g., expanding populations of microorganisms, chemical reaction fronts, and the control of propelled vehicles. These active agents "ride" on top of the underlying fluid flow; some advective characteristics persist in the dynamics but new features also arise. Perspectives from Lagrangian chaos, stochastic processes, KAM theory and control theory have all provided useful insight. This minisymposium integrates these approaches by bringing together researchers across several different application areas.

Organizer: Kevin A. Mitchell
University of California, Merced, USA

Organizer: John R. Mahoney
University of California, Merced, USA

5:15-5:30 Front Propagation in Fluid Flows: A Swimmer's Perspective
Kevin A. Mitchell and John R. Mahoney,
University of California, Merced, USA

5:35-5:50 Navigating the Lagrangian Flow Map -- Globally Optimal Feedback Control of Underpowered Vehicles in Time-varying Flow Fields
Blane Rhoads and Igor Mezic, University of California, Santa Barbara, USA;
Andrew Poje, City University of New York, Staten Island, USA

5:55-6:10 Burning Manifolds in the Wake of a Cylinder
György Károlyi, Budapest University of Technology and Economics, Hungary;
Tamas Tel, Eötvös Loránd University, Hungary

6:15-6:30 Elongated Swimming Particles in a Chaotic Advecting Flow
Nidhi Khurana and Nicholas T. Ouellette, Yale University, USA

Wednesday, May 22

MS107

Delayed Network Dynamics

5:15 PM-6:35 PM

Room: Maybird

Network dynamics has become a popular topic in the last decade in the dynamical systems community. When modeling such systems, the node dynamics can be characterized by ODEs while the coupling structure can be represented by directed graphs. However, most researchers assume instantaneous interaction, while in reality time delays arise due to finite-time information propagation. This session highlights that delays can significantly alter the spatiotemporal behavior of networks. Moreover, it showcases the latest mathematical tools that allow us to extract the skeleton of the dynamics. The applications presented include neural networks, antigenic networks, and connected vehicle systems.

Organizer: Gabor Orosz
University of Michigan, Ann Arbor, USA

5:15-5:30 Designing Connected Vehicle Systems with Time Delays
Gabor Orosz, University of Michigan, Ann Arbor, USA

5:35-5:50 Spatio-temporal Patterns in Lattices of Delay-coupled Systems
Serhiy Yanchuk, Humboldt University at Berlin, Germany

5:55-6:10 Time Delays and Clustering in Neural Networks
Sue Ann Campbell, University of Waterloo, Canada; Ilya Kobelevskiy, Sunnybrook Health Sciences Centre, Canada

6:15-6:30 Time Delay and Symmetries in Antigenic Networks
Konstantin Blyuss, University of Sussex, United Kingdom

Wednesday, May 22

MS108

Chaotic Signals for Communications

5:15 PM-6:35 PM

Room: Superior A

Recent advances in digital signal processing hardware have made it possible to generate chaotic signals at rates suitable for communications. These same hardware advances have made it possible to design communications systems whose signals adapt to varying conditions. This minisymposium will consider several practical approaches to incorporating chaotic signals into digital communications systems, as well as ideas for adapting chaotic signals based in the presence of other interfering signals.

Organizer: Thomas L. Carroll
Naval Research Laboratory, USA

5:15-5:30 Harnessing Chaos for Digital Communications
Alan Michaels, Harris Corp., USA

5:35-5:50 On the BER Performance of a Class of Chaotic Spreading Functions
Ashitosh Swarup, AshRem Technologies, USA

5:55-6:10 Chaotic Signals for Digital Communications
Roger Kuroda, Soumya Nag, Ning Kong, and John Eldon, Datron World Communications, Inc., USA

6:15-6:30 Synchronizing Frequency Selective Maps
Thomas L. Carroll, Naval Research Laboratory, USA

Wednesday, May 22

MS109

Data Assimilation: Ensemble, Lagrangian, and Parameter Estimation

5:15 PM-6:35 PM

Room: Superior B

A major question facing the future development of climate modeling is how best to incorporate data into models. Data assimilation is a methodology for combining observations with model forecasts in order to infer optimal initial conditions. This session will examine techniques such as ensemble Kalman filters and particle filters for nonlinear dynamical systems, including models with Lagrangian data. A second focus of this session will be data assimilation techniques for estimating model parameters.

Organizer: Thomas Bellsy
Arizona State University, USA

5:15-5:30 Data Assimilation for Two Model Problems: Targeted Observations and Parameter Estimation

Thomas Bellsy, Eric J. Kostelich,
and Alex Mahalov, Arizona State
University, USA

5:35-5:50 A Hybrid Ensemble Kalman/ Particle Filter for Lagrangian Data Assimilation

Laura Slivinski and Bjorn Sandstede,
Brown University, USA; Elaine
Spiller, Marquette University, USA

5:55-6:10 Lagrangian Data Assimilation for Point-Vortex Systems

Naratip Santitissadeekorn, University of
North Carolina at Chapel Hill, USA

6:15-6:30 Estimating Parameters in Stochastic Systems: A Variational Bayesian Approach

Michail D. Vrettas, Aston University,
United Kingdom

Wednesday, May 22

MS110

From Microscopic to Coarse-grained Modeling of Social and Biological Dynamics

5:15 PM-6:35 PM

Room: White Pine

We will present interdisciplinary problems emphasizing various approaches for deriving continuum description from microscopic stochastic or agent-based formulation. On one hand, microscopic models allow for detailed description of interactions between microscopic entities, while coarse-grained models are computationally more efficient. Derivation of continuum equations from microscopic models requires various statistical assumptions and loss of data, it is therefore important to understand validity of such derivations. We will present techniques for deriving coarse-grained description in the context of pedestrian modeling, ant foraging and endothelial cell chemotaxis. Computational examples will be presented to compare microscopic and coarse-grained simulations, and verify various statistical assumptions.

Organizer: Arjun Beri
Ohio State University, USA

Organizer: Arjun Beri
Ohio State University, USA

Organizer: Harsh Jain
Florida State University, USA

5:15-5:30 Trail Formation Based on Directed Pheromone Deposition

Sebastien Motsch, University of
Maryland, USA

5:35-5:50 Derivation of Coarse- Grained Models of Bi-Directional Pedestrian Traffic From Stochastic Microscopic Dynamics

Ilya Timofeyev, University of Houston,
USA; Alina Chertock, North Carolina
State University, USA; Alexander
Kurganov and Anthony Polizzi,
Tulane University, USA

5:55-6:10 The Influence of Local Interactions Between Plants and their Natural Enemies on Plant Diversity

Noelle G. Beckman, Ohio State
University, USA

6:15-6:30 Stochastic Automaton Model for Ant Foraging and Territorial Competition

Arjun Beri, Ohio State University, USA;
Debashish Chowdhury, Indian Institute
of Technology, Kanpur, India; Harsh
Jain, Florida State University, USA

Thursday, May 23

Registration

7:30 AM-2:15 PM

Room: Ballroom Foyer

MS111

Dynamics of Microorganisms and Cells

8:00 AM-9:20 AM

Room: Ballroom I

A great deal of recent work has endeavored to explain and understand the behavior of bacteria, algal cells, and macrophages through the formulation and analysis of quantitative models that account for biophysical and biochemical aspects of their dynamics. This minisymposium will feature applied mathematicians and physicists who have adopted innovative mathematical approaches to understand the dynamics of motility of cells and microorganisms, their interaction with one another through hydrodynamics and chemical signaling, and how their locomotion processes help them achieve key strategic objectives, such as consuming nutrients.

Organizer: Peter R. Kramer
Rensselaer Polytechnic Institute, USA

8:00-8:15 The Wiggling Trajectories of Bacteria

Henry Fu, University of Nevada, Reno, USA

8:20-8:35 Multiscale and Hybrid Models of Bacterial Chemotaxis

Chuan Xue, The Ohio State University, USA

8:40-8:55 Pairwise Interaction in Micro-swimming

Kajetan Sikorski, Peter R. Kramer, and Patrick Underhill, Rensselaer Polytechnic Institute, USA

9:00-9:15 Cellular Dynamics Involved in Immune Reactions During Healing Processes

Larrissa Owens and Jianzhong Su, University of Texas at Arlington, USA; Akif Ibaguimov, Texas Tech University, USA

Thursday, May 23

MS112

Mathematical Modelling of Infectious Diseases and Population Dynamics - Part I of II

8:00 AM-9:20 AM

Room: Ballroom II

For Part 2 see MS123

Mathematical modeling is gradually becoming an essential tool that could help in developing a deeper understanding of biological systems, for example the transmission dynamics and spread of infectious diseases, and population dynamics. The aim of this minisymposium is to provide an overview of recent applications of different types of models, such as compartmental systems and networks to various situation in mathematical epidemiology and population dynamics, as well as to provide a platform for both senior and junior researches to interact in an informal and congenial atmosphere.

Organizer: Rongsong Liu
University of Wyoming, USA

Organizer: Gergely Rost
University of Szeged, Hungary

Organizer: Michael Dillon
University of Wyoming, USA

8:00-8:15 Mathematical Modeling of the HIV/AIDS Epidemic in Cuba

Antonio Mastroberardino, The Behrend College, USA

8:20-8:35 A Time Since Last Infection-Dependent Epidemiological Model

Jorge Alfaro-Murillo, Purdue University, USA

8:40-8:55 Resistance to Larvicides in Mosquito Populations and How It Could Benefit Malaria Control

Rongsong Liu, University of Wyoming, USA

9:00-9:15 Endemic Bubbles Generated by Delayed Behavioral Response in Epidemic Models

Gergely Rost, University of Szeged, Hungary

Thursday, May 23

MS113

Dynamical Global Coherent Structures in Stochastic Delay Systems

8:00 AM-9:20 AM

Room: Ballroom III

Much recent work has extended analysis of stochastic dynamical systems to regimes in which the noise is non-Gaussian in fields such as nano-mechanics, coupled Josephson junctions, and finite size modeling in chemistry and biology. With the addition of feedback controls and finite communication and transport times, discrete and distributed delays may interact with noise to create new states, bifurcations and interesting transitions in bi-stable regimes. In this minisymposium we consider systems of stochastic delay equations, and show how noise and delay are impacting non-linear dynamical systems. The range of topics include theory and numerical simulations in diverse applications including pattern formation in large scale swarms, switching in bi-stable systems and genetic regulatory mechanisms.

Organizer: Ira B. Schwartz
Naval Research Laboratory, USA

Organizer: Luis Mier-y-Teran
Johns Hopkins Bloomberg School of Public Health, USA

8:00-8:15 Statistical Multi-moment Bifurcations in Random Delay Coupled Swarms

Luis Mier-y-Teran, Johns Hopkins Bloomberg School of Public Health, USA; Brandon S. Lindley and Ira B. Schwartz, Naval Research Laboratory, USA

8:20-8:35 Interplay of Bistability, Noise, and Time-delay in Semiconductor Lasers: Complex Dynamics and Potential Applications

Cristina Masoller, Universitat Politècnica de Catalunya, Spain

continued on next page

Thursday, May 23

MS113

Dynamical Global Coherent Structures in Stochastic Delay Systems

8:00 AM-9:20 AM

continued

8:40-8:55 Computing Optimal Paths in Stochastic Dynamical Systems with Delay

Brandon S. Lindley, Naval Research Laboratory, USA

9:00-9:15 Synchronization of Degrade and Fire Oscillators by a Common Diffusible Activator

William H. Mather, Virginia Tech, USA; Jeff Hasty and Lev S. Tsimring, University of California, San Diego, USA

Thursday, May 23

MS114

The Dynamics and Analysis of Collective Motion and Swarming - Part I of II

8:00 AM-9:20 AM

Room: Magpie A

For Part 2 see MS125

The phenomena of non-local collective motion arises in a wide variety of physical systems. From the smallest scales of self assembly of molecular and colloidal structures to larger scales of locust swarms and animal herds, what links these phenomena is that the rules governing individual motion are very often communicated across multiple length scales. In the first part of this minisymposium we will present an overview of the field and explore new developments in development of mathematical and numerical models of nonlocal collective motion. In the second part of the minisymposium we will present mathematical and experimental approaches of resolving underlying rules and forces responsible for creating collective motion phenomena.

Organizer: Korana Burke
University of California, Davis, USA

Organizer: David T. Uminsky
University of San Francisco, USA

8:00-8:15 Design and Prediction of Co-dimension One Pattern Formation of Non-local Collective Motion

David T. Uminsky, University of San Francisco, USA

8:20-8:35 A Nonlocal Continuum Model for Locust Phase Change and Swarming

Chad M. Topaz, Macalester College, USA; Maria D'Orsogna, California State University, Northridge, USA; Leah Edelstein-Keshet, University of British Columbia, Canada; Andrew J. Bernoff, Harvey Mudd College, USA

8:40-8:55 Leading from Within: New Leadership Models in Swarms
Louis F. Rossi, University of Delaware, USA

9:00-9:15 Social Intelligence: How Grouping Leads to Effective Information Use in Mobile Animals
Colin Torney, Princeton University, USA

continued in next column

Thursday, May 23

MS115

Three-dimensional Geophysical Fluid Flows - Part I of II

8:00 AM-9:20 AM

Room: Magpie B

For Part 2 see MS126

Most applications of dynamical systems in geophysical flows involve flows that are approximately horizontally two-dimensional and nondivergent. This two-session minisymposium, goes beyond the assumption of two-dimensionality and extends to the fully three-dimensional flows. A wide variety of topics and applications will be covered, ranging from the theoretical developments to the realistic geophysically-relevant flows. Topics of interest include the applications of Kolmogorov-Arnold-Moser theory, invariant tori, Lagrangian coherent structures and methods of their identification. In the second session, the minisymposium is completed as diverse applications of the dynamical systems analysis of three-dimensional flows are discussed. These topics include atmospheric flows and a biological perspective.

Organizer: Sherry Scott
Marquette University, USA

Organizer: Irina Rypina
Woods Hole Oceanographic Institute, USA

8:00-8:15 Dynamical Systems Analysis of a Three-dimensional Time-dependent Ekman-driven Fluid Flow

Irina Rypina and Lawrence Pratt, Woods Hole Oceanographic Institute, USA;
Tamay Ozgokmen, University of Miami, USA

8:20-8:35 Transport in a 3D + 1 Ocean

Denny Kirwan, University of Delaware, USA; Pat Hogan, Naval Research Laboratory, USA; Helga S. Huntley, University of Delaware, USA; Gregg Jacobs, US Naval Research Laboratory, USA; Bruce Lipphardt and Mohamed Sulman, University of Delaware, USA

8:40-8:55 Efficient Computation of Invariant Tori in Volume Preserving Maps

Adam M. Fox and James D. Meiss,
University of Colorado Boulder, USA

9:00-9:15 Finite-Time Transport in Aperiodic Volume-Preserving Flows

Brock Mosovsky, University of Colorado Boulder, USA

Thursday, May 23

MS116

Data-Driven Adaptive Sampling of Dynamic Spatial Processes

8:00 AM-9:20 AM

Room: Wasatch A

Sensor-equipped unmanned vehicles in the ocean and atmosphere can monitor and estimate unknown spatiotemporal environmental processes, but an open question is how to use measurement data to optimally place static or mobile sensors to extract the most information from an estimated process. This minisymposium will highlight ongoing research in dynamic, data-driven adaptive sampling using tools from nonlinear control, data assimilation, and dynamical systems. Important considerations include the parametrization of environmental processes, selection of a sampling metric to compare candidate sensor placements or routes, and motion coordination controllers that ensure the desired coverage in the presence of environmental disturbances or communication limitations.

Organizer: Derek A. Paley
University of Maryland, USA

8:00-8:15 Distributed Control and Optimization for Spatiotemporal Sampling

Derek A. Paley, Levi DeVries, and Nitin Sydney, University of Maryland, USA

8:20-8:35 Observability-based Sensor Placement for Biological and Bio-inspired Systems

Kristi Morgansen and Brian Hinson,
University of Washington, USA

8:40-8:55 Designing Dynamics for Cooperative Learning by Multiple Agents

Naomi E. Leonard, Princeton University, USA; Alexander Olshevsky, University of Illinois at Urbana-Champaign, USA

9:00-9:15 Distributed Control of Mobile Sensing Resource Distribution in Flows

Ira B. Schwartz, Naval Research Laboratory, USA; Ani Hsieh and Ken Mallory, Drexel University, USA

continued in next column

Thursday, May 23

MS117

Application of Dynamical-Systems Methods to Complex Systems in Practice

8:00 AM-9:20 AM

Room: Wasatch B

This minisymposium has the objective of bringing together scientists working on complex phenomena arising in a variety of fields related to both applied sciences and engineering. Areas of interest may include biology, chemistry, physics, fluid mechanics, heat transfer, computer sciences, finance, as well as others. Central theme is the description, modeling and analysis of phenomena and behavior in realistic systems from a dynamical-systems perspective. An important goal of the minisymposium is to expose common denominators in a diversity of problems. Special emphasis will be placed on promoting cross-fertilization and exchange of ideas between scientists from different disciplines.

Organizer: Arturo Pacheco-Vega
California State University, Los Angeles, USA

Organizer: Michel Speetjens
Eindhoven University of Technology, Netherlands

8:00-8:15 Nonlinear Effects of Electrostatics in Industrial Processes
Troy Shinbrot, Rutgers University, USA

8:20-8:35 Symmetries and Compositionality for Control in Complex Cyber-Physical Systems
Bill Goodwine, University of Notre Dame, USA

8:40-8:55 Incorporating Uncertainties in Dynamics and Observations for the Prediction Problems in Geophysical Systems

Kayo Ide, University of Maryland, College Park, USA

9:00-9:15 Mixing with Natural Convection

Luis M. de la Cruz, Nicolas Rodriguez, Sebastian Contreras, and Eduardo Ramos, UNAM, Mexico

Thursday, May 23

MS118

Dynamics in Non-Local Problems - Part I of II

8:00 AM-9:00 AM

Room: Maybird

For Part 2 see MS129

The past two decades have seen vigorous research activity on non-local evolution and lattice differential equations involving non-local and long-range interactions. Such research has addressed fundamental problems in infinite-dimensional dynamical systems, such as the properties of spreading speeds and the existence, uniqueness and stability of traveling wave solutions. This minisymposium will bring together researchers with a focus on (i) Turing patterns, spreading speeds and traveling waves for some non-local systems; (ii) solitary wave solutions, traveling waves and transition fronts for lattice systems.

Organizer: Erik Van Vleck
University of Kansas, USA

Organizer: Aijun Zhang
University of Kansas, USA

8:00-8:15 Transition Fronts in Lattice Differential Equations

Erik Van Vleck, University of Kansas, USA

8:20-8:35 Positive Stationary Solutions and Spreading Speeds of KPP Equations in Locally Spatially Inhomogeneous Media

Liang Kong and Wenxian Shen, Auburn University, USA

8:40-8:55 Entire Solutions for Lattice Differential Equations with Obstacles

Aaron Hoffman, Franklin W. Olin College of Engineering, USA;
Hermen Jan Hupkes, University of Leiden, The Netherlands; Erik Van Vleck, University of Kansas, USA

Thursday, May 23

MS119

Applications of Symplectic Dynamics

8:00 AM-9:20 AM

Room: Superior A

This session explores recent discoveries in symplectic dynamical systems and their implications to real-world problems such as spacecraft navigation, semiclassical wave packets, and nonlinear probability propagation. Symplectic dynamics is a modern incarnation of Hamiltonian mechanics that has emerged over the last several decades during the geometric study of these systems by mathematicians. New fundamental constraints have been discovered that have profound implications on our understanding of particle and set propagation in Hamiltonian systems. We will provide an overview of these constraints, and discuss their application to modern problems.

Organizer: Jared M. Maruskin
San Jose State University, USA

8:00-8:15 Symplectic Constraints with Applications to Spacecraft Navigation

Jared M. Maruskin, San Jose State University, USA

8:20-8:35 Mapping Probability Distributions Nonlinearly in Symplectic Dynamical Systems

Daniel Scheeres, University of Colorado Boulder, USA

8:40-8:55 Information Geometry and its Application in Space Tracking

Islam Hussein, University of New Mexico, USA

9:00-9:15 Symplectic Semiclassical Wave Packet Dynamics

Tomoki Ohsawa, University of Michigan, USA; Melvin Leok, University of California, San Diego, USA

Thursday, May 23

MS120**Applications of Diffusion Maps to Dynamical Systems**

8:00 AM-9:20 AM

Room: Superior B

The Diffusion Maps algorithm is a method for nonlinear dimension reduction that uses dominant modes of diffusion on geometric structures as coordinates. There is a growing interest in applications to dynamical systems for parametrizing attractors, collections of invariant sets, or dynamics themselves, due to their favorable numerical complexity, and robustness to noise and numerical errors. This session presents development of Diffusion Maps algorithm in directions interesting to the dynamical systems community, e.g., structural stability of diffusion coordinates, as well as applications to problems in dynamical systems.

Organizer: Marko Budisic
University of California, Santa Barbara, USA

Organizer: Timothy Sauer
George Mason University, USA

8:00-8:15 Diffusion Maps for Model Reduction of Dynamics with Symmetries

Amit Singer, Ioannis Kevrekedis,
and Carmeline Dsilva, Princeton
University, USA

8:20-8:35 Diffusion Embeddings of Parameterized Difference Equations

Matthew J. Hirn, Roy Lederman, and
Ronald Coifman, Yale University,
USA

8:40-8:55 Diffusion-mapped Delay Coordinates for Time Scale Separation

Tyrrus Berry and Timothy Sauer, George
Mason University, USA

9:00-9:15 Diffusion Maps as Invariant Functions of Dynamical Systems

Marko Budisic and Igor Mezic,
University of California, Santa
Barbara, USA

Thursday, May 23

MS121**Cascades on Networks**

8:00 AM-9:20 AM

Room: White Pine

Networks describe the structure of connections between discrete entities. Examples of networks include power grids, transportation networks like rail systems, online social networks such as Facebook, communication networks like Twitter, and more. Dynamics taking place on a network, such as rumors spreading through a social network or rolling blackouts due to failure of generators in a power grid, can be strongly affected by the structure of the underlying network. This minisymposium examines the effects of network structures (including modularity and multiplexity) upon the proliferation of cascading dynamics.

Organizer: James P. Gleeson
University of Limerick, Ireland

Organizer: Mason A. Porter
University of Oxford, United Kingdom

8:00-8:15 Approximation Methods for Dynamics on Networks

James P. Gleeson, University of
Limerick, Ireland

8:20-8:35 Cascades in Interdependent Networks

Raissa D'Souza, University of
California, Davis, USA

8:40-8:55 Dynamics on Modular Networks with Heterogeneous Correlations

Sergey Melnik, University of Limerick,
Ireland

9:00-9:15 Limited Imitation Social Contagion as a Model of Fashions

Kameron D. Harris, University of
Washington, USA; Chris Danforth
and Peter Dodds, University of
Vermont, USA

Intermission

9:20 AM-9:30 AM

Thursday, May 23

MS122**Applications of Stochastic Dynamics in Modern Physics**

9:30 AM-10:50 AM

Room: Ballroom I

Stochastic terms in dynamical systems are often used to describe the unresolved/unobserved interactions between the quantities of interest and smaller/faster scales. In this minisymposium we will present modern techniques for analyzing complex stochastic models from an applied mathematical and physical points of view. In particular, applications in fluid dynamics, material science, and molecular dynamics will be presented. The unifying theme of the minisymposium will be about understanding the behavior of slow large-scale quantities in stochastic systems. Various analytical and numerical techniques emphasizing this issue will be presented.

Organizer: Ilya Timofeyev
University of Houston, USA

Organizer: Xingye Kan
University of Minnesota, USA

Organizer: Rafail Abramov
University of Illinois, Chicago, USA

9:30-9:45 A Framework for Approximate Reduced Models of Multiscale Systems with Nonlinear and Multiplicative Coupling

Rafail Abramov, University of Illinois,
Chicago, USA

9:50-10:05 Dimension Reduction in Systems with Moderate Separation of Time Scales

Xingye Kan, University of Minnesota,
USA

10:10-10:25 Dynamics of Nanomagnets with Spin-transfer Torques

Katherine Newhall and Eric Vanden-
Eijnden, Courant Institute of
Mathematical Sciences, New York
University, USA

10:30-10:45 Local Learning of Stochastic Dynamical Systems

Miles Crosskey, Rensselaer Polytechnic
Institute, USA

Thursday, May 23

MS123

Mathematical Modelling of Infectious Diseases and Population Dynamics - Part II of II

9:30 AM-10:50 AM

Room: Ballroom II

For Part I see MS112

Mathematical modeling is gradually becoming an essential tool that could help in developing a deeper understanding of biological systems, for example the transmission dynamics and spread of infectious diseases, and population dynamics. The aim of this minisymposium is to provide an overview of recent applications of different types of models, such as compartmental systems and networks to various situation in mathematical epidemiology and population dynamics, as well as to provide a platform for both senior and junior researches to interact in an informal and congenial atmosphere.

Organizer: Rongsong Liu
University of Wyoming, USA

Organizer: Gergely Rost
University of Szeged, Hungary

Organizer: Michael Dillon
University of Wyoming, USA

9:30-9:45 Disease Spread on Long Distance Travel Networks

Diana Knipl, University of Szeged, Hungary

9:50-10:05 Disease Permeability of a Dynamic Social Network

Kezia Manlove, Pennsylvania State University, USA

10:10-10:25 Age of Maturity and Threshold Phenomena in Age Dependent Populations

Nemanja Kosovalic, York University, Canada

10:30-10:45 Modeling Age and Size Based Division of Labor in Fire Ant Workers

Erika Asano, University of South Florida, USA

Thursday, May 23

MS124

Ensemble Dynamics in Experiments: From Synchrony to Chimera States

9:30 AM-10:50 AM

Room: Ballroom III

Collective dynamics of oscillatory networks occurs in a spectacular variety of biological, chemical and mechanical systems. While much effort has been put in the analytic understanding of complex states such as chimera states and partial synchrony, experimental evidence of these particular states have so far been lacking. In this minisymposium, we discuss recent experimental observations of such complex ensemble behavior in mechanical, chemical, and electronic oscillator systems. We also analyze the effects of network topology and (nonlocal) coupling type on the emergence of synchronous, clustered, partially synchronous and chimera states.

Organizer: Erik Andreas Martens
Max Planck Institute for Dynamics and Self-Organization, Germany

Organizer: Michael Rosenblum
Universität Potsdam, Germany

9:30-9:45 Quasiperiodic Dynamics in Ensemble of Nonlinearly Coupled Electronic Oscillators

Michael Rosenblum, Universität Potsdam, Germany; Amirkhan Temirbayev, Yerkebulan Nalibayev, and Zeinulla Zhanabaev, Al-Farabi Kazakh National University, Kazakhstan; Vladimir Ponomarenko, Institute of Radio-Engineering and Electronics, Russian Academy of Sciences, Russia

9:50-10:05 Realization of Chimera States in a Network of Mechanical Oscillators

Erik Andreas Martens, Max Planck Institute for Dynamics and Self-Organization, Germany; Shashi Thutupalli, Princeton University, USA; Antoine Fourrière and Oskar Hallatschek, Max Planck Institute for Dynamics and Self-Organization, Germany

10:10-10:25 Synchronization of Small Networks of Electrochemical Oscillators on Macro- and Microscale

Istvan Z. Kiss, Mahesh Wickramasinghe, and Yanxin Jia, Saint Louis University, USA

10:30-10:45 Collective Dynamics of Self Propelled Droplet Populations

Shashi Thutupalli, Princeton University, USA; Stephan Herminghaus, Max Planck Institute for Dynamics and Self-Organization, Germany

continued in next column

Thursday, May 23

MS125

The Dynamics and Analysis of Collective Motion and Swarming - Part II of II

9:30 AM-10:50 AM

Room: Magpie A

For Part 1 see MS114

The phenomena of non-local collective motion arises in a wide variety of physical systems. From the smallest scales of self assembly of molecular and colloidal structures to larger scales of locust swarms and animal herds, what links these phenomena is that the rules governing individual motion are very often communicated across multiple length scales. In the first part of this minisymposium we will present an overview of the field and explore new developments in development of mathematical and numerical models of nonlocal collective motion. In the second part of the minisymposium we will present mathematical and experimental approaches of resolving underlying rules and forces responsible for creating collective motion phenomena.

Organizer: Korana Burke
University of California, Davis, USA

Organizer: David T. Uminsky
University of San Francisco, USA

9:30-9:45 Inferring Individual Rules Through the Dynamics of Phase Transitions in Collective Motion

Ryan Lukeman, St. Francis Xavier
University, Canada

9:50-10:05 Emergent Dynamics of Laboratory Insect Swarms

Nicholas T. Ouellette, Yale University,
USA

10:10-10:25 Field Experiments and Tracking of Animal Groups in 3d

Stefania Melillo, Universita di Roma, La
Sapienza, Italy

10:30-10:45 Predator-prey Interactions Using Particle Models

Theodore Kolokolnikov, Dalhousie
University, Canada

Thursday, May 23

MS126

Three-dimensional Geophysical Fluid Flows - Part II of II

9:30 AM-10:50 AM

Room: Magpie B

For Part 1 see MS115

Most applications of dynamical systems in geophysical flows involve flows that are approximately horizontally two-dimensional and nondivergent. This two-session minisymposium, goes beyond the assumption of two-dimensionality and extends to the fully three-dimensional flows. A wide variety of topics and applications will be covered, ranging from the theoretical developments to the realistic geophysically-relevant flows. Topics of interest include the applications of Kolmogorov-Arnold-Moser theory, invariant tori, Lagrangian coherent structures and methods of their identification. In the second session, the minisymposium is completed as diverse applications of the dynamical systems analysis of three-dimensional flows are discussed. These applications include atmospheric flows and a biological perspective.

Organizer: Sherry Scott
Marquette University, USA

Organizer: Irina Rypina
Woods Hole Oceanographic Institute,
USA

9:30-9:45 Trajectory Complexity Methods and Lagrangian Coherent Structures in 3D Fluid Flows

Sherry Scott, Marquette University,
USA; Irina Rypina and Lawrence
Pratt, Woods Hole Oceanographic
Institute, USA; Mike Brown, Miami
University, USA

9:50-10:05 Grand Lagrangian Deployment (glad): Dispersion Characteristics in the Northern Gulf of Mexico

Tamay Ozgokmen, University of
Miami, USA; Andrew Poje, City
University of New York, College of
Staten Island, USA; Bruce Lipphardt,
University of Delaware, USA; Brian
Haus, University of Miami, USA;
Gregg Jacobs, US Naval Research
Laboratory, USA; Ad Reniers, M.
Josefina Olascoaga, Edward Ryan,
and Guillaume Novelli, University of
Miami, USA

10:10-10:25 Probabilistic Source Regions and the Role of Lagrangian Coherent Structures

Amir Ebrahim Bozorg Magham and
Shane D. Ross, Virginia Tech, USA

10:30-10:45 The Ecology of Mixing

Cheryl Harrison, Oregon State
University, USA

continued in next column

Thursday, May 23

MS127

Cortical Spatiotemporal Patterns: Modeling and Applications

9:30 AM-10:50 AM

Room: Wasatch A

Cortical waves have been studied in various parts of the mammalian cortex, including the rat barrel cortex and the visual cortex, and have been associated with a range of neurobiological phenomena such as epilepsy, migraine and visual hallucinations. These traveling, spatially organized structures can take the form of pulses, fronts and spiral waves. From the perspectives of experiment, mathematical modeling and numerical computation, we discuss the existence and structure of these spatiotemporal patterns, and the complex interactions that arise when they collide.

Organizer: Gregory Faye
University of Minnesota, USA

Organizer: James Rankin
INRIA Sophia Antipolis, France

9:30-9:45 Functional Relevance of Activity Propagation in V1

Frederic Chavane, CNRS, France;
Alexandre Reynaud, McGill
University, Canada; Lyle Muller and
Alain Destexhe, CNRS, France

9:50-10:05 Complex Oscillatory Patterns in a Neuronal Network with Adaptation and Lateral Inhibition

Rodica Curtu, University of Iowa, USA

10:10-10:25 Spatially Coherent Dynamics in a Pair of Interacting Neural Field Layers

Stefanos Folias, University of Alaska,
Anchorage, USA

10:30-10:45 Waves in Random Neural Media

Carlo R. Laing, Massey University, New Zealand

Thursday, May 23

MS128

Collective Behavior and Synchronization in Complex Network

9:30 AM-10:50 AM

Room: Wasatch B

In nature we witness collective ordered behaviors that emerge from local interaction of many individual actors without central coordination. Fish school and birds flock are the most visible example of these phenomena, that also can be seen in neurons and in multicellular processes. The key mechanisms that rule these dynamics can be properly captured by a model in which oscillators are interconnected in a complex network topology. In this model, collective behavior can be identified with synchronized states. Here, we discuss key mechanisms of the dynamics of oscillators in complex networks and their relations with the collective behavior in Nature.

Organizer: Tiago Pereira
Imperial College London, United Kingdom

Organizer: Epaminondas Rosa
Illinois State University, USA

9:30-9:45 Do the Functional Networks Reveal the Structural Organization?

Tiago Pereira, Imperial College
London, United Kingdom

9:50-10:05 How to Select Neighbors for Robust Consensus

George F. Young, Princeton University,
USA; Luca Scardovi, University of
Toronto, Canada; Naomi E. Leonard,
Princeton University, USA

10:10-10:25 Dynamics of Synchronous Neurons

Epaminondas Rosa, Illinois State
University, USA

10:30-10:45 Controlling Collective Behavior

Elbert E. Macau, Laboratory for
Computing and Applied Mathematics
and Brazilian Institute for Space
Research, Brazil

Thursday, May 23

MS129

Dynamics in Non-Local Problems - Part II of II

9:30 AM-10:30 AM

Room: Maybird

For Part I see MS118

The past two decades have seen vigorous research activity on non-local evolution and lattice differential equations involving non-local and long-range interactions. Such research has addressed fundamental problems in infinite-dimensional dynamical systems, such as the properties of spreading speeds and the existence, uniqueness and stability of traveling wave solutions. This minisymposium will bring together researchers with a focus on (i) Turing patterns, spreading speeds and traveling waves for some non-local systems; (ii) solitary wave solutions, traveling waves and transition fronts for lattice systems.

Organizer: Erik Van Vleck
University of Kansas, USA

Organizer: Aijun Zhang
University of Kansas, USA

9:30-9:45 Traveling Wave Solutions with Mixed Dispersal for Spatially Periodic Fisher-KPP Equations

Aijun Zhang, University of Kansas, USA

9:50-10:05 Solitary Waves in the FPU Chain: A New Exact Solution

Lev Truskinovsky, Ecole Polytechnique,
France; Anna Vainchtein, University of
Pittsburgh, USA

10:10-10:25 Turing Patterns for Nonlocal Diffusive Systems

Peter W. Bates, Michigan State
University, USA; Guangyu Zhao,
University of the West Indies, Jamaica

Thursday, May 23

MS130

Homoclinic Phenomena Organizing Global Dynamics

9:30 AM-10:50 AM

Room: Superior A

Over recent years, a great deal of experimental studies and modeling simulations have been directed toward the identification of various dynamical and structural invariants to serve as key signatures uniting often diverse nonlinear systems into a single class. Moreover, it is recognized the important role of homoclinic phenomena as organizing centers of the global behaviour of the dynamical systems. This minisymposium presents several recent situations where homoclinic phenomena has revealed as the key point in the analysis.

Organizer: Roberto Barrio
University of Zaragoza, Spain

9:30-9:45 Experimental Evidence of Periodicity Hubs with Discontinuous Spirals in a Noiseless Duffing Proxy

Achim Sack and Thorsten Poeschel,
University of Erlangen, Germany;
Erik Lindberg, Technical University
of Denmark, Denmark; Jason Gallas,
University of Erlangen, Germany

9:50-10:05 Topological Changes in Chaotic Invariant Sets

Sergio Serrano, Roberto Barrio, and
Fernando Blesa, University of
Zaragoza, Spain

10:10-10:25 Global Study of 2D Dissipative Diffeomorphisms with a Homoclinic Figure-eight

Arturo Vieiro, University of Barcelona,
Spain; Sergey V. Gonchenko,
University of Nizhny Novgorod,
Russia; Carles Simó, University of
Barcelona, Spain

10:30-10:45 Symbolic Tools for Deterministic Chaos

Tingli Xing and Jeremy Wojcik, Georgia
State University, USA; Roberto
Barrio, University of Zaragoza, Spain;
Andrey Shilnikov, Georgia State
University, USA

Thursday, May 23

MS131

Mathematical Modeling of Prostate Cancer

9:30 AM-10:50 AM

Room: Superior B

Mathematical modeling of prostate cancer has been investigated intensively recently partly because there are accumulations of huge measurements of tumor makers and partly because there are lots of options for treatments most of which are not perfect. In this mini-symposium, we showcase the recent advancements of mathematical modeling of prostate cancer. There are some important factors on mathematical modeling of prostate cancer: how we personalize treatment scheduling based upon measurements of tumor maker for each individual patient; which scale of mathematical model we should choose to correctly diagnose and optimally choose a treatment schedule based upon available information.

Organizer: Yoshito Hirata
University of Tokyo, Japan

Organizer: Yang Kuang
Arizona State University, USA

Organizer: Kazuyuki Aihara
JST/University of Tokyo, Japan

9:30-9:45 A Practical Mathematical Model of Intermittent Androgen Suppression for Prostate Cancer

Yoshito Hirata, University of Tokyo,
Japan; Koichiro Akakura, Tokyo
Kosei Nenkin Hospital, Japan;
Celestia Higano, University of
Washington, USA; Nicholas
Bruchovsky, Vancouver General
Hospital, Canada; Kazuyuki Aihara,
JST/University of Tokyo, Japan

9:50-10:05 The Evolution of Androgen-receptor Expression in Prostate Cancer

John D. Nagy, Arizona State University,
USA; Steffen Eikenberry, University
of Southern California, USA; Yang
Kuang, Arizona State University, USA

10:10-10:25 A Model of Personalized Androgen Ablation Therapy for Metastatic Prostate Cancer

Harsh Jain, Florida State University,
USA

10:30-10:45 Immunotherapy with Androgen Deprivation Therapy May Stabilize Prostate Cancer

Yang Kuang, Arizona State University,
USA

continued in next column

Thursday, May 23

MS132

Evolution Systems on Time-dependent Domains: Dynamics, Stability, and Coarsening

9:30 AM-10:50 AM

Room: White Pine

This minisymposium aims to exchange fundamental insights into the behavior of extended systems on time-dependent domains as well as highlight the state-of-the-art of this subject and its various applications. The motivation comes from many natural systems which evolve on time-dependent spatial domains ranging from transport-reaction processes, crystal growth, metal casting, gas-liquid and gas-solid reaction systems, to classical electromagnetic cavity resonators with moving walls, quantum mechanical problems, fluid motion, fluid-structure interaction, and formation of structure and morphology in biology, to name but a few. Therefore, revealing the dynamics on time-dependent domains is important both from fundamental and practical points of view.

Organizer: Rouslan Krechetnikov
University of California, Santa Barbara, USA

Organizer: Edgar Knobloch
University of California, Berkeley, USA

9:30-9:45 Evolution Systems on Time-dependent Domains: Study of Dynamics, Stability, and Coarsening

Rouslan Krechetnikov, University of California, Santa Barbara, USA; Edgar Knobloch, University of California, Berkeley, USA

9:50-10:05 Linear Stability of Time-dependent Flows

Shreyas Mandre and Xinjun Guo, Brown University, USA; Anja Slim, Schlumberger-Doll Research, USA

10:10-10:25 Front Motion, Pinning and Depinning in One and Two Spatial Dimensions

Yi-Ping Ma, University of Chicago, USA; Edgar Knobloch, University of California, Berkeley, USA

10:30-10:45 Dynamic Bifurcations and Melting-boundary Convection

Geoffrey M. Vasil, University of California, Berkeley, USA; Michael Proctor, University of Cambridge, United Kingdom

Thursday, May 23

Coffee Break



10:50 AM-11:20 AM

Room: Golden Cliff

Closing Remarks

11:20 AM-11:30 AM

Room: Ballroom

continued in next column

Thursday, May 23

IP9**Engineered Gene Circuits:
From Oscillators to
Synchronized Clocks and
Biopixels**

11:30 AM-12:15 PM

Room: Ballroom

Chair: Peter W. Bates, Michigan State University, USA

This talk will focus on the development of synthetic gene oscillators and their synchronization. I will first describe an engineered intracellular oscillator that is fast, robust, and persistent, with tunable oscillatory periods as fast as 13 minutes. Experiments show remarkably robust and persistent oscillations in the designed circuit; almost every cell exhibits large-amplitude fluorescence oscillations throughout each experiment. Theory reveals that the key design principles for constructing a robust oscillator are a small time delay in the negative feedback loop and enzymatic protein decay that functions as an “overloaded” queue. I will then describe intercellular coupling that is used to generate synchronized oscillations in a growing population of cells. Microfluidic devices tailored for cellular populations are used to demonstrate collective synchronization properties along with spatiotemporal waves occurring on millimeter scales. While quorum sensing proves to be a promising design strategy for reducing variability through coordination across a cellular population, the length scales are limited by the diffusion time of the small molecule governing the intercellular communication. I will conclude with recent progress engineering the synchronization of thousands of oscillating colony “biopixels” over centimeter length scales.

Jeff Hasty

*University of California, San Diego, USA***Lunch Break**

12:15 PM-1:45 PM

Attendees on their own

Thursday, May 23

MS133**Computational Cellular
Endocrinology**

1:45 PM-3:05 PM

Room: Ballroom I

The endocrine system is a network of glands that regulate diverse functional characteristics of the body via hormone secreted by endocrine and neuroendocrine cells. This minisymposium will survey mathematical models and methods used in the study of (neuro)endocrine axes, ranging from the single cell level to populations of cells.

*Organizer: Theodore Vo
University of Sydney, Australia**Organizer: Joel Tabak
Florida State University, USA***1:45-2:00 Modeling the Glucagon
Secreting Alpha Cell***Margaret A. Watts and Arthur Sherman,
National Institutes of Health, USA***2:05-2:20 (Exploiting the) Fast and Slow
Time Scales in Cellular Signalling***Emily Harvey, Montana State University,
USA***2:25-2:40 How Do Cells Detect the
Frequency of Pulsatile Chemical
Signals?***Patrick A. Fletcher, Joel Tabak, and
Richard Bertram, Florida State
University, USA***2:45-3:00 Population Spiking Dynamics
and Signal Processing in Vasopressin
Neurons***Duncan J. MacGregor and Gareth Leng,
University of Edinburgh, United
Kingdom*

Thursday, May 23

MS134**Phase Dynamics of Complex
and Noisy Systems**

1:45 PM-3:05 PM

Room: Ballroom II

Phase dynamics lies at the basis of description of oscillatory processes. Universality of phase equations allows to use them as an indispensable tool for study of complex oscillatory phenomena. While the phase reduction is well studied for simple situation, its extension to complex and noisy systems can be a challenge. The participants of this minisymposium present on recent results on phase description of complex (neuronal polyrhythms, oscillator networks) and irregular (noisy, chaotic) systems, based on analytical, computer-assisted, and data-analysis approaches.

*Organizer: Arkady Pikovsky
Universität Potsdam, Germany**Organizer: Andrey Shilnikov
Georgia State University, USA***1:45-2:00 Bifurcations of Bursting
Polyrhythms in 3-Cell Central Pattern
Generators***Andrey Shilnikov, Jeremy Wojcik, Aaron
Kelley, and Robert Clewley, Georgia
State University, USA***2:05-2:20 Heterogeneity and
Correlation Transfer in Noise-Driven
Oscillators***Bard Ermentrout, University of
Pittsburgh, USA; Pengcheng Zhou,
Carnegie Mellon University, USA***2:25-2:40 Geometry of Irregular
Oscillations and Applications***Justus C. Schwabedal, Brigham and
Women's Hospital and Harvard Medical
School, USA***2:45-3:00 Inferring Phase Dynamics from
Observations of Oscillatory Networks***Arkady Pikovsky and Michael Rosenblum,
Universität Potsdam, Germany*

Thursday, May 23

MS135

Emergent Dynamics of Large Neural Networks

1:45 PM-3:05 PM

Room: Ballroom III

A fundamental component of understanding brain function is determining the collective behavior of a neuronal network. When coupled together, individual neuron models produce a wide range of dynamics from synchrony to chaos. The speakers in this minisymposium aim to understand these collective dynamics and draw connections to brain function, including physically relevant oscillations and spatiotemporal waves, learning predictable behavior in the presence of chaos, and compressed sensing of visual images.

Organizer: Andrea K. Barreiro
Southern Methodist University, USA

Organizer: Katherine Newhall
Courant Institute of Mathematical Sciences, New York University, USA

1:45-2:00 Low-dimensional Descriptions of Neural Networks

Andrea K. Barreiro, Southern Methodist University, USA

2:05-2:20 Information Transmission in Discrete Feedforward Networks

Natasha A. Cayco Gajic, Yoni Browning, and Eric Shea-Brown, University of Washington, USA

2:25-2:40 Sensory Encoding Mechanisms in Neuronal Dynamics

Victor Barranca and Gregor Kovacic, Rensselaer Polytechnic Institute, USA; David Cai, New York University, USA

2:45-3:00 Wave Patterns in an Excitable Neuronal Network

Christina H. Lee, The College of New Jersey, USA

Thursday, May 23

MS136

Dynamics of Evolving, Switching, and Blinking Networks

1:45 PM-3:05 PM

Room: Magpie B

This minisymposium addresses networks whose structure and dynamics are time-varying and/or discontinuous. The case will be presented where the interconnections among dynamical agents in the network are time-varying, blinking or stochastically switching. The emergence of collective behavior in networks of agents whose dynamics is described by piecewise smooth systems will also be discussed. The theoretical derivation in all talks will be complemented by their illustration on a set of representative examples from applications.

Organizer: Igor Belykh
Georgia State University, USA

Organizer: Erik Bollt
Clarkson University, USA

1:45-2:00 Information Transfer in Coupled Oscillator Networks: Uncertainty, Influence, and Effects of Blinking Channels

Jie Sun and Erik Bollt, Clarkson University, USA

2:05-2:20 Multistable Dynamics of Stochastically Switching Networks

Igor Belykh, Georgia State University, USA

2:25-2:40 Neighborhood Gossip: Exploiting Structure in Moving Neighborhood Networks to Discover Global Environmental Variables

Joseph Skufca, Clarkson University, USA

2:45-3:00 On Convergence and Synchronization in Piecewise Smooth Networks

Davide Liuzza, University of Naples "Frederico II", Naples, Italy; Mario Di Bernardo, University of Bristol, United Kingdom

SIAM BOOKS

Visit the SIAM booth to see these and other SIAM books!

Conference attendees receive discounts on all displayed titles.

Computational Mathematical Modeling: An Integrated Approach Across Scales


Daniela Calvetti and Erkki Somersalo

Mathematical Modeling and Computation 17

This textbook concentrates on two modeling paradigms: the macroscopic, in which the authors describe phenomena in terms of time evolution via ordinary differential equations; and the microscopic, which requires knowledge of random events and probability.

2013 • xii + 222 pages • Softcover • 978-1-611972-47-4
List Price \$69.00 • SIAM Member \$48.30 • MM17

NEW




Nonlinear Water Waves with Applications to Wave-Current Interactions and Tsunamis

Adrian Constantin

CBMS-NSF Regional Conference Series in Applied Mathematics 81

This overview of some of the main results and recent developments in nonlinear water waves presents fundamental aspects of the field and discusses several important topics of current research interest.

2011 • xii + 321 pages • Softcover • ISBN 978-1-611971-86-6
List Price \$89.00 • SIAM/CBMS Member Price \$62.30 • CB81



Recipes for Continuation

Harry Dankowicz and Frank Schilder

Computer Science and Engineering 11

A comprehensive introduction to the mathematical methodology of parameter continuation, the computational analysis of families of solutions to nonlinear mathematical equations.

May 2013 • Approx. xvi + 584 • Softcover • 978-1-611972-56-6
List Price \$99.00 • SIAM Member \$69.30 • CS11

NEW




A Primer on Mathematical Models in Biology

Lee A. Segel and Leah Edelstein-Keshet

This textbook grew out of a course that the popular and highly respected applied mathematician Lee Segel taught and it represents his unique perspective. It introduces differential equations, biological applications, and simulations and emphasizes molecular events, excitable systems, and small protein and genetic circuits.

2013 • xxvi + 424 • Softcover • 978-1-611972-49-8
List Price \$69.00 • SIAM Member \$48.30 • OT129

NEW



Mathematical Models for Communicable Diseases

Fred Brauer and Carlos Castillo-Chavez

CBMS-NSF Regional Conference Series in Applied Mathematics 84

This graduate-level monograph appeals to readers interested in the mathematical theory of disease transmission models. It provides insight into modeling cross-immunity between different disease strains and the synergistic interactions between multiple diseases; diseases transmitted by viral agents, bacteria, and vectors; and both epidemic and endemic disease occurrences.

2013 • xviii + 270 pages • Softcover • 978-1-611972-41-2
List Price \$77.00 • SIAM/CBMS Member \$53.90 • CB84




Control and Optimization with Differential-Algebraic Constraints

Edited by Lorenz T. Biegler, Stephen L. Campbell, and Volker Mehrmann

Advances in Design and Control 23

This book presents the latest theory and numerical methods for the optimal control of differential-algebraic equations. Readers will find the most recent theory, along with several state-of-the-art numerical methods and real-world applications, all presented in a readable fashion so the results are accessible to the widest audience.

2012 • xii + 344 pages • Softcover • 978-1-611972-24-5
List Price \$99.00 • SIAM Member \$69.30 • DC23



From Vector Spaces to Function Spaces: Introduction to Functional Analysis with Applications

Yutaka Yamamoto

This treatment of analytical methods of applied mathematics starts with a review of the basics of vector spaces and brings the reader to an advanced discussion that includes the latest applications to systems and control theory. The author provides the motivations of definitions and the ideas underlying proofs but does not sacrifice mathematical rigor.

2012 • xiv + 268 pages • Hardcover • 978-1-611972-30-6
List Price \$89.00 • SIAM Member \$62.30 • OT127



siam e-books
www.siam.org/ebooks

To order, shop online at www.siam.org/catalog.

Use your credit card (AMEX, MasterCard, and VISA) by phone: +1-215-382-9800 worldwide or toll free at 800-447-SIAM in USA and Canada or fax: +1-215-386-7999. Or send check or money order in US dollars to: SIAM, Dept. BKDS13, 3600 Market Street, 6th Floor, Philadelphia, PA 19104-2688 USA.

siam SOCIETY FOR INDUSTRIAL AND APPLIED MATHEMATICS

Nonmembers must use code "BKDS13" to get Special Conference Attendee Price. Expires 6-23-13.

Notes

DS13 Abstracts

SIAM Conference on Applications of Dynamical Systems

Figure courtesy J. Meiss and D. Simpson, DSWeb media gallery.



May 19-23, 2013
Snowbird Ski and Summer Resort
Snowbird, Utah, USA

Abstracts are printed as submitted by the authors.

IP1**Tire Tracks, the Stationary Schrödinger's Equation and Forced Vibrations**

I will describe a newly discovered equivalence between the first two objects mentioned in the title. The stationary Schrödinger's equation, a.k.a. Hills equation, is ubiquitous in mathematics, physics, engineering and chemistry. Just to mention one application, the main idea of the Paul trap (for which W. Paul earned the 1989 Nobel Prize in physics) amounts to a certain property of Hill's equation. Surprisingly, Hill's equation is equivalent to a seemingly completely unrelated problem of "tire tracks". As a further surprise, there is a yet another connection between the "tire tracks" problem and the high frequency forced vibrations.

Mark Levi

Department of Mathematics
Pennsylvania State University
levi@math.psu.edu

IP2**Linear and Nonlinear Problems of Mathematical Finance**

We start with a general overview of financial markets as dynamical systems and introduce primary financial assets including bonds, equities, currencies, and commodities. Next, we give a broad outline of market microstructure, market impact, and algorithmic trading, with a particular emphasis of limit order books and their dynamics. We also discuss technical trading and time-series analysis. After that, we introduce financial derivatives and describe their risk-neutral and real-world valuation. We discuss possible choices of stochastic processes used for modeling primary assets; derive the corresponding pricing equations for derivatives, and demonstrate how these equations can be solved. We conclude our presentation by formulating some open problems of mathematical finance.

Alexander Lipton

Bank of America Merrill Lynch &
Imperial College London, United Kingdom
a.lipton@imperial.ac.uk

IP3**Particle Trajectories Beneath Irrotational Travelling Water Waves**

We describe the pattern of the particle trajectories beneath a travelling wave moving at the surface of water in irrotational flow and with a flat bed, with no underlying current, both in the setting of periodic waves and in the setting of solitary waves.

Adrian Constantin

King's College London, United Kingdom
adrian.constantin@kcl.ac.uk

IP4**Triggered Slip Processes in Earth**

In 1992, a magnitude 7.3 Landers earthquake occurred in Southern California. As seismic waves were radiated, other earthquakes were dynamically triggered both nearby and far away, and elevated seismicity, termed delayed triggering, lasted for several months. Recent observations based on rapidly improving instrumentation show that a major-

ity of earthquakes may be dynamically triggered. Our work indicates that the granular physics of the fault core, fault gouge, plays a key role in triggering. Because direct access to the fault is not possible, we are characterizing the granular physics of triggering at laboratory scales using physical experiments and numerical simulations.

Paul Johnson

Los Alamos National Laboratory, USA
paj@lanl.gov

IP5**Pattern Recognition with Weakly Coupled Oscillatory Networks**

Traditional neural networks consist of many interconnected units and are thus inherently difficult to construct. In the lecture, we focus on neural network models of weakly coupled oscillators with time-dependent coupling. In these models, each oscillator has only one connection to a common support, which makes them predestinated for hardware implementation. Two coupling strategies are considered. The first network was proposed by Hoppensteadt and Izhikevich [F.C: Hoppensteadt and E.M. Izhikevich, Phys. Rev. Lett. 82, 2983 (1999)] and possesses a global coupling function. The second one is a novel architecture with individual coupling functions. We present experimental realizations of both networks and demonstrate that the devices can reliably perform pattern recognition tasks. However, the scalability of the novel network architecture is much superior to the one of the globally coupled oscillators.

Robert Hölzel, Kathrin Kistorz, Katharina Krischer

Technische Universität München

rhoelzel@ph.tum.de,

kathrin.kistorz@ph.tum.de,

krischer@ph.tum.de

IP6**The Topology of Fluid Mixing**

Topological chaos is a type of chaotic behavior that is forced by the motion of obstacles in some domain. I will review two approaches to topological chaos, with applications in particular to stirring and mixing in fluid dynamics. The first approach involves constructing devices where the fluid motion is topologically complex, usually by imposing a specific motion of stirring rods. I will then discuss optimization strategies that can be implemented. The second approach is diagnostic, where flow characteristics are deduced from observations of periodic or random orbits and their topological properties. Many tools and concepts from topological surface dynamics have direct applications: mapping class groups, braids, the Thurston-Nielsen classification theorem, topological entropy, coordinates for equivalence classes of loops, and the Bestvina-Handel algorithm for train tracks.

Jean-Luc Thiffeault

Dept. of Mathematics

University of Wisconsin - Madison

jeanluc@math.wisc.edu

IP7**Modeling Reactive Events in Complex Systems**

Reactive events such as conformation change of macromolecules, chemical reactions in solution, nucleation events during phase transitions, thermally induced magnetization reversal in micromagnets, etc. pose challenges both for

computations and modeling. At the simplest level, these events can be characterized as the hopping over a free energy barrier associated with the motion of the system along some reaction coordinate. Indeed this is the picture underlying classical tools such as transition state theory or Kramers reaction rate theory, and it has been successful to explain reactive events in a wide variety of context. However this picture presupposes that we know or can guess beforehand what the reaction coordinate of the event is. In many systems of interest – protein folding, enzyme kinetics, protein-protein interactions, etc. – making such educated guesses is hard if not impossible. The question then arises whether we can develop a more general framework to describe reactive events, elucidate their pathway and mechanism, and give a precise meaning to a concept such as the reaction coordinate. In this talk I will discuss such a framework, termed transition path theory, and indicate how it can be used to develop efficient algorithms to accelerate the calculations and analysis of reactive events.

Eric Vanden-Eijnden
Courant Institute
New York University
eve2@cims.nyu.edu

IP8

Predicting Epidemic Rare Events: A Dynamical Systems Perspective of Disease Extinction and Control

As seen by the many new vaccination campaigns across the world, disease control is of paramount importance in public health with eradication as the ultimate goal. Without intervention, disease extinction in a large well mixed population would be a rare event. In this talk, I will review some of the mathematical models and machinery used to describe the underlying dynamics of rare events in finite population disease models. I will show how to derive a new dynamical model that includes a dynamical systems description of the effective fluctuations of the noise that drives the disease to extinction. In analyzing the dynamic topology of the new expanded model, we can understand extinction from a dynamical systems perspective, thus discovering how to best use disease controlling resources.

Lora Billings
Montclair State University
Dept. of Mathematical Sciences
billingsl@mail.montclair.edu

IP9

Engineered Gene Circuits: From Oscillators to Synchronized Clocks and Biopixels

This talk will focus on the development of synthetic gene oscillators and their synchronization. I will first describe an engineered intracellular oscillator that is fast, robust, and persistent, with tunable oscillatory periods as fast as 13 minutes. Experiments show remarkably robust and persistent oscillations in the designed circuit; almost every cell exhibits large-amplitude fluorescence oscillations throughout each experiment. Theory reveals that the key design principles for constructing a robust oscillator are a small time delay in the negative feedback loop and enzymatic protein decay that functions as an overloaded queue. I will then describe intercellular coupling that is used to generate synchronized oscillations in a growing population of cells. Microfluidic devices tailored for cellular popu-

lations are used to demonstrate collective synchronization properties along with spatiotemporal waves occurring on millimeter scales. While quorum sensing proves to be a promising design strategy for reducing variability through coordination across a cellular population, the length scales are limited by the diffusion time of the small molecule governing the intercellular communication. I will conclude with recent progress engineering the synchronization of thousands of oscillating colony biopixels over centimeter length scales.

Jeff Hasty
University of California, San Diego
jmhasty@ucsd.edu

SP1

Juergen Moser Lecture: Title to Be Announced

To be posted when available.

Nancy Kopell
Boston University
Department of Mathematics
nk@bu.edu

CP1

A New, Braid-Theoretic Approach to Uncovering Transport Barriers

In oceanic settings, it is desirable to identify key transport barriers that organize the material transport. In many cases the only velocity fields that are available for processing to find these barriers are geophysical models, which may not reliably represent the surface flow or the motion of particles on the ocean surface. In situations where the surface velocity field is not reliably known, however, there is the possibility of making direct measurements of trajectories through tracking floats. We look to develop a method that has the potential to harness this trajectory information to identify the existence of transport barriers by using tools from topology, in particular braid theory. We will present our braid theory based method and procedures for improving the accuracy of the resulting approximation for the transport barrier location.

Michael Allshouse
Dept. of Mechanical Engineering
Massachusetts Institute of Technology
mra23@mit.edu

Thomas Peacock
Massachusetts Institute of Technology
tomp@mit.edu

Jean-Luc Thiffeault
Dept. of Mathematics
University of Wisconsin - Madison
jeanluc@math.wisc.edu

CP1

Development of An Efficient and Flexible Pipeline for Lagrangian Coherent Structure Computation

The utility of Lagrangian coherent structures for advective transport analysis is well-established. Broader adoption of this method is facilitated by development of robust and flexible software elements that accommodate wide-ranging application areas, and modularity that is easily extended

or modified. We discuss use of Visualization Toolkit libraries and standards as a foundation for object-oriented LCS computation, and how this facilitates integration with flow visualization softwares. We discuss GPU kernels for efficient parallel computation, including optimization strategies for better utilization.

Shawn C. Shadden
Cardiovascular Biomechanics Research Laboratory
Stanford University
sshadden@gmail.com

Sivash Ameli, Yogin Desai
Illinois Institute of Technology
sameli@iit.edu, ydesai1@hawk.iit.edu

CP1

New Developments in LCS Theory: Forward-Time Unstable Manifolds and Generalized Shearless Tori

The recent geodesic theory of Lagrangian coherent structures (LCS) [Haller & Beron-Vera, *Physica D* 241 (2012)] has enabled the accurate computation of transport barriers in temporally aperiodic flows, including generalized stable and unstable manifolds, generalized KAM tori, and generalized shear jets. For two-dimensional flows, the remaining challenges in LCS detection include the computation of generalized stable and unstable manifolds from a single numerical run, and the identification of generalized shearless (or twistless) KAM tori. In this talk, we present results on both of these problems, and show their application to unsteady fluid flows.

Mohammad Farazmand
PhD student, Mathematics, ETH Zurich
farazmand@imes.mavt.ethz.ch

Daniel Blazeovski
Department of Mechanical and Process Engineering
ETH Zurich
blazeovski@imes.mavt.ethz.ch

George Haller
ETH, Zurich, Switzerland
georgehaller@ethz.ch

CP1

Detecting Invariant Manifolds in Aperiodically Forced Mechanical Systems

We show how the recently developed theory of geodesic transport barriers for fluid flows can be used to uncover key invariant manifolds in externally forced, one-degree-of-freedom mechanical systems. Specifically, invariant sets in such systems turn out to be shadowed by least-stretching geodesics of the Cauchy-Green strain tensor computed from the flow map of the forced mechanical system. This approach enables the finite-time visualization of generalized stable and unstable manifolds, attractors and generalized KAM curves under arbitrary forcing, when Poincaré maps are not available. We illustrate these results by detailed visualizations of the key finite-time invariant sets of conservatively and dissipatively forced Duffing oscillators.

Alireza Hadjighasem
Research Assistant at McGill University
alireza.hadjighasem@mail.mcgill.ca

Mohammad Farazmand

PhD student, Mathematics, ETH Zurich
farazmand@imes.mavt.ethz.ch

George Haller
ETH, Zurich, Switzerland
georgehaller@ethz.ch

CP1

Finite-time Scalar Reaction-diffusion with Lagrangian Coherent Structures

In recent years, the concept of Lagrangian coherent structures (LCS) has gained popularity in identifying finite-time invariant manifolds in aperiodic dynamical systems. They are relevant to quantifying the chaotic transport in non-diffusive fluid flows. In this talk, I will discuss some recent efforts on extending the use of LCS in systems with finite diffusion and reaction. It is found that in geophysically relevant regimes, LCS closely relate to the variability of scalar reaction-diffusion processes, suggesting its further use beyond a diagnostic tool for chaotic transport.

Wenbo Tang
Arizona State University
wenbo.tang@asu.edu

CP2

Steady Periodic Waves Bifurcating for Fixed-Depth Rotational Flows

We consider the existence of steady periodic water waves for rotational flows with a specified fixed-depth over a flat bed. We construct a modified height function which explicitly introduces the mean-depth into the rotational water wave problem, and use the Crandall-Rabinowitz local bifurcation theorem to establish the existence of solutions of the resulting problem. In the process we obtain explicit dispersion relations for the resulting flows.

David Henry
University of Vienna
david.henry@univie.ac.at

CP2

Revisiting the Two Wakes Interaction

this paper describes a model of two Landau equations that captures the interaction between the wakes of the incompressible flow between two cylinders in side by side arrangement. From the calculation of the stability problem in the proximity of the first Hopf bifurcation for this particular type of flow, and an asymptotic approach appears this dynamic system of two coupled Landau equations, which in our view captures the nonlinear dynamics of this type of flow.

Jose Ignacio H. Lopez
Mackenzie Presbyterian University, Rua da Consolao, 930, Cep:01302-907, So Paulo, Brasil.
jihlopez@mackenzie.com.br

CP2

Cross-Waves Driven by Extended Forcing

The nonlinear Schrodinger equation models successfully used to study cross-waves since Jones (JFM 138, 1984) rely on the assumption that modulations occur on a slow lengthscale compared to the subharmonic wavelength and

to the spatial extent of the forcing. Neither assumption holds for high frequency (large aspect ratio) experiments. We extend the theory to include surface tension and a spatially extended forcing term and compare the resulting amplitude equations with recent experiments, finding good agreement.

Jeff Porter, Ignacio Tinao, Ana Laveron-Simavilla
Universidad Politecnica de Madrid
jeff.porter@upm.es, itinao@eusoc.upm.es,
ana.laveron@upm.es

CP2

Rayleigh Surface Wave in An Incompressible Earths Crustal Layer Sandwiched Between a Rigid Boundary Plane and a Half Space

In the present paper, Rayleigh surface wave in an earths crustal layer has been studied. In the first case, the layer has been kept sandwiched between a rigid boundary plane and a sandy half space, while in the second case the sandy half space has been replaced by an elastic half space with void pores. The dispersion relation has been deduced and the effect of sandy parameter, rigid boundary, wave number, inhomogeneity parameter and void parameter has been illustrated and displayed by means of graphs.

Sumit K. Vishwakarma
Indian School of Mines, Dhanbad, Jharkhand,
India-826004
sumo.ism@gmail.com

CP3

Measurement and Validation of Coupled-Patch Population Models Via Computational Topology

Coupled patch models of population dynamics combine local dynamics on patches with rules for dispersal of the population between patches. Thresholded population values give rise to spatial patterns and may evolve in a complicated manner in time. I will discuss joint work with Benjamin Holman in which we study coupled Ricker maps and the complicated patterns they produce. I will also present preliminary work on model construction and validation using field measurements of population distribution and density.

Sarah Day
The College of William and Mary
sday@math.wm.edu

Jesse Berwald
College of William and Mary
jberwald@gmail.com

CP3

Bifurcation Analysis of Reaction-Diffusion Vegetation Pattern Formation Models for Semi-Arid Ecosystems

We consider a class of reaction-diffusion models that seek to explain spatial vegetation patterns in semi-arid ecosystems. As a precipitation parameter is varied in these models, patterned states are created and destroyed in a pair of Turing bifurcations. The patterned states are characterized by up and down-hexagons on either side of a labyrinthine intermediate. We look at the transition between patterns using bifurcation theory to identify generic scenarios for transi-

tions between these states.

Karna V. Gowda
Northwestern University
karna.gowda@u.northwestern.edu

Mary Silber
Northwestern University
Dept. of Engineering Sciences and Applied Mathematics
m-silber@northwestern.edu

Hermann Riecke
Applied Mathematics
Northwestern University
h-riecke@northwestern.edu

CP3

Highly Heteroclinically Connected Population Models

Modeling population dynamics using approximately conserved quantities facilitates analysis of phenomena driven by unpredictable time-dependent factors (e.g. annual rainfall). Level sets containing several saddle points linked by heteroclinic orbits can approximate complex behavior that is poorly modeled by single equilibrium conservative models such as Lotka-Volterra—small perturbations can trigger rapid, dramatic changes in qualitative dynamics. Highly heteroclinic models fit to the well-known Isle Royale wolf-moose and Hudson Bay Company lynx-hare harvest data successfully capture pivotal transitions.

Debra Lewis
Department of Mathematics
UC Santa Cruz
lewis@ucsc.edu

CP3

An Age-Structured Population Model with State-Dependent Delay: Derivation and Numerical Integration

We present an age-structured population model that accounts for the following aspects of complex life cycles: (i) There are juvenile and adult stages, (ii) only the adult stage is capable of reproducing, (iii) cohorts of juveniles can transition to the adult stage when they have consumed enough nutrition and (iv) the juvenile and adult populations consume different limited food sources. Taking all of these into account leads to a new mathematical model that cannot be directly analyzed using the established framework of functional differential equations or simulated by standard numerical schemes for age-structured populations. My talk will present the derivation of the model, its properties and numerical scheme to integrate the equations.

Felicia Magpantay
Dept of Mathematics & Statistics
McGill University
fmagpant@mathstat.yorku.ca

Nemanja Kosovalic
Department of Mathematics and Statistics
York University
nemanjak@mathstat.yorku.ca

Jianhong Wu
Department of Mathematics and Statistics
York University

wujh@mathstat.yorku.ca

CP4

Second Invariants for the Topological Characterization of the Iteration of Differentiable Functions

We consider dynamical systems defined by a particular class of differentiable functions, as fixed state space. The dynamics is given by the iteration of an operator induced by a polynomial map which belongs to an appropriate family of bimodal interval maps. We characterize topologically these dynamical systems, in particular using the second invariants defined for the iteration of the bimodal interval maps.

Maria F. Correia
University of Evora
mfac@uevora.pt

CP4

Bifurcation of Safe Sets in 1-Dimensional Dynamical Systems

Partial-control in dynamical systems is a relatively new concept in which the trajectory is sought to be confined within a compact set rather than made to follow a prescribed trajectory. Safe sets arise naturally in partial-control and are typically compact sets with interior and depend on two parameters, the disturbance and control bounds. Here, the change in safe sets in 1-dimensional systems with changes in the parameters is studied and the singularities classified and explained.

Suddhasattwa Das
Department of Mathematics
University of Maryland, College Park
iamsuddhasattwa@gmail.com

CP4

Metric Entropy for Nonautonomous Dynamical Systems

In my talk, I introduce the notion of metric entropy for a nonautonomous dynamical system given by a sequence (X_n, μ_n) of probability spaces and a sequence of measurable maps $f_n : X_n \rightarrow X_{n+1}$ with $f_n \mu_n = \mu_{n+1}$. This notion generalizes the classical concept of metric entropy established by Kolmogorov and Sinai, and is related via a variational inequality to the topological entropy of nonautonomous systems as defined by Kolyada, Misiurewicz and Snoha.

Christoph Kawan
Institute of Mathematics
University of Augsburg
christoph.kawan@math.uni-augsburg.de

CP4

Graphical Krein Signature and Its Application to Hamiltonian-Hopf Bifurcations

We present a new type of criterion for Hamiltonian-Hopf bifurcation, particularly exact conditions allowing or preventing a collision of eigenvalues of opposite Krein signature. We give an exact condition contrary to the existing work that only covers 'generic' systems. The criterion arises from the geometrical theory of graphical Krein signature. This is a joint work with Peter Miller (U Michigan).

Richard Kollar
Comenius University
Department of Applied Mathematics and Statistics
kollar@fmph.uniba.sk

CP4

Two Linear Foci Suffice to Get Three Nested Limit Cycles

By considering a specific family of discontinuous differential systems with two linear zones sharing the equilibrium position, strong numerical evidence about the existence of three nested limit cycles was obtained very recently in [Huan, S.-M. and X.-S. Yang, On the number of limit cycles in general planar piecewise linear systems, *Discrete and Continuous Dynamical Systems-A*, **32** (2012), 2147–2164]. We show, thanks to the canonical forms introduced in [Freire, E., Ponce, E., and F. Torres, Canonical Discontinuous Planar Piecewise Linear Systems, *SIAM J. Applied Dynamical Systems*, **11** (2012), 181–211] how to prove in an analytical way the existence of such three limit cycles in more general cases, by following a bifurcation approach.

Francisco Torres, Emilio Freire
Departamento Matematica Aplicada II
Universidad de Sevilla, Spain
ftorres@us.es, efrem@us.es

Enrique Ponce
Departamento de Matemática Aplicada
Escuela Técnica Superior de Ingenieros, Seville, Spain
eponcem@us.es

CP5

Spinodal Decomposition for the Cahn-Hilliard-Cook Equation

We study the Cahn-Hilliard-Cook equation, which is a model for a binary alloy. Spinodal decomposition in this model is described by different stages, based on the interplay of linear solution, nonlinearity and stochastic forcing. It can be shown that initially the additive white noise determines the exact position of the patterns arising. The characteristic features of the decomposed pattern are independent from the noise. After the initial stage the general dynamics behaves mostly deterministic until the pattern is fully developed.

Philipp Dören
Universität Augsburg
philipp.dueren@math.uni-augsburg.de

Dirk Blömker
Universität Augsburg
Germany
dirk.bloemker@math.uni-augsburg.de

CP5

Localized Radial Solutions of the Swift-Hohenberg Equation on the Poincaré Disk

In this talk, we present a result of existence of stationary localized radial solutions of the Swift-Hohenberg equation on the real hyperbolic space of dimension two, that we identify with the Poincaré disk. This type of solutions

is of particular interest for some problems of orientation tuning in the visual cortex. The proof relies on spatial dynamics techniques. We also use numerical continuation to highlight our theoretical result.

Gregory Faye
School of Mathematics
University of Minnesota
gfaye@umn.edu

CP5

Fluctuations of Lyapunov Exponents in Space-Time Chaos: A Diffusion Process Linked to Surface Roughening

In a recent paper Kuptsov and A. Politi [Phys. Rev. Lett. 107, 114101 (2011)] reported on numerical simulations showing that the Lyapunov exponents fluctuations scale with system size according to a universal scaling law. Here we show that both the power law scaling and the universal exponent can be deduced analytically from the scaling behavior of the characteristic (or covariant) Lyapunov vectors. In particular, we define a surface associated with each Lyapunov vector such that the surface turns out to be a fractal whose roughening exponents (i.e. fractal dimensions) are directly linked to the Lyapunov exponent fluctuation exponent through a universal scaling relation. We, therefore, uncover a profound connection between the Lyapunov spectrum of (deterministic) chaotic spatially extended systems and the dynamics of non-equilibrium (stochastic) surfaces.

Juan M. Lopez
Instituto de Fisica de Cantabria (IFCA), CSIC-UC
lopez@ifca.unican.es

Diego Pazo
Instituto de Fisica de Cantabria, IFCA
pazo@ifca.unican.es

Antonio Politi
Institute for Complex Systems and Mathematical Biology,
University of Aberdeen, UK
a.politi@abdn.ac.uk

CP5

Invariant Manifolds Describing the Dynamics of a Hyperbolic-Parabolic Equation from Nonlinear Viscoelasticity

The governing equations for a collection of dynamical problems for heavy rigid attachments carried by light, deformable, nonlinearly viscoelastic bodies are studied. These equations are a discretization of a nonlinear hyperbolic-parabolic partial differential equation coupled to a dynamical boundary condition. A small parameter measuring the ratio of the mass of the deformable body to the mass of the rigid attachment is introduced, and geometric singular perturbation theory is applied to reduce the dynamics to the dynamics of the slow system. Fenichel theory is then applied to the regular perturbation of the slow system to prove the existence of a low-dimensional invariant manifold within the dynamics of the high-dimensional discretization.

J. Patrick Wilber
Department of Mathematics
University of Akron
jw50@uakron.edu

CP5

A Continuous Generalization of the Ising Model

Traditionally, ferromagnetism is studied from the standpoint of statistical mechanics, using the Ising model. While retaining the Ising energy arguments, we use techniques previously applied to sociophysics to propose a continuum model. Our formulation results in an integro-differential equation that allows for asymptotic analysis of phase transitions, material properties, and the dynamics of the formation of magnetic domains.

Haley Yapple, Daniel Abrams
Northwestern University
haleyyapple@u.northwestern.edu,
dmabrams@northwestern.edu

CP6

Reduction Methods for a Family of Infinite-dimensional Nonsmooth Energy Balance Models

We study a family of energy balance models that numerically exhibit sustained oscillations of canard and relaxation-type. Although the full infinite-dimensional system can be reduced to a two-dimensional invariant manifold, one finds that within this manifold a slow-fast system governs the dynamics and that the associated vector field is nonsmooth. The lack of smoothness is due to physical assumptions on the system and results in a slow manifold which is only piecewise smooth. In this talk, we introduce techniques for proving the existence of periodic orbits in the full system in the presence of this difficulty.

Anna M. Barry
Institute for Mathematics and its Applications
University of Minnesota
annab@ima.umn.edu

CP6

Effects of Noise on Grazing Bifurcations

In this talk I will describe the effects of incorporating noise into a canonical vibro-impacting model. An attractor of the deterministic model becomes an invariant density when noise is added. Under parameter change, the density transitions between approximately Gaussian and highly non-Gaussian forms. Impacts correspond to an extreme nonlinearity and as a consequence the size of the invariant density may be proportional to the square-root of the noise amplitude.

David J. Simpson
Department of Mathematics
University of British Columbia
d.j.w.simpson@massey.ac.nz

John Hogan
Bristol Centre for Applied Nonlinear Mathematics
Department of Engineering Mathematics, University of Bristol
s.j.hogan@bristol.ac.uk

Rachel Kuske
University of British Columbia
rachel@math.ubc.ca

CP6

On Quasi-Periodic Perturbations of Hyperbolic-

Type Degenerate Equilibrium Point of a Class of Planar Systems

This paper considers two-dimensional nonlinear quasi-periodic system with small perturbations. Assume that the unperturbed system has a hyperbolic-type degenerate equilibrium point and the frequency satisfies the Diophantine conditions. By KAM iteration we prove that for sufficiently small perturbations, the system can be reduced to a suitable normal form with an equilibrium point at the origin.

Junxiang Xu
Southeast University, China
xujun@seu.edu.cn

CP6

Infinitely Many Homoclinic Orbits for Superlinear Hamiltonian Systems

In this paper we study the first order nonautonomous Hamiltonian System $\dot{z} = JH_z(t, z)$, where $H(t, z)$ depends periodically on t . By using a generalized linking theorem for strongly indefinite functionals, we prove that the system has infinitely many homoclinic orbits for weak superlinear cases.

Wang Jun
Jiangsu University
wangmath2011@126.com

Junxiang Xu, Fubao Zhang
Southeast University, China
xujun@seu.edu.cn, zhangfubao@seu.edu.cn

CP7

Self-Organized Network Structure by Co-Evolving Dynamics Between Reaction-Diffusive Resources on Nodes and Weighted Connections

We investigated a simple model of a co-evolving weighted network exhibiting a dissipative diffusion process of a resource over a weighted network and resource-dependent evolution of the link weights. We demonstrate that this interplay between dynamics both on and of the network, yields an emergence of power-law distributions in both the quantities of the resource and the strengths of the links, accompanied with a microscopic continuous evolution of the network.

Takaaki Aoki
Faculty of Education
Kagawa university
aoki@ed.kagawa-u.ac.jp

Toshio Aoyagi
Graduate School of Informatics
Kyoto University
aoyagi@i.kyoto-u.ac.jp

CP7

Oscillatory Network Turing Instability

Diffusion-induced instabilities in network-organized systems are investigated. The oscillatory Turing instability is observed in three-component reaction-diffusion systems. In networks, the instability leads to spontaneous developments of oscillations in a subset of nodes, depending on

the network architecture, while the other nodes continue to rest in the stationary steady state. Our results reveal that oscillations may occur even though individual nodes are not oscillators. This gives us a new scenario of oscillatory dynamics in network-organized systems.

Shigefumi Hata
Nonlinear Dynamics Group, Department of Physics,
Graduate School of Sciences, Kyoto University
hata@fhi-berlin.mpg.de

Hiroya Nakao
Graduate School of Information Science and Engineering,
Tokyo Institute of Technology
nakao@mei.titech.ac.jp

Alexander Mikhailov
Complex systems group, Department of Physical
Chemistry,
Fritz-Haber-Institute of the Max-Planck-Society
mikhailov@fhi-berlin.mpg.de

CP7

Interplay Between Network Topology and Stability of a Linear Time Invariant (LTI) Control System with Homogeneous Delays

We focus on a class of LTI system with homogeneous inter-agent delays broadly studied in the literature, to present how the arising network structures (graphs) and delays are correlated from stability point of view, and how one can design the graphs such that the network can tolerate large delays without losing stability. We present these results based on our Responsible Eigenvalue concept, analytical study of rightmost eigenvalues and delay-adaptive inter-agent coupling design.

Wei Qiao
Northeastern University
qiao.w@husky.neu.edu

Rifat Sipahi
Department of Mechanical and Industrial Engineering
Northeastern University
rifat@coe.neu.edu

CP7

The Joint Effect of Network Topology and Update Functions on the Stability of Boolean Networks

Boolean networks are dynamical systems commonly used to model gene regulation. We study the stability of attractors in a Boolean network with respect to small perturbations. While recent work has addressed the separate effects on stability of nontrivial network topology and update functions, only very crude information exists on how these effects interact. We present a general solution which includes both effects, and we show that our predictions agree with simulations of threshold Boolean networks.

Shane A. Squires
University of Maryland
Institute for Research in Electronics and Applied Physics
shane2squires@gmail.com

Andrew Pomerance
University of Maryland-College Park
pompyants@gmail.com

Edward Ott
University of Maryland
Inst. for Plasma Research
edott@umd.edu

Michelle Girvan
University of Maryland–College Park
mgirvan@gmail.com

CP7

Large Systems of Interconnected Switches and Oscillators

While networks of interacting dynamical systems are of widespread interest, most research has been restricted to systems containing a single type of dynamical system (e.g., coupled phase oscillators). We analyze large systems of interconnected oscillators and switches and find several co-existing stable solutions. Transitions between these steady state solutions are explored, where we find that heterogeneity may play an essential role in stabilizing the macroscopic dynamics of large complex systems.

Dane Taylor
Department of Applied Mathematics
University of Colorado - Boulder
dane.taylor@colorado.edu

Juan G. Restrepo
Department of Applied Mathematics
University of Colorado at Boulder
Juanga@Colorado.EDU

Elana Fertig
Oncology Biostatistics
Johns Hopkins University
ejfertig@jhmi.edu

CP8

On the Role of Intrinsic Neuronal Dynamics for Relay Synchronization

Recently, a new form of synchronous behaviour has been discovered in a general context where two oscillators synchronize without being directly coupled, and the information transmission is going only via a third, relaying oscillator which is not synchronizing with the other ones (relay synchronization). A thorough computational study of the effect of different intrinsic dynamical states of Huber-Braun model neurons exhibiting relay synchronization under gap-junction coupling is presented.

Christian Finke
Theoretical Physics/Complex Systems Group
Carl-von-Ossietzky-Universität Oldenburg
christian.finke@uni-oldenburg.de

Epaminondas Rosa
Illinois State University
Department of Physics
erosa@ilstu.edu

Hans Braun
Philipps University of Marburg, Germany
braun@staff.uni-marburg.de

Ulrike Feudel
University of Oldenburg

ICBM, Theoretical Physics/Complex Systems
ulrike.feudel@uni-oldenburg.de

CP8

Suppression of Bursting Synchronization in Clustered Scale-Free Neuronal Networks

Functional brain networks are composed of cortical areas that are anatomically and functionally connected. One of the cortical networks for which more information is available is the cat cerebral cortex. Statistical analyses of the latter suggest that its structure can be described as a clustered network, in which each cluster is a scale-free network possessing highly connected hubs. Those hubs are, on their hand, connected together in a strong fashion ('rich-club' network). We have built a clustered scale-free network inspired in the cat cortex structure so as to study their dynamical properties. We focus on the synchronization of bursting activity of the cortical areas and how it can be suppressed by means of neuron deactivation through suitably applied light pulses. It is possible to effectively suppress bursting synchronization by acting on a single, yet suitably chosen neuron, as long as it is highly connected, thanks to the 'rich-club' structure of the network.

Ricardo L. Viana
Departamento de Física
Federal University of Parana
viana@fisica.ufpr.br

Ewandson Lameu
Graduate Program in Physics
State University of Ponta Grossa, Brazil
ewandson.ll@gmail.com

Carlos Batista
Department of Physics
Federal University of Parana, Brazil
batiscarlos@gmail.com

Antonio Batista
Department of Mathematics and Statistics
State University of Ponta Grossa, Brazil
antoniomarcosbatista@gmail.com

Kelly Iarosz
Graduate Program in Physics
State University of Ponta Grossa, Brazil
kiarosz@gmail.com

Sergio R. Lopes
Department of Physics
Federal University of Parana
lopes@fisica.ufpr.br

Juergen Kurths
Humboldt Univ, Germany, Potsdam Institute for Climate Impact
Research, Germany, and Aberdeen University, UK
juergen.kurths@pik-potsdam.de

CP8

Optimal Chaotic Desynchronization and Its Application in Neural Populations

We develop a procedure which suggests a powerful alternative to the use of pulsatile stimuli for deep brain stimulation treatment of Parkinson's disease. The procedure finds an

energy-optimal stimulus which gives a positive Lyapunov exponent, and hence desynchronization, for a neural population, and only requires knowledge of a neuron's phase response curve, which can be measured experimentally. We illustrate the procedure for a model for thalamic neurons, which are believed to play an important role in Parkinson's disease.

Dan D. Wilson

Mechanical Engineering
University of California, Santa Barbara
dan.d.wilson8@gmail.com

Jeff Moehlis

Dept. of Mechanical Engineering
University of California – Santa Barbara
moehlis@engineering.ucsb.edu

CP8

Mathematical Models of Bidirectional Signaling in the Neurovascular Unit

Neural network models can now simulate entire brain sections resolved to individual cells. The roles of neurovascular and neuroglial interactions are less well understood. We have developed the first bidirectional model of the neurovascular unit, comprising synaptic discharge, glia, and arterioles. It is a mechanical, electrical, and biochemical model with several interactional feedback loops. We will describe the biological system, model ODEs, and validation with experimental literature.

Alix Witthoft

Brown University
alix@brown.edu

CP8

Limb Coordination in Crayfish Swimming: The Neural Mechanisms and Mechanical Implications

During forward swimming, rhythmic movements of limbs on different segments of the crayfish abdomen progress from back to front with the same period, but neighboring limbs are phase-lagged by 25% of the period. This coordination of limb movements is maintained over a wide range of frequency. The exact mechanisms underlying this robustly stable phase-locking are not known. We use dynamical systems and fluid mechanics in conjunction with experimental results to obtain insight into these mechanisms.

Calvin Zhang

University of California, Davis
jwzh@ucdavis.edu

Qinghai Zhang

University of Utah
qinghai@math.utah.edu

Robert D. Guy

Mathematics Department
University of California Davis
guy@math.ucdavis.edu

Brian Mulloney

University of California Davis
bcmulloney@ucdavis.edu

Timothy Lewis

Department of Mathematics
University of California, Davis
tjlewis@ucdavis.edu

CP9

The Average Velocity of Planar Jordan Curves

We present a bound on the integral of the velocity of a planar Jordan curve in the interior of another Jordan curve. This bound is applied to verify a new Poincare-Bendixson type result for planar infinite-horizon optimal control. Namely, verifying the optimal value is attained by a periodic solution.

Ido Bright

University of Washington
ibright@uw.edu

Zvi Artstein

The Weizmann Institute of Science
zvika@weizmann.ac.il

CP9

Bio-Inspired Sensing and Control of An Underwater Vehicle in a Karman Vortex Street

By incorporating bio-inspired sensing modalities such as those based on a fish lateral line system, underwater vehicles may be able to navigate complex, unknown environments autonomously. This presentation describes results from using potential flow theory to model the flow around a fish-like body in a Karman vortex street. Assuming sensors collect noisy measurements of the flow, a nonlinear observer is incorporated to estimate the flow for use in a feedback controller designed for station-holding behavior.

Levi DeVries, Derek A. Paley

University of Maryland
Department of Aerospace Engineering
lddevrie@gmail.com, dpaley@umd.edu

CP9

Amplitude Death Solutions for Stabilization of Dc Microgrids with Instantaneous Constant-Power Loads

Constant-power loads on dc microgrids create a destabilizing effect on the circuit that can lead to severe voltage and frequency oscillations. Amplitude death is a coupling induced stabilization of the fixed point of a dynamical system. We apply amplitude death methods to the stabilization problem in this constant-power setting. The amplitude death methods provide an open-loop control solution to stabilize the system.

Stanley R. Huddy, Joseph Skufca

Clarkson University
huddysr@clarkson.edu, jskufca@clarkson.edu

CP9

Controller

Space Categorization for Delay-Independent Stability of Linear Time-Invariant (LTI) Systems with Multiple Uncertain Delays

In many dynamical systems, delays can be *uncertain* making their control difficult. For such systems, it would be

beneficial to design controllers that guarantee stability “independent of delays”. On a general LTI system with multiple uncertain delays, we present a non-conservative framework to achieve this *delay-independent stability* (DIS) control design even when the control matrices are structured. This framework is based on analysis of polynomials, although stability is associated with infinitely many eigenvalues.

Payam M. Nia
Northeastern University
nia.p@husky.neu.edu

Rifat Sipahi
Department of Mechanical and Industrial Engineering
Northeastern University
rifat@coe.neu.edu

CP9

Branch and Bound Approach to the Optimal Control of System Dynamics Models

The System Dynamics (SD) methodology is a framework for modeling and simulating the dynamic behavior of socioeconomic systems. In order to optimally control such dynamic systems, we propose a branch-and-bound approach that is based on a) a bound propagation method, b) primal heuristics, and c) spatial branching on underlying nonlinear functions of the SD model. Our methods are implemented in the MINLP solver SCIP. Numerical results for test instances will be presented.

Ingmar Vierhaus
Zuse Institute Berlin
vierhaus@zib.de

Armin Fügenschuh
Zuse Institut Berlin
fuegenschuh@zib.de

CP10

Cell Cycle Clustering in a Nonlinear Mediated Feedback Model

The concept of an RS type feedback model for Yeast Autonomous Oscillation is extended to include a mediating chemical signaling agent. The dynamical properties of the resulting system include and extend previous results and may explain the onset of spontaneous density-dependent oscillations seen in experiments.

Richard Buckalew
Ohio University
rb301008@ohio.edu

Todd Young
Ohio University
Department of Mathematics
youngt@ohio.edu

Erik Boczko
Vanderbilt University
erik.boczko@vanderbilt.edu

CP10

Period-Adding Cascades in Models of the Eukary-

otic Cell Cycle

Low-dimensional models of the eukaryotic cell cycle represent cell division by discontinuous jumps in the model state, in response to the crossing of a protein concentration below a critical level. This work documents period-adding cascades in such models, associated with convergent sequences of grazing bifurcations, and induced by this jump discontinuity. It establishes the universal nature and scaling characteristics of such cascades in the unfolding of suitably constrained border-collisions and saddle-node bifurcations of period-two orbits.

Harry Dankowicz
University of Illinois at Urbana-Champaign
Department of Mechanical Science and Engineering
danko@illinois.edu

Mike R. Jeffrey
University of Bristol
mike.jeffrey@bristol.ac.uk

CP10

Dispersion and Breakup of Clusters in Cell Cycle Dynamics by Various Mechanisms

Random perturbations of the cell-cycle dynamics with feedback model tend to disperse clusters. We consider and contrast the effects of mechanisms of stochastic perturbations, variable division time and generational differences on dispersion and eventual breakup of the clusters in the feedback model. Beginning with numerical simulations, we study the differences in the effects of these three types of perturbations in the system in the setting of both small and large perturbations.

Xue Gong
Ohio University
xg345709@ohio.edu

Todd Young
Ohio University
Department of Mathematics
youngt@ohio.edu

Alexander Neiman
Department of Physics and Astronomy
Ohio University
neimana@ohio.edu

Richard Buckalew
Ohio University
rb301008@ohio.edu

Erik M. Boczko
Department of Biomedical Informatics
Vanderbilt University Medical Center
erik.m.boczko@vanderbilt.edu

CP10

Universality of Stable Periodic Solutions in a Cell Cycle Mode

We study a model of cell cycle ensemble dynamics from the perspective of parameter space - a two dimensional triangle T . For the type of system consider and any positive integer k there exists a special periodic solution that we call k -cyclic. We show under very general nonlinear feedback

that for a given k the stability of the k cyclic periodic solutions can be characterized completely in parameter space. For a given k we prove that T is partitioned into k^2 sub-triangles on which k cyclic solutions all have the same stability. We observe that for negative feedback parameter space is nearly fully covered by regions of stability of k clustered solutions with k small, e.g. $k \leq 7$. For many parameter values we observe bi-stability or multi-stability. We also observe that as k grows large, the parameter region for which the k cyclic solution is stable becomes small in area and tends to the boundaries of parameter space.

Gregory Moses
Ohio University
gm192206@ohio.edu

CP10

On Cyclin/cdk Oscillations in the Cell Cycle

Abstract: The cell cycle is driven by complexes formed from cyclin dependent kinases (CDKs) and their cyclin subunits (Clb2). Exiting mitosis requires a shift of balance between Clb2:CDK1 and the phosphatase Cdc14. Experiments show that Cdc14 can be locked in an oscillatory regime by stabilising Clb2. Using a model we propose that Cdc14 being part of a biochemical oscillator increases its tunability, and Clb2 acting as a feedback controller leads to increased robustness of Cdc14 activation.

Thomas Todd
University of Bristol
tom.todd@bristol.ac.uk

CP11

Calculating Early Treatment Gains

The setting is a patient infected with a proliferating pathogen. We consider the problem of calculating the difference in time to resolution for the same intervention/adjuvant applied at two different times. Our goal is to develop a framework with which it is possible to regress the early treatment gain from a minimal set of data.

Erik M. Boczko
Department of Biomedical Informatics
Vanderbilt University Medical Center
erik.m.boczko@vanderbilt.edu

Todd Young
Department of Mathematics
Ohio University
toddryoung@gmail.com

CP11

On Spread of Phage Infection of Bacteria in a Petri Dish

A reaction diffusion system with time delay is proposed for virus spread on bacteria immobilized on an agar-coated plate. The delay explicitly accounts for a virus latent period. The focus is on the speed of spread of infection resulting from a localized inoculum of virus and of the existence of traveling waves of infection.

Hal L. Smith
Arizona state university
halsmith@asu.edu

Horst Thieme
Arizona State
hthieme@asu.edu

Don Jones
Arizona State University
Department of Mathematics
dajones@math.asu.edu

CP11

A Perspective on Multiple Waves of Influenza Pandemics

The past four influenza pandemic outbreaks in the United States has had multiple waves of infections, although the underlying mechanisms are uncertain. We use mathematical models to exhibit four mechanisms each of which can quantitatively reproduce the two waves of the 2009 H1N1 pandemic. All models indicate that significantly reducing or delaying the initial numbers of infected individuals would have little impact on the attack rate. This reduction or delay results in only one wave.

Howard Weiss
Georgia Tech
weiss@math.gatech.edu

CP11

The Significance of Hiv Modelling on Public Health Strategies

It has been widely reported that new public health strategies have had a significant impact on decreasing new infection rates for HIV - in regions where the approach has been implemented. In 2011 the journal *Science* declared that the biggest scientific breakthrough of the year was the new approach to HIV. I will explain how mathematical modelling of HIV transmission dynamics has played a significant role (possibly negative) in controlling the spread of HIV. My work on HIV is joint with Brandy Rapatski and Fred Suppe.

James A. Yorke
University of Maryland
Departments of Math and Physics and IPST
yorke@umd.edu

CP11

The Heterogeneous Dynamics of the Transcription Factor NF- κ B

NF- κ B is a transcription factor that controls hundreds of genes. Single-cell imaging has shown that when certain stimuli hit the cell, NF- κ B nuclear concentration oscillates. Our experiments show that NF- κ B dynamics in cells is more heterogeneous than previously reported: in particular, for some cells oscillations are not observed. We attempt to unveil the origin of this heterogeneity using a mathematical model involving the main components of the system.

Samuel Zambrano
San Raffaele University
zambrano.samuel@hsr.it

Marco E. Bianchi
San Raffaele University, Milan (Italy)
bianchi.marco@hsr.it

Alessandra Agresti
San Raffaele Research Institute, Milan (Italy)
agresti.alessandra@hsr.it

CP12

An Approach to Secure Communication in Chaotic Systems Without Synchronization

The secure communication is important for several purposes, for example, to keep safe: banking sites, government secrecy, ... A traditional way to build a secure communication system is through the synchronization, instead of it we present a novel feature without use synchronization as the coding mechanism. In this work we will show how the transfer entropy can be use to determine the coupling directions in coupled map lattices and then transmit secure information.

Fabiano Ferrari

Universidade Federal do Paraná
fabianosferrari@gmail.com

Ricardo L. Viana
Departamento de Física
Federal University of Parana
viana@fisica.ufpr.br

Romeu Szmowski, Sandro Pinto
Universidade Estadual de Ponta Grossa
rmszmowski@gmail.com, desouzapinto@gmail.com

CP12

The Approximation of Coherent Structures in Non-Autonomous Dynamical Systems

Coherent structures in the context of non-autonomous dynamical systems can be analyzed using transfer operator methods based on long-term simulations of trajectories on the whole state-space. In principal these methods are also applicable to a part of the state-space. In this talk we present an algorithm that automatically selects a subset of the state-space probably containing coherent structures. This preselection is based on the approximation of almost invariant sets and reduces the numerical effort significantly.

Christian Horenkamp
Chair of Applied Mathematics
University of Paderborn
christian.horenkamp@math.upb.de

Michael Dellnitz
University of Paderborn, Germany
dellnitz@math.upb.de

CP12

Autosynchronization Methods for Pde Model Fitting and Nonlinear Data Assimilation for Ocean Ecology Informed by Partially-Observed Hyper-spectral Satellite Imagery

Applications of synchronization to modeling ocean ecology by partially observed cloud-covered satellite imagery are discussed. When modeling spatiotemporal systems for which not all variables are observable, often the observable contains still hidden regions. Given multiple images of a dynamic scene and assumed model describing chaotic reaction diffusion dynamics, parameters and model states are adaptively observed by synchronization of the model

to observed data, a specialized autosynchronization. Autosynchronization is effective despite hidden spatial information.

Sean Kramer

Clarkson University
kramersj@clarkson.edu

CP12

Monitoring the State of in-Land and Coastal Waters from Space

I'll describe current multi- and hyper-spectral imagers currently used to examine water quality of coastal and in-land sites such as the Columbia River Mouth or Lake Erie. Besides showing many beautiful images, I'll also provide an overview of the current 'product' algorithms used to estimate geo-chemical-bio water parameters such as chlorophyll concentration. I'll further describe some new product algorithms based on insights from nonlinear dynamics designed to capture the 'shape' of ocean and lake color.

Nicholas Tufillaro

dynamic penguin, LLC.
nbt@aquahue.net

CP13

Multiple Snaking Scenarios in Three-Dimensional Doubly Diffusive Convection

Doubly diffusive convection is a classic example of a pattern-forming system. Among the variety of solutions exhibited by systems of this type are the interesting time-independent spatially localized states called convectons. Here, we focus on a three-dimensional binary fluid in a vertically extended cavity with no-slip boundary conditions whose motion is driven by temperature and concentration differences between a pair of opposite vertical walls. No-flux boundary conditions are imposed on the remaining walls. When the temperature and concentration contributions to buoyancy balance the system admits a conduction state whose instability leads to quasi two-dimensional spatially localized rolls with D_2 symmetry located on a pair of primary snaking branches. Secondary symmetry breaking instabilities occur during every nucleation process along the primary snaking branches and lead to fully three-dimensional twisted convectons with Z_2 symmetry which also snake.

Cedric Beaume

Department of Physics
University of California, Berkeley
ced.beaume@gmail.com

Alain Bergeon
Universite de Toulouse (France)
abergeon@imft.fr

Edgar Knobloch
University of California at Berkeley
Dept of Physics
knobloch@berkeley.edu

CP13

Localized Pattern Formation in Reaction Diffusion Equations with a Source Term

In this talk we will show how the theory of localized pat-

tern formation, via so-called homoclinic snaking arises naturally in systems of reaction diffusion equations in parameter regimes where Turing instabilities occur. The key criterion is that the Turing instability should be sub-critical. We shall show how this situation arises naturally in a Schnakenberg system with a constant source term. This leads to an interplay between quadratic and cubic nonlinear terms when the problem is re-centered on the nontrivial equilibrium. For an appropriate set of parameter values, of relevance to a problem in plant biology, the restabilization of the bifurcating branches leads to a snaking-like structure whose dynamics can also be described using the theory of semi-strong interaction. This provides a link between asymptotic theories of non-local spike interaction and underlying local Turing bifurcations.

Alan R. Champneys, Victor Brena-Medina
University of Bristol
a.r.champneys@bristol.ac.uk,
victor.brenamedina@bristol.ac.uk

CP13

Spatial Localization in Two-Dimensional Convection with a Large Scale Mode

Localized states (LS) are of considerable interest in both rotating convection [C. Beaume et al., J. Fluid Mech., in press (2012)] and magnetoconvection [D. Lo Jacono, A. Bergeon and E. Knobloch, J. Fluid Mech. 687, 595 (2011)]. In 2d convection with stress-free boundary conditions (BCs), the formation of LS is due to the interaction between convective rolls and a large scale mode. We develop a fifth order nonlocal Ginzburg-Landau theory [H.-C. Kao and E. Knobloch], in preparation to describe the effects of spatial modulation near a cod-2 point where the leading order theory breaks down [C. Beaume et al., J. Fluid Mech., in press (2012)]. With mixed velocity BCs the large scale mode becomes (weakly) damped and a new length scale appears in the problem. This permits the interpolation between global and local coupling and sheds light on numerical continuation results for 2d rotating convection with stress-free and no-slip BCs.

Hsien-Ching Kao
University of California at Berkeley, Department of Physics
hckao@berkeley.edu

Cedric Beaume
Department of Physics
University of California, Berkeley
ced.beaume@gmail.com

Edgar Knobloch
University of California at Berkeley
Dept of Physics
knobloch@berkeley.edu

Alain Bergeon
Universite de Toulouse (France)
abergeon@imft.fr

CP13

Phase Reduction Analysis of Oscillatory Patterns in Reaction-Diffusion Systems

Phase reduction method for oscillatory spatiotemporal dynamics of reaction-diffusion systems, such as localized spots, spiral waves, and target patterns, is developed.

Phase sensitivity function of the system, which quantifies linear phase response of the system to weak spatial perturbations, is obtained as the solution of an appropriate adjoint equation. Layers of coupled reaction-diffusion systems exhibiting oscillatory dynamics are analyzed using the developed method, and interesting synchronization phenomena, such as multi-modal phase locking, are found.

Hiroya Nakao
Graduate School of Information Science and Engineering,
Tokyo Institute of Technology
nakao@mei.titech.ac.jp

Tatsuo Yanagita
Osaka Electro-Communication University
yanagita@oecu.jp

Yoji Kawamura
The Earth Simulator Center
Japan Agency for Marine-Earth Science and Technology
ykawamura@jamstec.go.jp

CP13

Eisenman2012 Arctic Sea Ice Model: Analysis in Discontinuous Albedo Limit

We analyze the Eisenman (2012) version of a low-dimensional Arctic sea ice model, developed to investigate Arctic sea ice retreat under increasing greenhouse gases. It includes sea-ice thermodynamics, albedo feedback, and periodic solar forcing, and is piecewise smooth. In the limit of a discontinuous albedo, a Poincaré map can be derived and analyzed exactly to determine stability boundaries for its fixed points. This approximation also introduces dynamics associated with Filippov piecewise-smooth systems, which we explore.

Kaitlin Speer, Mary Silber
Northwestern University
kspeer@u.northwestern.edu, m-silber@u.northwestern.edu

CP14

Understanding Cellular Architecture in Cancer Cells

Progression to cancer causes a complex set of transformations in a cell. Neoplastic cells are known to display marked changes in the morphology of their organelles. However, there is still no clear mechanistic understanding of this transformation process. We present a dynamical systems approach for the evolution of organelles morphology in cancer cells. The results provided by this work may increase our insight on the mechanism of tumorigenesis and help build new therapeutic strategies.

Simone Bianco, Yee-Hung Mark Chan
UC, San Francisco
simone.bianco@ucsf.edu, yhmchan@ucsf.edu

Susanne Rafelski
UC, Irvine
susanner@uci.edu

Morgan Truitt, Wallace Marshall, Davide Ruggero
UC, San Francisco
truittm@urology.ucsf.edu, wallace.marshall@ucsf.edu,
ruggierod@urology.ucsf.edu

Chao Tang
Peking University and UC, San Francisco
chao.tang@ucsf.edu

CP14

Structural Adaptation of a Microvascular Network

The cardiovascular network provides oxygen and other nutrients and removes waste from tissue. Network structure and function are thought to be maintained by vascular adaptation, the geometric structural change of microvessels in response to hemodynamic and metabolic stimuli - abnormal vascular adaptation is thought to be associated with conditions such as hypertension, diabetes, and obesity. In this presentation we examine the dynamics of an adaptation model in a small network, and demonstrate that bistability and limit cycles are to be expected.

John B. Geddes, Elizabeth Threlkeld, Margaret-Ann Seger

Franklin W. Olin College of Engineering
john.geddes@olin.edu,
elizabeth.threlkeld@students.olin.edu,
margaret-ann.seger@students.olin.edu

Rachel Nancollas
UC Berkeley
rsnancollas@gmail.com

Alisha Sieminski
Olin College
alisha.sarang-sieminski@olin.edu

CP14

Robustness of Gene Regulatory Networks

The global dynamics of gene regulatory networks are known to show robustness to perturbations of different kinds: intrinsic and extrinsic noise, as well as mutations of individual genes. One molecular mechanism underlying this robustness has been identified as the action of so-called microRNAs that operate via different types of feedforward loops. We will present results of a computational study, using the modeling framework of generalized Boolean networks, that explores the role that such network motifs play in stabilizing global dynamics.

Claus Kadelka

Virginia Bioinformatics Institute, Virginia Tech
claus89@vt.edu

David Murrugarra
School of Mathematics, Georgia Tech
davidmurrugarra@gmail.com

Reinhard Laubenbacher
Virginia Bioinformatics
Institute
reinhard@vbi.vt.edu

CP14

Chemical Signal Processing for Biological Magnetic Sensors

Geomagnetic fields measurably affect some animals behavior but the mechanisms are poorly understood. In a leading theory supported by some experiments, quantum-mechanical oscillation modulates chemical reactions that

are sensitive to angular momentum. To thoroughly probe this theory, one must consider downstream chemical reactions which may process photic and magnetic stimuli in complicated ways. Toward this, we consider singular chemical dynamics perturbed by coherent oscillation, both in the deterministic (thermodynamic) limit and with fluctuation.

Gregory A. Robinson
University of Colorado at Boulder
University of California, Davis
Gregory.A.Robinson@Colorado.edu

CP14

Stability and Hopf Bifurcation in a Mathematical Model for Erythropoiesis

We consider an age-structured model for erythropoiesis that describes the production of blood cells under the influence of the hormone erythropoietin. Hemoglobin and erythropoietin are involved in a negative feedback loop. We reduce the model to a system of two nonlinear ordinary differential equations with two constant delays for which we show existence of a unique steady state. We determine all instances at which this steady state loses stability via a Hopf bifurcation and establish analytical expressions for the scenarios in which these arise. We show examples of supercritical Hopf bifurcations for parameter values estimated according to physiological values and present numerical simulations in agreement with the theoretical analysis. We provide a strategy for parameter estimation to match empirical measurements and compare existing data on hemoglobin oscillation in rabbits with predictions of our model.

Susana Serna

Department of Mathematics
Universitat Autònoma de Barcelona
serna@mat.uab.es

CP15

Chaotic Sickle Cell Blood Flow

Sickle cell blood flow is governed by the Navier-Stokes and oxygen transport equations. For an assumed time varying solution, neglecting higher order terms, non-linear PDEs are transformed to autonomous ODEs and related algebraic equations. Fixed points, eigenvalues, and Lyapunov exponent for the ODEs are calculated. Computed deterministic, aperiodic, and initial condition sensitivity of the ODEs show the chaotic nature of sickle cell blood flow.

Louis C. Atsaves, Wesley Harris
Massachusetts Institute of Technology
latsaves12@gmail.com, weslhar@mit.edu

CP15

Multistable Dynamics in Electroconvecting Liquid Crystals

By using a timescale separation algorithm based on diffusion map delay coordinates we have identified a small number of multistable dynamical states in a small, 30 m wide, electroconvecting liquid crystal sample. These dynamics are categorized by the repetitive formation, propagation, and annihilation of instabilities, or defects, in the sample. By perturbing the applied voltage at different phases of this defect cycle we are able to steer the system between

different multistable states.

Zrinka Greguric Ferencek
George Mason University
zgreguri@masonlive.gmu.edu

John Cressman
George Mason University
Krasnow Institute
jcressma@gmu.edu

Tyrus Berry
George Mason University
tyrus.berry@gmail.com

Timothy Sauer
Department of Mathematics
George Mason University
tsauer@gmu.edu

CP15

Marangoni Oscillations in Rheology of Langmuir Polymer Monolayers

The dynamics of monolayers is important in a wide variety of scientific and technological fields. In the case of Langmuir polymer monolayers, experiments are commonly performed to measure surface rheological properties on which the dynamics is strongly dependent. In these experimental configurations, a shallow liquid layer is slowly compressed and expanded in periodic fashion by moving two solid barriers, changing the free surface area and simultaneously measuring surface properties. Since the forcing frequency is small, current theoretical studies only include surface phenomena while ignoring fluid dynamics in the bulk. This approximation provides good results only if the dynamics is sufficiently slow. Here we present a long wave theory that does take fluid dynamics into account. This addresses the issue of flow effects in the measurement of surface properties and allows one to determine how small oscillation frequencies should be to obtain accurate values of rheological properties.

Maria Higuera
E. T. S. I. Aeronauticos
Univ. Politecnica de Madrid
maria@fmetsia.upm.es

Jose M. Perales
E. T. S. I. Aeronauticos
Univ. Politecnica de Madrid
jose.m.perales@upm.es

Jose Vega
E. T. S. I. Aeronáuticos
Universidad Politécnica de Madrid
josemanuel.vega@upm.es

CP15

Nonlinear Stability Analysis of Convective Rolls in Granular Fluid

In this talk we focus on granular convection. The granular convection resembles Rayleigh Benard convection as both are induced by the gravity and the temperature gradient. The linear stability analysis shows that the conduction becomes unstable above the critical parameters which trigger convection. The nonlinear stability analysis, around the

critical parameters, predicts that the transition from conduction to convection state is via a supercritical bifurcation and this result agrees well with classical convection.

Priyanka Shukla
JNCASR, India
priyankashuk@gmail.com

Meheboob Alam
Engineering Mechanics Unit
JNCASR, Jakkur P.O., Bangalore, India
meheboob@jncasr.ac.in

CP15

Front Propagation in Steady Cellular Flows: A Large-Deviation Approach

We examine the propagation speed of Fisher–Kolmogorov–Petrovskii–Piskunov chemical fronts in steady cellular flows. A number of predictions have previously been derived assuming small molecular diffusivity (large Péclet number) and either slow (small Damköhler number) or fast (large Damköhler number) reactions. Here, we employ the theory of large deviations to obtain an eigenvalue problem whose matched-asymptotics solution provides a description of the front speed for all Damköhler values. Earlier results are recovered as limiting cases.

Alexandra Tzella
DAMTP, CMS
a.tzella@ed.ac.uk

Jacques Vanneste
School of Mathematics
University of Edinburgh
J.Vanneste@ed.ac.uk

CP16

Controlling Macroscopic Chaos in a Network of Coupled Oscillators

A non-autonomous infinite network of coupled oscillators can exhibit chaos. We derive a reduction that accurately describes its collective asymptotic behavior and design a control scheme based on this reduced system. The strategy is then applied to a finite network. Three examples are studied: a bimodal Kuramoto system, a network of theta neurons, and a network of Josephson junctions. We also examine robustness with respect to the network size and random link removal.

Alexandre Wagemakers
Universidad Rey Juan Carlos
Spain
alexandre.wagemakers@urjc.es

Ernest Barreto
George Mason University
Krasnow Institute
ebarreto@gmu.edu

Miguel A.F. Sanjuan
Universidad Rey Juan Carlos
Spain
miguel.sanjuan@urjc.es

Paul So
George Mason University

The Krasnow Institute
 paso@gmu.edu

CP16

Designing Pulse Coupled Oscillators

Pulse coupled oscillators have numerous real world applications in biology, and increasingly, applications in the control of and synchronization of system clocks. We describe a class of oscillators which mix excitation and inhibition as well as change their own frequencies so as to synchronize robustly, even when there is a complex network structure, time delays and heterogeneous oscillator frequencies. We present both numerical and analytical arguments for this highly non-linear system.

Joel D. Nishimura, Eric Friedman
 Cornell University
 jdn48@cornell.edu, ejf@icsi.berkeley.edu

CP16

Synchronous Dynamics and Bifurcation Analysis in Two Delay Coupled Oscillators with Recurrent Inhibitory Loops

In this study, the dynamics and low-codimension bifurcation of the two delay coupled oscillators with recurrent inhibitory loops are investigated. We discuss the absolute synchronization character of the coupled oscillators. Then the characteristic equation and the possible low-codimension bifurcations of the coupled oscillator system are studied. Applying normal form theory and the center manifold theorem, the stability and direction of the codimension bifurcations are determined. Finally, numerical results are applied to illustrate the results obtained.

Jian Peng
 Hunan University
 pengjian@hnu.edu.cn

CP16

Effects of Degree-Frequency Correlations on Network Synchronization

We study network synchronization where internal dynamics (natural frequency) of each oscillator is correlated with local network properties (nodal degree). Recent studies have found that such correlations can enhance synchronizability and cause explosive synchronization. Here we provide a framework for studying the dynamics and describe a class of correlations with remarkable dynamical properties. These results show that collective behavior in network-coupled dynamical systems can be made complex by creating correlations between dynamical and structural properties.

Per Sebastian Skardal
 Department of Applied Mathematics
 University of Colorado at Boulder
 sebastian.skardal@colorado.edu

Jie Sun
 Clarkson University
 sunj@clarkson.edu

Dane Taylor
 Department of Applied Mathematics
 University of Colorado - Boulder

dane.taylor@colorado.edu

Juan G. Restrepo
 Department of Applied Mathematics
 University of Colorado at Boulder
 Juanga@Colorado.EDU

CP16

Loop Searching System with Self-Recovery Property

We propose an autonomous system which is capable of searching for closed loops in a network in which nodes are connected by unidirectional paths. A closed loop is defined as a phase synchronization of a group of oscillators belonging to the corresponding nodes. In addition, to develop a system capable of self-recovery, we have developed novel regulatory rules for the interaction between nodes.

Kei-Ichi Ueda
 RIMS, Kyoto University
 kueda@sci.u-toyama.ac.jp

CP17

Spectral Representation of Oscillators

Nonlinear flows exhibiting self-sustained oscillations are represented by the spectrum of the linear Koopman operator. The resonances (Koopman eigenvalues) given by the trace of the Koopman operator form a lattice in the stable half of the complex plane. Near the critical parameters for the onset of oscillations, the associated basis of coherent structures (Koopman modes) is constructed from a multiple-scale expansion of the flow field and a spectral expansion of the corresponding amplitudes. Using the two-dimensional cylinder flow, it is shown that Ritz vectors and values extracted from the dynamic mode decomposition algorithm approximate the derived Koopman spectrum, as long as the flow is on or near the limit cycle. Nonlinear dynamics near the unstable equilibrium results in continuous damped branches of Ritz values, that do not correspond to any discrete Koopman eigenvalues.

Shervin Bagheri
 KTH Mechanics (Stockholm - Sweden)
 shervin@mech.kth.se

CP17

Building Energy Efficiency Using Koopman Operator Methods

Building energy models have widespread use in evaluating building performance. Models simulate thermal conditions at sub-hourly time-scales for the duration of a year. Despite their capability, zoning approximations, i.e., the subdivision of building volume into regions with uniform properties, is performed to manage complexity. By projecting temperature histories of zones onto eigenmodes of the Koopman operator, a systematic approach to zoning is introduced. This technique is illustrated on a building model of an actual building.

Michael Georgescu
 UCSB
 mvgeorge@engineering.ucsb.edu

Igor Mezic
 University of California, Santa Barbara

mezic@engineering.ucsb.edu

CP17

Sparsity-Promoting Dynamic Mode Decomposition

Dynamic mode decomposition (DMD) represents an effective means for capturing the essential features of numerically or experimentally generated flow fields. In order to strike a balance between the quality of approximation (in the least-squares sense) and the number of modes that are used to approximate the given fields, we develop a sparsity-promoting version of the standard DMD algorithm. This is achieved by combining tools and ideas from convex optimization and the emerging area of compressive sensing. Several examples of flow fields resulting from simulations and experiments are used to illustrate the effectiveness of the developed method.

Mihailo R. Jovanovic

Electrical and Computer Engineering
University of Minnesota
mihailo@umn.edu

Peter Schmid

École Polytechnique Paris, France
Laboratoire d'Hydrodynamique (LadHyX)
peter.schmid@ladhyx.polytechnique.fr

Joseph W. Nichols

Center for Turbulence Research
Stanford University
jwn@stanford.edu

CP17

Detecting Unstable Koopman Modes from Power Grid Disturbance Data

Emergent disturbances in large-scale interconnected power grids are repeatedly experienced in the world. We use the Koopman mode analysis based on the properties of the point spectrum of the Koopman operator for analysis of data on physical power flows sampled from a major disturbance. This unveils the existence of unstable power flow patterns that govern the complex dynamics occurring during the disturbance.

Yoshihiko Susuki

Kyoto University
Department of Electrical Engineering
susuki.yoshihiko.5c@kyoto-u.ac.jp

Igor Mezic

University of California, Santa Barbara
mezic@engineering.ucsb.edu

CP17

Comparison of PCA and Koopman Mode Decomposition Applied to Estuary Flow

We analyze near-bank velocities recorded by HADCP at West Point NY in the Hudson River. To the north, a sharp bend and deep main channel disequilibrate flow during ebb (falling) tide, yielding an asymmetric temporal signature of the second PC. We want to characterize, then accurately compute, the dominant near-bank turbulent eddies. With PCA and KMD, we aim to quantify spatiotemporal dynamics from field data, thence permitting rational comparison

with computation.

John Wells

Ritsumeikan University
johncraigwells@gmail.com

Yoshihiko Susuki

Kyoto University
Department of Electrical Engineering
susuki.yoshihiko.5c@kyoto-u.ac.jp

Tuy N.M. Phan, Linh V. Nguyen

Ritsumeikan University
tuy_phan@yahoo.com, nvlpfiev@gmail.com

William Kirkey, Md. Shahidul Islam, James Bonner

Clarkson University
wkirkey@clarkson.edu, sislam@bire.org,
jbonner@clarkson.edu

CP18

Energy-Level Cascades in Physical Scales of 3D Incompressible Magnetohydrodynamic Turbulence

Working in physical scales, total energy in 3D magnetohydrodynamic turbulence is shown to cascade over an inertial range determined by a modified Taylor length scale. Direct cascades are investigated for energies transported by distinct mechanisms. Also included are a comment on flux locality, a scenario in which the inter-medium energy transfer is predominantly kinetic to magnetic, and a note regarding the cascade of kinetic energy for non-decaying fluid turbulence.

Zachary Bradshaw

University of Virginia
zb8br@virginia.edu

Zoran Grujic

Department of Mathematics
University of Virginia
zg7c@virginia.edu

CP18

Analytical Approaches of One-Dimensional Conservative Solute Transport in Heterogeneous Porous Medium

To solve the analytically, conservative solute transport equation for a solute undergoing convection, dispersion, retardation in a one-dimensional inhomogeneous porous medium. In the present study, the solute dispersion parameter is considered uniform while the velocity of the flow is considered spatially dependent. Retardation factor and first order decay is also considered spatially dependent. The velocity of the flow is considered inversely proportional to the spatially dependent function while retardation factor and first order decay is considered inversely proportional to square of the velocity of flow. Analytical approaches introduced for two cases: former one is for uniform input point source and latter case is for varying input point source where the solute transport is considered initially solute free from the domain. The variable coefficients in the advection-diffusion equation are reduced into constant coefficients with the help of the transformations which introduce by new space variables, respectively. The Laplace transformation technique is used to get the analytical solutions. Figures are presented illustrating the dependence of

the solute transport upon velocity, dispersion and adsorption coefficient.

Atul Kumar, R R Yadav
Lucknow University, Lucknow, India
atul.tusaar@gmail.com, yadav_rr2@yahoo.co.in

CP18

Deterministic Signature for Intermittent Convective Transport in Turbulent Systems

In this letter we present evidences that intermittent transport observed in the scrape off layer of magnetically confined devices has a strong signature of determinism. We show that the universal distribution of density fluctuation as well as the unique parabolic relation between skewness and kurtosis observed in experimental data can be obtained by a superposition of stochastic and deterministic events. A well known deterministic effect, namely, the loose of transversal stability of periodic orbits embedded in an invariant (inertial) manifold is used to model the spiky nature of the emissions. The intermittent emissions are proposed to be due to local unstable transversal directions of the invariant manifold resulting in an ejection of particles and a consequent burst in the signal. We show that characteristics observed by the emissions namely an impulsive ejection followed by a slow recovery phase can be directly related to the deterministic mechanism proposed.

Sergio R. Lopes, Paulo Galuzio
Department of Physics
Federal University of Parana
lopes@fisica.ufpr.br, ppg06@fisica.ufpr.br

Ricardo L. Viana
Departamento de Fisica
Federal University of Parana
viana@fisica.ufpr.br

Gustavo Lima
science and technology school
Federal University of Rio Grande do Norte
guzampier76@gmail.com

CP18

Inclination-Flip Homoclinic Orbits in Ageostrophic Flows with Viscoelastic-Type Reynolds Stress

An alternative title for this paper would perhaps be "Onset of Lorenz-type chaos in ageostrophic flows with viscoelastic-type Reynolds stress". Although this paper is motivated by challenges in partial differential equations, our primary objective is to consider a two-mode Galerkin approximation to ageostrophic flows with viscoelastic-type Reynolds stress given by the system of singularly perturbed ordinary differential equations in R^4 :

$$\begin{aligned} Ro \frac{dX}{dt} &= Y - EkX - \lambda EkW, \\ \frac{dY}{dt} &= rX - Y - XZ, \\ \frac{dZ}{dt} &= -bZ + XY, \\ We \frac{dW}{dt} &= \epsilon(\delta \lambda X - W). \end{aligned}$$

We note the foundation for the study of the low dimensional model, which capture the dominant energy bearing scales, from ageostrophic flows with viscoelastic-type

Reynolds stress, is the Lorenz equations modified through singular perturbation. Here, the variable X measures the rate of convective overturning, the variable Y measures the horizontal density variation, the variable Z measures the vertical density variation, and the variable W measures the Reynolds stress. The parameter Ro is the Rossby number, Ek is the Ekman number, δ is the temporal shear-rate viscosity, r is proportional to the reciprocal of the Froude number, and We is the Weissenberg number. We continue our investigation to illustrate the existence of inclination-flip homoclinic orbits, via a bifurcation with a special type of eigenvalue condition, taking account of degeneracies. In order to utilize geometric singular perturbation theory and Melnikov techniques, we perturb the problem and carry the nonlinear analysis further to the question of the persistence of inclination-flip homoclinic orbits. This result enables us to detect Lorenz-type chaos in singularly perturbed dynamical systems. Open challenges are raised as we celebrate the 50th anniversary of 1963 seminal papers by the troika of Lorenz, Melnikov and Smale.

Maleafisha Stephen Tladi
University of Limpopo, South Africa
Stephen.Tladi@ul.ac.za

CP19

Chaos Induced Energy Hopping

A highly excited quasi one-dimensional Rydberg atom exposed to periodic alternating external electric field pulses exhibits chaotic behavior. Time evolution of this system is governed by a geometric structure of phase space called a homoclinic tangle and its turnstile. We use the knowledge about the geometric structure of phase space to design short pulse sequences that quickly and efficiently transfer electronic wave packet from an initial state ($n=306$) to either a much lower energy state ($n=150$) or a much higher energy state ($n=500$). We present how the phase space geometry influences the efficiency of the transport between the energy states.

Korana Burke
UC Davis
kburke@ucdavis.edu

Kevin A. Mitchell
Univ of California, Merced
School of Natural Sciences
kmitchell@ucmerced.edu

Shuzhen Ye, Barry Dunning
Rice University
shuzhen.ye@rice.edu, fbd@rice.edu

CP19

Nonlinear Dynamics of Photoinduced Structural Change in Molecular Crystals

We discuss the nucleation dynamics of photoinduced structural change by a model of molecular crystals. The nonadiabaticity of electron dynamics is fully taken into account by quantizing the relevant phonon modes, and the spatiotemporal patterns of photoinduced domains are studied by methods of non-equilibrium statistical mechanics and multifractal analysis. We found that the formation of a precursor state of photoinduced nuclei in ultrashort time scale causes the nonlinearity of the nucleation dynamics.

Kunio Ishida

Corporate Research and Development Center
Toshiba Corporation
ishida@arl.rdc.toshiba.co.jp

Keiichiro Nasu
Institute of Materials Structure Science
knasu@post.kek.jp

CP19

Modeling Temperature Dynamics of Inductively Heated Shape Memory Polymers Doped with Magnetic Nanoparticles

Various methods have been considered for heating shape memory polymers when noncontact heating is required, including inductive heating. However, nonlinear thermal dynamics and the hysteresis present significant challenges in modeling the dynamics. The purpose of this research is to develop a model for inductively heated polymers doped with magnetic nanoparticles. We discuss the well-posedness of the time discretized model and a comparison of the numerical results with experimental data in existing literature.

Peter Kay, Dinesh Ekanayake
Western Illinois University
pp-kay@wiu.edu, db-ekanayake@wiu.edu

CP19

Reduced Order Modeling of a Nonlinear Piezoelectric Energy Harvester

An infinite dimensional model has been developed for a bistable asymmetric broadband energy harvesting device consisting of piezoelectric beams in a buckled configuration. To aid in qualitative understanding of the behavior of this device, Galerkin projection onto analytic mode shapes has been used to reduce the order of this model. We review the reduced order model and compare to experimental results to confirm validity.

Louis Van Blarigan
University of California Santa Barbara
louis01@umail.ucsb.edu

Jeff Moehlis
Dept. of Mechanical Engineering
University of California – Santa Barbara
moehlis@engineering.ucsb.edu

CP20

The Sigma-Delta Modulator as a Chaotic Nonlinear Dynamical System

Sigma-Delta modulators are extensively used for analogue/digital signal processing. I explore their chaotic behaviour from the point of view of nonlinear dynamical systems analysis. I conduct a theoretical study of conditions for chaos using an adaptation of Devaney's definition of chaos. I then introduce a stochastic formulation of the long-run dynamics, which is applied to give conditions for uniformly distributed error behaviour (relevant to dithered control of error statistics).

Donald O. Campbell
University of Waterloo
doc11232003@yahoo.ca

CP20

Families of Hyperbolic Lorenz Knots

We have defined families of hyperbolic Lorenz knots based on the Birman and Kofman lists which we conjecture to be hyperbolic, supported on extensive computational testing. We have also interpreted El-Rifai's satellite knots constructions in terms of Lorenz braids, Lorenz vectors and symbolic sequences, obtaining algorithms for this operation. This, along with previous work, allows us to compute several Lorenz knots invariants, and also to test if a given Lorenz knot is a satellite knot.

Nuno Franco

CIMA-UE and
Department of Mathematics, Évora University, Portugal
nmf@uevora.pt

Luis F. Silva
Departmental Area of Mathematics,
ISEL-Lisbon Superior Engineering Institute
lfs@adm.isel.pt

Gomes Paulo
Department of Mathematics,
ISEL/ Lisbon Superior Institute of Engineering
d7327@alunos.uevora.pt

CP20

On the Chaotic Cubic-Quintic Oscillator

In this paper, we used Hamiltonian formulation and Lie transform to investigate cubic-quintic nonlinear oscillator. Using Chirikov's overlap criterion we find the critical value, at which the chaos loses its local character and becomes global. The results of Lie transformation analysis and Chirikov's criteria for the oscillator are compared with numerically generated Poincare Maps.

Patanjali Sharma
Department of Mathematics and Statistics,
Banasthali University, Banasthali, INDIA 304022
sharmapatanjali@rediffmail.com

CP20

Invariants of Templates, Knots and Links Generated by Renormalizable Lorenz Maps

We describe the sub-Lorenz templates generated by renormalizable Lorenz maps, in terms of the templates generated by the renormalized map and by the map that determines the renormalization type. Consequently we obtain explicit formulas for the Williams ζ function of renormalizable sub-Lorenz templates and also for the genus and the braid index of renormalizable Lorenz knots and links.

Luis F. Silva

Departmental Area of Mathematics,
ISEL-Lisbon Superior Engineering Institute
lfs@adm.isel.pt

CP20

Almost Lyapunov Functions

A well-known method for showing convergence of all solutions of an ODE $\dot{x} = f(x)$ to an equilibrium consists in finding a Lyapunov function $V(x)$ which is a positive (away from the equilibrium) smooth function that decays along

all non-zero solutions $V'(x) \cdot f(x) < 0$. Suppose now that a candidate Lyapunov function decays everywhere except for a set of small measure. Given the measure of the “bad” set, this work gives necessary conditions on $f(x)$, $V(x)$ which still assure some type of stability.

Vadim Zharnitsky
Department of Mathematics
University of Illinois
vz@math.uiuc.edu

Daniel Liberzon
Department of Electrical and Computer Engineering
University of Illinois
liberzon@uiuc.edu

Charles Ying
Department of Electrical and Computer Engineering
University of Illinois
cying3@illinois.edu

CP21

Synaptic Architecture that Promotes Robust Spatiotemporal Neural Dynamics

Spatial models of neuronal networks often assume that synaptic connectivity depends only on the distance between neurons. Such dynamical systems are marginally stable, so solutions diffuse in the presence of noise. More realistic models of neuronal connectivity include spatial heterogeneity. The resulting systems do not exhibit degeneracies such as translation invariance. In this talk, we will explore how breaking the symmetry of spatial connectivity in models of neuronal networks can make their dynamics more robust. Specifically, we focus on how well bumps stay in the vicinity of their initial position in the presence of noise.

Zachary Kilpatrick
University of Houston
zpkilpat@math.uh.edu

CP21

Formation and Maintenance of Multistability in Balanced Neuronal Networks with Plasticity

Neuronal networks in cortex exhibit complex and variable patterns of activity even in the absence of a stimulus. These dynamics may reflect fluctuations between different stable attractor states. However, attractor networks require specific connectivity patterns to ensure excitation and inhibition remain in balance while preserving multistability. We investigate how this connectivity may be maintained. We show that simple homeostatic plasticity rules that regulate excitatory and inhibitory synaptic strengths can lead to robust multistability in balanced networks without fine-tuning of parameters. These rules ensure that the system stochastically samples its full repertoire of attractor states, leading to rich spontaneous dynamics.

Ashok Litwin-Kumar
Carnegie Mellon University
alk@cmu.edu

CP21

Heterogeneity-induced Transitions in Large-scale

Systems

I will present derivation and analysis of mean-field equations in the presence of heterogeneities i) in the synaptic connections and ii) in the transmission delays (related to the distances between neurons). The dynamics of the limit equation will evidence a number of phase transitions between stationary and periodic solutions as a function of the degree of heterogeneity, related in the case of heterogeneous delays to the topology of the cortical area.

Jonathan D. Touboul
The Mathematical Neuroscience Laboratory
College de France & INRIA Paris
jonathan.touboul@college-de-france.fr

CP21

Complexity of Random Neural Networks

We investigate the explosion of complexity arising near the phase transition to chaos in random neural networks. We show that the mean number of equilibria undergoes a sharp transition from one equilibrium to a very large number scaling exponentially with the dimension of the system. Near criticality, we compute the exponential rate of divergence, called topological complexity. Strikingly, we show that it behaves exactly as the maximal Lyapunov exponent, suggesting a deep and underexplored link between topological and dynamical complexity.

Gilles Wainrib
Universite Paris 13
wainrib@math.univ-paris13.fr

CP22

Accuracy and Stability of the Continuous-Time 3dvar-Filter for 2D Navier-Stokes Equation

We consider a noisy observer for an unknown solution of a deterministic model. The observer is a stochastic model arising in the limit of frequent observations in filtering, where noisy observations of the low Fourier modes together with knowledge of the deterministic model are used to track the unknown solution. We establish stability and accuracy of the filter by studying this for the stochastic PDE describing the observer.

Dirk Blömker
Universitat Augsburg
Germany
dirk.bloemker@math.uni-augsburg.de

Kody Law
University of Warwick
k.j.h.law@warwick.ac.uk

Andrew Stuart
Mathematics Institute,
University of Warwick
a.m.stuart@warwick.ac.uk

Konstantinos Zygalakis
University of Southampton
k.zygalakis@soton.ac.uk

CP22

The Numerical Integration of a Convection Problem with Temperature Dependent Viscosity: Sim-

ulations and Results

We propose spectral numerical methods to solve the time evolution of a convection problem in a 2D domain with viscosity strongly dependent on temperature. At a fixed aspect ratio the analysis is assisted by bifurcation techniques such as branch continuation. Stable stationary solutions become unstable through a Hopf bifurcation after which the time dependent regime is solved by the spectral techniques. We discuss some results on how different viscosity laws affect the formation and morphology of thermal plumes.

Jezabel Curbelo, Ana M. Mancho
Instituto de Ciencias Matematicas
jezabel.curbelo@icmat.es, a.m.manco@icmat.es

CP22

Navier-Stokes Equations on Rotating Surfaces: Regularity, Algorithm, Analysis, Simulations

Development of efficient algorithms with rigorous analysis for partial differential equations (PDE) on domains and surfaces requires knowledge of the regularity of solutions of the PDE. In this talk, for the Navier-Stokes equations on rotating spheres we discuss (i) the global regularity for real and complexified time; (ii) a high-order algorithm with stability and convergence analysis; (iii) long time simulation of a benchmark atmospheric flow model and justification of a turbulence theory.

Mahadevan Ganesh
Colorado School of Mines
mganesh@mines.edu

CP22

Study of Explicit and Implicit Time Integration Methods for Various Low Mach Number Preconditioners and Low Dissipation Schemes Applied to Steady and Unsteady Inviscid Flows

The performance of many existing compressible codes degrades as the Mach number of the flow tends to zero and leads to inaccurate computed results. To alleviate the problem, Roe-type based schemes have been developed for all speed flows, such as the preconditioned Roe and low dissipation schemes. To solve this preconditioned equations for steady and unsteady state solution, there exist many explicit and implicit time integration strategies. For explicit steady formulation Euler, classical RK4 and 5-stage Martinelli-Jameson(MJ) time integration techniques are considered, while for implicit backward Euler with flux linearization method is studied. In unsteady state simulation, Dual-time stepping formulation is used. For explicit unsteady state formulation Euler(τ)-BDF2(t), classical RK4 and 5-stage MJ with Euler(τ)-BDF2(t) discretization are considered, while for implicit physical time is discretized using backward Euler and BDF2 scheme with flux linearization are studied.

Ashish Gupta
University of Tennessee at Chattanooga
cxw842@mocs.utc.edu

CP22

An Online Manifold Learning Approach for Model Reduction

An online manifold learning method is developed for di-

mensional reduction of dynamical systems. The method may be viewed as a variant of Picard iteration combined with a model reduction procedure. Specifically, starting with a test solution, we solve a reduced model to obtain a better approximation, and repeat this process until sufficient accuracy is achieved. Convergence of the proposed method is proved. The accuracy of the proposed method is demonstrated by Navier-Stokes equation.

Liqian Peng
University of Florida
liqianpeng@ufl.edu

Kamran Mohseni
University of Florida, Gainesville, FL
mohseni@ufl.edu

CP23

Phase Characterization of Complex Systems

In this work we present a new approach for measuring the phase of complex systems. The approach is based on finding sinusoidal fits to segments of the signal therefore obtaining, for each segment, an appropriate frequency from which a phase can be derived. The method is adjustable to different types of signals and robust against moderate noise levels. Three cases are presented for demonstrating the applicability of the method.

Rosangela Follmann
Polytechnic School of University of Sao Paulo
rosangelafollmann@gmail.com

Elbert E. Macau
INPE - Brazilian National Institute for Space Research
LAC - Laboratory for Computing and Applied Mathematics
elbert@lac.inpe.br

Epaminondas Rosa
Illinois State University
Department of Physics
erosa@ilstu.edu

Jose Roberto Castilho Piqueira
Polytechnic School of University of Sao Paulo
piqueira@lac.usp.br

CP23

Gyrostatic Extensions of the Lorenz 1963 System as Novel Time Series Models for Atmospheric Data

The talk will discuss the authors finite systems of ODEs in the form of coupled Volterra gyrostats (gyrostatic models, the simplest being equivalent to the Lorenz system) developed for modeling atmospheric flows. Due to recent progress in understanding statistical properties of dynamical systems, exemplified by results for the Lorenz system, gyrostatic models may provide a viable alternative to those borrowed from standard time series analysis, which involve strong assumptions rarely met in real data.

Alexander Gluhovsky
Purdue University
aglu@purdue.edu

CP23

Stability of Intrinsic Localized Modes in Paramet-

Parametrically Driven Coupled Cantilever Arrays

A micro-cantilever array can be modeled as the nonlinear coupled oscillator in which quartic nonlinearity appear in both on-site and inter-site potentials. It is known that the stability of intrinsic localized mode (ILM) is flipped when the ratio between the on-site and the inter-site nonlinearities. In this poster, the stability of ILM will numerically be discussed for the system in which the ratio is sinusoidally varied in time, namely the parametrically driven system.

Masayuki Kimura
School of Engineering
The University of Shiga Prefecture
kimura.m@e.usp.ac.jp

Takashi Hikihara
Department of Electrical Engineering
Kyoto University
hikihara.takashi.2n@kyoto-u.ac.jp

Yasuo Matsushita
School of Engineering
The University of Shiga Prefecture
matsushita.y@usp.ac.jp

CP23

Challenges and Tools for State and Parameter Estimation from Time Series

Which model fits best to my data? Which parameters of the model of interest can be (reliably) estimated from observations? Has the identified model predictive power? Can the observed dynamics (approximately) be described by a ‘simple’ (low-dimensional) mathematical model? To address these questions we shall use coarse grained descriptions of the dynamics in terms of ordinal patterns, nonlinear dimension reduction methods, optimization based estimation methods, automatic differentiation, and a sensitivity analysis based on delay embedding of time series. All relevant tasks, major obstacles, and suggested solutions will be illustrated using chaotic dynamical systems including (spatially-extended) high-dimensional models from physics and biology (e.g. cardiac cells).

Ulrich Parlitz
University of Goettingen
ulrich.parlitz@ds.mpg.de

Jan Schumann-Bischoff, Stefan Luther
Max Planck Institute for Dynamics and Self-Organization
jan.schumann-bischoff@ds.mpg.de,
stefan.luther@ds.mpg.de

CP24

Connecting Curves in Higher Dimensions

Chaotic attractors can exhibit large-scale bifurcations as their control parameters are varied. In higher dimensions, these bifurcations result in structural changes that can be understood in terms of vortices, hyper-vortices and the vortex core lines that identify them in phase space. We use cuspid catastrophes A_n , $n=3,4,5$, to describe the structural changes that can occur in a class of n -dimensional differential dynamical systems.

Greg Byrne
George Mason University
gr3g.byrne@gmail.com

Bob Gilmore
Drexel University
n/a

CP24

Explicit Inhomogeneities in Symmetry-Breaking Systems

Equivariant theory can be used to analyze pattern forming systems, and has been extended to encompass systems with explicit anisotropies. We use group theory to examine general (i.e., model-independent) pattern formation with an explicitly inhomogeneous background, such as for a Turing instability occurring on a periodic substrate. The presence of such inhomogeneities can create new solutions and dynamics.

Timothy K. Callahan
Arizona State University
Department of Mathematics and Statistics
callahat@erau.edu

CP24

Mathematical Physics of Cellular Automata

A universal map is presented valid for all deterministic 1D cellular automata (CA). It can be extended to an arbitrary number of dimensions and topologies and its invariances allow to classify all CA rules into equivalence classes. Complexity in 1D systems is then shown to emerge from the weak symmetry breaking of the addition modulo an integer number p . The latter symmetry is possessed by certain rules that produce Pascal simplices in their time evolution.

Vladimir Garcia-Morales
Institute for Advanced Study
Technische Universität München
vmorales@ph.tum.de

CP24

Unfolding the Piecewise Linear Analogous of Hopf-Zero Bifurcation

Three-dimensional symmetric piecewise linear differential systems near the conditions corresponding to the Hopf-zero bifurcation for smooth systems are considered. By introducing one small parameter, we study the bifurcation of limit cycles in passing through its critical value, when the three eigenvalues of the linear part at the origin cross the imaginary axis of the complex plane. The simultaneous bifurcation of three limit cycles is proved. Conditions for stability of these limit cycles are provided, and analytical expressions for their period and amplitude are obtained. A generalized version of Chua's circuit is shown to undergo such Hopf-zero bifurcation for a certain range of parameters.

Enrique Ponce
Departamento de Matemática Aplicada
Escuela Técnica Superior de Ingenieros, Seville, Spain
eponcem@us.es

Javier Ros, Elisabet Vela
Universidad de Sevilla
javieros@us.es, elivela@us.es

CP24**Morse Theory for Lagrange Multipliers**

Given $f, \mu : R^n \rightarrow R$, one studies critical points of $f|_{\mu^{-1}(0)}$ using the Lagrange multiplier function $\mathcal{F} : \mathcal{R}^\lambda \times \mathcal{R} \rightarrow \mathcal{R}$, $\mathcal{F}(\xi, \eta) = \{(\xi) + \eta\mu(\xi)\}$. The gradient flow of $\mathcal{F}$, after rescaling the metric on R by λ^{-2} , is

$$x' = -(\nabla f(x) + \eta \nabla \mu(x)), \quad \eta' = -\lambda^2 \mu(x).$$

The homology of the Morse-Smale-Whitten complex of $\mathcal{F}$ is independent of λ . We show that in the limit $\lambda \rightarrow \infty$ we obtain the complex for $f|_{\mu^{-1}(0)}$, and in the limit $\lambda \rightarrow 0$ we obtain a complex whose homology can be computed using geometric singular perturbation theory.

Stephen Schecter
North Carolina State University
Department of Mathematics
schecter@ncsu.edu

Guangbo Xu
Princeton University
guangbox@math.princeton.edu

CP25**Existence and Stability of Left-Handedness: An Evolutionary Model**

An overwhelming majority of humans are right-handed. I will present a novel mathematical model and use it to test the idea that population-level hand preference represents a balance between selective costs and benefits in human evolutionary history. Supporting evidence comes from handedness distributions among elite athletes; our model can quantitatively account for these distributions within and across many professional sports. The model can also explain the absence of consistent population-level ‘pawedness’ in many animal species.

Daniel Abrams
Northwestern University
dmabrams@northwestern.edu

Mark J. Panaggio
Engineering Science and Applied Mathematics
Northwestern University
markpanaggio2014@u.northwestern.edu

CP25**Ecological and Evolutionary Stability of Single-Species Dispersal in a Two-Patch Habitat**

Natural selection is an evolutionary mechanism that strongly affects species diversity. At suitable spatial scales, landscapes are not heterogeneous. To begin to answer how movement strategies might evolve, we analyze a simple single-species ordinary differential equation model describing theoretical movement between two different habitats. Combining analytical and numerical methods, we identify evolutionarily singular dispersal strategies, show that they are evolutionarily and convergence stable, and describe how two different types of costs affect these strategies.

Theodore E. Galanthay
University of Colorado
theodore.galanthay@colorado.edu

CP25**Alternate Models of Replicator Dynamics**

This work concerns models of evolutionary dynamics, which combine differential equations with game theory. In particular, we study systems of the form $\dot{x}_i = g(x_i)(f_i - \phi)$, called replicator dynamics, in the context of rock-paper-scissors (RPS) games. Here g is a natural growth function; $f_i = (A\vec{x})_i$ is the fitness of strategy i , where A is the RPS payoff matrix; and $\phi = \sum_i g(x_i)f_i / \sum_i g(x_i)$ is the average fitness. The standard replicator equation takes $g(x_i) = x_i$. We analyze the case $g(x_i) = x_i - \alpha x_i^2$, which exhibits richer dynamics.

Elizabeth N. Wesson
Cornell University
enw27@cornell.edu

Richard H. Rand
Cornell University
Dept of Theoretic & Appl Mech
rhr2@cornell.edu

CP26**Competitive Modes As Reliable Predictors of Chaos Versus Hyperchaos, and As Geometric Mappings Accurately Delimiting Attractors**

We consider real quadratic dynamics in the context of competitive modes. We consider hyperchaotic systems, and conclude that they exhibit three competitive modes, instead of two as for chaotic systems. And, in a novel twist, we re-interpret the components of the Competitive Modes analysis as simple geometric criteria to map out the spatial location and extent, as well as the rough general shape, of the system attractor for any parameter sets corresponding to chaos.

Roy Choudhury
University of Central Florida
choudhur@longwood.cs.ucf.edu

Robert Van Gorder
Department of Mathematics
University of Central Florida
rav@knights.ucf.edu

CP26**Integrated Semigroups and the Cauchy Problem for Some Nonlinear Fractional Differential Equations**

Let A be a linear closed operator defined on a dense set in a Banach space E to E . In this note it is supposed that A is the generator of α -times integrated semigroup, where α is a positive number. The abstract Cauchy problem of the fractional abstract differential equation:

$$\frac{d^\beta u(t)}{dt^\beta} = Au(t) + f(t, u),$$

with the initial condition: $u(0) = u_0 \in E$, is studied, where $0 < \beta \leq 1$, and f , is a given nonlinear abstract function. The solution of the Cauchy problem is obtained under suitable conditions on f . An application is given.

Mahmoud M. El-Borai
Prof. of Math. Dep. of Mathematics Faculty of Science
Alexandria University Alexandria Egypt
m_m_elborai@yahoo.com

CP26**Classifying Workload Using Discrete Deterministic Nonlinear Models**

We illustrate the use of a novel deterministically chaotic classification algorithm. The algorithm is used to classify human subject cognitive workload using only the subjects electrocardiogram (ECG) as input. Presented are the algorithm and a case study, in which the algorithm is used to discretely classify the level of a subjects cognitive workload for various tasks. Presentation is given to the accuracy of the chaotic classifier for the domain of cognitive workload using surrogate tasks.

Joseph Engler, Thomas Schnell
Operator Performance Laboratory

University of Iowa

joseph-engler@uiowa.edu, thomas-schnell@uiowa.edu

CP26**Finite-Time Lyapunov Analysis of Two Timescale Systems**

Finite-time Lyapunov exponents and vectors are used to define and diagnose boundary-layer type, two-timescale behavior in finite-dimensional nonlinear systems and to determine an associated slow manifold when one exists. Two-timescale behavior is characterized by a slow-fast splitting of the tangent bundle for a not necessarily invariant state space region. Invariance-based orthogonality conditions are used to identify the associated manifold structure.

Kenneth Mease
University of California, Irvine
kmease@uci.edu

Marco Maggia
University of California Irvine
mmaggia@uci.edu

CP26**The Memory of Non-Smooth Systems**

Traditional mode decomposition techniques are inaccurate for impacting systems. The effect of the impact is of the same order for all modes, therefore increasing the number of modes leads to a diverging description. Here, I will introduce a method that decouples the impact from the infinitely many modes by transforming the system into an equivalent low-dimensional delay equation. Within this framework I obtain a converging description as the delay terms are independent of the impact.

Robert Szalai
University of Bristol
r.szalai@bristol.ac.uk

CP27**Parametrically Driven Oscillators with Added Noise**

A theoretical model that describes the dynamics of parametrically driven oscillators with added thermal noise is reported here. Quantitative estimates for heating and quadrature thermal noise squeezing near the threshold to the first parametric instability are given [1]. Furthermore, we describe parametric amplification, which is extremely selective in frequency and phase of the exter-

nal signal, and presents a high output signal-to-noise ratio [2]. [1] A.A. Batista, *Phys. Rev. E* 86, 051107 (2012). [2] A.A. Batista and R. S. N. Moreira, *Phys. Rev. E* 84, 061121 (2011).

Adriano A. Batista
Department of Physics
University of California
adriano@df.ucf.edu.br

CP27**Nondeterminism of Piecewise Smooth System**

A close look at the dynamics of piecewise smooth systems reveals that their peculiarity goes way beyond nondifferentiable orbits and sliding regions. Lack of smoothness entails loss of uniqueness of solutions both forward and backward in time, and a consequential loss of determinism. I will discuss some of these exotic behaviours and their relation to the real-world phenomena that they attempt to describe.

Alessandro Colombo
Massachusetts Institute of Technology
alessandro.colombo@polimi.it

CP27**Conditionally Stationary Measures for Random Diffeomorphisms**

For random diffeomorphisms the relations between conditionally stationary measures and controllability properties of an associated deterministic control system are investigated. The main result gives conditions implying that the support of such a measure is the closure of a relatively invariant control set. This result generalizes known results characterizing the supports of stationary measures by invariant control sets. This paper may be viewed as a contribution of open dynamical systems, here for random systems and control systems.

Fritz Colonius
University of Augsburg
fritz.colonius@math.uni-augsburg.de

CP27**Modelling Computer Dynamics: Can Complexity Overshadow Determinism?**

To predict computer performance, one needs effective and informative models of computer dynamics. Traditional approaches to this employ linear stochastic methods; new work suggests that nonlinear deterministic methods are more appropriate. It turns out that neither approach is successful in all cases, which raises a larger research question: given a time series from an arbitrary dynamical system, how can one decide which modelling strategy will work better? We will propose information-theoretic metrics for this task.

Joshua Garland
University of Colorado at Boulder
garland.joshua@gmail.com

Elizabeth Bradley
University of Colorado
Department of Computer Science
lizb@cs.colorado.edu

CP27**Dynamical Regimes and Transitions in Plio-Pleistocene Asian Monsoon**

We propose a novel approach based on the fluctuation of similarity to identify regimes of distinct dynamical complexity in short time series. A statistical test is developed to estimate the significance of the identified transitions. Our method is verified by uncovering bifurcation structures in several paradigmatic models, providing more complex transitions compared with traditional Lyapunov exponents. In a real-world situation, we apply this method to identify millennial-scale dynamical transitions in Plio-Pleistocene proxy records of the South Asian summer monsoon system. We infer that many of these transitions are induced by the external forcing of the solar insolation and are also affected by internal forcing on Monsoonal dynamics, i.e., the glaciation cycles of the Northern Hemisphere and the onset of the Walker circulation.

Nishant Malik

Department of Mathematics
University of North Carolina at Chapel Hill
nmalik@email.unc.edu

Yong Zou

Department of Electronic and Information Engineering
The Hong Kong Polytechnic University Hung Hom,
Kowloon, Hon
yong.zou@polyu.edu.hk

Norbert Marwan

Potsdam Institute for Climate Impact Research
marwan@pik-potsdam.de

Juergen Kurths

Humboldt Univ, Germany, Potsdam Institute for Climate
Impact
Research, Germany, and Aberdeen University, UK
juergen.kurths@pik-potsdam.de

CP28**The Rhomboidal Symmetric Mass Four-Body Problem**

We consider the existence and stability of periodic solutions with regularizable collisions in the rhomboidal symmetric-mass four-body problem. In two degrees of freedom, where the analytic existence of the periodic solutions is given by a variational method, the periodic solutions are numerically linearly stable for most of the values of the mass parameter. In four degrees of freedom, we establish the analytic existence of the periodic solutions and numerically investigate their linear stability.

Lennard F. Bakker, Skyler Simmons

Brigham Young University
bakker@math.byu.edu, skyler simmons
jxinkaisen@gmail.com

CP28**Integrable Many-Body Models on a Circle**

We use generalized Lagrangian interpolation and finite-dimensional representations of differential operators to construct various many-body models, which describe N points confined to move on a plane circle. Their Newtonian equations of motion are integrable, i. e. they allow the explicit exhibition of N constants of motion in terms of the

dependent variables and their time-derivatives. Some of these models are moreover solvable by purely algebraic operations, by (explicitly performable) quadratures and, finally, by functional inversions. This is a joint work with Francesco Calogero from the University of Rome "La Sapienza".

Oksana Bihun

Concordia College, Moorhead, MN
obihun@cord.edu

CP28**Collinear Equilibrium Points and Linear Stability in the Generalized Photogravitational Chermnykh-Like Problem with Power-Law Profile**

We have considered the motion of infinitesimal mass in the generalized photogravitational Chermnykh-like problem with power-law profile. The collinear equilibrium points of the proposed problem are determined. In addition with three, a new collinear equilibrium point is obtained. Again, we have examined linear stability of the points and noticed that generally, all the collinear points are unstable but some are stable for specific values of inner and outer radii of the disk.

Ram Kishor, Badam Singh Kushvah

Indian School of Mines, Dhanbad-826004,
Jharkhand, India.
kishor.ram888@gmail.com, bskush@gmail.com

CP28**Stability of Relative Equilibria in the N-Vortex Problem**

In the weather research and forecasting models of certain hurricanes, "vortex crystals" are found within a polygonal-shaped eyewall. These special configurations can be interpreted as relative equilibria (rigidly rotating solutions) of the point vortex problem introduced by Helmholtz. Their stability is thus of considerable importance. Adapting an approach of Moeckel's for the companion problem in celestial mechanics, we present some useful theory for studying the linear stability of relative equilibria in the planar N -vortex problem. For example, we show that when the vorticities are all of the same sign, a relative equilibrium is linearly stable if and only if it is a minimum of the Hamiltonian restricted to a level surface of the moment of inertia. Some symmetric examples will be presented, including a linearly stable family of rhombi in the four-vortex problem.

Gareth E. Roberts

Dept. of Mathematics and C.S.
College of the Holy Cross
groberts@holycross.edu

CP28**Implementation of Dynamical Systems Techniques for the Mars-Phobos Three-Body Problem with Additional Gravity Harmonics**

Following ESAs proposal for a sample-return mission to Phobos, this paper analyses the orbital dynamics of the Mars-Phobos system to provide low-cost observation points for exploration. The proposed nonlinear model of a spacecrafts motion in the vicinity of Phobos incorporates the highly inhomogeneous gravity field into a restricted three-body problem. State-of-the-art analytical and numerical

methodologies from dynamical systems theory are used to identify periodic orbits around the libration points.

Mattia Zamaro

Advanced Space Concepts Laboratory
mattia.zamaro@strath.ac.uk

James Biggs

University of Strathclyde
james.biggs@strath.ac.uk

CP29

Intra-Community Clustering and Solvency in a Simulated Banking Network Model

We present a model of a banking network where connectivity occurs in the form of simulated 3-day interbank loans occurs based on two selection models. Average system solvency is assessed in the context of community average betweenness centrality for each of 300 banks. Results show that while fundamental clustering characteristics do not change between the two selection methods, system solvency is impacted by the method used to select overnight lenders.

Peter C. Anselmo

New Mexico Institute of Mining and Technology
anselmo@nmt.edu

CP29

Twitter Reciprocal Reply Networks Exhibit Assortativity with Respect to Happiness

The advent of social media has provided an extraordinary, if imperfect, big data window into the form and evolution of social networks. Based on nearly 40 million message pairs posted to Twitter between September 2008 and February 2009, we construct and examine the revealed social network structure and dynamics over the time scales of days, weeks, and months. At the level of user behavior, we employ our recently developed hedonometric analysis methods to investigate patterns of sentiment expression. We find users average happiness scores to be positively and significantly correlated with those of users one, two, and three links away. We strengthen our analysis by proposing and using a null model to test the effect of network topology on the assortativity of happiness. We also find evidence that more well connected users write happier status updates, with a transition occurring around Dunbar's number. More generally, our work provides evidence of a social sub-network structure within Twitter and raises several methodological points of interest with regard to social network reconstructions.

Catherine A. Bliss

University of Vermont
Department of Mathematics and Statistics
catherine.bliss@uvm.edu

Isabel Kloumann

Department of Mathematics
Cornell University
imk36@cornell.edu

Kameron D. Harris

University of Washington
kamerondeckerharris@gmail.com

Chris Danforth

Mathematics and Statistics

University of Vermont
chris.danforth@uvm.edu

Peter Dodds

University of Vermont
pdodds@uvm.edu

CP29

Time-Scale Lyapunov Functions for Incentive Dynamics on Riemannian Geometries

Time-scale calculus allows the study of difference and differential equations simultaneously. In this talk we present the application of time-scale Lyapunov stability theory to game-theoretically inspired incentive dynamics on the simplex for a wide class of Riemannian geometries, giving time-scale Lyapunov functions in terms of information divergences for a large class of discrete and continuous-time dynamics that include many well-known dynamical systems in evolutionary game theory. These results include discrete time extensions of the adaptive dynamics of Hofbauer and Sigmund. We also discuss the relationship between incentive stability and evolutionary stability through a series of illustrative examples.

Dashiell Fryer

Department of Mathematics
Pomona College
Dashiell.Fryer@Pomona.edu

Marc Harper

UCLA
marc.harper@gmail.com

CP29

Fractal Encoding of Recursive Dynamics

Under a standard model of human language, recursive structures are encoded as complex constellations of interdependent rules. One wonders how children learn such constellations because every part needs to be in place for the system to function at all. Neural network dynamical systems solve the all-at-once problem by adopting fractal encodings, which grow continuously from simple sets. We examine conditions under which the learning is robust in the presence of neural and sequence noise.

Whitney Tabor

University of Connecticut
whitney.tabor@uconn.edu

Harry Dankowicz

University of Illinois at Urbana-Champaign
Department of Mechanical Science and Engineering
danko@illinois.edu

Pyeong Whan Cho, Emily Szkudlarek

University of Connecticut
pyeong.cho@uconn.edu, emilyszkudlarek@gmail.com

CP29

Optimal Control of the Spread of Marijuana Smoking Among the Youth

Reducing the number of individuals involved in substance abuse in any community is usually a challenging problem. We consider the control of the spread of Marijuana smok-

ing, one substance that is majorly abused, among the youth. We propose a deterministic model for controlling the spread of Marijuana smoking incorporating education and awareness campaign as well as rehabilitation as control measures. We formulate a fixed time optimal control problem subject to the model dynamics with the goal of finding the optimal combination of the control measures that will minimize the cost of the control efforts as well as the prevalence of marijuana smoking in a community. We use Pontryagin's maximum principle to derive the optimality system and solve the system numerically. Results from our simulations are discussed.

Tunde Tajudeen Yusuf
Federal University of Technology Akure
Ondo state
ttyusuf@yahoo.com

Olubode Kolade Koriko
Dept. of Maths Sciences, Fed. Univ. of Technology
Akure,
Ondo state, Nigeria.
okkoriko@yahoo.com

CP30

Topological Structures and Parameter-Sweeping Techniques in the Hindmarsh-Rose Neuron Model

The use of computer techniques permits to help the understanding of natural phenomena. Among the mathematical models of neuronal activity, the Hindmarsh and Rose model is one of the most used in simulations. In this talk we show the use of new techniques based on neurocomputing parameters to study the global behaviour of the system and we link them with bifurcation techniques. Moreover we study the structure of the chaotic attractors that may appear when the parameters are changed, providing us with topological templates which "quantify" the differences and similarities between the structures observed.

Roberto Barrio
University of Zaragoza, SPAIN
rbarrio@unizar.es

Marc Lefranc
PhLAM/Université Lille I,
France
marc.lefranc@univ-lille1.fr

M. Angeles Martinez
University of Zaragoza
SPAIN
gelimc@unizar.es

Sergio Serrano
University of Zaragoza, SPAIN
sserrano@unizar.es

Andrey Shilnikov
Neuroscience Institute and Department of Mathematics
Georgia State University
ashilnikov@gsu.edu

CP30

Singularity Theory Sheds Light on Bursting Mechanisms in Conductance-Based Models

In recent work, we have shown that a pitchfork bifurcation

organizes the excitability of arbitrary conductance-based models. Here we study a two-dimensional universal unfolding of this bifurcation augmented with a slow adaptation variable. The resulting three-dimensional dynamics provide a minimal model of bursting as paths in the universal unfolding of the pitchfork. We discuss the generality of this approach and argue that it provides a physiological route to neuronal bursting.

Alessio Franci
University of Liège
afranci@ulg.ac.be

Guillaume Drion
Neurophysiology Unit and GIGA Neurosciences
University of Liege, Liege, Belgium
gdrion@ulg.ac.be

Rodolphe Sepulchre
University of Liege
Belgium
R.Sepulchre@ulg.ac.be

CP30

Minimum Energy Control for *in Vitro* Neurons

The applicability of control theory in regulating the interspike interval for single periodically-firing *in vitro* neurons is demonstrated. Combining electrophysiology experiments with optimal control theory, first the phase response curve for each neuron is measured, then continuous-time, charge-balanced, minimum energy control waveforms are designed that optimally change the next spike time for the neuron with significantly lower levels of energy compared to those of previous approaches.

Ali Nabi
UC Santa Barbara
nabi@engineering.ucsb.edu

Tyler Stigen
Dept. of Biomedical Eng.
U. Minnesota
tstigen@umn.edu

Jeff Moehlis
Dept. of Mechanical Engineering
University of California – Santa Barbara
moehlis@engineering.ucsb.edu

Theoden I. Netoff
University of Minnesota
Department of Biomedical Engineering
tnetoff@umn.edu

CP30

Singularly Perturbed Phase Response Curves

Motivated by models of spiking neurons, we determine the shape of (non-infinitesimal) phase response curves for slow-fast systems from the singular limit. It is completely determined by the bistable range of the fast subsystem and the bifurcations that delineate its onset and its termination. We apply this geometric approach to relaxation oscillators and bursters, recovering among others the fast threshold modulation phenomenon.

Pierre Sacré

Université de Liege
pierre.sacre@ulg.ac.be

Alessio Franci
University of Liège
afranci@ulg.ac.be

Rodolphe Sepulchre
University of Liege
Belgium
R.Sepulchre@ulg.ac.be

CP30

Global Sensitivity of Spiking Neuron Models: The Power of a Local Analysis

This study focuses on two important sensitivity measures for reliable transmission of information in single neuron models: the variability of the first spike latency and the probability of doublets. Our analysis, supported by singular perturbation theory, shows that these two global sensitivity measures can be characterized locally, in the vicinity of local bifurcations. Results are illustrated on several conductance-based models of spiking neurons.

Laura Trotta, Alessio Franci
University of Liège
l.trotta@ulg.ac.be, afranci@ulg.ac.be

Rodolphe Sepulchre
University of Liege
Belgium
R.Sepulchre@ulg.ac.be

CP31

Network Topological Conditions for Stochastically Amplified and Coherent Oscillations

We investigate relationship between stochastic oscillations and topologies of biochemical reaction networks. We consider all topologies of three-nodes biochemical reaction networks with mass-action kinetics and characterize noisy oscillatory behaviors by using linear noise approximation of the corresponding master equations. All networks with both negative and positive feedbacks are deterministically stable, but capable to generate stochastically amplified and coherent oscillations. We use stochastic center manifold reduction to demonstrate that various network topologies that exhibit the same stochastic oscillations could be mapped onto the same stochastic normal form.

Jaewook Joo
Department of Physics
University of Tennessee
jjoo1@utk.edu

CP31

Stochastic Asymptotic Analysis for Cooperative Multiple Motor Systems

We develop and examine a coarse-grained model for multiple motors bound to a cargo, which resolves the spatial configuration as well as the thermal fluctuations. Through stochastic asymptotic reductions, we derive the effective transport properties of the multiple-motor-cargo complex, and provide analytical explanations for why a cargo bound to two molecular motors moves more slowly at low applied forces but more rapidly at high applied forces than when

bound to one molecular motor.

Scott McKinley
University of Florida
scott.mckinley@ufl.edu

Avanti Athreya
Johns Hopkins University
Department of Applied Mathematics and Statistics
dathrey1@jhu.edu

Peter R. Kramer
Rensselaer Polytechnic Institute
Department of Mathematical Sciences
kramep@rpi.edu

John Fricks
Dept of Statistics
Pennsylvania State University
fricks@stat.psu.edu

CP31

Analytical Approach to Noise-Induced Phase Synchronization of Chaotic Oscillators

The phase description has played a key role in analytically investigating the dynamics of limit-cycle oscillators. Here, we introduce a new type of phase description, which enables us to analyze various synchronization phenomena of chaotic oscillators. Using our formulation, we study noise-induced phase synchronization of chaotic oscillators subjected to common random forcing. We theoretically predict probability distributions of phase differences between two chaotic oscillators, which characterize statistical properties of noise-induced synchronization dynamics.

Wataru Kurebayashi
Tokyo Institute of Technology
kurebayashi.w.aa@m.titech.ac.jp

Kantaro Fujiwara
Saitama University
kantaro@nls.ics.saitama-u.ac.jp

Hiroya Nakao
Graduate School of Information Science and Engineering,
Tokyo Institute of Technology
nakao@mei.titech.ac.jp

Tohru Ikeguchi
Saitama University
tohru@mail.saitama-u.ac.jp

CP31

Stochastic Resonance in a Self-Repressing Gene with Transcriptional Memory

Biochemical reaction networks are subjected to large fluctuations, yet underlie reliable biological functions. They are usually described as either deterministic or stochastic dynamical systems. Here, we investigate the dynamics of a self-repressing gene using an intermediate approach based on a moment expansion of the master equation. We thereby obtain deterministic equations describing how nonlinearity feeds back fluctuations into the mean-field equations. We thus identify a region of parameter space where

fluctuations induce relatively regular oscillations.

Jingkui Wang
Université Lille 1
lengfei5@gmail.com

Quentin Thommen
PhLAM/Université Lille 1, France
quentin.thommen@phlam.univ-lille1.fr

Marc Lefranc
PhLAM/Université Lille I,
France
marc.lefranc@univ-lille1.fr

CP31

Mathematical Analysis of Flows on Stochastic Fractal Networks

We present an analytical method to predict the properties of the process resulting from a convolution between a stochastic fractal network and a stochastic process. We quantify the influence of network topology by comparing linear (autocovariance function) and nonlinear (generalised entropies, higher-order spectra) characteristics of the initial and resulting processes. It depends on the initial stochastic process and, in cases, saturates after a low number of network iterations. This has important consequences in hydrological modelling.

Christina Mcleman
Institute for Complex Systems and Mathematical Biology,
SUPA
University of Aberdeen, Scotland, UK
c.mcleman@abdn.ac.uk

Marco Thiel
University of Aberdeen
Scotland
m.thiel@abdn.ac.uk

Doerthe Tetzlaff
Northern Rivers Institute
University of Aberdeen, Scotland, UK
d.tetzlaff@abdn.ac.uk

CP32

Analysis of Bifurcations and the Study of Competition in Phase Oscillator Networks with Positive and Negative Coupling

Globally coupled phase oscillators of the Kuramoto type with positive (conformist) and negative (contrarian) coupling are considered in (Hong & Strogatz (HS), 2011). We generalize the HS system including a phase shift in the interaction function. The bifurcation theory and detailed study of the geometry of invariant manifolds is applied. The results include a rich repertoire of dynamical regimes (multistability, complex heteroclinic cycles, chaos, etc.). Some of these regimes are not possible in HS systems.

Oleksandr Burylko
Institute of Mathematics
National Academy of Sciences, Kyiv, Ukraine
burilko@imath.kiev.ua

Yakov Kazanovich
Institute of Mathematical Problems in Biology

Russian Academy of Sciences
kazanovichyakov@gmail.com

Roman M. Borisyuk
School of Computing and Mathematics
University of Plymouth, UK
rborisyuk@plymouth.ac.uk

CP32

Rate-Induced Tipping Points

Open systems which are stable for any fixed external conditions may tip if the external conditions change too fast. Such non-autonomous instabilities are important in the natural world, but cannot be captured by classical bifurcations. We obtain critical rates of external forcing above which the system tips. This is done numerically and analytically for canonical models using an approach related to the validity boundary of geometrical singular perturbation theory.

Clare G. Hobbs
University of Exeter
cgh203@ex.ac.uk

Sebastian M. Wiczorek
University of Exeter
Mathematics Research Institute
s.m.wiczorek@exeter.ac.uk

CP32

Transition Curves for the Elliptic Mathieu Equation

This work investigates the equilibria and stability of a parametrically excited pendulum when the forcing function is of an elliptic type. Stability charts are generated in the parameter plane for different values of the elliptic function modulus. A method combining Floquet theory and Numerical integration is used to generate stability charts that are later obtained by the mean of harmonic balance analysis. It is shown that the size and location of the instability tongues is directly dependent on the elliptic function modulus. Comparisons are also made between the stability charts of Mathieu equation and the elliptic Mathieu equation.

Si Mohamed Sah, Brian Mann
Duke University
ss424@duke.edu, brian.mann@duke.edu

CP32

Periodically Forced Hopf Bifurcations

We classify the existence and stability of dynamical responses to small amplitude periodic forcing of a system near a Hopf bifurcation point. We use forcing frequency ω_f as a distinguished bifurcation parameter and vary ω_f near the Hopf frequency. This analysis uses a third order Hopf normal form truncation, though we identify regions of parameter space where higher order terms are necessary. Time permitting, applications to physical systems will be discussed.

Justin Wiser
Ohio State University
wiser@math.ohio-state.edu

Martin Golubitsky
Ohio State University
Mathematical Bioscience Institute
mgolubitsky@mbi.osu.edu

CP32

On States with Two Frequencies in Ensembles of Coupled Oscillators

I discuss a mechanism which ensures onset of oscillatory states with two frequencies in a class of ensembles where all elements share the intrinsic timescale and the pattern coupling is arbitrary. At the onset of oscillations, the spectrum of the linearized flow contains not one (as usually) but two pairs of purely imaginary eigenvalues. Of the two critical frequencies, one is typically much lower than the individual frequency of an element, whereas the other one is distinctly higher. Accordingly, in the nonlinear regime the ensembles are potentially able to display both slow and fast modes of oscillations.

Michael Zaks
Humboldt University, Berlin, Germany
zaks@mathematik.hu-berlin.de

CP33

A Comparison of the Local and Global Dynamics of Monotone and Antimonotone Maps in the Plane

Monotone and antimonotone maps have widespread applications in many areas of real life. For example, monotone maps are associated to discrete competitive mathematical models in Biomathematics such as the Leslie-Gower population model. Antimonotone maps are associated to discrete mathematical models involving negative feedback loops such as mechanical control systems and gene regulatory networks. Although planar monotone maps are very well-understood at this point due to the works of Hirsch, Smith, Dancer and Hess, Kulenovic and Merino etc., the same is not necessarily true for planar antimonotone maps. In this talk, I will discuss the local and global dynamics of orbits of a class of planar antimonotone maps. I will also compare this to the local and global dynamics of orbits of a similar class of planar monotone maps to get some very interesting results.

Sukanya Basu
Department of Mathematics
Central Michigan University
basuls@cmich.edu

CP33

Adaptation for Fast Chaos Control

In recent years, chaos control has lead to numerous applications. We examine convergence speed of chaos control, an aspect which is crucial in applications such as stabilizing heart rhythms and robotics. Adaptation provides a way to optimize convergence speed of chaos control methods [Bick, Timme, Kolodziejski. SIADS, 11(4), 1310, 2012]. In particular, we focus on Predictive Feedback Control for discrete time dynamics and study some aspects of time-delayed feedback control of time continuous systems.

Christian Bick
Max Planck Institute for Dynamics and Self-Organization:
bick@nld.ds.mpg.de

CP33

Robustness of Periodic Windows in the Presence of Sporadic Noise

For a dynamical system $x_{n+1} = F(C, x_n)$, there may be infinitely many periodic windows, that is, intervals in C in which there is stable periodic behavior. However, the high period windows are easily destroyed with small perturbations. For a fixed perturbation size ϵ , we characterize and enumerate the ' ϵ -robust windows', that is those periodic windows such that for some C in that window, the general periodic behavior persists despite noise of amplitude $\leq \epsilon$.

Madhura Joglekar
University of Maryland
maddy86@umd.edu

James A. Yorke
University of Maryland
Departments of Math and Physics and IPST
yorke@umd.edu

CP33

Trichotomy of Singularities of 2-Dimensional Bounded Invertible Piecewise Rational Rotations

It is known that the singularities of 2-dimensional bounded invertible piecewise isometric dynamical systems can be classified as, removable, shuffling and sliding singularities, based upon their geometrical traits; and that the the removable and the shuffling singularities do not generate Devaney-chaos, leaving the sliding singularity as the only candidate for the Devaney-chaos. However, the afore-mentioned classification and the connection had been somewhat incomplete in that the clear distinction between the sliding and shuffling singularities had not been made. In this talk, the speaker will establish the complete trichotomy, by characterizing the self-shuffling behavior of bounded invertible piecewise rational rotations, and lead toward finalizing the necessary and sufficient condition of the Devaney-chaos.

Byungik Kahng
University of North Texas at Dallas
byungik.kahng@unt.edu

CP33

Dynamics of Certain Rational Maps of the Plane

We investigate the dynamics of rational maps of the form $z \mapsto z^n + c + \beta/\bar{z}^d$. The case when $c = 0$ and $n = d$ can be solved completely because the radial dynamics decouples from the angular dynamics. In the other cases, numerical investigation is necessary. Especially interesting are the critical sets for $n \neq d$ and comparisons of the Julia sets for $\beta = 0$ to the analogues for $\beta \neq 0$.

Bruce B. Peckham
Dept. of Mathematics and Statistics
University of Minnesota Duluth
bpeckham@d.umn.edu

Brett Bozyk
University of Minnesota Duluth
bozyk002@d.umn.edu

CP34

Disease Persistence in Epidemiological Models:

The Interplay Between Vaccination and Migration

We consider the interplay of vaccination and migration rates on disease persistence in epidemiological systems. We show that short-term and long-term migration can inhibit disease persistence. As a result, we show how migration changes how vaccination rates should be chosen to maintain herd immunity. In a system of coupled SIR models, we analyze how disease eradication depends explicitly on vaccine distribution and migration connectivity. The analysis suggests potentially novel vaccination policies that underscore the importance of optimal placement of finite resources.

Jackson Burton

Montclair State University
jburton@math.arizona.edu

Lora Billings

Montclair State University
Dept. of Mathematical Sciences
billingsl@mail.montclair.edu

Derek Cummings

Johns Hopkins University
dcumming@jhsp.edu

Ira B. Schwartz

Naval Research Laboratory
Nonlinear Dynamical Systems Section
ira.schwartz@nrl.navy.mil

CP34

Epidemiological Model for X-Linked Recessive Diseases

We developed a discrete time, structured, mathematical model describing the epidemiology of X-linked recessive diseases; the model accounts for de novo mutations and distinct reproduction rates of procreating couples depending on couples health conditions. We found the exact solution to the model when de novo mutations are not relevant and negligible reproduction rates are assigned to affected males. Moreover, relying on Lyapunov's second method, we proved asymptotic stability properties of model equilibrium points for the case of relevant de novo mutations and identical reproduction rates assigned to all procreating couples. The equilibria we obtained are a generalization of Hardy-Weinberg equilibrium.

Carmen Del Vecchio

Università Degli Studi del Sannio
c.delvecchio@unisannio.it

Luigi Glielmo

University of Sannio
Benevento, Italy
glielmo@unisannio.it

Martin Corless

School of Aeronautics and Astronautics, Purdue University
West Lafayette, Indiana (USA)
corless@purdue.edu

CP34

Modeling the Role of the Biofilm Formation in the

Development of Plant Diseases

The role of biofilms within bacterial infections has been a topic of recent interest due to the prevalence of the biofilm mode of life as well as the inability to fully eliminate the bacteria within the biofilm. Despite multiple diseases causing widespread damage to the citrus, wine, and other fruit industries, there has been little attention paid to modeling the development and progression of these infections. A multiphase modeling framework will be used to examine the dynamic behavior and fluid/structure interactions of the biological system. Perturbation analysis will be used to determine potential causes and tendencies of patterns discovered within the biofilm.

Matthew Donahue

Department of Mathematics
Florida State University
mdonahu@gmail.com

CP34

Epidemics in Adaptive Social Networks with Temporary Link Deactivation

Epidemic spread depends on the topology of the network of social contacts. Individuals may respond to the epidemic by adapting their contacts to reduce the risk of infection, thus changing the network structure and affecting future spread. We propose an adaptation mechanism where healthy individuals temporarily deactivate their contacts with sick individuals, allowing reactivation once both individuals are healthy. Slow and fast network dynamics are considered and compared to mean field analysis.

Leah Shaw

College of William and Mary
Dept. of Applied Science
lbshaw@wm.edu

Ilker Tunc

The College of William and Mary
Applied Science Department
itunc@email.wm.edu

Maxim S. Shkarayev

College of William and Mary
maxim.shkarayev@gmail.com

CP34

A Mathematical Model Studying Mosquito-Stage Transmission-Blocking Vaccines

In this talk, I will present a mathematical model of malaria control, particularly investigating the efficacy of imperfect vaccination. The model consists of deterministic ordinary differential equations. Based on our model, a backward bifurcation very likely occurs, which suggests that using the basic reproduction number as the threshold to eradicate the disease is questionable. This finding might provide some valuable suggestions to health policy makers.

Ruijun Zhao

Minnesota State University, Mankato
ruijun.zhao@mnsu.edu

Jemal Mohammed-Awel

Valdosta State University
jmohammedawel@valdosta.edu

Nghiep Huynh
Minnesota State University
nghiep.huynh@mnsu.edu

CP35

Necessary Condition for Frequency Synchronization in Network Structures

We present the necessary condition that a network structure should satisfy for frequency synchronization of coupled phase oscillators. A parameter called surface area describes critical network structure for synchronization. The surface area of a set of sites is defined as the number of links between the sites within the set and those outside the set. On the basis of the condition, we can identify networks in which synchronization do not occur.

Fumito Mori

Department of Information Sciences
Ochanomizu University
mori.fumito@ocha.ac.jp

CP35

Nonuniversal Transitions to Synchrony in the Sakaguchi-Kuramoto Model

The Sakaguchi-Kuramoto model is a fundamental paradigm for the emergence of collective behavior (synchrony) in a system of non-identical oscillators that are weakly coupled by their mean field. We show that for certain *unimodal* frequency distributions, this model exhibits *unusual* types of synchronization transitions, where synchrony can decay with increasing coupling, incoherence can regain stability for increasing coupling, or multistability between partially synchronized states and/or the incoherent state can appear.

Oleh Omel'chenko

Weierstrass Institute for Applied Analysis and Stochastics
omelchen@wias-berlin.de

Matthias Wolfrum

Weierstrass Institute for Applied Analysis and Stochastics
wolfrum@wias-berlin.de

CP35

Chimera States on Periodic Spaces

Although incoherence and synchronization are the norm in arrays of coupled oscillators, complex spatiotemporal patterns such as “chimera states”—where incoherence and coherence coexist—have been observed both computationally and experimentally in a wide variety of systems. I will use an analytical approach to characterize various types of chimera states (including stripes and spots) that appear in a two-dimensional periodic space, and discuss their changing stability and bifurcations as the coupling is varied.

Mark J. Panaggio

Engineering Science and Applied Mathematics
Northwestern University
markpanaggio2014@u.northwestern.edu

Daniel Abrams

Northwestern University
dmabrams@northwestern.edu

CP35

The Kuramoto Model with Distributed Shear

The Kuramoto model (KM) is a paradigmatic model of collective synchronization, a phenomenon observed in a variety of natural and technological systems. An analytical derivation of the KM is possible via phase-reduction of the mean-field complex Ginzburg-Landau equation with disorder. Nevertheless, this derivation assumes shear (non-isochronicity) is not distributed. We avoid this simplifying assumption and obtain analytical results for the KM with distributed shear. Remarkably we find that too much shear diversity prevents collective synchronization.

Diego Pazo

Instituto de Física de Cantabria, IFCA
pazo@ifca.unican.es

Ernest Montbrió

Universitat Pompeu Fabra
Barcelona, Spain
ernest.montbrió@upf.edu

CP35

Spontaneous Formation of Two-Dimensional Chimera States in Oscillatory Media

Chimera states are spatiotemporal patterns in coupled oscillatory media, where synchronized and incoherent domains coexist. A nonlocal coupling is believed to be indispensable for the formation of such states. By means of a modified complex Ginzburg-Landau equation we demonstrate, however, that chimera states arise spontaneously through a bifurcation from cluster states when just a strong global coupling is present. Experiments made during the electro-oxidation of silicon confirm this theoretical prediction.

Lennart Schmidt, Konrad Schönleber, Katharina Krischer

Technische Universität München, Physik Department,
Nonequilibrium Chemical Physics
lennart.schmidt@ph.tum.de,
konrad.schoenleber@ph.tum.de, krischer@tum.de

Vladimir Garcia-Morales

Institute for Advanced Study
Technische Universität München
vmorales@ph.tum.de

CP36

Numerical Solutions of Delay Reaction-Diffusion Equations of Lotka-Volterra Type

In this paper we consider a system of delay differential equations of Lotka-Volterra type describing the one-stage model of carcinogenesis mutations. A numerical scheme based on spectral postprocessing technique was employed to the simplified model from [R. Ahanger and Lin. X. B.: Multistage evolutionary model for carcinogenesis mutations, Electron. J. Diff. Eqns. Conf. 10 (2003), 33-53.]. We check our scheme for different value of time delay and compare the results with other available schemes.

Ishtiaq Ali

Faculty of Mathematics, Informatics and Mechanics,
University of Warsaw, Poland
ishtiaq@mimuw.edu.pl

Xiang Xu

Department of Mathematics, Michigan State University
East Lansing, MI 48824, USA
xuxiang@fudan.edu.cn

CP36

Efficient Algorithms for Rigorous Integration of Dpdes

We are dealing with nonlinear partial differential equations of dissipative type (dPDEs). Assuming that the initial condition is sufficiently regular the unique solution of such system can be explicitly bounded using a computer algorithm involving the interval arithmetic. In our research we have focused on efficient computational methods for the problem of rigorously integrating dPDEs. We focus on a circumvention of computational difficulties by combining the FFT algorithm + the automatic differentiation.

Jacek Cyranka

Faculty of Mathematics and Computer Science
Jagiellonian University
jacek.cyranka@ii.uj.edu.pl

CP36

High Precision Periodic Orbits

Nowadays, high-precision becomes a requirement in fine analysis of dynamical systems. We present an algorithm to locate and continue families of periodic orbits with high precision (100-1000 digits). As example, we apply this tool to show the final spiral structure of the Copenhagen problem. Finally, we combine the high-precision numerics with Computer Assisted Proof techniques in order to provide a rigorous high-precision data-base of periodic orbits of the Lorenz problem.

Angeles Dena

University of Zaragoza
adena@unizar.es

Alberto Abad
Universidad de Zaragoza
abad@unizar.es

Roberto Barrio
University of Zaragoza, SPAIN
rbarrio@unizar.es

Warwick Tucker
Uppsala University
warwick@math.uu.se

CP36

Adaptive Numerical Simulation of Intracellular Calcium Dynamics Using Discontinuous Galerkin Methods

We present an adaptive in space and time simulation of intracellular calcium dynamics using discontinuous Galerkin(DG) methods. The two-dimensional parabolic system of partial differential equations models the diffusion, reaction, binding and membrane transport of calcium ions within a cell. The current issues for further research in intracellular calcium dynamics aim at moving modelling and simulation much closer to experimental data. Our work has addressed this challenge by implementing the model using a highly accurate method in space and time that goes adaptively to high order, being efficiently scal-

able. This has involved using the DG method of weighted interior penalties and the linearly implicit Runge-Kutta methods of Rosenbrock type. A hybrid method that couples the solution of the deterministic and stochastic part of the model is adopted.

Jared O. Okiro

Institute for Analysis and Numerics, Otto-von-Guericke University, Magdeburg, Germany.
jared.okiro@st.ovgu.de

Chamakuri Nagaiah

Radon Institute for Computational and Applied Mathematics, (RICAM), Linz, Austria
nagaiah.chamakuri@oeaw.ac.at

Gerald Warnecke

Institute for Analysis and Numerics,
Otto-von-Guericke University, Magdeburg, Germany
warnecke@ovgu.de

Martin Falcke

Hahn Meitner Institut
falcke@hmi.de

CP36

Comparison of ODE Solvers for Parallel Uses. GPGPU and CPU

In this talk we present some results comparing Runge Kutta schemes and the Taylor Series Integrator executed both in CPU and GPGPU using different parameters: Tolerance level, Global or Local Memory execution, and 4 and 8 Bytes floating point arithmetic. We present diagrams of CPU/GPU time vs Error in two test problems: Hénon-Heiles system (dimension 4), and the same one with first order variational equations (dimension 16).

Marcos Rodriguez

Centro Universitario de la Defensa
marcos@unizar.es

Roberto Barrio

University of Zaragoza, SPAIN
rbarrio@unizar.es

Fernando Blesa

University of Zaragoza
fblesa@unizar.es

CP37

Decomposition of Nonlinear Network Dynamics: Understanding Oscillations In Multi-Vehicle Systems

Understanding the nonlinear behavior of networked systems is crucial in the modern world; such systems are becoming ubiquitous. Traditional nonlinear analysis (e.g., center manifold reduction) becomes extremely complicated for systems containing large number of interacting components. In this talk we propose a novel technique where we decompose networked systems into nonlinear modes and carry out traditional analysis using the obtained mode equations. As a case study we analyze Hopf bifurcations arising in vehicular traffic.

Sergei S. Avedisov

University of Michigan, Ann Arbor
savedisov@gmail.com

Gabor Orosz
University of Michigan, Ann Arbor
Department of Mechanical Engineering
orosz@umich.edu

CP37

Nonlinear Dynamics in the Transverse Plane of High-Speed Planing Boats

When operating at high speed, planing boats are subject to nonlinear hydrodynamic loads affecting rigid body motions such as pitch, heave, and roll. Resulting instabilities are often a constraining factor for high-speed operations. This presentation will describe roll motion as a nonlinear system parametrically excited through coupling with heave and pitch, and investigate the occurrence of nonlinear roll behavior such as steady heel and chine walking.

John Judge
The Catholic University of America
Mechanical Engineering Department
judge@cua.edu

Carolyn Judge
United States Naval Academy
Naval Architecture and Ocean Engineering Department
judge@usna.edu

CP37

Lyapunov Stability of Rigid Bodies with Frictional Supports

The Lyapunov stability of systems of rigid bodies interacting via impacts, persistent contacts and friction is poorly understood. This talk addresses a model system of this type: a single planar object with two support, for which only highly conservative stability conditions have been found earlier. By restricting my attention to ideally plastic impacts, a nearly sharp stability condition is derived. It is also demonstrated that intriguing phenomena of frictional hybrid dynamics are captured by this system.

Peter L. Varkonyi
Budapest University of Technology and Economics
vpeter@mit.bme.hu

CP37

An Artificial Neural Network Approach for the Mass Balance of a Reactor in Steady State

The conservation of mass has been an active research area in the field of chemical engineering. In this article, a mathematical model for mass balance of a chemical in a cylindrical reactor is presented and the steady state case for the mass balance of a chemical is examined by providing the numerical solution using artificial neural network technique. Numerical simulations are performed for various hidden nodes with different number of training points and initial weight parameters to show the dependence of results on the number of hidden nodes, training points and initial weights. The neural network solution is also compared with the well known finite difference method for variable step size and analytical solution shows the efficiency of neural network with higher accuracy. The main advantage of the proposed approach is that once the network is trained, it

allows instantaneous evaluation of solution at any desired number of points spending negligible computing time and memory.

Neha Yadav
Motilal Nehru National Institute of Technology,
Allahabad
nehayad441@yahoo.co.in

Manoj Kumar
Motilal Nehru National Institute of Technology
Allahabad, India
manoj@mnnit.ac.in

Kevin Mcfall
Southern Polytechnic State University, USA
kmcfall@spsu.edu

CP38

A Grand Model to Predict the Complex Combinatorial Stress Responses of Candida Albicans

Candida albicans is a major opportunistic fungal pathogen. Their ability to grow in yeast, pseudohyphal and hyphal forms help them survive, invade and kill a host organism. Their timely transition from one morphological form to another depends upon three major stress response pathways (SRPs): (i) oxidative, (ii) osmotic and (iii) nitrosative. A grand mathematical model, first of its kind, encompassing these three different SRPs is presented that can predict the system responses to combinatorial perturbations.

Komalapriya Chandrasekaran
Institute for Complex Systems and Mathematical Biology
Institute of Medical Sciences, University of Aberdeen, UK
k.chandrasekaran@abdn.ac.uk

Maria Carmen Romano
Institute for Complex Systems and Mathematical Biology
Institute of Medical Sciences, University of Aberdeen, UK.
m.c.romano@abdn.ac.uk

Celso Grebogi, Alister J P Brown
Institute for Complex Systems and Mathematical Biology
University of Aberdeen, UK.
c.grebogi@abdn.ac.uk, al.brown@abdn.ac.uk

CP38

Stable Periodic Oscillations in the Biotic Pyrite Iron Cycle

Based on geomicrobiology literature, a model for the biotic pyrite iron cycle by *Acidithiobacillus ferrooxidans* bacteria is proposed. This model exhibits in some circumstances, up to two stable steady states, stable and unstable periodic orbits, Hopf, SNP and homoclinic bifurcations, as well as other dynamical structures (doubling period, chaos, etc.). It provides a possible explanation of oscillations in pH and bacteria population mentioned in the literature.

Miguel A. Dumett
CGGVeritas
mdumett@gmail.com

James P. Keener
University of Utah
keener@math.utah.edu

CP38**Nonlinearity Explains Inefficient Energy Strategy of Cancer Cells**

The use of energy-inefficient metabolism is a common yet largely unexplained property of cancer. We demonstrate that this property is in fact a consequence of a trade-off between the selective advantage of rapid growth and a concurrent nonlinear increase in protein cost. We developed a metabolic model that incorporates protein cost and allows us to identify candidate targets for therapeutic interventions. These findings provide a novel computational framework to analyze and potentially control cancer metabolism.

Joo Sang Lee, John Marko, Adilson E. Motter
Northwestern University
joosang@northwestern.edu,
john-marko@northwestern.edu, motter@northwestern.edu

CP38**The Relation Between Two-Cell Model and N-Cell Model on Somitogenesis of Zebrafish**

Somitogenesis is the process of the development of somites. Herein, we consider two-cell and N-cell models with delays to investigate the scenarios in zebrafish somitogenesis. We derive the analytical theories for the oscillation-arrested and synchronous oscillation for these two models. By the parameter regimes in our theories, we design suitable gradients of degradation rates and delays in the N-cell model to generate the chief dynamics, synchronous oscillation, traveling wave pattern, and oscillation-arrested, in somitogenesis.

Kang-Ling Liao, Chih-Wen Shih, Jui-Pin Tseng
National Chiao Tung University
liao.92@mbi.osu.edu, cwshih@math.nctu.edu.tw,
juipintseng@gmail.com

CP38**Firing Threshold Manifolds: Folded Saddle Canards in a Model of Propofol Anaesthesia**

We investigate firing threshold manifolds in a mathematical model of propofol anaesthesia, investigating the phenomenon of post-inhibitory rebound spiking. Propofol modulates the decay time-scale of an inhibitory GABA_A synaptic current. This system gives rise to rebound spiking within a specific range of propofol doses. Using techniques from geometric singular perturbation theory we identify canards of folded saddle-type, which form the firing threshold manifolds. The position and orientation of the canard separatrix is propofol dependant.

John Mitry
University of Sydney
J.Mitry@maths.usyd.edu.au

Michelle McCarthy
Department of Mathematics & Center for Biodynamics
Boston University
mmccart@bu.edu

Nancy Kopell
Boston University
Department of Mathematics
nk@bu.edu

Martin Wechselberger

University of Sydney
wm@maths.usyd.edu.au

CP39**Linking Graph Motifs and Collective Spiking in Neuronal Networks**

Correlations between neuron outputs (spikes) in biological neural networks are important characterizations of their collective dynamics, and can determine how these dynamics encode input signals. We studied how spike correlations are shaped by complex graph structures, defined via statistics of network motifs. We show that network-averaged spike correlations are determined by a novel set of network statistics – *motif cumulants* – which are endowed with a combinatorial relationship similar to that between moments and cumulants for random variables.

Yu Hu

Department of Applied Mathematics
University of Washington
huyupku@gmail.com

James Trousdale, Kresimir Josic
University of Houston
Department of Mathematics
jrtrousd@math.uh.edu, josic@math.uh.edu

Eric Shea-Brown
Department of Applied Mathematics
University of Washington
etsb@u.washington.edu

CP39**Exact Collective Dynamics for a Heterogeneous Network of Theta Neurons**

We have developed an exact model that examines the emergent dynamical properties of Type I neurons. Our model considers individual neuronal heterogeneity with respect to excitability and type of coupling. We employ a mean-field approach and reduce the higher dimensionality of this complex nonlinear system to a simple exact two-dimensional description. We characterize all the macroscopic states of the network and conduct a comprehensive bifurcation analysis under which transitions in these collective states occur.

Tanushree Luke

School of Physics, Astronomy, and Computational Sciences
George Mason University
tanu.luke@gmail.com

Ernest Barreto
George Mason University
Krasnow Institute
ebarreto@gmu.edu

Paul So
George Mason University
The Krasnow Institute
paso@gmu.edu

CP39**Core-Periphery Organization of Human Brain Dy-**

namics

As a person learns a new skill, distinct synapses, brain regions, and networks are engaged and change over time. To better understand the dynamic processes that integrate information across a set of regions to enable the emergence of novel behaviour, we measure brain activity during motor sequencing and characterize network properties based on coherent activity between brain regions. Using our recently developed algorithms to detect time-evolving communities of brain regions that control learning, we find that the complex reconfiguration patterns of local communities can be described parsimoniously by the combined presence of a relatively stiff core of primary sensorimotor and visual regions whose connectivity changes little in time and a flexible periphery of multimodal association regions whose connectivity changes frequently. The separation between core and periphery changes with the duration of task practice and, importantly, is a good predictor of individual differences in learning success. This temporally defined core-periphery organization corresponds with notions of core-periphery organization established previously in social networks: The geometric core of strongly connected regions tends to also be the temporal core of stiff regions. We then show using hypergraphs that the core is dominated by the co-evolution of network edges, demonstrating that core regions turn on and off with the same set of partner regions over the slow time scale of learning. Our results demonstrate that core-periphery structure provides a new approach for understanding how separable functional modules are linked. This, in turn, enables the prediction of fundamental capacities, including the production of complex goal-directed behavior, in humans.

Mason A. Porter

University of Oxford

Oxford Centre for Industrial and Applied Mathematics

porterm@maths.ox.ac.uk

CP39

Networks of Theta Neurons with Time-Varying Excitability: Macroscopic Chaos, Multistability, and Final-State Uncertainty

Using recently developed analytical techniques, we study the macroscopic dynamics of a large heterogeneous network of theta neurons in which the neurons' excitability parameter varies in time. We demonstrate that such periodic variation can lead to the emergence of macroscopic chaos, multistability, and final-state uncertainty in the collective behavior of the network. Finite-size network effects and rudimentary control via an accessible macroscopic network parameter is also investigated.

Paul So

George Mason University

The Krasnow Institute

paso@gmu.edu

Tanushree Luke

George Mason University

SPACS

tluke@gmu.edu

Ernest Barreto

George Mason University

Krasnow Institute

ebarreto@gmu.edu

CP39

Learning Cycles in Hopfield-Type Networks with Delayed Coupling

We study the storage and retrieval of cyclic patterns in Hopfield-type networks with delay using the pseudoinverse learning rule. We show that all cyclic patterns satisfying the transition conditions can be successfully stored and retrieved; topology of the networks constructed from these cyclic patterns are determined by the subspace structures of the row spaces of the cyclic patterns; transitions from fixed points to attracting limit cycles (cyclic patterns) are multiple saddle-node bifurcations on limit cycles.

Chuan Zhang, Gerhard Dangelmayr

Colorado State University

Department of Mathematics

zhang@math.colostate.edu, gerhard@math.colostate.edu

Iuliana Oprea

Department of Mathematics

Colorado State University

juliana@math.colostate.edu

MS1

Asymptotic Classification of Affine and Linear Stochastic Functional Differential Equations, and Applications to Volatility Modelling

In this talk, we give a classification of the pathwise and mean-square asymptotic behaviour of affine and linear stochastic functional differential equations. In each case, stability of an underlying deterministic system plus a noise intensity below a critical level guarantee stability, while above that critical level, instability ensues. The results can be applied to consider rates of convergence to stable solutions, and to analyse when solutions of stochastic functional equations arising in finance have stationary solutions, and long-range dependence.

John Appleby

School of Mathematical Sciences, Dublin City University

Dublin, Ireland

john.appleby@dcu.ie

MS1

Large Deviations in Affine Stochastic Functional Differential Equations

In this talk we explore the size of the running (or the running maximum of the norm) of the solution of a stochastic functional differential equation (SFDE). In a recent paper with Appleby and Mao, we investigated this phenomenon for equations with a finite memory; however, the method of proof precluded the analysis being carried through for equations with unbounded memory, or for stochastic neutral equations. In this work, we show that the size of the large deviations is the same for these classes of equations as it is for the standard finite delay SFDE

Huizhong Appleby-Wu

Department of Mathematics, St Patrick's College, DCU

huizhong.applebywu@spd.dcu.ie

MS1

Mean-square Stability of Stochastic Systems with

Memory Terms

We present a method to calculate the mean-square stability of dynamical systems described by Stochastic Differential Equations with Delay (SDDEs), which give a mathematical formulation of problems with time-lag or memory terms, as well as stochastic effects. We use this method to investigate the interplay of noise and delay, including noise structure. Further, we apply our method to models arising in Neuroscience and Biology, comparing the results obtained with the deterministic case.

Girolama Notarangelo

Institute for Stochastics, Johannes Kepler University Linz
Altenberger Strasse 69, A-4040 Linz, Austria
girolama.notarangelo@jku.at

MS1

Stochastic Dynamical Systems in Finance

This talk is devoted to the study of stochastic dynamical systems (SDS) and their applications in finance. Usually, a SDS consists of two parts: the first part is a model for the noise path, leading to a SDS, and the second part is the dynamics of a model. In this talk, we shall present many models of SDS and develop techniques in the SDS which can be implemented in finance. Among of these models we have: stochastic Ramsay model for a capital that takes into account past-dependent history; geometric Markov renewal process for a stock price with many possible values; fractional Brownian motion model for a stock price; regime-switching, delayed with Poisson jumps model for a stock price; delayed Heston model for a stochastic volatility. Based on the latter model, we shall show, for example, how to price variance and volatility swaps and how to hedge a position with volatility swap using a portfolio of variance swaps.

Anatoliy Swishchuk

University of Calgary
aswish@ucalgary.ca

MS2

The Role of Cardiac Tissue Anatomy during Electric-Field Stimulation

Designing low-energy control strategies for cardiac arrhythmias is an area of major scientific and medical interest. We present experimental evidence showing that the cardiovascular tree is an anatomical substrate for field-induced wave sources observed in quiescent tissue, a mechanism that permits Low-Energy Anti-Fibrillation Pacing to achieve considerable energy reduction compared to conventional defibrillation [S. Luther, F.H. Fenton et al., Nature, 2011]. Further theoretical investigations reveal a curvature-dependent sensitivity of tissue boundaries to electric-field stimulation [PB et al., Phys. Rev. Lett., 2012], indicating the relevance of additional endocardial structures.

Philip Bittihn

Max Planck Institute for Dynamics and Self-Organization
philip.bittihn@ds.mpg.de

MS2

Cardiac Alternans Annihilation by Model Predictive Control Techniques

In this research efforts, the model of alternation of action

potential dynamics is described by the small amplitude of alternans parabolic partial differential equations (PDE) that account for electric and calcium based alternation dynamics. We are seeking to explore model predictive control to suppress alternans and to account for naturally present constraints in control of cardiac systems and to relate this application to realistic physiological models.

Stevan Dubljevic

University of Alberta
stevan.dubljevic@ualberta.ca

Felicia Yapari

Chemical and materials Engineering Department
University of Alberta
yapari@ualberta.ca

MS2

Continuous-time Feedback Control of Alternans in Purkinje Fibers

We use a novel model of canine Purkinje fibers which accurately reproduces the experimental bifurcation diagram of action potential duration to compare discrete- and continuous-time feedback for suppression of alternans. In the discrete-time approach, control current is applied for a brief time interval following each pacing stimulus. In the continuous-time approach, a piece-wise constant control current is applied at all times. We show that the continuous-time approach suppresses alternans significantly faster compared with the discrete-time approach.

Alejandro Garzon

Universidad Sergio Arboleda
Bogotá, Colombia
alejandrogarzon@correo.usa.edu.co

Roman Grigoriev

Georgia Institute of Technology
Center for Nonlinear Science & School of Physics
roman.grigoriev@physics.gatech.edu

Flavio Fenton

Georgia Institute of Technology
flavio.fenton@physics.gatech.edu

MS2

Coherent Structures and Nonlinear Control of 2D Cardiac Tissue

Representation of cardiac tissue dynamics corresponding to spatiotemporally complex rhythms such as fibrillation as a walk through neighborhoods of a hierarchy of coherent structures opens up unprecedented possibilities for prediction and control. This talk describes the computational approach for identifying unstable periodic orbits representing these coherent structures and using them and their heteroclinic connections to guide the dynamics through phase space, e.g., from fibrillation to normal rhythm.

Christopher Marcotte

Georgia Institute of Technology
christopher.marcotte@gmail.com

Roman Grigoriev

Georgia Institute of Technology
Center for Nonlinear Science & School of Physics
roman.grigoriev@physics.gatech.edu

MS3**A Balance Model for Equatorial Long Waves**

As slow dynamics often dominate in geophysical fluid models, it is desirable to filter out fast motions by constructing simplified ‘balance’ models (e.g. the quasi-geostrophic model for mid-latitude dynamics). Attempts to derive its equatorial counterpart have not been entirely successful, as Kelvin waves, which contribute significantly to tropical low-frequency variability, are generally filtered out. I will describe how a balance model that captures Kelvin waves can be constructed via asymptotic expansion.

Ian Chan

University of Toronto
ianchan@atmos.physics.utoronto.ca

Theodore Shepherd
University of Reading
theodore.shepherd@reading.ac.uk

MS3**A Fast and Accurate Parallel-in-time Integrator for Nonlinear PDEs with Scale Separation**

We present a new time-stepping algorithm for nonlinear PDEs that exhibit scale separation in time. Our scheme combines asymptotic techniques (which are inexpensive but can have insufficient accuracy) with parallel-in-time methods (which, alone, can be inefficient for equations that exhibit rapid temporal oscillations). In particular, we use an asymptotic coarse solver for computing, in serial, a solution with low accuracy, and a more expensive fine solver for iteratively refining the solutions in parallel. We present examples on the rotating shallow water equations that demonstrate that significant parallel speedup and high accuracy are achievable.

Terry Haut

University of Colorado, Boulder
terry.haut@colorado.edu

Beth Wingate
Los Alamos National Laboratory
Computer And Computational Sciences Division
wingate@lanl.gov

MS3**Multiscale Asymptotic Approaches to Rotationally Constrained Flows**

Geophysical fluid dynamical flows by their nature span a large number of scales in both space and time. In this talk we discuss the development of a multiscale reduced modeling approach for rotationally constrained convective flows. Particularly, we present simulation results for small-scale quasigeostrophic (i) Rayleigh Benard convection and (ii) quasigeostrophic one-sided convection. The ability of coupling (i) and (ii) to large scale hydrostatic motions is also discussed.

Keith Julien

Applied Mathematics
University of Colorado, Boulder
keith.julien@colorado.edu

Antonio Rubio
Dept. Applied Mathematics
University of Colorado, Boulder

rubio.colorado.edu

Edgar Knobloch
University of California at Berkeley
Dept of Physics
knobloch@berkeley.edu

Geoffrey M. Vasil
Canadian Institute for Theoretical Astrophysics, Uni
60 St. George Street, Toronto, ON, Canada M5S 3H8
geoffrey.m.vasil@gmail.com

MS3**Approaching the Limit of Strong Rotation in the Rotating, Stratified Boussinesq System**

We investigate the dynamics of weakly stratified flow in the presence of increasingly strong rotation rate. In reality the limit of infinitely fast rotation (zero Rossby number) is not realized, so we consider the effect of rapid, but finite rotation (Rossby number small, but finite). We use a new decomposition and direct numerical simulations to investigate this limiting behavior.

Jared Whitehead

University of Michigan
whitehead@lanl.gov

Beth Wingate
Los Alamos National Laboratory
Computer And Computational Sciences Division
wingate@lanl.gov

MS4**Experimental Observation of Chimeras in Coupled-map Lattices**

While chimera states are often found in populations of phase oscillators, chimeras can also exist in networks of chaotic systems with nonlocal coupling. We present the experimental realization of these states in a feedback system which uses a liquid crystal spatial light modulator to achieve optical nonlinearity in a network of coupled chaotic maps. We also describe scaling properties of these states and their transition between spatial coherence and incoherence.

Aaron M. Hagerstrom

University of Maryland
aaron.hagerstrom@gmail.com

Thomas E. Murphy
University of Maryland, College Park
Dept. of Electrical and Computer Engineering
tem@umd.edu

Rajarshi Roy
University of Maryland
Institute for Research in Electronics and Applied Physics
rroy@glue.umd.edu

Philipp Hövel
Institute for Theoretical Physics
Technical University of Berlin
phoevel@physik.tu-berlin.de

Iryna Omelchenko
Technische Universität Berlin

omelchenko@itp.tu-berlin.de

Eckehard Schöll
Technische Universität Berlin
Institut für Theoretische Physik
schoell@physik.tu-berlin.de

MS4

The Spectrum of Chimera States: From Discrete Maps to Neural Systems

Chimera states exhibit surprising dynamics in compound systems of nonlocally coupled, identical elements that consist of both spatially coherent and synchronized as well as incoherent parts. Initially discovered for phase oscillators, they have been recently found in a large variety of different models and have also been realized in experiments. In my presentation, I will give an overview of the wide spectrum of possible local dynamics ranging from time-discrete maps via chaotic models to neural oscillators. Furthermore, I will address analytical results on the symmetry and stability of these hybrid states.

Philipp Hövel
Institute for Theoretical Physics
Technical University of Berlin
phoevel@physik.tu-berlin.de

MS4

Chimera in Space-time Representation of Optoelectronic Nonlinear Delay Dynamics

Delay dynamical systems are known to have a space-time interpretation. We propose to use this feature for the quest of experimental Chimera. A benchmark optoelectronic delay oscillator is considered as the physical setup intended to emulate a high dimensional spatio-temporal dynamics of coupled virtual nodes. Theoretical analysis, as well as numerical simulations, are proposed to identify the temporal and amplitude parameter conditions under which Chimera could be obtained in an experimental delay dynamics.

Laurent Larger
Université de Franche-Comté
FEMTO-ST institute / Optics Dept.
laurent.larger@univ-fcomte.fr

Bogdan Penkovskiy
National University of
bogdan.penkovskiy@gmail.com

Yuri Maistrenko
Institute of Mathematics, NAS of Ukraine
Tereschenkivska Str. 3, 01601 Kiev, Ukraine
y.maistrenko@biomed.kiev.ua

MS4

Chimera States for Repulsively Coupled Phase Oscillators

We discuss the appearance of chimera states for *repulsively* coupled phase oscillators of the Kuramoto-Sakaguchi type, i.e., when the parameter $\alpha > \pi/2$ and hence, the network coupling works against synchronization. We find that chimeras exist in a wide region of the parameter space as a cascade of the states with increasing number of the regions of irregularity - chimeras heads. They grow from the so-called multi-twisted states in three different scenarios: via

snic, blue-sky catastrophe, and homoclinic transition.

Yuri Maistrenko
Institute of Mathematics, NAS of Ukraine
Tereschenkivska Str. 3, 01601 Kiev, Ukraine
y.maistrenko@biomed.kiev.ua

MS5

May We Interpret Swimming as a Limit Cycle?

There is something periodic and stable about the motion of a fish swimming. Specifically, it seems natural to surmise that swimming is a limit cycle. In this talk I will leverage various Lie group symmetries to find a space on which this interpretation makes sense. The resulting observations can be abstracted, and then specialized to a number of dissipative Lagrangian systems and perhaps used to analyze other types of locomotion including terrestrial locomotion and pumping of fluids.

Henry O. Jacobs
Imperial College London
Mathematics
hoj201@gmail.com

MS5

Pinch-off and Optimal Vortex Formation in Biological Propulsion

A wide class of swimming animals propel themselves by forming vortex rings and loops. It is known that vortex rings cannot grow indefinitely, but rather ‘pinch-off’ once they reach their physical limit, and that a decrease in efficiency of fluid transport is associated with pinch-off. Therefore, in this study, we consider models for the vortex rings in the wakes of swimming animals, and characterize their perturbation response in order to assess their optimality.

Clara O’Farrell, John O. Dabiri
Caltech
ofarrell@cds.caltech.edu, jodabiri@caltech.edu

MS5

A Variational, Second-order Integrator for Point Vortices on the Sphere

I will introduce a novel formulation of point vortex dynamics on the sphere using unit quaternions. In this way, point vortex dynamics on the sphere is recast a Schrodinger-like equation, which facilitates the construction of geometrical numerical integrators. I will derive this formulation using the Hopf fibration, and I will derive a numerical integrator with good long-term qualitative behavior, which will be illustrated on the spherical von Karman vortex street.

Joris Vankerschaver, Melvin Leok
University of California, San Diego
Department of Mathematics
Joris.Vankerschaver@gmail.com, mleok@math.ucsd.edu

MS5

Computationally Tractable Tools for the Identification of Hybrid Dynamical Models of Human Movement

Given the loss of freedom common to injuries arising due to falls, the development of techniques capable of pinpoint-

ing instabilities in gait is critical. Devising an algorithm capable of detecting such deficiencies requires employing models rich enough to encapsulate the discontinuities in human motion. Hybrid systems, which describe the evolution of their state both continuously via a differential equation and discretely according to a discrete input, are capable of representing such motion. This talk begins by illustrating how a sequence of contact point enforcements along with a Lagrangian intrinsic to the human completely determines a hybrid system model. The detection of contact point enforcement is then transformed into an optimal control problem for switched systems which is solved by relaxing the discrete input and performing optimization over a relaxed discrete input space. The utility of this approach is illustrated by considering several examples.

Ram Vasudevan
University California Berkeley
ramv@mit.edu

MS6 Spectral Variational Integrators

Using techniques from Galerkin variational integrators, we construct a scheme for numerical integration that converges geometrically, and is symplectic and momentum preserving. Furthermore, we prove that under appropriate assumptions, variational integrators constructed using Galerkin techniques will yield numerical methods that are in a certain sense optimal, converging at the same rate as the best possible approximation in a certain function space. We further prove that certain geometric invariants also converge at an optimal rate.

Melvin Leok, James Hall
University of California, San Diego
Department of Mathematics
mleok@math.ucsd.edu, j9hall@math.ucsd.edu

MS6 Controlled Lagrangians and Stabilization of Discrete Spacecraft with Rotor

This talk discusses the method of controlled Lagrangians for discrete mechanical systems and its application to the problem of stabilization of rotations of a spacecraft about its intermediate inertia axis. The distinction between the stability conditions for a continuous-time system and its discretization will be discussed. It will be shown that stability of the discrete system is sufficient for stability of its continuous counterpart but not vice versa.

Yuanyuan Peng
Department of Mathematics
Clafin University
ypeng@clafin.edu

Syrena Huynh
North Carolina State University
Department of Mechanical Engineering
shuynh@ncsu.edu

Dmitry Zenkov
North Carolina State University
Department of Mathematics
dvzenkov@ncsu.edu

Anthony M. Bloch
University of Michigan

Department of Mathematics
abloch@umich.edu

MS6 The Hamilton-Pontryagin Principle and Lie-Dirac Reduction on Semidirect Product

We consider the Hamilton-Pontryagin variational principle on Lie groups and its associated Lie-Dirac reduction, which may yield the reduced implicit Euler-Poincaré equations. Especially, we focus on the case of the variational principle with advective parameters as well as reduction of Dirac structures on semidirect product. Finally, we show some illustrative examples of rigid body and fluids.

Hiroaki Yoshimura
Waseda University
yoshimura@waseda.jp

Francois Gay-Balmaz
Ecole Normale Supérieure
gaybalma@lmd.ens.fr

MS6 Variational Structures for Hamel's Equations

Hamel's equations are an analogue of the Euler-Lagrange equations of Lagrangian mechanics when the velocity is measured relative to a frame unrelated to the system's local configuration coordinates. This formalism is particularly useful in nonholonomic mechanics. We will discuss the variational structures associated with Hamel's equations, along with applications to nonholonomic integrators.

Dmitry Zenkov
North Carolina State University
Department of Mathematics
dvzenkov@ncsu.edu

Kenneth Ball
North Carolina State University
Department of Mathematics
krball@ncsu.edu

Anthony M. Bloch
University of Michigan
Department of Mathematics
abloch@umich.edu

MS7 Homoclinic Bifurcations Leading to Merging and Expansion of Chaotic Attractors

Chaotic dynamics in piecewise smooth maps may persist under parameter variations. Still, the chaotic domain in such maps may be well-structured by crisis bifurcations, caused by homoclinic bifurcations of unstable cycles. We discuss how the effect of these bifurcations depends on the properties of the cycles and how the resulting generic bifurcation scenarios depend on the properties of the map (which may be continuous or discontinuous, may possess one or several border points).

Viktor Avrutin
IPVS
University of Stuttgart
viktor.avrutin@ipvs.uni-stuttgart.de

MS7

Global Attractors for Slowly Non-Dissipative Equations with Jumping Nonlinearities

This talk presents new results in the study of non-compact global attractors for slowly non-dissipative reaction-diffusion equations. We analyze grow-up equations with asymptotically asymmetric growth rates, where the operator controlling the behavior at infinity contains a jumping nonlinearity. We present bifurcation, stability, and nodal property results which determine the connecting orbit structure as well as how the jumping nonlinearity at infinity introduces Fučík spectrum theory to the analysis in the sphere at infinity.

Nitsan Ben-Gal

Institute for Mathematics and its Applications
University of Minnesota
ben-gal@ima.umn.edu

Kristen Moore
University of Michigan
ksmoore@umich.edu

Juliette Hell
Institut fuer Mathematik
Freie Universitaet Berlin
jhell@zedat.mi.fu-berlin.de

MS7

Dynamics at Infinity for a PDE with Jumping Nonlinearity

A jumping nonlinearity naturally arises in the study of the dynamics at infinity for slowly nondissipative reaction-diffusion equations $u_t = \Delta u + f(u)$ where f goes to infinity along different slopes b^+ and b^- at positive and negative infinity. Although the behavior at infinity is well understood in the symmetric case $b^+ = b^-$, lack of smoothness in the nonsymmetric case jumbles the classical picture of heteroclinic connections. The behavior near the sphere at infinity is described via Poincaré "compactification".

Juliette Hell

Freie Universität Berlin
Institut für Mathematik
jhell@zedat.fu-berlin.de

Nitsan Ben-Gal
Institute for Mathematics and its Applications
University of Minnesota
ben-gal@ima.umn.edu

MS7

Grazing Induced Bifurcations in Impact Oscillators: Theory and Experiments

Abstract not available at time of publication.

Marian Wiercigroch
University of Aberdeen
King's College
m.wiercigroch@eng.abdn.ac.uk

MS8

Random Dynamical Systems Approach to the**Problem of Gene Expression**

A genetic regulatory network (GRN) is a collection of DNA segments in a cell which interact with each other through their RNA and protein expression products, thereby governing the rates at which genes in the network are transcribed into mRNA. These interactions are made by special proteins called transcription factors which bind the DNA at the promoter site to regulate the rate that specific gene targets are expressed. Much theoretical work on the structure of GRN focused on the static aspects of networks (topological or statistical properties). However, general studies of the dynamics (the processes that take place on a network) are fairly rare. In this work we propose an approach to the dynamics of genetic regulatory networks, which moreover accounts for the noise observed in the transcription process, by modelling the interaction of a transcription factor with the promoter region of a gene through suitable random dynamical systems resembling the Michaelis-Menten enzymatic kinetics.

Fernando Antoneli

Sao Paulo
fernando.antoneli@unifesp.br

Renata Carmona, Francisco Bosco
UNIFESP
DMIP
renata.carmona@unifesp.br, fbosco@unifesp.br

MS8

Wilson Networks for Binocular Rivalry

In rivalry the two eyes of a subject are presented with two images. Usually, the subject reports *seeing* the two images alternating. Wilson proposed a class of neuronal networks for multiple competing patterns. The neuronal network has learned patterns that help define the network structure. These networks also support patterns that were not learned, which we call *derived*. There is evidence for perception of derived patterns in binocular rivalry experiments. We consider Wilson networks corresponding to experiments of Kovács, Papathomas, Yang, and Fehér. The first experiment is the noted monkey-text rivalry experiment. We show that a simple Wilson model makes expected the surprising outcome. The second experiment concerns rivalry between dots of different colors. We construct a Wilson network for the dots experiment and use symmetry to make predictions regarding states that a subject might perceive. This is joint work with C. Diekmann and Y. Wang.

Martin Golubitsky

Ohio State University
Mathematical Biosciences Institute
mg@mbi.osu.edu

MS8

Normal Forms and Bifurcations of Semigroup Networks

The local bifurcation analysis of network dynamical systems is complicated by the fact that the normal form of a network near a local equilibrium may not have a nice network structure. We resolve this issue here by introducing so-called semigroup networks. It turns out that such networks are determined by a semigroup of symmetries. In particular, the synchronous solutions and the spectral degeneracies of any network are determined by hidden sym-

metries in an appropriate semigroup network.

Bob Rink, Jan Sanders
VU University Amsterdam
b.w.rink@vu.nl, jan.sanders.a@gmail.com

MS8

Rigid Phase-shifts in Periodic Solutions of Network Systems

Networks of differential equations can be described abstractly by a directed graph whose nodes correspond to systems of differential equations and arrows correspond to coupling between the systems. Suppose that $x(t)$ is a T -periodic solution and $x_i(t)$ and $x_j(t)$ are the coordinates of $x(t)$ corresponding to nodes i and j . The two nodes are *phase-related* if there exists $0 \leq \theta < 1$ such that $x_j(t) = x_i(t + \theta T)$. The phase relation θ is *rigid* if it remains unchanged on perturbation of the coupled system. In this talk we discuss joint work with M. Golubitsky and D. Romano that shows how rigid phase-shifts are related to network architecture (the graph) and network symmetries.

Yunjiao Wang
Rice Univ. Houston
dxjiao@gmail.com

MS9

Stochastic Prediction and Control in Time-dependent Dynamical Systems

We consider the problem of stochastic prediction and control in a time-dependent stochastic environment, such as the ocean, where escape from an almost invariant region occurs due to random fluctuations. In particular, a control strategy is formulated that utilizes knowledge of the underlying flow and environmental noise. The control policy enables mobile sensors to autonomously and efficiently pursue a variety of tasks by maintaining a desired distribution in the environment. The control strategy is evaluated with experimental data.

Eric Forgoston
Montclair State University
Department of Mathematical Sciences
eric.forgoston@montclair.edu

Lora Billings
Montclair State University
Dept. of Mathematical Sciences
billingsl@mail.montclair.edu

Ani Hsieh
Drexel University
mhsieh1@drexel.edu

Ira B. Schwartz
Naval Research Laboratory
Nonlinear Dynamical Systems Section
ira.schwartz@nrl.navy.mil

Philip Yecko
Montclair State University
philip.yecko@montclair.edu

MS9

Relatively Coherent Sets as a Hierarchical Partition Method in Time-dependent Chaotic Dynamical

cal Systems

We present an extension of finite-time coherent pairs in time-dependent dynamical systems to generalize the concept to hierarchically defined relatively coherent sets. The idea is based on specializing the finite-time coherent sets to use relative measures restricted to sets that are developed iteratively and hierarchically in a tree structure of partitions and the resulting restricted Frobenius-Perron operators. Several examples are used to illustrate our method.

Tian Ma
Department of Mathematics and Computer Science
Clarkson University
mat@clarkson.edu

Erik Bollt
Clarkson University
bolltem@clarkson.edu

MS9

Revealing the Phase Portrait of Aperiodic Time Dependent Dynamical Systems: New Tools and Applications

A very useful approach for studying dynamical systems is based on Poincaré ideas of seeking geometrical structures on the phase space that divide it into regions corresponding to trajectories with different dynamical fates. These ideas have demonstrated to be very powerful for the description of transport in purely advective flows. We study the performance of recently proposed tools, the so called Lagrangian descriptors, for achieving phase portrait representations in geophysical flows. We analyze the convenience of different descriptors from several points of view and compare outputs with other methods proposed in the literature. We discuss applications of these tools on oceanic and atmospheric realistic datasets.

Ana M. Mancho
Instituto de Ciencias Matemáticas
Consejo Superior Investigaciones Científicas
A.M.Mancho@icmat.es

Stephen Wiggins
University of Bristol
s.wiggins@bristol.ac.uk

Jezabel Curbelo
Intituto de Ciencias Matemáticas (ICMAT), Spain
jezabel.curbelo@icmat.es

Carolina Mendoza
Universidad Politécnica de Madrid
carolina.mendoza@upm.es

MS9

Chaotic Advection in a Steady, Three-dimensional, Ekman-driven Eddy

We investigate chaotic advection within a three-dimensional, steady or steady, rotating-cylinder flow, driven by a surface stress. A high-resolution spectral element model is used to map out the barriers, manifolds, and resonances. Invariant tori for cases with $O(1)$ Ekman number are found to be remarkably stable to the perturbation. A formula for the resonance width is derived, and this and a version of the KAM theorem are used to interpret

our findings.

Lawrence Pratt, Irina Rypina
Woods Hole Oceanographic Institution
lpratt@whoi.edu, irypina@whoi.edu

Tamay Ozgokmen
University of Miami/RSMAS
tozgokmen@rsmas.miami.edu

MS10

Truth-model Synchronization and Model-model Synchronization: A Path to Intelligent Compact Representation of a High-dimensional Reality

Predictive computational models that assimilate new observations of a real system as they run are intended to synchronize with that system, defining a new application of chaos synchronization to the problem of machine perception. A recent extension is to arrange for several alternative models of the same reality to synchronize with one another, a strategy suggestive of conscious mental processing, that gives improved modeling with ODE systems and a PDE representing the large-scale atmospheric circulation.

Gregory S. Duane
National Center for Atmospheric Research
gregory.duane@colorado.edu

MS10

Improvement in Predictive Modeling by Coupling Imperfect Models

A supermodel is an interconnected ensemble of existing imperfect models of a real, observable system, intended to combine the best features of the individual models. The connections between the models can be learned from observational data using methods from machine learning. We present new efficient, robust and scalable learning strategies to optimize supermodels for dynamical systems of low complexity, in particular for the case where connection coefficients appear only in equations for unobserved variables.

Carsten Grabow
Potsdam Institute for Climate Impact Research
grabow@pik-potsdam.de

Juergen Kurths
Humboldt Univ, Germany, Potsdam Institute for Climate Impact Research, Germany, and Aberdeen University, UK
juergen.kurths@pik-potsdam.de

MS10

Synchronous Coupling of Large Climate Models for Improved Climate Change Projection

Models used internationally to project climate change give divergent predictions in regard to the magnitude of globally averaged warming and in regard to specific regional changes. An “interactive ensemble of three different global climate models (GCMs) has been formed using inter-model data assimilation. Even with crude assignment of assimilation weights based on historical data, the resulting supermodel promises improved performance as compared to

any single model or weighted average of model outputs.

Joseph J. Tribbia
Nat'l Center for Atmospheric Research
tribbia@ncar.ucar.edu

Alicia Karspeck
National Center for Atmospheric Research
aliciak@ucar.edu

MS10

Climate Model Intercomparison at the Dynamics Level

We address how well models agree when it comes to dynamics they generate, by adopting an approach based on climate networks. We considered 98 runs from 23 models and constructed networks for the 500 hPa, surface air temperature (SAT), sea level pressure (SLP), and precipitation fields for each run. We find that with possibly the exception of the 500 hPa field, the consistency for the SLP and especially SAT and precipitation fields is questionable.

Karsten Steinhäuser
Department of Computer Science and Engineering
University of Minnesota, Twin Cities
ksteinha@umn.edu

Anastasios Tsonis
University of Wisconsin, Milwaukee
aatsonis@uwm.edu

MS11

On the Generation of Beta Oscillations in the Subthalamic Nucleus-globus Pallidus Network

A key pathology of Parkinson's disease is the occurrence of persistent beta oscillations. We investigate an earlier model of the network composed of subthalamic nucleus (STN) and globus pallidus (GP) that identified the conditions under which this circuit could generate beta oscillations. We derive stability conditions that are valid for arbitrary synaptic transmission delays. Our analysis explains how and why changes in inputs to the STN-GP network influence circuit oscillations.

John Hogan
Bristol Centre for Applied Nonlinear Mathematics
Department of Engineering Mathematics, University of Bristol
s.j.hogan@bristol.ac.uk

MS11

Striatum as a Potential Generator of Beta Oscillations in Parkinson's Disease

Prominent beta frequency oscillations arise in the basal ganglia in Parkinson's disease. The dynamical mechanisms generating these oscillations are unknown. Using mathematical models, we show that robust beta oscillations can emerge from interactions between striatal medium spiny neurons. The interaction between the membrane M-current and the synaptic GABA_A current provides a cellular-level interaction promoting the formation of the beta oscillation. Experimental testing of our model in normal, mouse striatum resulted in pronounced, reversible

beta oscillations

Michelle McCarthy
Department of Mathematics & Center for Biodynamics
Boston University
mmccart@bu.edu

Xue Han
Boston University
Department of Biomedical Engineering
xuehan@bu.edu

Ed Boyden
MIT Media Lab
esb@media.mit.edu

Nancy J. Kopell
Boston University
Department of Mathematics
nk@math.bu.edu

MS11

Dynamical Circuits Coupling Between Basal Ganglia and Cerebral Cortex

Elevated level of synchrony in the beta band across cortico-basal ganglia-thalamo-cortical circuitry is related to the motor symptoms of Parkinsons disease. We will discuss our studies of phase synchronization between cortical and basal ganglia oscillatory neural activity, in particular we consider the temporal patterns of this synchronization and the use of the mathematical models to investigate the mechanisms underlying observed synchronous dynamics.

Leonid Rubchinsky
Department of Mathematical Sciences
Indiana University Purdue University Indianapolis
leo@math.iupui.edu

Sungwoo Ahn
Indiana University Purdue University Indianapolis
ahnmath@gmail.com

Elizabeth Zaubers
Indiana University School of Medicine
szauber@iupui.edu

Robert Worth
Department of Neurosurgery
Indiana University School of Medicine
rworth@iupui.edu

MS11

Intrinsic Dynamics of Dopamine Neurons: Modeling and Experiments

Dopaminergic (DA) neurons are slow intrinsic pacemakers that undergo depolarization block upon stimulation. In response to several pharmacological manipulations, they also exhibit bursting and tonic firing. These activities are relevant to the dysfunctional dopaminergic signaling observed in Parkinson's disease and schizophrenia. We present a comprehensive multicompartment model of DA neurons to uncover the ionic basis of the signaling described above. Furthermore, we use a reduced three-compartment model to study its underlying dynamics using bifurcation analysis.

sis.

Na Yu
Louisiana State University - Health Science Center
Department of Cell Biology and Anatomy
nyu@lsuhsc.edu

MS12

Instability in Nearly Integrable Hamiltonian Systems with Three Degrees of Freedom

This talk is to sketch the proof of Arnold diffusion in nearly integrable Hamiltonian systems with three degrees of freedom and related problems.

Chong-Qing Cheng
Nanjing University
chengcq@nju.edu.cn

MS12

Geometric and Topological Structures in Hamiltonian Dynamics

An important problem in the study of Hamiltonian systems is to identify geometric/topological templates that organize the dynamics, and to develop constructive methods that can applied to concrete examples and implemented in rigorous numerical experiments. We will present several models of unstable Hamiltonian systems, and will survey some geometric, topological, and variational methods that can be used to describe the dynamics. We will discuss some applications to celestial mechanics, engineering, population dynamics, and medicine.

Marian Gidea
Northeastern Illinois University
mgidea@neiu.edu

MS12

Low-dimensional Dynamics in Nonlinear Wave Systems

The nonlinear Schrödinger equation (NLS) is a ubiquitous model in mathematical physics. In diverse settings—light propagation in coupled nonlinear waveguides and induced vortex motion in Bose Einstein condensate, the dynamics are well-described by small systems of Hamiltonian ODE. Using Hamiltonian reductions and normal form analysis, we investigate bifurcations discover hidden and surprising structures in the dynamics of these ODE models and relate them to direct numerical simulation of NLS.

Roy Goodman
New Jersey Institute of Technology
roy.goodman@njit.edu

MS12

Regularizing Transformations in the Planar Three-body Problem

I will describe an interesting way to regularize all three binary collisions and blow-up the triple collision in the planar three-body problem and discuss progress on extensions to the planar four-body problem.

Richard Moeckel
University of Minnesota
rick@math.umn.edu

Richard Montgomery
University of California at Santa Cruz
rmont@ucsc.edu

MS12

Small Generalized Breathers with Exponentially Small Tails for Klein-Gordon Equations

Breathers are solutions to PDEs which are periodic in time and localized in space. One famous example is the family of the breathers of the sine-Gordon equation. On the one hand, as shown by Birnir-McKean-Weinstein and Denzler, these breathers are rigid in the sense that they do not persist under small perturbations to the sine-Gordon equation. On the other hand, the formal analysis by Segur-Kruskal, for the ϕ -4 model, which can be viewed as a perturbation to the sine-Gordon equation for small amplitude waves, the obstacle to solving the equation for breathers is exponentially small with respect to the amplitude of the breathers. In the talk, we consider a class of Klein-Gordon equation and show that generically there exist small breathers with exponentially small tails.

Chongchun Zeng
Georgia Tech
zengch@math.gatech.edu

Nan Lu
University of Massachusetts at Amherst
nanlu@math.umass.edu

MS13

Data-driven Mesoscopic Neural Modelling

This presentation will discuss methods for developing subject-specific mesoscopic neural models. The ability to create subject-specific models will enable estimation of normally hidden aspects of physiology. Imaging physiological parameters will lead to a greater understanding of diseases and provide new targets for novel therapies. The model-data fusion framework in this presentation is based on nonlinear Kalman filtering. In particular, we will demonstrate estimation accuracy using synthetic data before showing results from real intracranial EEG data.

Dean R. Freestone, David Grayden
University of Melbourne, Australia
& The Bionics Institute, Melbourne, Australia
deanrf@unimelb.edu.au, grayden@unimelb.edu.au

Mark Cook
St. Vincent's Hospital, Melbourne, Australia
& The Bionics Institute, Melbourne, Australia
mark@neurology.net.au

Dragan Neic
University of Melbourne, Australia
dnesic@unimelb.edu.au

MS13

Optimal Control of Spiking Neuron Ensembles

Altering neuronal spiking activity using external stimuli is a subject of active research and is imperative for wide-ranging applications from the design of neurocomputers to neurological treatment of Parkinson's disease. We study the control of an ensemble of neuron oscillators described by phase models. We examine controllability of a neuron

ensemble and derive time-optimal and minimum-energy controls for spiking a neuron ensemble by using a robust computational method based on pseudospectral approximations.

Jr-Shin Li, Isuru Dasanayake
Washington University in St. Louis
jsli@seas.wustl.edu, isuru@ese.wustl.edu

Justin Ruths
Singapore University of Technology & Design
justinruths@sutd.edu.sg

MS13

Transient Neurodynamics and the Role of Sensory Dead Zones

Sensory thresholds can produce complex transient neurodynamics. We illustrate this phenomenon through a study of stick balancing at the fingertip. Although stick balancing stability is well accounted for by the presence of time-delayed feedback, the experimentally-observed transient dynamics (Weibull-type survival functions, intermittency, Levy-distributed variables) are most easily explained by incorporating a sensory threshold into the control mechanism. Sensory thresholds and transient dynamical phenomena necessitate a reconsideration of current models for neural computation and control.

John Milton
Claremont College
jmilton@jsd.claremont.edu

Gabor Stepan
Department of Applied Mechanics
Budapest University of Technology and Economics
stepan@mm.bme.hu

Tamas Insperger
Budapest University of Technology and Economics
Department of Applied Mechanics
insperger@mm.bme.hu

MS13

Controlling Populations of Neurons

There is evidence that an effective treatment for neurological diseases such as Parkinson's disease and epilepsy would be to desynchronize appropriate populations of neurons, for example through the use of deep brain stimulation. This talk will serve as an overview of different methods which have been proposed to accomplish this goal, with an emphasis on methods which exploit ideas from the theory of dynamical systems.

Jeff Moehlis
Dept. of Mechanical Engineering
University of California – Santa Barbara
moehlis@engineering.ucsb.edu

MS13

Symmetry in the Observability and Controllability of Neuronal Networks

The theory of observers is a mature one for linear systems. But it is far less developed for nonlinear systems, and very incomplete for nonlinear networks. Nevertheless, there is growing interest in model-based control of neural systems,

and accordingly, we have begun to investigate the effect of network symmetries on the observability and controllability of neuronal networks.

Steven J. Schiff
Penn State University
Center for Neural Engineering
sschiff@psu.edu

Andrew Whalen, Sean Brennan
Penn State University
awhalen@psu.edu, sbrennan@psu.edu

Timothy Sauer
Department of Mathematics
George Mason University
tsauer@gmu.edu

MS14

An Overview of Localized Pattern Formation, with Comments on Non-variational and Non-local Problems

I will introduce the minisymposium by reviewing the underlying structure that supports the existence of localized states near subcritical pattern-forming instabilities. Comments on recent work concerning non-variational or non-local terms in model equations will follow; some of this is joint work with John Burke (Boston).

Jonathan Dawes
University of Bath
J.H.P.Dawes@bath.ac.uk

John Burke
Boston University
jb@math.bu.edu

MS14

Exponential Asymptotics and Homoclinic Snaking

Homoclinic snaking of localized patterns has been observed in a variety of experimental and theoretical contexts. The phenomenon, in which a multiplicity of localized states exists within an exponentially small parameter range, is due to the slowly varying amplitude 'locking' to the underlying pattern. We show how conventional methods, such as multiple scales near bifurcation, must be extended to incorporate exponentially small effects if a complete asymptotic description of snaking behaviour is to be achieved.

Andrew Dean
University of Leeds
n/a

Paul C. Matthews
University of Nottingham
paul.matthews@nottingham.ac.uk

Stephen M. Cox
University of Nottingham
School of Mathematical Sciences
stephen.cox@nottingham.ac.uk

John King
University of Nottingham
john.king@nottingham.ac.uk

MS14

Radially Symmetric Spot Solutions for the Swift–Hohenberg Equation

The existence of stationary localized spots for the planar and the three-dimensional Swift–Hohenberg equation is proved using geometric blow-up techniques. The spots have a much larger amplitude than that expected from a formal scaling in the far field. One advantage of the geometric blow-up methods is that the anticipated amplitude scaling does not enter as an assumption into the analysis but emerges during the construction. The stability of these solutions will also be addressed.

Scott McCalla
University of California Los Angeles
sgmccalla@gmail.com

Bjorn Sandstede
Brown University
bjorn_sandstede@brown.edu

MS14

Localized Patterns in Systems with Two Length Scales, and Oscillons in Parametrically Forced Systems

We present two examples of one-dimensional localized patterns. In the first, the model system is unstable to two wavelengths and we find patterns with one wavelength embedded in a background of patterns with the other wavelength. In the second example, the model system is parametrically forced and the patterns are analogues of the oscillons found in Faraday wave experiments. In both cases, we analyse the system by carrying out long-wavelength expansions.

Abeer Al-Nahdi, David Bentley, Jitse Niesen
University of Leeds
ab.nahdi@gmail.com, mat4dcb@leeds.ac.uk,
jitse@maths.leeds.ac.uk

Alastair M. Rucklidge
Department of Applied Mathematics
University of Leeds
A.M.Rucklidge@leeds.ac.uk

Thomas Wagenknecht
University of Leeds
n/a

MS14

Spatial Patterns in Shear Flows

When shear flows become turbulent spatio-temporal patterns emerge in the chaotically fluctuating flow. Those patterns such as localized turbulent spots or laminar-turbulent stripes appear to be captured by spatially localized exact invariant solutions of the 3D Navier-Stokes equations. Specific equilibrium and traveling wave solutions are organized in a snakes-and-ladders structure strikingly similar to that observed in simpler pattern-forming PDE systems, suggesting that well-developed theories of patterns in simpler PDE models carry over to transitional turbulent flows.

Tobias Schneider
Max Planck Institute for Dynamics and Self-Organization,
tobias.schneider@ds.mpg.de

John Gibson
University of New Hampshire
john.gibson@unh.edu

MS15

Identification and Tracking of Optimally Coherent Sets in the Ocean and Atmosphere via Transfer Operators

Optimally coherent sets are those sets that are the most efficient transporters of geophysical flow mass. We describe a recent numerical method that uses Lagrangian information to detect and track optimally coherent sets in time-dependent geophysical flows. We illustrate the new approach by tracking Agulhas rings, and accurately determining the locations of the Antarctic polar vortex. The method works naturally in two- and three- dimensions, and can handle both advective and advective/diffusive dynamics.

Gary Froyland
University of New South Wales
g.froyland@unsw.edu.au

Christian Horenkamp
Chair of Applied Mathematics
University of Paderborn
christian.horenkamp@math.upb.de

Adam Monahan
School of Earth and Ocean Sciences
University of Victoria
monahana@uvic.ca

Vincent Rossi
UNSW, Australia,
v.rossi@unsw.edu.au

Naratip Santitissadeekorn
North Carolina Chapel Hill
naratip.math@gmail.com

Alex Sen Gupta
UNSW, Australia
a.sengupta@unsw.edu.au

Erik van Sebille
University of New South Wales
e.vansebille@unsw.edu.au

MS15

Scale-dependent Relative Dispersion and Application to Submesoscale Lagrangian Parametrization

The scale-dependent Finite Scale Lyapunov Exponent (FSLE(δ)) is a metric closely related to tracer dispersion problems as it differentiates the scales of dispersion. It is also particularly suited to investigate the dispersive regimes at the submesoscales, which tends to be underestimated in numerical models and can help in the development of Lagrangian parametrization. Results will be presented on existing Lagrangian subgridscale models adapted to tackle the multi-scale ocean transport problem.

Angelique C. Haza
MPO, RSMAS, University of Miami
ahaza@rsmas.miami.edu

Tamay Ozgokmen
University of Miami/RSMAS
tozgokmen@rsmas.miami.edu

Annalisa Griffa
CNR, Lerici, Italy
annalisa.griffa@ismar.cnr.it

Zulema Garraffo
NOAA
zulema.garraffo@noaa.gov

Leonid Piterba Piterbarg
U of Southern California
piter@usc.edu

MS15

Space-Filling Lattices of 3D Vortices Created by the Self-Replication of Critical Layers in Linearly Stable, Shearing, Stratified, Rotating Flows

A space-filling lattice of 3D vortices spontaneously forms in linearly- stable, rotating, stratified shear flows. The lattice is due to a new family of easily-excited critical layers with singular vertical velocities. The layers draw energy from the background shear and roll-up into vortices that generate waves. The waves excite new critical layers and vortices. The vortices nonlinearly and self-similarly replicate to create a vortex lattice. This self- replication occurs in stratified Couette flows and in protoplanetary disks.

Philip S. Marcus
Univ. of California at Berkeley
Dept. of Mech. Eng.
pmarcus@me.berkeley.edu

Chung-Hsiang Jiang, Suyang Pei, Pedram Hassandadeh
University of California at Berkeley
chjiang@me.berkeley.edu, suyangp@berkeley.edu,
phz@berkeley.edu

MS15

Hyperbolic Lagrangian Coherent structures (LCSs) and LCS-cores

Underlying the flow are structures, broadly known as Lagrangian Coherent structures (LCSs), which form the skeletons of passive tracer patterns. Some LCS can sustain highly attracting cores whose identification can help predicting the development of an instability in a tracer distribution. Here I exemplify this using data collected during the Deepwater Horizon oil spill and the eruption of the Eyjafjallajökull volcano in 2010, and a Lagrangian drifter experiment in Gulf of Mexico recently carried out.

M. Josefina Olascoaga
University of Miami
jolascoaga@rsmas.miami.edu

George Haller
ETH, Zurich, Switzerland
georgehaller@ethz.ch

Laura Fiorentino
University of Miami, Miami
lfiorentino@rsmas.miami.edu

Francisco J. Beron-Vera

University of Miami
fberon@rsmas.miami.edu

MS15

Lagrangian Fronts and Potential Fishing Grounds

Lagrangian fronts in the ocean delineate boundaries between waters with different Lagrangian properties. We propose a general method to identify them in any velocity field based on computing synoptic maps of the drift of synthetic tracers and other indicators. It is shown with the altimetric geostrophic velocity fields that fishing grounds with maximal catches are located mainly along those Lagrangian fronts where converge dissimilar waters of different origin and history. The proposed method may be applied to forecast potential fishing grounds for pelagic fishes in different regions.

S.V. Prants

Pacific Oceanological Institute of the Russian Academy of Sciences
prants@poi.dvo.ru

M.V. Budyansky

Pacific Oceanological Institute of the Russian Academy of Sciences
plaztic@poi.dvo.ru

M.Yu. Uleysky

Pacific Oceanological Institute of the Russian Academy of Sciences
uleysky@poi.dvo.ru

MS16

Stabilization of Difference Equations with Stochastic Perturbations

A map which experiences a period doubling route to chaos, under a stochastic perturbation with a positive mean, can have a stable blurred 2-cycle for large enough values of the parameter. The limit dynamics of this cycle is described, and it is demonstrated that most well-known population dynamics models (for example, Ricker, truncated logistic, Hassel and May, Bellows maps) have this stable blurred 2-cycle. For a general type of maps, in addition, there may be a blurred stable area near the equilibrium.

Elena Braverman

Department of Mathematics & Statistics
University of Calgary
maelena@math.ucalgary.ca

Alexandra Rodkina

The University of the West Indies
Mona, Kingston, Jamaica
alechkajm@yahoo.com

Leonid Braverman

Athabasca University and
St. Mary's University College, AB, Canada
lbraverm@yahoo.ca

MS16

Stochastic Effects in Non-normal Systems: An Example from Ecology

Consider the linearisation of a predator-prey model around an equilibrium representing species coexistence. The dy-

namics are governed by a non-normal coefficient matrix, which may display a large transient response to initial-value perturbation even when the equilibrium is asymptotically stable. We examine the effect of persistent stochastic perturbation of each species on mean-square dynamics, extending to the stochastic case measures of asymptotic and transient response to initial value perturbations proposed by Neubert & Caswell (1997).

Conall Kelly

Department of Mathematics and Computer Science
The University of the West Indies, Mona, Kingston, Jamaica
conall.kelly@gmail.com

MS16

The Poincare Map of Randomly Perturbed Periodic Motion

For a system of differential equations in $\mathbf{R}^n$ perturbed by small white noise, we construct the Poincare map in the vicinity of a stable limit cycle. We show that the time of the first exit from a small neighborhood of the fixed point of the map is approximately geometric and provide applications of this result to the analysis of bursting and mixed-mode oscillations in neuronal models. This is joint work with Pawel Hitczenko.

Georgi S. Medvedev

Drexel University
medvedev@drexel.edu

MS16

On Discrete Itô Formula and Applications

We discuss several variants of the Discrete Itô formula which was originally developed by J. A. D. Appleby, G. Berkolaiko and A. Rodkina. We demonstrate how this formula can be applied in the proofs of almost sure stability and instability of the solutions of the stochastic difference equations, systems of the stochastic difference equations, as well as the Euler-Milstein discretisation of an Itô stochastic differential equation. We also discuss application of the Discrete Itô formula to the optimal control problem for the stochastic difference equations.

Alexandra Rodkina

University of the West Indies, Jamaica
alexandra.rodkina@uwimona.edu.jm

MS17

Cardiac Wave Instabilities in Tissue with Inhomogeneous Distribution of Calcium Alternans

Despite the important role of electro-mechanical alternans in cardiac arrhythmogenesis, its molecular origin is not well understood. In this talk we consider alternans associated to instabilities in the cytosolic calcium transient. Particularly, we study how a malfunction of the ryanodine receptor (RyR) recovery time from inactivation may induce beat-to-beat alternations in intracellular calcium concentration and how this could affect the stimulus propagation in inhomogeneous tissue, whose cells exhibit different calcium dynamics.

Carlos Lugo

Departamento de Evolucion Molecular
Centro de Astrobiologia-CSIC
carlos.lugo@fa.upc.edu

Inma R Cantalapiedra, Angelina Penaranda, Enric Alvarez-Lacalle
 Departament de Fisica Aplicada
 Universitat Politecnica de Catalunya. BarcelonaTech
 inma@fa.upc.edu, angelina@fa.upc.edu,
 enric@fa.upc.edu

Blas Echebarria

Departamento de Fisica Aplicada. Universidad Politecnica de Catalunya (UPC). Av gregorio Marañon 44 E08028
 blas.echebarria@upc.edu

MS17

Dynamically Generated Complex Spatiotemporal Patterns in Cardiac Tissue

Alternans of action potential duration has been associated with T-wave alternans and the development of arrhythmias because it produces large gradients of repolarization. However, little is known about alternans dynamics in large mammalian hearts. Using optical mapping to record electrical activations simultaneously from the epicardium and endocardium of large mammalian hearts, we demonstrate five novel arrhythmogenic complex spatiotemporal dynamics not previously observed.

Flavio M. Fenton

Cornell University
 flavio.fenton@physics.gatech.edu

Alessio Gizzi

Campus Bio-Medico of Rome
 alessiovgizzi@gmail.com

Elizabeth M. Cherry
 Rochester Institute of Technology
 School of Mathematical Sciences
 excsma@rit.edu

Stefan Luther
 Max Planck Institute for Dynamics and Self-Organization
 stefan.luther@ds.mpg.de

MS17

Mechanisms of Spatially Discordant Alternans

Spatially discordant alternans (SDA) occurs when the action potential duration (APD) of different regions of tissue alternate out-of-phase. This phenomenon is arrhythmogenic since it induces a heterogeneous distribution of refractoriness which can induce wave break. In this study we propose a novel mechanism to generate SDA which is due to the spatial heterogeneity of calcium (Ca) cycling within cells in cardiac tissue. This mechanism is robust and is likely to underlie a wide range of experimentally observed SDA patterns.

Daisuke Sato

UC davis
 dsato@ucdavis.edu

Donald Bers
 UC Davis
 dmbers@ucdavis.edu

Yohannes Shiferaw
 California State University

Northridge
 yshiferaw@csun.edu

MS17

Reduced Order Modeling of Cardiac Dynamics and Prediction of Alternans

We developed a reduced order model to describe spatiotemporal patterns of cardiac alternans. A statistical learning method based on the reduced order model was developed to predict the local spatial onset of alternans from time series of optical mapping data from the rabbit heart .

Xiaopeng Zhao
 University of Tennessee
 xzhao9@utk.edu

Elena Tolkacheva

Department of Biomedical Engineering
 University of Minnesota
 talkacal@umn.edu

MS18

Parameterization Methods for Computing Normally Hyperbolic Invariant Tori

We explain numerical algorithms for the computation of normally hyperbolic invariant manifolds and their invariant bundles, using the parameterization method. The framework leads to solving invariance equations, for which one uses a Newton method adapted to the dynamics and the geometry of the invariant manifolds. We illustrate the algorithms with several examples. The algorithms are inspired in current work with A. Haro and R. de la Llave.

Marta Canadell

Universitat de Barcelona
 marta@maia.ub.es

Alex Haro
 Dept. of Mat. Apl. i Analisi
 Univ. de Barcelona
 alex@maia.ub.es

MS18

Trajectory Design in the Spatial Circular Restricted Three-Body Problem using Higher-Dimensional Poincaré Maps

The Circular Restricted Three-Body Problem (CR3BP) serves as a useful framework for preliminary trajectory design in a multi-body force environment; however, trajectory design, even in this simplified dynamical regime, is often nontrivial. The Poincaré map is a powerful tool that reduces the dimension of the problem and provides invaluable insight into the solution space. In the spatial problem, Poincaré maps must represent at least four states and are therefore challenging to visualize. In this investigation, a method to represent the information in higher-dimensional Poincaré maps is explored. These map representations are demonstrated to compute heteroclinic and homoclinic connections associated with libration point orbits, as well as to locate families of periodic orbits about the Moon and transfers to these orbits in the spatial problem.

Amanda Haapala

School of Aeronautics and Astronautics
 Purdue University

ahaapala@purdue.edu

Kathleen C. Howell
Purdue University
West Lafayette, IN 47907
howell@purdue.edu

MS18

Computing Singularity-Free Paths on the Configuration Manifold for Closed-Chain Manipulators

In Robotics a mechanism may have singular configurations, for which local "velocity control" is not possible. At a singularity the mechanism "locks". In order to get the mechanism to move from one configuration to another controls must be chosen in a way that these singularities are avoided. I will describe an algorithm for computing singularity-free paths on the configuration manifold for Closed-Chain Manipulators. The algorithm uses higher-dimensional continuation techniques to explore the manifold using a type of shortest path algorithm, and barriers to avoid singularities.

Michael E. Henderson
IBM Research
TJ Watson Research Center
mhender@us.ibm.com

MS18

Computing Global Manifolds in the Lorenz System

The transition from simple to chaotic dynamics in the Lorenz system is organised by two global bifurcations: a homoclinic bifurcation of the origin and a heteroclinic connection between the origin and a saddle periodic orbit. This talk will demonstrate how the computation of two-dimensional stable manifolds as one-parameter families of orbit segments can be employed to understand the organization of phase space during this transition via preturbulence to the well-known chaotic Lorenz attractor.

Eusebius Doedel
Dept of Computer Science
Concordia University
doedel@encs.concordia.ca

Bernd Krauskopf, Hinke M. Osinga
University of Auckland
Department of Mathematics
b.krauskopf@auckland.ac.nz, H.M.Osinga@auckland.ac.nz

MS19

Integro-differential Equations in Epidemiology Explored via Delays

The sojourn time for diseases processes, e.g., recovery or immunity time, are often assumed to be exponentially distributed resulting in ODE based models. Consideration of more general sojourn-time distributions results in integro-differential equations (IDEs). We study IDEs as perturbations of ODEs or delay-differential equations. We use asymptotic methods and bifurcation theory developed for these latter problems to understand how the properties of the more general sojourn-time distributions affect the stability and properties of the IDE system dynamics.

Thomas W. Carr
Southern Methodist University

Department of Mathematics
tcarr@smu.edu

MS19

Networks with Multiple Connection Delays: Dynamical Properties, Scaling Behaviour and Synchronisation Patterns

The dynamics of networks with delayed interactions have received much interest, as coupling delays play an important role in diverse systems as population dynamics, traffic, communication networks, genetic circuits, and the brain. In general the different interaction delays in a network are not equal, or may even differ by several orders of magnitude. Here, we consider a network of networks of chaotic units: the coupling delay within a subnetwork is much shorter than the delay between the subnetworks. We show that the spectrum of Lyapunov exponents has a hierarchical structure, with different parts of the spectrum scaling with the different delays. From the scaling properties of the maximal Lyapunov exponent, we can deduce the synchronisation properties of the network: units within a subnetwork can synchronise if the maximal exponent scales with the shorter delay, synchronisation between different subnetworks is only possible if the maximal exponent scales with the long delay.

Otti D'Huys
Department of Physics (DNTK)
Vrije Universiteit Brussel, Belgium
otti.dhuys@physik.uni-wuerzburg.de

Steffen Zeeb, Sven Heiligenthal, Thomas Juengling
Institute for theoretical physics
University of Wuerzburg
steffen.zeeb@physik.uni-wuerzburg.de,
sven.heiligenthal@physik.uni-wuerzburg.de,
thomas@ifisc.uib-csic.es

Wolfgang Kinzel
University of Wuerzburg, Germany
kinzel@physik.uni-wuerzburg.de

Serhiy Yanchuk
Humboldt University Berlin
yanchuk@math.hu-berlin.de

MS19

Delay- and Coupling-Induced Firing Patterns in Oscillatory Neural Loops

We investigate the emergence of stable spiking patterns in feed-forward loops of interacting neurons which are generic components of nervous systems. We show that such neural networks may possess a multitude of stable spiking patterns and provide explicit conditions for the communication delays and/or synaptic weights resulting in a desired pattern. It can be obtained by a modulation of the coexisting stable in-phase synchronized states or traveling waves propagating along or against the direction of coupling in the homogeneous network. We also show that the delays directly affect the time differences between spikes of interacting neurons, and the synaptic weights control the phase differences.

Oleksandr Popovych
Institute of Neuroscience and Medicine -
Neuromodulation

Research Center Juelich, Germany
o.popovych@fz-juelich.de

Serhiy Yanchuk
Institute of Mathematics,
Humboldt University of Berlin, Germany
yanchuk@mathematik.hu-berlin.de

Peter A. Tass
Institute of Medicine (MEG)
Research Centre Juelich
p.tass@fz-juelich.de

MS19

Control of Desynchronization Transitions by the Balance of Excitatory and Inhibitory Coupling in Delay-Coupled Networks

We discuss multiple synchronization and desynchronization transitions in networks of delay-coupled excitable systems, which arise due to a change of the ratio of excitatory and inhibitory couplings. We use a generic model of type-I excitability for the local dynamics of the nodes. Utilising the method of the master stability function, we investigate the stability of the zero-lag synchronous dynamics and its dependence on coupling strength, delay time, and the relative number of inhibitory links.

Eckehard Schöll
Technische Universität Berlin
Institut für Theoretische Physik
schoell@physik.tu-berlin.de

MS20

Extreme Events in Networks of Excitable Units

We investigate networks of excitable FitzHugh–Nagumo units that are capable of self-generating and -terminating extreme events at irregular times and without employing parameter changes, external input or stochasticity. We discuss dynamical properties and mechanisms that may be responsible for the generation and termination of these extreme events.

Gerrit Ansmann, Klaus Lehnertz
Department of Epileptology
University of Bonn, Germany
gansmann@uni-bonn.de, klaus.lehnertz@ukb.uni-bonn.de

MS20

The Dynamics of Two Coupled Excitable Units

Networks of excitable elements of FitzHugh Nagumo type exhibit high amplitude events which are recurrent on large time scales. To understand the mechanism of the generation of such events, we study two diffusively coupled, non-identical FitzHugh Nagumo models. These rare spikes are found for a parameter range where the system is chaotic. This chaotic dynamics consists of small subthreshold oscillations with irregular spikes immersed. Possible mechanisms behind this "extreme" behavior of the system are discussed.

Rajat Karnatak
Theoretical Physics/Complex Systems, ICBM
University Oldenburg
rajat.karnatak@uni-oldenburg.de

Ulrike Feudel
University of Oldenburg
ICBM, Theoretical Physics/Complex Systems
ulrike.feudel@uni-oldenburg.de

MS20

Detecting Precursors of Bursting Dynamics in Simplified Neuronal Networks

Spiking dynamics of simplified neuronal networks exhibits complex patterns with transitions in and out synchronous bursting. We use integrate-and-fire networks with complex topologies to investigate dynamical precursors of transitions in and out of the bursting on the level of correlations of cellular groups. We compare spontaneous and evoked dynamics for excitatory only and mixed excitatory-and-inhibitory networks. We show distance dependent cluster formation and progressive homogeneity in neuronal dynamics just before the transition to synchronous bursting. These results may provide insights on dynamical correlates of seizure onset in epileptic networks.

Michał Zochowski
Department of Physics and Biophysics Program
University of Michigan
michalz@umich.edu

MS21

Reduced Model of Internal Waves

Abstract not available at time of publication.

Roberto Camassa
University of North Carolina
camassa@amath.unc.edu

MS21

Internal Waves in the Ocean: Theoretical Perspective

Abstract not available at time of publication.

Yuri V. Lvov
Rensselaer Polytechnic Institute
lvovy@rpi.edu

MS21

Internal Waves: Synthesis Between Theory and Observations

Abstract not available at time of publication.

Kurt Polzin
whoi.edu
kpolzin@whoi.edu

MS21

Hamiltonian Formalism for Internal Waves and Turbulence in Stratified Flows

Abstract not available at time of publication.

Benno Rumpf
Southern Methodist University
brumpf@mail.smu.edu

MS22

From Bearings to Biscuits, Practical Applications of Nonsmooth Dynamics

Abstract not available at time of publication.

Chris BuddDept. of Mathematical Sciences
University of Bath, UK
mascjb@bath.ac.uk

MS22

Sustained Oscillations in a Nonsmooth Idealized Ocean Circulation Models

Stommel developed a model which captures the basic dynamics of thermohaline circulation but the model settles into a fixed mode of circulation under constant forcing. Saha modified a model by Colin de Verdière which exhibits oscillations in the strength of the circulation, however the model is analytically intractable. Changes in circulation are a possible trigger to rapid climate fluctuations known as Dansgaard-Oeschger events. The goal is to determine minimal conditions under which an ocean box model exhibits this qualitative behavior, and geometric singular perturbation theory is used to do so.

Andrew RobertsDepartment of Mathematics
The University of North Carolina at Chapel Hill
arob@live.unc.edu

MS22

Regularization and Singular Perturbation Techniques for Nonsmooth Systems

The purpose of this talk is to present some aspects of the qualitative-geometric theory of nonsmooth dynamical systems. We present a survey of the state of the art on the connection between the regularization process of non-smooth vector fields and singular perturbation problems. We focus on exploring the local behavior of systems around typical singularities.

Marco TeixeiraDepartamento de Matemática
Universidade Estadual de Campinas, Brazil
teixeira@ime.unicamp.br

MS22

Dynamics of a Fast Slow Piecewise Smooth Conceptual Climate Model

A recent augmentation of Earth's temperature profile model includes a coupling with an ice line and a green house effect. The model could be reduced further to a two dimensional fast slow system on a subset of the plane. The resulting system is piecewise smooth with switches on the boundary. In this talk, I will briefly introduce a hybrid dynamical system arises from this climate model, discuss the wellposedness of the system and summarize the most recent advances on the stability analysis.

Esther WidiasihDepartment of Mathematics
The University of Arizona
ewidiasih@math.arizona.edu

Anna M. Barry

Institute for Mathematics and its Applications
University of Minnesota
annab@ima.umn.edu

MS23

Bifurcations in Symmetrically Coupled Devices

I will give an overview of recent bifurcation results in models of symmetrically coupled devices (lasers and gyroscopes). The lasers are delay-coupled and bifurcations are from a rotating wave. I will present some symmetry-breaking steady-state and Hopf bifurcations from the rotating wave. The symmetrically coupled network of gyroscopes has Hamiltonian structure and I will show how the bifurcation results persist under time-dependent and dissipative perturbations. This is joint work with J. Collera (lasers), A. Palacios and B. Chan (gyroscopes).

Pietro-Luciano BuonoUniversity of Ontario Institute of Technology
Oshawa, Ontario Canada
Pietro-Luciano.Buono@uoit.ca

MS23

Synchrony in Coupled Cell Networks

Coupled cell systems (CCS) are systems of ordinary differential equations associated with a network architecture – a finite set of nodes or cells and a finite number of arrows, representing individual dynamics and the interactions between the individuals, respectively. The network structure forces the existence of certain flow-invariant subspaces, defined in terms of equalities of certain cell coordinates (the synchrony subspaces) for all the associated CCS. We show how to obtain the lattice of synchrony subspaces of a network based on the eigenvalue structure of the network adjacency matrices and we present an algorithm that generates the lattice.

Manuela A. Aguiar
Faculdade de Economia
Universidade do Porto
maguiar@fep.up.ptAna Paula S. DiasUniversidade do Porto
apdias@fc.up.pt

MS23

Dynamics on Asynchronous Networks

For dynamicists, a network consists of interconnected dynamical systems (or "nodes"). Classical networks encountered in dynamics are synchronous: nodes all run on the same clock and connectivity is fixed. Biological networks, computer networks and distributed systems generally are asynchronous: nodes may run on different clocks, connectivity may vary in time and nodes may stop and start running. In this talk we describe and illustrate recent results about dynamics on asynchronous networks.

Mike FieldRice University Houston
mikefield@gmail.com

MS24

Collaborative Tracking of Coherent Structures in

Flows by Robot Teams

Tracking Lagrangian coherent structures in dynamical systems is important for many applications such as oceanography and weather prediction. We present a collaborative robotic control strategy designed to track Lagrangian coherent structures without requiring global information about the dynamics. The collaborative tracking strategy is implemented on a team of three robots and relies solely on local sensing, prediction, and correction. We present simulation and experimental results and discuss theoretical guarantees of the collaborative tracking strategy.

M. Ani Hsieh

Drexel University
mhsieh1@drexel.edu

Eric Forgoston
Montclair State University
Department of Mathematical Sciences
eric.forgoston@montclair.edu

Matthew Michini
Drexel University
matt.a.michini@drexel.edu

Ira B. Schwartz
Naval Research Laboratory
Nonlinear Dynamical Systems Section
ira.schwartz@nrl.navy.mil

MS24

Lagrangian and Eulerian Indicators in a Model of the Chesapeake Bay

Numerical simulations and analysis of the Chesapeake Bay will be the focus of this presentation. Data from ROMS (Regional Ocean Model), specially modified for the Bay's bathymetry, geometry, and wind forcing, is analyzed. We will discuss the challenges associated with interpolating the data to acquire a velocity field to which we apply recent tools from dynamical systems to study the behavior of trajectories, transport and mixing, and coherence of structures. Our goal is to apply Lagrangian as well as Eulerian tools and indicators and discuss the strengths and weaknesses of each technique in the context of the Chesapeake Bay.

Reza Malek-Madani

US Naval Academy
Department of Mathematics
rmm@usna.edu

Kevin McIlhany
United States Naval Academy
mcilhany@usna.edu

Kayo Ide
Dept. of Atmospheric and Oceanic Sciences
University of Maryland, College Park
ide@umd.edu

Bin Zhang
University of Maryland
bzhangys@umd.edu

MS24

LCS Based Detection of Key Ocean Transport Bar-

riers: Advances and Applications

The detection of transport barriers in fluid flows has wide spread application, one example being the ability to improve predictions of the transport of pollution and debris in the ocean, which has been become a globally important topic over the past few years. For this purpose, we provide an overview of the LCS-based methodology for detecting key transport barriers within two-dimensional flows, describing some mathematical and practical improvements to existing methods. To demonstrate the utility of the approach, we apply this procedure to several different case real-world studies.

Thomas Peacock

Massachusetts Institute of Technology
tomp@mit.edu

Michael Allshouse
Dept. of Mechanical Engineering
Massachusetts Institute of Technology
mra23@mit.edu

C.J. Beegle-Krause
NOAA
cj.beegle-krause@noaa.gov

Jean-Luc Thiffeault
Dept. of Mathematics
University of Wisconsin - Madison
jeanluc@math.wisc.edu

George Haller
ETH, Zurich, Switzerland
georgehaller@ethz.ch

M. Josefina Olascoaga
University of Miami
jolascoaga@rsmas.miami.edu

MS24

Lagrangian Data Assimilation Within the Ocean: Subsurface Observations and Three Dimensional Models

A simple kinematic model of a wind-forced three dimensional ocean eddy can illuminate complex dynamics of the fluid flow. However, a kinematic model alone cannot hope to perfectly describe reality or the data one may collect. As such we propose modeling the difference between the kinematic model and data as a random function which we refer to as a bias. Once the random function is fit, we use the now bias-corrected kinematic model to explore the eddy dynamics.

Elaine Spiller
Marquette University
elaine.spiller@marquette.edu

MS25

Rigorous Continuation of Solutions of Infinite Dimensional Nonlinear Problems

We present a rigorous numerical method to compute global smooth manifolds of solutions of infinite dimensional nonlinear problems. We use a parameter continuation method on a finite dimensional projection to construct a simplicial approximation of the manifold. This simplicial approxima-

tion is then used to construct local charts and an atlas of the global manifold in the infinite dimensional space. The idea behind the construction of the smooth charts is to use the so-called radii polynomials to verify the hypotheses of the uniform contraction principle on each simplex. The construction of the manifold is then finalized by proving smoothness along the common lower dimensional faces of adjacent simplices. The method is applied to compute one- and two-dimensional bifurcation manifold of equilibria and time periodic orbits for PDEs.

Marcio Gameiro
University of Sao Paulo
gameiro@icmc.usp.br

MS25

Rigorous Computation of Connecting Orbits in Higher Dimensions

Abstract not available at time of publication.

Jason Mireles James
Rutgers University
jmireles@math.rutgers.edu

MS25

Rigorous Numerics for Nonlinear ODEs Using Chebyshev Series

We propose a rigorous numerical method to validate solutions of initial and boundary value problems for nonlinear ODEs. Our approach is based on the notion of Chebyshev expansions, an analogue of Fourier series for nonperiodic problems. We derive an equivalent problem on the infinite dimensional space of Chebyshev coefficients and compute rigorous error bounds for solutions to this problem. The method is illustrated with an application to connecting orbit problems in the Gray Scott System.

Christian Reinhardt
TU Munich
reinhardt@ma.tum.de

Jean-Philippe Lessard
Université Laval
jean-philippe.lessard@mat.ulaval.ca

MS25

Recent Advances in Rigorous Numerics for Periodic and Connecting Orbits

The past few decades have seen enormous advances in the development of computer assisted proofs in dynamics. For finite dimensional systems there have been stunning results. Attention is now turning to *infinite* dimensional nonlinear dynamics generated by PDEs, integral equations, delay equations, and infinite dimensional maps. In this talk we will review recent developments, such as the use Chebyshev polynomials to attack connecting orbit problems, as well as applications in the setting of spatio-temporal periodicity.

Jan Bouwe Van Den Berg
VU University Amsterdam
Department of Mathematics
janbouwe@few.vu.nl

MS26

An Iterative Method for the Canard Explosion in General Planar Systems

The canard explosion is the change of amplitude of a limit cycle in a narrow parameter interval. It is well understood in singular perturbation problems where a small parameter controls the slow/fast dynamics but also occurs in systems with no explicit small parameter. We show how the iterative method of Roussel and Fraser, devised to construct regular slow manifolds, can be used to determine a canard point in a general planar system.

Morten Brons
Tech University of Denmark
Department of Mathematics
M.Brons@mat.dtu.dk

MS26

Inflection Methods for Singular Perturbation Problems

Inflection methods for dynamical systems rely on computing (analytically and/or numerically) the locus of points in the phase space where a solution curve has zero local curvature. In problems with multiple time scales, parts of these inflection sets approximate slow manifolds and, in the neuronal context, offer a tractable access to excitability thresholds. In this talk, I will review inflection techniques for slow-fast dynamical systems and present recent results on canards in ε -free systems investigated using these techniques.

Mathieu Desroches
INRIA Paris-Rocquencourt
France
mathieu.desroches@inria.fr

Martin Krupa
INRIA Paris-Rocquencourt
maciej.p.krupa@gmail.com

Serafim Rodrigues
Plymouth University (UK)
serafim.rodrigues@plymouth.ac.uk

MS26

An Iterative Approach for the Computation of Canards and their Transients

The computation of canards in slow-fast systems using collocation methods is potentially hampered by the fact that the computational complexity increases with decreasing epsilon. Here we suggest a different approach that circumvents this issue. It is based on iterative methods for the computation of the slow manifold and approximations to the fiber projections that allow for a splitting of the system into non-stiff sub-systems. We present some convergence estimates and numerical results.

Kristian U. Kristiansen
Department of Mathematics
Technical University of Denmark
k.kristiansen@mat.dtu.dk

MS26

Algorithmic Multiscale Reduction: Analysis, Chal-

Challenges, Hits and Misses

Nonlinear multiscale reduction methods originated in the applied sciences a century ago. Their mathematical formalization proved invaluable but riddled them with an $\varepsilon \ll 1$, whose explicit identification is problematic for complex models. I will first present methods understandable within a simple differential geometric framework, outlining results and research opportunities. I will then consider a glycolysis model, show how inopportune applications of the classic QSSA method *reverse* system behavior and discuss QSSA robustness for large biochemical models.

Antonios Zagaris
Universiteit Twente
a.zagaris@utwente.nl

MS27

Identifiability and Parameter Estimation of Multiple Transmission Pathways in Disease

Waterborne diseases such as hepatitis A, cholera, and a wide range of other bacterial and viral diseases cause over 1.8 million deaths annually. These diseases often exhibit multiple pathways or timescales of transmission. In this talk I will discuss some of our recent work examining the identifiability, parameter estimation and dynamics of multiple transmission pathways in disease, including initial work examining how the structure of networks of connectivity for human and water movement affect disease dynamics.

Marisa Eisenberg
University of Michigan
marisae@umich.edu

MS27

Mathematical Model of Infection by Genetically-Engineered Viruses to Induce An Anti-Cancer Immune Response

A new strategy for cancer treatment relies on using genetically-engineered viruses to infect and kill tumor cells and potentially induce an anti-tumor immune response. Recent experiments with engineered adenovirus have caused substantial reduction in growth rates of tumors in mice; however, the tumors always relapse. By fitting time series data to mathematical models, we attempt to elucidate underlying cancer-virus and cancer-immune dynamics and propose improved methods of treatment.

Peter S. Kim
University of Sydney
School of Mathematics and Statistics
pkim@maths.usyd.edu.au

Joseph J. Crivelli
Weill Cornell Medical College
jjc2004@med.cornell.edu

Joanna Wares
University of Richmond
Department of Mathematics and Computer Science
jwares@richmond.edu

MS27

The Impact of Vaccination and Transgenic

Mosquitoes on the Evolution of the Dengue Virus

Dengue is a mosquito-borne viral pathogen that causes large amounts of disease in the tropics and sub-tropics. Two new interventions for dengue are currently in intense development: a vaccine that protects against all four serotypes and transgenic mosquitoes that are less-suitable vectors. We developed a mathematical model for evolution of dengue viruses in response to these new interventions. I will discuss results from the model, including interventions that would pose the least risk of selecting for more virulent dengue strains.

Jan Medlock
Oregon State University
jan.medlock@oregonstate.edu

MS27

A Perspective on Multiple Waves of Influenza Pandemics

A striking characteristic of the past four influenza pandemic outbreaks in the United States has been the multiple waves of infections. However, the mechanisms responsible for these waves are uncertain. In this talk several distinct mechanisms are exhibited each of which can generate two waves of infections for an acute infectious disease. Each is incorporated into a susceptible-exposed-infected-removed model. The models are used to examine the effects of border control and vaccination.

Anna Mummert
Marshall University
mummerta@marshall.edu

Howard Weiss
Georgia Tech
weiss@math.gatech.edu

Li-Ping Long
Mississippi State University
long@cvm.msstate.edu

José M. Amigó
Centro de Investigación Operativa
jm.amigo@umh.es

Xiu-Feng Wan
Mississippi State University
wan@cvm.msstate.edu

MS28

Effects of Reduced Discrete Coupling on Filament Tension in Excitable Media

Wave propagation in the heart is mediated by discrete intercellular connections via gap junctions. Effects of discreteness on waves in two and three dimensions are explored. We study the effect of discrete cell coupling on the filament dynamics in a generic model of an excitable medium. We find that reduced cell coupling decreases the line tension of scroll wave filaments and may induce negative filament tension instability in three-dimensional excitable lattices.

Sergio Alonso
Physikalisch-Technische Bundesanstalt
Berlin, Germany
sergio.alonso@ptb.de

MS28**Dynamics of Scroll Filaments, and Buckling of Scrolls in Thin Media**

Scroll wave turbulence occurs in excitable media with negative filament tension. In a thin layer, a scroll can be stabilized by “filament rigidity”. Above a critical thickness, scroll deforms into a buckled, precessing state. On the surface this is seen as spiral wave meandering, the amplitude of which grows with the layer thickness, until a break-up to the scroll turbulence happens. We present a simplified theory for this phenomenon and illustrate it with numerical examples.

Hans Dierckx
Department of Physics and Astronomy
Ghent University
hans.dierckx@ugent.be

Henri Verschelde
Ghent University
henri.verschelde@ugent.be

Ozgur Selsil
University of Liverpool
oselsil@liverpool.ac.uk

Vadim N. Biktashev
College of Engineering, Mathematics and Physical
Sciences
University of Exeter
V.N.Biktashev@exeter.ac.uk

MS28**Low-energy Control of Electrical Turbulence in the Heart**

Control of complex spatio-temporal dynamics underlying life-threatening cardiac arrhythmias is difficult, because of the nonlinear interaction of excitation waves in a heterogeneous anatomical substrate. We show that in response to a pulsed electric field, heterogeneities related to coronary vascular structure serve as nucleation sites for intramural electrical waves, which allow targeting of electrical turbulence near the cores of the vortices of electrical activity. Using this control strategy, we demonstrate low-energy termination of fibrillation *in vivo*.

Stefan Luther
Max Planck Institute for Dynamics and Self-Organization
stefan.luther@ds.mpg.de

MS28**Filament Interaction and Self-Wrapping Filaments in An Excitable Reaction System**

The three-dimensional Belousov-Zhabotinsky reaction self-organizes scroll waves that rotate around one-dimensional phase singularities called filaments. These filaments move with speeds proportional to their local curvature and filament loops shrink and annihilate in finite time (positive filament tension). Local pinning of the filament can affect this process and induce stable vortex patterns. In this talk I will discuss recent results on the pinning of filament loops to small unexcitable heterogeneities. Such configurations allow the investigation of filament interaction. In addition, I will present results on the self-wrapping of filaments around unexcitable cylinders with radii much smaller than the vortex wavelength. This self-wrapping re-

shapes the rotation backbone and wave field of the vortex profoundly. The relevance of these findings for cardiology are discussed. All experimental results are complemented by numerical simulations with a piece-wise linear reaction-diffusion model.

Oliver Steinbock
Department of Chemistry and Biochemistry
Florida State University
steinbock@chem.fsu.edu

MS29**Particle Size Segregation and Spontaneous Levee Formation in Geophysical Mass Flows**

Hazardous geophysical mass flows, such as debris flows, pyroclastic flows and snow avalanches, often develop coarse particle rich levees that channelize the flow and enhance run-out. They are formed by large particles rising to the surface and being preferentially transported to the flow front, where they experience greater resistance to motion and are shouldered aside. A first attempt at modelling such segregation-mobility feedback effects is made using depth-averaged models.

Nico Gray
School of Math., Univ. of Manchester,
Oxford Rd., Manchester M13 9PL, UK, Tel: +44(0) 161
275 5888
nico.gray@manchester.ac.uk

James Baker
The University of Manchester
n/a

MS29**Analysis of a Dynamical Systems Model for Granular Flow**

We describe an infinite-dimensional dynamical system (the BSR model) devised to study granular flows, but which has also proven effective in predicting general material interaction phenomena. After briefly treating the well-posedness of this system, we prove it is Hamiltonian for certain perfectly elastic interactions and present results on complete integrability. Finally, we show that the system can be reduced, in an approximate sense, to a finite-dimensional discrete dynamical system that yields information on chaotic transitions.

Denis Blackmore
New Jersey Institute of Technology
Newark, NJ 07102, USA
deblac@m.njit.edu

Anthony Rosato
New Jersey Institute of Technology
Newark, NJ 07102, USA
anthony.rosato@njit.edu

Xavier M. Tricoche
Purdue University
West Lafayette, IN 4707-4348
xmt@purdue.edu

Hao Wu
New Jersey Institute of Technology
Newark, NJ 07102 USA
wh45@njit.edu

Kevin Urban
New Jersey Institute of Technology
Newark, NJ 07102
kdu2@njit.edu

MS29

Important Time Scales in the Dynamics of Granular Material

The state of granular media can be represented by a persistence diagram. This representation provides an interesting insight into the physical properties of the granular media as demonstrated on a system undergoing compression. Time evolution of the system can be seen as a curve in the space of persistence diagrams. Different notions of distance in this space provide a useful tool for understanding the dynamic. In particular the compressed systems (viewed as a discrete dynamical system) exhibit a few different regimes where dynamics changes from fast to slow. Dependence of the system on its previous state is strongly affected by the sampling rate. We conclude the talk by addressing the problem of determining the 'appropriate' sampling rate.

Miroslav Kramar
Rutgers University
Department of mathematics
miroslav@math.rutgers.edu

Konstantin Mischaikow
Department of Mathematics
Rutgers, The State University of New Jersey
mischaik@math.rutgers.edu

Lou Kondic
Department of Mathematical Sciences, NJIT
University Heights, Newark, NJ 07102
kondic@njit.edu

Arnaud Goulet
Rutgers
goulet@math.rutgers.edu

MS29

Mixing by Cutting and Shuffling in 3D Granular Flow

We study chaotic dynamics of granular flow in a spherical tumbler rotating alternately about two orthogonal axes in the limit of an infinitely thin flowing layer. Mixing occurs through cutting and shuffling, is sensitive to the combination of rotation angles about each axis and can be reduced to dynamics on a hemispherical shell (2D). Poincare maps on this shell show patterns that include elliptic regions reminiscent of partitions generated by piecewise isometries (PWI).

Paul Umbanhowar
Northwestern University
Evanston, IL 60208-3109
umbanhowar@northwestern.edu

Paul Park
Northwestern University
paulpark2007@u.northwestern.edu

Richard M. Lueptow
Northwestern University
Department of Mechanical Engineering

r-lueptow@northwestern.edu

Julio Ottino
Northwestern University
Evanston, IL 60208-3109
jm-ottino@northwestern.edu

MS30

Network Structure and Predictive Dynamics of Brain Systems

The human brain is a network of cortical areas connected by structural or functional highways along which information propagates. Using non-invasive neuroimaging data, we show that brain network structure varies both over time and between individuals. We identify dynamic network properties that predict individual differences in cognitive behaviors such as learning. These results inform statistical approaches to predict individual brain responses to clinical interventions, potentially enabling personalized monitoring of disease progression and rehabilitation.

Danielle S. Bassett, Nicholas F. Wymbs
University of California Santa Barbara
dbassett@physics.ucsb.edu, wymbs@psych.ucsb.edu

Mason A. Porter
University of Oxford
porterm@maths.ox.ac.uk

Peter J. Mucha
University of North Carolina Chapel Hill
muchaj@unc.edu

Jean M. Carlson, Scott T. Grafton
University of California Santa Barbara
carlson@physics.ucsb.edu, grafton@psych.ucsb.edu

MS30

Geometric Network Models of the Functional Connectome

Null network models, such as Erdos Renyi random graphs or random graphs with fixed degree distributions provide a foundation for modern network analyses, both in the design and evaluation of network metrics. In this talk we describe a class of null models which capture both geometry and degree distribution, while maintaining analytic tractability, and discuss several applications to the analysis of functional connectomes.

Eric Friedman
Cornell University
ejf@icsi.berkeley.edu

Adam Landsberg
Joint Sciences, the Claremont Colleges
alandsberg@kecksci.claremont.edu

MS30

Statistical Aspects of Diffusion Fiber Tracking

Abstract not available at time of publication.

Roland Henry
Department of Neurology
UCSF School of Medicine
roland.henry@ucsf.edu

MS30**A Linear Model Based on Network Diffusion Predicts Functional Correlation Networks in the Brain from Structural Connectivity Networks**

Abstract not available at time of publication.

Ashish Raj
Cornell

asr2004@med.cornell.edu

MS31**Exploiting Numerical Diffusion to Study Transport and Chaotic Mixing**

In this talk I will demonstrate that the purely convective mapping matrix approach provides an extremely versatile tool to study advection-diffusion processes for extremely large Peclet values. This is made possible due to the coarse-grained approximation that introduces numerical diffusion, the intensity of which depends in a simple way on grid resolution. This observation permits to address fundamental physical issues associated with chaotic mixing in the presence of diffusion. Specifically, we show that in partially chaotic flows, the dominant decay exponent of the advection diffusion propagator will eventually decay as Pe to the power -1 in the presence of quasiperiodic regions of finite measure, no matter how small they are. Examples of 2d and 3d partially chaotic flows are discussed.

Patrick Anderson

Eindhoven University of Technology
p.d.anderson@tue.nl

MS31**Global Stability Design of Autonomous Time-continuous Systems**

Given a stable non-linear system, one would like to compute its stability region. Often, the system depends on parameters, which should be tuned to shape this region according to one's needs. More generally, one would like to perform an efficient quantitative study of the global stable behavior of the system; and to optimize this. In this talk I introduce a fairly general framework for doing that by approximating the deterministic dynamics via a finite dimensional stochastic process. Translating the desired objectives in the terms of this process yields a simple computation and also the application of optimization algorithms. The probabilistic nature of the approximation enables an understanding beyond that what standard numerical analysis can offer. In particular, no trajectory simulation is needed during the computation. The main advantage of the method lies in the resulting numerical efficiency and the general applicability for a wide range of objectives.

Péter Koltai

Center for Mathematics
Munich University of Technology, Germany
koltai@ma.tum.de

MS31**Transfer Operator Based Numerical Methods for Analysing Coherent Structures in Time-dependent Systems**

After a short review of recent developments in transfer operator methods for studying finite-time transport, we will introduce a modified construction for characterizing La-

grangian coherent sets in nonautonomous dynamical systems. This approach takes into account both future and past information on the dynamics and is suited to tracking coherent sets over several finite-time intervals. We will explore in example systems how diffusion and finite-time duration influence the structures of interest.

Kathrin Padberg-Gehle

Institute of Scientific Computing
TU Dresden
kathrin.padberg@tu-dresden.de

Gary Froyland

University of New South Wales
g.froyland@unsw.edu.au

MS31**Identifying Topological Chaos Using Set-oriented Methods**

The transfer operator eigenspectrum for a dynamical system can identify sets in (phase) space that remain nearly invariant (by some appropriate definition). A continuous, non-autonomous dynamical system such as a fluid flow can contain multiple distinct sets that move about one another in a non-trivial way. The topology of the set trajectories enables a classification of the global flow that includes quantification of the topological entropy. Viscous fluid examples will be discussed.

Mark A. Stremler

Virginia Tech
stremler@vt.edu

Pradeep Rao

Engineering Science & Mechanics
Virginia Tech
prao@vt.edu

MS32**Relating the Water Wave Pressure to its Surface Elevation**

A new method is proposed to recover the water-wave surface elevation from pressure data obtained at the bottom of the fluid. The new method requires the numerical solution of a nonlocal nonlinear equation relating the pressure and the surface elevation which is obtained from the Euler formulation of the water-wave problem without approximation. From this new equation, a variety of different asymptotic formulas are derived. The nonlocal equation and the asymptotic formulas are compared with both numerical data and physical experiments.

Bernard Deconinck

University of Washington
bernard@amath.washington.edu

Katie Oliveras

Seattle University
Mathematics Department
oliverak@seattleu.edu

MS32**Solitary Waves on Water and Their Stability**

The talk will discuss recent development on the existence and stability of two- and three-dimensional solitary waves

on the surface of water with finite depth using various model equations or exact Euler equations. It was known that these equations have solitary-wave solutions and the stability of these waves in many problems is still open. Here, some stability results for these waves will be addressed, such as transverse instability, conditional stability or asymptotic linear and spectral stability.

Shu-ming Sun

Dept. of Math.

Virginia Polytechnic Institute and State University

sun@math.vt.edu

MS32

A Dimension-breaking Phenomenon for Steady Water Waves with Weak Surface Tension

I will discuss the bifurcation of three-dimensional periodically modulated solitary waves from two-dimensional line solitary waves in the presence of weak surface tension. The new waves decay in the direction of propagation and are periodic in the transverse direction. The proof is based on spatial-dynamics and an infinite-dimensional version of the Lyapunov centre theorem. The method also reveals that the line solitary waves are linearly unstable to transverse perturbations.

Mark D. Groves

Universität des Saarlandes

groves@math.uni-sb.de

Shu-Ming Sun

Virginia Tech

Department of Mathematics

sun@math.vt.edu

Erik Wahlen

Lund University

Sweden

ewahlen@maths.lth.se

MS32

Quasi-periodic Perturbations of Time-periodic Water Waves

We develop a high-performance shooting algorithm to compute new families of time-periodic and quasi-periodic solutions of the free-surface Euler equations involving breathers, traveling-standing waves, and collisions of solitary waves of various types. The wave amplitudes are too large to be well-approximated by weakly nonlinear theory, yet we often observe behavior that resembles elastic collisions of solitons in integrable model equations. A Floquet analysis shows that many of the new solutions are stable to harmonic perturbations.

Jon Wilkening

UC Berkeley Mathematics

wilken@math.berkeley.edu

MS33

The Curse of Dimensionality for the Border Collision Normal Form

I will discuss the dynamics of higher dimensional border collision bifurcations, showing that there exist parameters for which the n -dimensional normal form has attractors that cannot exist in the $(n-1)$ -dimensional version. These

results also have implications for grazing-sliding bifurcations of continuous time systems. This is joint work with Mike Jeffrey (University of Bristol).

Paul Glendinning

University of Manchester

p.a.glendinning@manchester.ac.uk

MS33

The Uncertainties of Nonsmooth Dynamics

A discontinuity in a set of differential equations generally leads to infinitely many possible solutions. Why, then, has Filippov's 'sliding' solution been successful in studying everything from stick-slip dynamics to electrical switching? We show that an idealized mathematical model with discontinuities has infinitely many solutions, but that by assuming a lack of exact knowledge of the system, Filippov's solution becomes valid, and one can quantify the balance of modelling errors for which this remains true.

Mike R. Jeffrey

University of Bristol

mike.jeffrey@bristol.ac.uk

MS33

Singular Dynamics in Gene Network Models

Gene regulatory networks are commonly modeled by steep/step sigmoid interactions which leads to difficulties when the gene expressions are close to their thresholds. A method to analyze this situation is the framework based on singular perturbation techniques. We present 3-dimensional examples that do not fit the classical singular perturbation theory. We therefore suggest a generalization of the classical singular perturbation techniques that is based on the Artstein theory of dynamic limits of the fast flow.

Anna Machina

University of Victoria

annama@uvic.ca

MS33

Singular Matching Near a Visible Fold-regular Point: Asymptotics of the Return Map

We combine geometric singular perturbation theory with matching perturbation methods to study the local map of near-grazing solutions at the boundary between crossing and sliding dynamics, in the smoothing of a Filippov-type nonsmooth dynamical system. We show that the Lipschitz constant is of order $O(\varepsilon^\alpha)$, $\alpha > 0$, in terms of the singular perturbation parameter ε . The value of α depends on the smoothness of the function regularizing the discontinuity. The persistence of periodic orbits is discussed.

Tere M. Seara

Univ. Politècnica de Catalunya

Tere.M-Seara@upc.edu

Carles Bonet

Universitat Politècnica de Catalunya

carles.bonet@upc.edu

MS34

Linearization Theorems and Koopman Operator

Spectrum

The spectrum of Koopman operator describes the change of distributions in the phase space and is crucial for a global analysis of system properties from a measure theoretic point of view. We present a new way of analyzing this spectrum based on linearization of nonlinear systems in its basin of attraction.

Yueheng Lan
Tsinghua University
lanyh@mail.tsinghua.edu.cn

MS34

Isochrons and Isostables of Dynamical Systems: Relationship to Koopman Operator Spectrum

The spectral properties of the Koopman operator are related to the well-known isochrons of limit cycles. This observation yields an efficient method to compute the isochrons in high-dimensional spaces and provides a new perspective to extend this notion to nonperiodic systems (e.g. quasiperiodic tori). For a stable fixed point, the isochrons are defined through the same framework and complemented with the so-called isostables required for the (action-angle) reduction of the dynamics.

Alexandre Mauroy, Igor Mezic
University of California, Santa Barbara
alex.mauroy@engr.ucsb.edu, mezic@engineering.ucsb.edu

MS34

Koopman Operator Methods: An Overview

Koopman (or composition) operator is a linear infinite-dimensional operator that can be defined for any nonlinear dynamical system. The linear operator retains the full information of the nonlinear state-space dynamics. The formalism based on Koopman operator representation holds promise for extension of dynamical systems methods to systems in high-dimensional spaces as well as hybrid systems, with a mix of smooth and discontinuous dynamics. Recently, Koopman operator properties have been intensely studied, and applications pursued in fields as diverse as fluid mechanics and power grid dynamics. We will overview the current status of Koopman operator methods in dynamical systems and their applications.

Igor Mezic
University of California, Santa Barbara
mezic@engineering.ucsb.edu

MS34

Koopman Operator Methods in Fluid Mechanics

We study coherent structures in fluid flows using analysis of the Koopman operator. Given a vector of observables for a dynamical system (for instance, flow information in a particular region of space), one may determine a corresponding set of “Koopman modes,” which are the coefficients in an expansion in Koopman eigenfunctions. These modes may be extracted from data using Dynamic Mode Decomposition, a variant of the Arnoldi algorithm, and elucidate coherent structures in the flow.

Clarence Rowley
Princeton University
Department of Mechanical and Aerospace Engineering
cwrrowley@princeton.edu

MS35

Approximate Deconvolution Large Eddy Simulation of the Quasi-Geostrophic Equations of the Ocean

This talk introduces a new approximate deconvolution closure modeling strategy for the quasi-geostrophic equations modeling the large scale oceanic flows. The new large eddy simulation model is successfully tested in the numerical simulation of the wind-driven circulation in a shallow ocean basin, a standard prototype of more realistic ocean dynamics. This first step in the numerical assessment of the new model shows that approximate deconvolution could represent a viable alternative to standard eddy viscosity parameterizations in the large eddy simulation of more realistic turbulent geophysical flows.

Traian Iliescu
Department of Mathematics
Virginia Tech
iliescu@vt.edu

MS35

Approximate Deconvolution Models for LES of Atmospheric Boundary Layer Flows

Atmospheric boundary layer flows exhibit a range of turbulent conditions over the course of a diurnal cycle. Our interest is in approximate deconvolution method algorithms for subfilter-scale closures in large-eddy simulation to better represent intermittent turbulence and to facilitate flow transitions across mesh refinement boundaries. The explicit filtering and reconstruction approach allows generation of intermittent turbulence even under strong nighttime stratification and improves representation of appropriate scales as the flow transitions across grid nesting interfaces.

Tina Katopodes Chow
Department of Civil and Environmental Engineering
University of California, Berkeley, USA
tinakc@berkeley.edu

Lauren Goodfriend
UC Berkeley
lgoodfriend@berkeley.edu

Bowen Zhou
Department of Civil and Environmental Engineering
University of California, Berkeley, USA
zhoubowen@berkeley.edu

MS35

Modeling Error in Approximate Deconvolution Models

We investigate the asymptotic behaviour of the modeling error in approximate deconvolution model in the 3D periodic case, when the order N of deconvolution goes to infinity. We consider successively the generalised Helmholtz filters of order p and the Gaussian filter. For Helmholtz filters, we estimate the rate of convergence to zero thanks to energy budgets, Gronwall's Lemma and sharp inequalities about Fourier coefficients of the residual stress. We next show why the same analysis does not allow to conclude convergence to zero of the error modeling in the case of Gaussian filter, leaving open issues.

Roger Lewandowski

IRMAR, UMR 6625
Universite Rennes 1
Roger.Lewandowski@univ-rennes1.fr

MS35

Unconditionally Stable and Optimally Accurate Timestepping Methods for Approximate Deconvolution Models

We address an open question of how to devise numerical schemes for approximate deconvolution models that are efficient, unconditionally stable, and optimally accurate. We propose, analyze and test a scheme for these models that has each of these properties. There are several important components to the derivation, both at the continuous and discrete levels, which allow for these properties to hold. The proofs of unconditional stability and optimal convergence are carried out through the use of a special choice of test function and some technical estimates. Numerical tests are also provided.

Leo Rebholz
Clemson University
Department of Mathematical Sciences
rebholz@clemson.edu

MS36

Response of the Sea Ice Seasonal Cycle to Climate Change

The Northern Hemisphere sea ice cover has diminished rapidly in recent years and is projected to continue to diminish in the future. The year-to-year retreat is faster in summer than winter, which has been identified as one of the most striking features of satellite observations as well as of IPCC model projections. This is typically understood to imply that the sea ice cover is most sensitive to climate forcing in summertime. However, in the Southern Hemisphere it is the wintertime sea ice cover that retreats fastest in IPCC model projections. Here, we address the seasonal structure of observed and simulated sea ice retreat in both hemispheres. We propose a physical theory that primarily involves the shape of coastlines and eddy heat fluxes in the atmosphere. We demonstrate that the theory accurately describes a wide range of climates simulated with a hierarchy of models ranging from an idealized flat-atmosphere-sea ice model to a state-of-the-art coupled GCM.

Ian Eisenman
Scripps Institution of Oceanography
eisenman@ucsd.edu

MS36

Multiple Sea Ice States and Hysteresis in Simple and Complex Climate Models: Why the Oceans Matter

Sea ice exerts a positive radiative feedback which can give rise to multiple equilibria and hysteresis in the climate system. Climate simulations with a coupled atmosphere-ocean-sea ice general circulation model that permit at least four different stable states ranging from warm ice-free conditions to 100% ice cover, all of which are consistent with present-day greenhouse gas and solar radiation. The interaction between sea ice and ocean heat transport provides key constraints on the number and type of possible equilibria, as well as governing many aspects of the transient adjustment between stable states. I will discuss how this

interaction is misrepresented in many simple climate models, and how to fix it. Finally I will discuss implications of multiple equilibria in past climate change, including Snowball Earth and the last ice age.

Brian Rose
Dept of Atmospheric Sciences, University of Washington
Box 351640, Seattle, WA 98195
brose@atmos.washington.edu

MS36

Reversibility of Arctic Sea Ice Retreat - A Conceptual Multi-scale Modeling Approach

A lattice-type thermodynamic complex systems model for the ice-albedo feedback is introduced that includes the basic physics of ice-water phase transition, a nonlinear diffusive energy transport in a possibly heterogeneous ice-ocean layer, and spatiotemporal atmospheric and oceanic drives. At the local scale the model reveals bistability in sea ice loss. At the regional scale, however, hysteresis in sea ice retreat is structurally not stable.

Renate A. Wackerbauer
University of Alaska Fairbanks
Department of Physics
rawackerbauer@alaska.edu

Marc Mueller-Stoffels
University of Alaska
Fairbanks, AK 99775-5920
mmuellerstoffels@alaska.edu

MS36

On the Existence of Stable Seasonally Varying Arctic Sea Ice in Simple Models

Within the framework of lower order thermodynamic theories for the climatic evolution of Arctic sea ice we isolate the conditions required for the existence of stable seasonally-varying solutions, in which ice forms each winter and melts away each summer. We construct a two-season model from the continuously evolving theory of Eisenman and Wettlaufer (2009) and showing that seasonally-varying states are unstable under constant annual average short-wave radiative forcing. However, dividing the summer season into an ice covered and ice free interval provides sufficient freedom to stabilize seasonal ice. The condition for stability is determined viz., when the ice vanishes in summer and hence the relative magnitudes of the summer heat flux over the ocean versus over the ice. Finally, a new stochastic perturbation theory is developed for the original non-autonomous continuously varying model and its moments are analyzed in light of observations.

John S. Wettlaufer
Dept of Physics, Geophysics, and Applied Mathematics,
Yale University,
john.wettlaufer@yale.edu

MS37

Understanding Homoclinic Bifurcations via the Computation of Global Invariant Manifolds

In three-dimensional vector fields, if the one-dimensional unstable manifold of a saddle equilibrium lies on its two-dimensional stable manifold, then a homoclinic orbit exists. Typically, breaking the homoclinic orbit leads to a

rearrangement of these invariant manifolds and a reorganization of the overall dynamics in phase space. We show how the computation of global two-dimensional invariant manifolds helps us to understand their role as separatrices and basin boundaries near several codimension-one and -two homoclinic bifurcations.

Pablo Aguirre
Universidad Técnica Federico Santa Mara
Departamento de Matemática
pablo.aguirre@usm.cl

Bernd Krauskopf, Hinke M. Osinga
University of Auckland
Department of Mathematics
b.krauskopf@auckland.ac.nz, H.M.Osinga@auckland.ac.nz

MS37

Global Bifurcations Lead to Bursting in a Two-Mode Laser

We present an unusual bursting mechanism in a two-mode semiconductor laser with single-mode optical injection. By tuning the strength and frequency of the injected light we find a transition from purely single-mode intensity oscillations to bursting in the intensity of the uninjected mode. We explain this phenomenon on the basis of a simple two-dimensional dynamical system, and show that the bursting in our experiment is organised by global bifurcations of limit cycles.

Andreas Amann
School of Mathematical Sciences
University College Cork
a.amann@ucc.ie

Nicholas Blackbeard
Mathematics Research Institute
University of Exeter, Exeter, UK
nicholas.blackbeard@tyndall.ie

Simon Osborne, Stephen O'Brien
Tyndall National Institute
University College Cork, Cork, Ireland
simon.osborne@tyndall.ie, stephen.obrien@tyndall.ie

MS37

Interacting Invariant Sets in a Noninvertible Planar Map Model of Wild Chaos

We study a noninvertible planar map that is a model for wild Lorenz-like chaos in a five-dimensional vector field. We are concerned with the transition to wild chaos via the interaction between the stable and unstable sets of a saddle fixed point and the critical set of the map, which consists of the images and preimages of the critical point. These interactions correspond to homo- and heteroclinic bifurcations in the underlying vector field.

Stefanie Hittmeyer, Bernd Krauskopf, Hinke M. Osinga
University of Auckland
Department of Mathematics
stefanie.hittmeyer@auckland.ac.nz,
b.krauskopf@auckland.ac.nz, H.M.Osinga@auckland.ac.nz

MS37

Global Bifurcations in a Non-Invertible Model of

Asset Pricing

We introduce a canonical form for a standard model of asset pricing. The resulting (non-invertible) two-dimensional dynamical system depends on two parameters only, a rate of geometric decay and a mean reversion parameter. We detect parameter regimes for which homoclinic and heteroclinic orbits exist and illustrate corresponding intersections of stable and unstable sets. Finally, autocorrelations of prices and returns before and after these global bifurcations are discussed.

Thorsten Hüls, Volker Böhm
Universitaet Bielefeld
huels@math.uni-bielefeld.de,
vb Boehm@wiwi.uni-bielefeld.de

MS38

The Topology of Non-Linear Global Carbon Dynamics: From Tipping Points to Planetary Boundaries

In this talk, I will present a minimal model of land use and carbon cycle dynamics and explores the relationship between nonlinear dynamics and planetary boundaries. Only the most basic interactions between land cover, terrestrial carbon stocks and atmospheric carbon stocks are considered. The goal is not to predict global carbon dynamics as it occurs in the actual earth system, but rather, to construct a conceptually reasonable representation of a feedback system between different carbon stores like that of the actual earth system and use it to explore the topology of the boundaries of what can be called a safe operating space for humans. The analysis of the model illustrates the potential complexity of planetary boundaries and highlights some challenges associated with navigating them.

Marty Anderies
Arizona State University
m.anderies@asu.edu

MS38

Forecasting the Truth with a Cleverly Inflated Ensemble

Predictions of the future state of the Earth's atmosphere are typically based on a collection of numerical simulations whose variance represents the forecast uncertainty. Inspired by techniques from shadowing theory, we develop a novel method for improving forecasts during integration of a weather model. The algorithm involves injecting artificial uncertainty into the forecast, but only in directions of state space experiencing contraction in the form of negative local Lyapunov exponents.

Chris Danforth
Mathematics and Statistics
University of Vermont
chris.danforth@uvm.edu

Ross Lieb-Lappen
Dartmouth
ross.lieb-lappen@dartmouth.edu

James A. Yorke
University of Maryland
Departments of Math and Physics and IPST
yorke@umd.edu

MS38**Dynamical Systems and Planet Earth**

This overview talk will introduce the audience to various applications of dynamical systems in climate science. The emphasis will be on a system-level approach, where the Earth's climate system is viewed as a complex system and manifestations of collective behavior are more important than details of the internal dynamics. Topics to be presented include energy balance models, ocean circulation models, oscillatory networks and teleconnections, Lorenz models, biogeochemical processes, and the carbon cycle.

Hans G. Kaper
Georgetown University
Argonne National Laboratory
kaper@mcs.anl.gov

MS38**Tipping Points: Overview and Challenges**

Mathematical mechanisms for tipping points will be introduced, starting with the conceptual framework of bifurcation theory, and then highlighting some of the challenges and limitations of exploiting this framework for problems arising in applications. Parts of the discussion will be developed in the setting of case studies of possible tipping points in models of (1) Arctic sea-ice retreat, and (2) desertification.

Mary Silber
Northwestern University
Dept. of Engineering Sciences and Applied Mathematics
m-silber@northwestern.edu

MS38**Exploring the Decision-support Component of MPE Questions**

One of the ways that climate and sustainability applications differ from other applications of dynamical systems is their close connection with decision-making and policy. We will explore how a decision-support viewpoint may inspire new dynamical questions.

Mary Lou Zeeman
Bowdoin College
Department of Mathematics
mlzeeman@bowdoin.edu

MS39**Ionic Dynamics Mediate Pattern Generation in Epilepsy**

Many types of epileptic seizures involve repetitive periods of tonic spiking and bursting activity. We found that the changes of the intracellular and extracellular ion concentrations can have profound effects on the network dynamics and may be responsible for the characteristic patterns of electrical activity observed during seizures. Our results will likely have implications onto drug development and deepen our understanding of the origin of seizures.

Maxim Bazhenov
Department of Cell Biology and Neuroscience
University of California, Riverside
maksim.bazhenov@ucr.edu

Giri Krishnan

UC Riverside
girik@ucr.edu

Andrey Shilnikov
Neuroscience Institute and Department of Mathematics
Georgia State University
ashilnikov@gsu.edu

MS39**The Impact of Network Structure on Criticality in Cortical Circuits**

Cortical circuits have been hypothesized to operate near a critical point for optimality. Previous evidence supporting this came from bulk signals that did not show individual neuron activity. Using a 512 electrode array, we recorded hundreds of spiking neurons and found two main things: (1) Avalanche shapes can be collapsed onto a universal scaling function, a key indicator of criticality; (2) The network structure of effective connections strongly influences the critical exponents of the system.

John M. Beggs
Indiana University
Dept. of Physics
jmbeggs@indiana.edu

Karin Dahmen
University of Illinois, Department of Physics
dahmen@illinois.edu

Lee DeVille
University of Illinois, Department of Math
rdeville@illinois.edu

Tom Butler
Massachusetts Institute of Technology
tbutler@mit.edu

Nir Friedman
University of Illinois
quicknir@gmail.com

Masanori Shimono
Physics Department, Indiana University
mshimono@indiana.edu

Shinya Ito
Indiana University
shixnya@gmail.com

Braden Brinkman
University of Illinois
brinkma5@illinois.edu

MS39**From Neuron Dynamics to Network Plasticity**

Spatiotemporal dynamics in neural networks depends on two factors: dynamical properties of individual neurons and characteristics of network connectivity. In the brain, however, these two factors vary dynamically and are intertwined in a highly complex way. Through simulations of large-scale spiking neuron network models, we will discuss how heterogeneity in network structure, heterogeneity in cellular excitability and plasticity of synaptic connectivity interact to collectively influence network spatiotemporal

dynamics.

Michal Zochowski
Department of Physics and Biophysics Program
University of Michigan
michalz@umich.edu

Victoria Booth
University of Michigan
Depts of Mathematics and Anesthesiology
vbooth@umich.edu

MS39

Distributed Control in Mean-field Cortical Network Models

Brain stimulation has been proposed to control pathological neuronal activity during seizure. Such activity can be viewed as a network event that begins with or without a clear spatial focus and spreads through a cortical network. This talk will assess distributed control, envisioned as grids of local stimulating electrodes, in this scenario through the use of mean-field neuronal network models. The control efficacy as a function of topology and connection dynamics will be shown.

ShiNung Ching
Washington University in St. Louis
shinung@ese.wustl.edu

Mark Kramer
Boston University
mak@math.bu.edu

MS39

Performance Limitations of Thalamic Relay: New Insights into Thalamo-Cortical Processing, Parkinson's Disease and Deep Brain Stimulation

Humans have the remarkable ability to selectively process sensory information. In the motor system, we select which muscles to turn on and off during movement. In this talk, we describe how and when selective processing occurs in a thalamic cell. We compute bounds on thalamic relay reliability that explain observed patterns of neural activity in the basal ganglia in (i) health (ii) in Parkinsons disease (PD), and (iii) in PD during therapeutic deep brain stimulation.

Sridevi Sarma, Rahul Agarwal
Johns Hopkins University
sree@jhu.edu, rahul.jhu@gmail.com

MS40

Collision of a Flexible Filament with a Point Vortex

I will first review vortex methods for flows coupled to deforming flexible filaments, which can serve as models for fish bodies, fins, and other immersed structures. I will then focus on the attraction between a flexible filament is attracted to a point vortex when they move together as a coupled system. The point vortex collides with the filament at a finite time. I will explain the power laws describing the collision.

Silas Alben
University of Michigan, USA
alben@umich.edu

MS40

Improving Vortex Models for Agile Bio-inspired Flight via Optimal Control Theory

We formulate a constrained minimization problem which allows us to relax the usual edge regularity conditions of point vortex models in favor of empirical determination of vortex strengths. The strengths are determined by minimizing the error with respect to empirical force data, while vortex positions are allowed to evolve freely. We show that, for a flat plate undergoing various maneuvers, the optimized model leads to force predictions remarkably close to empirical data.

Jeff D. Eldredge
University of California, Los Angeles
Mechanical & Aerospace Engineering
eldredge@seas.ucla.edu

Maziar Hemati
University of California, Los Angeles
mhemati@ucla.edu

MS40

Dipole Interactions in Doubly-periodic Domains

We consider the interactions of finite dipoles in a doubly-periodic domain as a model that captures the "far-field hydrodynamic interactions in fish schools. A finite dipole is a pair of equal and opposite strength point vortices separated by a finite distance. We examine the dynamic evolutions of single dipoles and dipole pairs per box and focus on the stability of two families of relative equilibria: rectangular (1 dipole/box) and diamond (2 dipoles/box). We conclude by commenting on the insights these models offer in the context of fish schooling.

Eva Kanso, Alan Cheng Hou Tsang
University of Southern California
kanso@usc.edu, n/a

MS40

Vortex Dipoles

Point vortices of opposite strength propagate at a constant speed proportional to the inverse of their separation. Hence a straightforward Matched Asymptotic Expansion approach struggles to produce the appropriate equations for the motion of a vortex dipole, that is a singularity one order higher than a point vortex. We review vortex dipoles, including this limiting process, and also study quasi-analytic solutions for dipoles with viscosity.

Stefan Llewellyn Smith
Department of MAE
University of California, San Diego
sgls@ucsd.edu

Raymond Nagem
Boston University
nagem@engc.bu.edu

MS40

Numerical Study of Viscous Starting Flow Past Flat Plates

Viscous flow past a finite plate of zero thickness moving normal to itself with velocity $U = U_0 t^p$ is investigated nu-

merically, using a high order finite difference method. The simulations resolve detailed features of the flow, including the singular nature of the starting flow, and the dependence of various quantities on the Reynolds number and the parameter p describing the plate motion. The results provide a basis of comparison to evaluate simpler inviscid models for flow separation.

Monika Nitsche

University of New Mexico
Department of Mathematics and Statistics
nitsche@math.unm.edu

Ling Xu

Georgia State University
lxu9@gsu.edu

MS41

Perturbed Restricted Few-Body Problems and their Applications

This talk will present recent advances in the analysis of orbital dynamics in restricted two, three and four body problems perturbed by a conservative force. In particular, we consider the orbital dynamics of a continuous low thrust spacecraft and the inhomogeneous gravitational field of a celestial body. Novel orbits including displaced non-Keplerian and frozen orbits are identified and applications to future Earth and asteroid observation missions are presented. The analytical and numerical tools used to study these different classes of orbits are described.

James Biggs, Marta Ceccaroni, Colin McInnes

University of Strathclyde
james.biggs@strath.ac.uk, marta.ceccaroni@strath.ac.uk,
colin.mcinnnes@strath.ac.uk

MS41

Spacecraft Transfer Trajectory Design Exploiting Resonant Orbits and Manifolds in Multi-Body Regimes

The application of dynamical systems techniques to trajectory design has demonstrated that leveraging invariant manifolds and resonant orbits expand the trajectory design options. Transfer trajectories between two- and three-dimensional resonant orbits are explored in a three-body system via Poincaré mapping techniques. Incorporating strategic maneuvers, trajectories that support various mission scenarios can be constructed.

Kathleen C. Howell

Purdue University
West Lafayette, IN 47907
howell@purdue.edu

Mar Vaquero

Purdue University
n/a

MS41

Dynamics in Astronomical and Astrodynamical Problems

In this talk it will be shown how modern techniques of the Dynamical Systems field are able to provide tools to explain in a natural way different astronomical patterns as well as to simplify and make more systematic mission

analysis.

Josep Masdemont

Departament de Matemàtica Aplicada
Universitat Politècnica de Catalunya
josep@barquins.upc.edu

Gerard Gomez

Departament de Matemàtica Aplicada
Universitat de Barcelona
gerard@maia.ub.es

MS41

Constant Sun Angle Solar Sail Trajectories

The natural trajectories of spacecraft with solar sails that are maintained at constant angles to their sun lines are described. The six dimensional equations of motion are reduced to a two dimensional hodograph equation for the motion in the instantaneous orbital plane. This drives another two dimensional equation for the motion of the orbital plane itself. All possible trajectories are classified, and potential applications to trajectory design are described.

Brian Stewart

University of Surrey
b.stewart@surrey.ac.uk

Phil Palmer

Surrey Space Centre
p.palmer@surrey.ac.uk

Mark Roberts

University of Surrey, UK
m.roberts@surrey.ac.uk

MS41

Attainable Sets, Fast Numerical Approximation of Invariant Manifolds and Applications

The paper presents the attainable sets, i.e., admissible low-thrust trajectories and the approximation of invariant manifolds with fast numerical methods based on splines. These features are used in the preliminary design of transfer trajectories defined in a typical three-body problem. Each feature provides a trajectory that is based on a reduced number of parameters, so that transfer trajectories can be found by matching the corresponding parameters of the different trajectory arcs. Examples are provided with reference to transfer between Libration point orbits.

Francesco Topputo, Franco Bernelli-Zazzera

Politecnico di Milano
topputo@aero.polimi.it, bernelli@aero.polimi.it

Giorgio Mingotti

University of Strathclyde
giorgio.mingotti@strath.ac.uk

Renyong Zhang

Northwestern Polytechnical University
zhangrenyong2003@yahoo.com.cn

MS42

Epidemics Dynamics in a City: A Network Model

and Season Variations

We are considering a model for dengue epidemics spreading in a densely populated town, where people move daily from one neighborhood to another. For this purpose we consider a network generalization of SIR model with and without birth and death. We are particularly interested in understanding how the geometry of the network, its homogeneity or non homogeneity, the flux of people and a possible seasonal periodicity of climate have an effect in the occurrence of an epidemics. [Bacaer and Gomez, “On the final size of epidemics with seasonality”, *Bulletin of Mathematical Biology*, 71 : 1954-1966 (2009); Howard Weiss, “A Mathematical Introduction to Population Dynamics”, IMPA (2009); Lucas Stolerma, Master thesis, “Um Modelo em Rede para a dinamica de uma epidemia em uma cidade” (2012); Horst R. Thieme, *Mathematics in Population Biology*, Princeton (2003)]

Stefanella Boatto

Universidade Federal de Rio de Janeiro, Brazil
s_boatto@hotmail.com, lella@im.ufrj.br

MS42

Branching Process Models for HIV and SIV Infection

Differential equation models for HIV and SIV infection are of questionable validity when the numbers of a player in the model (virus or infected cell) are small. We have worked on branching process models for very early infection and successfully treated infection. Although direct simulation is always an option, analytic or mixed methods are often possible. I will summarize our progress and outline directions for future work.

Daniel Coombs

University of British Columbia
coombs@math.ubc.ca

Jessica M. Conway
University of British Columbia
Department of Mathematics
conway@lanl.gov

Bernhard Konrad
Institute of Applied Mathematics
University of British Columbia
konradbe@math.ubc.ca

Alejandra Herrera Reyes
University of British Columbia
Department of Mathematics
donaji@math.ubc.ca

MS42

Modeling Dengue Fever: Recent Developments

Dengue is the most significant mosquito-borne viral infection of humans, causing 50-100 million infections annually. The main line of attack against dengue has been traditional mosquito control measures, such as insecticides. The coming years will see the broadening of our anti-dengue arsenal to include genetically-modified mosquitoes, biocontrol methods such as *Wolbachia*, and vaccines. In this talk, I will discuss mathematical modeling that is being used to help design dengue control efforts using one, or a combina-

tion, of these methods.

Alun Lloyd

North Carolina State University
alun_lloyd@ncsu.edu

MS42

Sharing Infectious-Disease Risk Across Communities

In recent research, we have combined economic theory and population biology, and explored how the interactions of biology and management dynamics can alter the nature of social planning choices, and predicting the emergence of policy-resistance or policy-reinforcement. These theoretical advances, however, have relied on strong-mixing assumptions. But in many situations, financial, spatial, and social heterogeneities which make the problem of policy design much more vexing. In this talk, I'll present some of our recent research on the influences of heterogeneity on the stability of management practices across a spectrum of scales.

Timothy C. Reluga

Departments of Mathematics and Biology
Pennsylvania State University
timothy@reluga.org

MS43

Curvature-Dependent Excitation Propagation in Cultured Cardiac Tissue

Excitation front bent above critical value may cease to propagate and give origin to re-entry. We found that in cardiac tissue culture with normal excitation, neither narrow isthmuses nor sharp corners of obstacles affect wave propagation. Curvature related propagation block and wave detachment from obstacles observed only after Lidocaine partial suppression of sodium channels. Computer simulations confirmed experimental observations. That is non-inhibited single cells keep excite neighbors irrespective of curvature radii smaller than cardiomyocyte size.

Konstantin Agladze

Institute for Integrated Cell-Material Sciences,
Kyoto University
agladze@icems.kyoto-u.ac.jp

MS43

Asymptotic Dynamics of Spiral and Scroll Waves in a Mathematical Model of Ischaemic Border Zone

We use asymptotics based on response functions to predict dynamics of re-entrant excitation waves in a moving boundary of a recovering ischaemic cardiac tissue, due to gradients of cell excitability and cell-to-cell coupling, and heterogeneity of individual cells. In three spatial dimensions, theory predicts conditions for scroll waves to escape into the recovered tissue, where they are either collapse or develop fibrillation-like state, depending on filament tension. We confirm these predictions by direct simulations.

Irina Biktasheva

University of Liverpool
ivb@liv.ac.uk

Vadim N. Biktashev

College of Engineering, Mathematics and Physical Sciences

University of Exeter
V.N.Biktashev@exeter.ac.uk

Narine Sarvazyan
George Washington University
phynas@gmail.com

MS43

Dynamics of Spiral Waves on Non-Uniformly Curved Anisotropic Surfaces

Spiral waves in two-dimensional excitable media have been observed to drift according to shape of the surface, as well as due to the anisotropy within the surface. We present a unified mathematical description to these effects using the equivalence of an anisotropic excitable medium to a Riemannian manifold. The resulting equation of motion for the spirals rotation center allows to determine trajectories and the position of attractors for spiral waves on the surface. The results are applicable to thin layers of electrically active cardiac tissue.

Hans Dierckx, Evelien Brisard
Department of Physics and Astronomy
Ghent University
hans.dierckx@ugent.be, evelien.brisard@ugent.be

Henri Verschelde
Ghent University
henri.verschelde@ugent.be

Alexander V Panfilov
Department of Physics and Astronomy
Ghent University, Belgium
alexander.panfilov@ugent.be

MS43

Mechanisms of Low Energy Fibrillation Termination in the Cardiac Muscle. Role of Pinned Vortices

We found that the mechanism explaining the experiment [1]: Nature 475, 235-239, 2011 is termination of vortices pinned to local heterogeneities in the heart. During electric field pulses, a pinning center is effectively a stimulating electrode situated exactly in the vortex core. A vortex is terminated when an electric field pulse is delivered during the ‘critical time interval’.

Valentin Krinsky
Institut Non Linéaire de Nice (INLN) CNRS
valentin.krinsky@inln.cnrs.fr

Stefan Luther
Max Planck Institute for Dynamics and Self-Organization
stefan.luther@ds.mpg.de

MS44

Anomalous Diffusion in Granular Flow: Fractional Kinetics or Intermediate Asymptotics?

Granular materials do not perform Brownian motion, yet diffusion is observed because flow causes inelastic collisions between particles. Experiments suggest that this process might be “anomalous” in the sense that the mean squared displacement of particles follows a power law in time with exponent less than unity. We show that such a “paradox”

can be resolved using intermediate asymptotics. We derive the instantaneous scaling exponent of a macroscopic concentration profile as a function of the initial distribution. Then, by allowing for concentration-dependent diffusivity, we show crossover from an anomalous scaling (consistent with experiments) to a normal scaling at long times.

Ivan C. Christov
Dept. of Mech. & Aerospace Eng., Princeton University,
Olden
St., Princeton, NJ 08544-5263, Tel: 609-258-9015
christov@princeton.edu

Howard A Stone
Princeton University
hastone@princeton.edu

MS44

Molecular Dynamics Based Calculation of the Coefficient of Restitution in Collision between Two Identical Nanoscale Grains

The Coefficient of Restitution (COR) is a useful phenomenological concept for describing the interaction of macroscopic bodies. However, little is known about the detailed microscopic processes. We investigate the COR between nanoscale particles of various sizes composed of face-centered cubic (fcc) Lennard-Jones (L-J) atoms via nonequilibrium molecular dynamics simulations. We find that above a critical collision velocity the $COR \sim v^{-1.03}$ weakly dependent on the amount or kind of deformation. We find that the critical collision velocity is a function of the particle size and approaches a continuum theoretical value for fcc L-J solid in the limit of large sphere radius.

Surajit Sen
University of Buffalo
sen@buffalo.edu

Yoichi Takato
SUNY Buffalo
Physics Dept
ytakato@buffalo.edu

MS44

Visualization of the Dynamics of Granular Flow Models

We will present some recent results from our ongoing research on the effective visualization and structural analysis of granular flows. Our work focuses primarily on the study of both computational simulation and dynamical systems modeling of granular systems undergoing tapping boundary constraints. We show that an approach leveraging traditional concepts from dynamical systems such as invariant manifolds and attractors but also graph theoretical concepts can reveal interesting properties from such systems and offer new insights into their behavior.

Xavier M. Tricoche
Purdue University
West Lafayette, IN 4707-4348
xmt@purdue.edu

MS44

Analysis and Simulation of the BSR Model

The BSR model is an integro-partial differential equation

developed to predict granular flows. Using techniques similar to those employed for the Boltzmann-Enskog equation, we prove that under fairly general assumptions, the BSR model has a unique global solution that depends continuously on auxiliary conditions. Our proofs inspired the creation of a semi-discrete numerical scheme for obtaining approximate solutions of the BSR model, which was used to produce the results of simulations that will be presented.

Hao Wu

New Jersey Institute of Technology
Newark, NJ 07102 USA
wh45@njit.edu

Aminur Rahman

New Jersey Institute of Technology
ar276@njit.edu

Denis Blackmore

New Jersey Institute of Technology
Newark, NJ 07102, USA
deblac@m.njit.edu

MS45

On the Approximation of Transport Phenomena in Ocean Dynamics

Over the last years so-called *set oriented numerical methods* have been developed for the numerical treatment of dynamical systems. We will show how to make use of such techniques for the approximation of *transport processes*. These play an important role in many real world applications, and we will focus on transport phenomena in ocean dynamics. Here the underlying mathematical models depend explicitly on time which makes the numerical analysis inherently more complicated.

Michael Dellnitz

University of Paderborn, Germany
dellnitz@math.upb.de

Gary Froyland

University of New South Wales
g.froyland@unsw.edu.au

Christian Horenkamp

University of Paderborn, Germany
christian.horenkamp@upb.de

MS45

Dynamic Programming Using Radial Basis Functions

We approximate the optimal value function and the associated optimal feedback of general nonlinear discrete-time optimal control problems by a radial basis function approach. Questions like stability, accuracy and efficiency as well as code complexity are discussed and demonstrated by selected numerical experiments.

Oliver Junge

Center for Mathematics
Technische Universität München, Germany
oj@tum.de

MS45

Anticorrelated Sampling Techniques for Variance-

reduced Simulation of Markov Processes

Accurate stochastic simulation benefits from reduction of sampling variance and, consequently, computational cost. We extend classical variance reduction techniques (antithetic and stratified sampling) for application to continuous-time Markov jump processes. Our algorithms introduce localized anticorrelation between samples to reduce variance in mean estimates, and apply to both exact SSA and approximate tau-leaping simulation methods. Significant reductions in computational cost are achievable for linear and nonlinear systems, as demonstrated by analytical results and numerical examples.

Peter A. Maginnis

Mechanical Science and Engineering
University of Illinois at Urbana-Champaign
maginnis1@illinois.edu

MS45

Weighted Particle Methods for Atmospheric Aerosol Simulation

We present a new time-evolution scheme for generating realizations of Markov jump processes for particle systems, which can efficiently simulate highly multiscale particle distributions and disparate event rates. Multiscale particle distributions are represented as weighted point samples, and time evolution occurs using a binned tau-leaping scheme with approximate rate sampling. A convergence proof is given as well as numerical examples of applications to atmospheric aerosol particle simulation.

Matthew West

Mechanical Science and Engineering
University of Illinois at Urbana-Champaign
mwest@illinois.edu

MS46

Mathematical Modeling of Nanofluids: Properties and Applications in the Renewable Energy and Biomedical Field

Nanofluids are colloids containing a liquid phase, (usually water or ethylene), and nanoparticles (usually gold or oxides) or nanotubes (usually carbon nanotubes) with diameter below 100 nm. Classical models fail to accurately describe their thermal conductivity (depending on nanoparticles concentration), and thus their behavior; novel models are being proposed. In this talk we present some results (analytical and numerical), towards applications of nanofluids in the renewable energy and biomedical field

Federica Di Michele

IIT - Istituto Italiano di Tecnologia
Scuola Superiore Sant' Anna, Pisa, Italy
federica.dimichele@iit.it

Barbara Mazzolai, Edoardo Sinibaldi

Istituto Italiano di Tecnologia
Center for MicroBioRobotics@SSSA
barbara.mazzolai@iit.it, edoardo.sinibaldi@iit.it

MS46

The Mathematical Modelling and Numerical Simulation of Organic Photovoltaic Devices

We present some recent results and ongoing work on drift-diffusion-reaction systems modelling organic photovoltaic

devices. While classical semiconductors show recombination typically throughout the whole device feature organic photovoltaic devices significant charge generation only in the very proximity of an interface between two different organic polymers. We discuss basic questions of modelling, existence and stationary states. Moreover, we present some interesting asymptotic approximations and discuss the use of entropy.

Klemens Fellner

Institute for Mathematics and Scientific Computation
University of Graz, Austria
klemens.fellner@uni-graz.at

Daniel Brinkman

DAMTP

University of Cambridge, UK
db496@cam.ac.uk

MS46

Solar Updraft Towers for High Latitudes

This presentation is concerned with the modelling and simulation of solar updraft towers with sloped collector fields in higher latitudes. The main idea is to study if the reduction of the solar power (per aerea) at higher latitudes can be compensated by a special non-planar collector of the power plant. For this the gas dynamics in the collector and in the chimney of the power plant has to be described. I comes out that this is a typical low Mach number flow and therefore an appropriate low Mach number asymptotics leads to a resonable reduced model. This limit model is going to be simulated. Comparisons with planar power plants and with estimates of the power output from the literature are presented.

Ingenuin Gasser

University of Hamburg
Department of Mathematics
gasser@math.uni-hamburg.de

Muhammad Junaid Kamboh

Department of Mathematics

University of Hamburg, Germany

muhammad.junaid.kamboh@math.uni-hamburg.de

MS46

Renewable Energy Incentive Schemes: Performance Comparison Using Optimal Control

To meet renewable energy targets, many governments have instituted incentive schemes for renewable electricity producers that aim to boost growth in renewable energy industries. Our work examines four such schemes; we present a generalised mathematical model of industry growth, and fit the model with data from the UK onshore wind industry. We consider the optimization of the quantity and timing of subsidy through each scheme, and conclude by comparing their relative performance.

Neeraj Oak

Bristol Centre for Complexity Science (BCCS)
University of Bristol, UK
neeraj.oak@bristol.ac.uk

Alan R. Champneys

University of Bristol

a.r.champneys@bristol.ac.uk

Daniel Lawson

Dept. of Mathematics

University of Bristol, UK

dan.lawson@bristol.ac.uk

MS47

On the Existence and Stability of Solitary-wave Solutions to a Class of Evolution Equations of Whitham Type

We consider a class of pseudodifferential evolution equations of the form $u_t + (n(u) + Lu)_x = 0$, in which L is a linear smoothing operator and n is at least quadratic near the origin; this class includes the Whitham equation. Solitary-wave solutions are found using constrained minimisation and concentration-compactness methods. The solitary waves are approximated by the corresponding solutions to partial differential equations arising as weakly nonlinear approximations; in the case of the Whitham equation the approximation is the Korteweg-deVries equation. The family of solitary-wave solutions is shown to be conditionally energetically stable.

Mats Ehrnstrom

Department of Mathematical Sciences

Norwegian University of Science and Technology

mats.ehrnstrom@math.ntnu.no

Mark D. Groves

Universität des Saarlandes

groves@math.uni-sb.de

Erik Wahlén

Lund University

ewahlen@maths.lth.se

MS47

Existence and Conditional Energetic Stability of Solitary Gravity-capillary Water Waves with Constant Vorticity

We present an existence and stability theory for gravity-capillary solitary waves with constant vorticity on the surface of a body of water of finite depth. Exploiting a classical variational principle, we prove the existence of a minimiser of the wave energy $\mathcal{E}$ subject to the constraint $\mathcal{I} = 2\mu$, where $\mathcal{I}$ is the wave momentum and $0 < \mu \ll 1$. Since $\mathcal{E}$ and $\mathcal{I}$ are both conserved quantities a standard argument asserts the stability of the set D_μ of minimisers: solutions starting near D_μ remain close to D_μ in a suitably defined energy space over their interval of existence. In the applied mathematics literature solitary water waves of the present kind are modelled as solutions of the long-wave equations of KdV or NLS type. We show that the waves detected by our variational method converge (after an appropriate rescaling) to solutions of the appropriate model equation as $\mu \downarrow 0$.

Mark D. Groves

Universität des Saarlandes

groves@math.uni-sb.de

Erik Wahlen

Lund University

Sweden

ewahlen@maths.lth.se

MS47

On the Benjamin-Feir Instability

I will speak on the Benjamin-Feir (or sideband) instability of Stokes waves on deep water. I will begin by describing the variational framework that I recently developed with Bronski to determine an instability under long wavelengths perturbations for abstract Hamiltonian systems. I will explain the asymptotic approach that Johnson and I adapted for Whitham's water wave model, deriving a dispersion relation for the modulational instability. I will discuss on the exact water wave problem, if time permits.

Vera Mikyoung Hur

University of Illinois at Urbana-Champaign
verahur@math.uiuc.edu

Jared Bronski

University of Illinois Urbana-Champaign
Department of Mathematics
jared@math.uiuc.edu

Mathew Johnson

University of Kansas
matjohn@math.ku.edu

MS47

Large-amplitude Solitary Water Waves with Vorticity

We provide the first construction of exact solitary waves of large amplitude with an arbitrary distribution of vorticity. We use continuation to construct a global connected set of symmetric solitary waves of elevation, whose profiles decrease monotonically on either side of a central crest. This generalizes the classical result of Amick and Toland.

Miles Wheeler

Department of Mathematics
Brown University
miles@math.brown.edu

MS48

Shearless Elliptic LCS, Shearless Cantori and non-local heat transport

We present a notion of shearless barriers in unsteady flows and a method for their accurate detection. This complements recent work on hyperbolic and shear transport barriers by G. Haller and F.J. Beron-Vera. We then discuss how shearless Cantori act as partial barriers for heat transport in magnetically confined plasma. We investigate the slow relaxation of heat across the Cantori and the strong non-locality of the relaxation process.

Daniel Blazeovski

Department of Mechanical and Process Engineering
ETH Zurich
blazeovski@imes.mavt.ethz.ch

Diego Del-Castillo-Negrete

Oak Ridge National Laboratory
delcastillod@ornl.gov

Mohammad Farazmand

PhD student, Mathematics, ETH Zurich
farazmand@imes.mavt.ethz.ch

George Haller

ETH, Zurich, Switzerland
georgehaller@ethz.ch

MS48

Onset of Shearless Tori in Twist Maps

Secondary shearless tori were analytically predicted for generic maps in the neighborhood of the tripling bifurcation of elliptic fixed points. For the twist standard map, we use numerical profiles of the internal rotation number to identify the onset of secondary shearless tori around elliptic fixed points within islands of stability. Moreover, we use the proposed procedure to find shearless tori in a map describing chaotic magnetic field lines escape in tokamaks.

Ibere L. Caldas

Institute of Physics
University of Sao Paulo
ibere@if.usp.br

Celso Abud

University of Sao Paulo
cabud@if.usp.br

MS48

Annular Billiard Dynamics in a Circularly Polarized Laser Field

We model the dynamics of a valence electron of buckminsterfullerene C_{60} subjected to a circularly polarized laser by the motion of a charged particle in an annular billiard. Its phase space is composed by three distinct types of trajectories: whispering gallery orbits which hit only the outer wall; daisy orbits which hit both walls; and "pringle orbits" that only visit the downfield part of the billiard. This robust separation is attributed to the existence of twistless tori.

Cristel Chandre

Centre de Physique Théorique - CNRS
chandre@cpt.univ-mrs.fr

Adam Kamor

Georgia Institute of Technology
akamor@gmail.com

Francois Mauger

Centre de Physique Theorique
Aix-Marseille Université
mauger@cpt.univ-mrs.fr

Turgay Uzer

Georgia Institute of Technology
tuzer@gatech.edu

MS48

Breakup of Shearless Tori in Multi-harmonic Area-preserving Nontwist Maps

I will discuss recent work on the breakup of shearless invariant tori in multi-harmonic nontwist maps, in particular in a two-harmonic, three-parameter map. The breakup threshold is determined using Greene's residue criterion. I will report on the effect of map symmetry on torus breakup, reconnection studies, and the comparison with

a two-harmonic twist map.

Alexander Wurm

Department of Physical & Biological Sciences
Western New England College
awurm@wne.edu

MS49

Conductance Fluctuations in Graphene Systems: The Relevance of Classical Dynamics

Conductance fluctuations associated with transport through quantum-dot systems are currently understood to depend on the nature of the corresponding classical dynamics, i.e., integrable or chaotic. However, we find that in graphene quantum-dot systems, when a magnetic field is present, signatures of classical dynamics can disappear and universal scaling behaviours emerge. In particular, as the Fermi energy or the magnetic flux is varied, both regular oscillations and random fluctuations in the conductance can occur, with alternating transitions between the two. By carrying out a detailed analysis of two types of integrable (hexagonal and square) and one type of chaotic (stadium) graphene dot system, we uncover a universal scaling law among the critical Fermi energy, the critical magnetic flux, and the dot size. We develop a physical theory based on the emergence of edge states and the evolution of Landau levels to understand these experimentally testable behaviours.

Celso Grebogi

King's College
University of Aberdeen
grebogi@abdn.ac.uk

Lei Ying

Arizona State University
lei.ying@asu.edu

Liang Huang

Lanzhou University
huangl@lzu.edu.cn

Ying-Cheng Lai

Arizona State University
School of Electrical, Computer and Energy Engineering
Ying-Cheng.Lai@asu.edu

MS49

Complex Paths for Regular-to-chaotic Tunneling Rates

For generic non-integrable systems we show that a semiclassical prediction of tunneling rates between regular and chaotic phase-space regions is possible. Our prediction is based on complex paths which can be constructed despite the obstacle of natural boundaries. The tunneling rates are shown to have excellent agreement to numerical rates for the standard map where few complex paths dominate. This gives a semiclassical foundation of the long-conjectured and often observed exponential scaling with Planck's constant of regular-to-chaotic tunneling rates.

Roland Ketzmerick

Institut für Theoretische Physik
Technische Universität Dresden
ketzmerick@physik.tu-dresden.de

MS49

Application of Chaos in Harnessing Quantum Systems: Modulating Quantum Transport by Transient Chaos

We propose a scheme to modulate quantum transport in nanostructures based on classical chaos. By applying external gate voltage to generate a classically forbidden region, transient chaos can be generated and the escape rate associated with the underlying non-attracting chaotic set can be varied continuously by adjusting the gate voltage. We demonstrate that this can effectively modulate the quantum conductance-fluctuation patterns. A theory based on self-energies and the spectrum of the generalized non-Hermitian Hamiltonian of the open quantum system is developed to understand the modulation mechanism. This is joint work with Ryan Yang (ASU), Liang Huang (ASU), Louis M. Pecora (NRL), and Celso Grebogi (Univ. Aberdeen, UK).

Ying-Cheng Lai

Arizona State University
School of Electrical, Computer and Energy Engineering
Ying-Cheng.Lai@asu.edu

MS49

Conductances and Electron Interactions in Regular and Chaotic Quantum Dots

Transmission of electrons through quantum dots leads to interesting conductance effects in devices. Quantum dot conductance depends on the tunneling barriers to the dots and the wave functions in the dot. We developed a theory of conductance through quantum dots including electron-electron interactions. We examined regular and chaotic dot geometries. The distribution of conductances varies often by several orders of magnitude with the dot geometry with chaotic dots having much lower fluctuations than regular dots.

Louis Pecora

U.S. Naval Research Laboratory
louis.pecora@nrl.navy.mil

MS50

The Entropy-Viscosity Method For Hydrodynamic Models

The entropy-viscosity technique is a new class of high-order numerical methods for approximating scalar conservation laws which have recently been adapted as a numerical regularization for the Navier-Stokes equations. A nonlinear, LES-type viscosity is based on the numerical entropy residual, causing the numerical dissipation to become large in the regions of (numerical) shock, and small in the regions where the solution remains smooth. This method applies to systems with one or more entropy inequalities and is easy to implement on a large variety of meshes and polynomial approximations. I will discuss this method as a numerical regularization for the Navier-Stokes equations, along with related regularizations and applications to other equations if time permits.

Adam Larios

Department of Mathematics
Texas A&M University
alarios@math.tamu.edu

MS50

Spectral Scaling of the NS- α and Leray- α Model for Two Dimensional Turbulence

Viewed from the Large Eddy Simulation point of view, the α turbulence models modify the nonlinearity in the NSE, which adaptively filters the high wavenumbers and thereby enhances the stability and regularity without affecting the low wavenumber behavior. One important aspect to investigate is the spectral scaling transition from the observed Kolmogorov (for three-dimensional flows) or Kraichnan (for two-dimensional flows) power laws in the sub- α scales. The spectral scaling roll-off behavior for wavenumbers representing scales smaller than the lengthscale α has important implications for the computational performance of the particular α model and especially in its resolution requirements. In this talk I will show how one can establish the characteristic timescale of an eddy of size less than the filter width α and hence the scaling of the energy spectrum in the sub- α scales for 2D turbulence.

Evelyn Lunasin
University of Michigan
lunasin@umich.edu

Susan Kurien
Theoretical Division T-7 Los Alamos National
Laboratory, NM
skurien@lanl.gov

Mark A. Taylor
Sandia National Laboratories, Albuquerque, NM
mataylo@sandia.gov

Edriss Titi
University of California Irvine
etiti@math.uci.edu

MS50

Large-eddy Simulation for Lattice Boltzmann Models

Lattice Boltzmann methods receive a growing interest in the field of Computational Fluid Dynamics, for both theoretical and engineering purposes. The closure of the LB equations for turbulent flow simulations in the LES framework will be discussed. A interesting point is that the nonlinearities exhibit an exponential form, instead of the usual quadratic form in Navier-Stokes equations

Pierre Sagaut
Institut Jean Le Rond d'Alembert
Université Pierre et Marie Curie-Paris 6, Paris, France
pierre.sagaut@upmc.fr

MS50

Reduced-order Modeling of Complex Flows

In many scientific and engineering applications of complex flows such as the flow control and optimization problem, computational efficiency is of paramount importance. Thus, model reduction techniques are frequently used. To achieve a balance between the low computational cost required by a reduced-order model and the complexity of the target turbulent flows, appropriate closure modeling strategies need to be employed. In this talk, we present reduced-order modeling strategies synthesizing ideas originating from proper orthogonal decomposition and large eddy simulation, develop rigorous error estimates and de-

sign efficient algorithms for the new reduced-order models.

Zhu Wang
Institute for Mathematics and its Applications
University of Minnesota
wangzhu@ima.umn.edu

MS51

Coarse-grained Bifurcation Analysis in Agent Based Models: Lifting Using Weights

We discuss lifting and restriction operators in coarse-grained bifurcation analysis for Agent-Based Models. We will introduce a new lifting strategy, based on weighted realisations, which requires the solution of a minimisation problem at each continuation step, allowing an accurate estimation of Jacobian-vector products and optimal convergence of the underlying Newton-GMRES solver. We apply the new lifting strategy to a model of opinion formation, interpreting globally-polarised states in terms of a coarse pitchfork bifurcation.

Daniele Avitabile
Department of Mathematics, University of Surrey
University of Surrey
Daniele.Avitabile@nottingham.ac.uk

Rebecca B. Hoyle
University of Surrey
Department of Mathematics
r.hoyle@surrey.ac.uk

Giovanni Samaey
Department of Computer Science
K.U. Leuven
giovanni.samaey@cs.kuleuven.be

MS51

Numerical Methods for Stochastic Travelling Waves

Abstract not available at time of publication.

Gabriel J. Lord
Heriot-Watt University
g.j.lord@ma.hw.ac.uk

MS51

Some New Numerical Methods for Stochastic Des and Pdes

We seek numerical methods for second-order stochastic differential equations that accurately reproduce the stationary distribution for all values of damping. A complete analysis is possible for linear second-order equations (damped harmonic oscillators with noise), where the statistics are Gaussian and can be calculated exactly in the continuous-time and discrete-time cases. The "reverse leapfrog" method has remarkably good properties in the position variable. The analysis permits the construction of new family of explicit partitioned Runge-Kutta methods whose accuracy converges to that of the implicit midpoint method with increasing number of stages. New methods are illustrated on double-well SDEs and SPDEs.

Grant Lythe
Department of Applied Maths

University of Leeds
grant@maths.leeds.ac.uk

MS51

The String Method for the Study of Rare Events

Many problems in applied sciences can be abstractly formulated as a system that navigates over a complex energy landscape of high or infinite dimensions. Well known examples include nucleation events during phase transitions, conformational changes of bio-molecules, chemical reactions, etc. The system is confined in metastable states for long times before making transitions from one metastable state to another. The disparity of time scales makes the study of the transition event a very challenging task. In this talk, we will discuss the string method for the study of complex energy landscapes and rare events.

Weiqing Ren

National University of Singapore and IHPC, A-Star
matrw@nus.edu.sg

MS52

Instability of Travelling Waves in a Singular Chemotaxis Model

The parabolic Keller-Segel model is a strongly coupled system which describes the directed movement of cells towards the gradient of a chemical (chemotaxis). We show existence and nonlinear instability of travelling waves in the case when the coupling in the highest order terms is singular. To handle the resulting unbounded terms in the equations for a perturbed wave we work in exponentially weighted function spaces.

Martin Meyries

Karlsruhe Institute of Technology &
University of Halle
martin.meyries@mathematik.uni-halle.de

MS52

Pattern Formation in Unstable Media in Binary Fluids

We discuss about pattern formation and its asymptotic behaviour of convective patterns in binary fluid flow. When the conductive state is unstable and the size of the domain is large enough, finitely many spatially localized time-periodic travelling pulses (PTPs), each containing a certain number of convection cells, are generated spontaneously in the conductive state and are finally arranged at nonuniform intervals while moving in the same direction. Strong interactions (collision) among PTPs are important in characterizing the asymptotic state.

Yasumasa Nishiura

RIES, Hokkaido University
Japan
nishiura@wpi-aimr.tohoku.ac.jp

Takeshi Watanabe, Makoto Iima

Hiroshima University
wtakeshi@mis.hiroshima-u.ac.jp, makoto@mis.hiroshima-u.ac.jp

MS52

Breathers in Singularly Perturbed Reaction-

diffusion Systems

The existence of stationary pulses can be established for a general class of two-component, singularly perturbed systems of reaction-diffusion equations. Their (linear) stability is analyzed using Evans function techniques. For the most general setting, a number of instability results are presented; detailed analysis of the bifurcation structure is shown in the context of an explicit example. Here, one can even go beyond the linear analysis; using center manifold reduction and normal form theory, the nonlinear pulse stability is explored; the latter is inspired by some striking numerical results.

Frits Veerman

Mathematical Institute
Leiden University
frits@math.leidenuniv.nl

MS52

Stochastic Reaction and Diffusion on Growing Domains: Understanding the Breakdown of Robust Pattern Formation

Many deterministic mathematical models have been proposed to account for the emergence of complexity. However, deterministic systems can often be highly sensitive to changes in initial conditions, domain geometry, etc. Due to this sensitivity, we seek to understand the effects of stochasticity and growth on paradigm biological patterning models. We do this by using spatial Fourier analysis and growing domain mapping techniques to encompass stochastic Turing systems.

Thomas E. Woolley

Oxford University, UK
woolley@maths.ox.ac.uk

Ruth Baker

University of Oxford
baker@maths.ox.ac.uk

Eamonn Gaffney

Mathematical Institute
University of Oxford
gaffney@maths.ox.ac.uk

Philip K. Maini

Centre for Mathematical Biology
University of Oxford
maini@maths.ox.ac.uk

MS53

Beyond the Neural Master Equation

We present a stochastic model of neural population dynamics in the form of a velocity jump Markov process. The population synaptic variables evolve according to piecewise deterministic dynamics, which depends on population spiking activity. The latter is characterized by a set of discrete stochastic variables evolving according to a jump Markov process, with transition rates that depend on the synaptic variables. We consider the particular problem of rare transitions between metastable states of a network operating in a bistable regime in the deterministic limit. Assuming that the synaptic dynamics is much slower than the transitions between discrete spiking states, we use a WKB approximation and singular perturbation theory to determine the mean first passage time to cross the separatrix between

the two metastable states. Such an analysis can also be applied to other velocity jump Markov processes, such as stochastic ion channel gating and gene networks.

Paul C. Bressloff

University of Utah and University of Oxford, UK
Department of Mathematics
bressloff@math.utah.edu

MS53

Effective Stochastic Behavior in Dynamical Systems with Incomplete Information

Complex systems are generally analytically intractable and difficult to simulate. We introduce a method for deriving an effective stochastic equation for a high-dimensional deterministic dynamical system for which some portion of the configuration is not precisely specified. We use a response function path integral to construct an equivalent distribution for the stochastic dynamics from the distribution of the incomplete information. We apply this method to the Kuramoto model of coupled oscillators to derive an effective stochastic equation for a single oscillator interacting with a bath of oscillators and also outline the procedure for other systems.

Carson C. Chow

National Institutes of Health
carsonc@mail.nih.gov

MS53

The Impact of Architecture on Higher Order Statistics of Network Dynamics

How does network architecture impact the level of synchronized spiking activity in a recurrent network? We show that for a range of network architectures, average pairwise correlation coefficients can be closely approximated using only three statistics of network connectivity: the connection probability, and the frequencies of two second order motifs. We also discuss how relation between higher order statistics of network dynamics and connectivity.

Kresimir Josic

University of Houston
Department of Mathematics
josic@math.uh.edu

MS53

Capturing Effective Neuronal Dynamics in Random Networks with Complex Topologies

We introduce a random network model in which one can prescribe the frequency of second order edge motifs. We derive effective equations for the activity of spiking neuron models coupled via such networks. A key consequence of the motif-induced edge correlations is that one cannot derive closed equations for the average activity of the nodes (the average firing rate of neurons) but instead must develop the equations in terms of the average activity of the edges (the synaptic drives). As a result, the network topology increases the dimension of the effective dynamics and allows for a larger repertoire of behavior. We demonstrate this behavior through simulations of spiking neuronal networks.

Duane Nykamp

School of Mathematics
University of Minnesota

nykamp@math.umn.edu

MS54

Termination of Reentrant Cardiac Action Potential Propagation Using Far-Field Electrical Pacing

Previously, we demonstrated that there exist patterns of weak electric field stimuli that can terminate fibrillation in the heart, when fibrillation is modeled as multiple action potential waves circulating around one-dimensional rings. In the present work, we extend our fibrillation model to the case of multiple spiral waves. If this approach is successful, it could lead to new, low-energy defibrillation protocols that cause less harm and trauma to patients when applied.

Niels F. Otani

Dept. of Biomedical Sciences
Cornell University
nfo1@cornell.edu

MS54

Spiral Waves and the Onset of Labor in Pregnant Uterus

The spontaneous appearance of uterine contractions shortly before labor is not yet fully understood. Particularly surprising is the fact that none of the uterine cells is spontaneously oscillating, when taken in isolation. The strong increase of the gap junction expression before delivery strongly suggests a prominent role of the coupling. I will discuss models of excitable cells, coupled to passive cells. In finite tissues, fast spiral waves of electrical activity are spontaneously observed. I will discuss their role, in relation with the generation of force necessary for mechanical contraction.

Alain Pumir

Laboratoire de Physique
École normale supérieure de Lyon
alain.pumir@ens-lyon.fr

MS54

Anchoring of Spirals

Anchoring of spiral and scroll waves in excitable media has attracted considerable interest in the context of cardiac arrhythmias. Here, by bombarding inclusions with drifting spiral and scroll waves, we explore the forces exerted by inclusions onto an approaching spiral and derive the equations of motion governing spiral dynamics in the vicinity of inclusion. We demonstrate that these forces nonmonotonically depend on distance and can lead to complex behavior: (a) anchoring to small but circumnavigating larger inclusions; (b) chirality-dependent anchoring.

Christian Zemlin

Frank Reidy Research Center for Bioelectrics
Old Dominion University
czemlin@odu.edu

Marcel Wellner, Arkady Pertsov

SUNY Upstate Medical University
wellnerm@upstate.edu, pertsova@upstate.edu

MS54

Selection of Spiral Waves in Excitable Media with

a Phase Wave at the Wave Back

A free-boundary approach is elaborated to derive universal relationships between the medium excitability the parameters of a rigidly rotating spiral wave in excitable media, where the wave front is a trigger wave and the wave back is a phase wave. Two universal limits restricting the existence domain of spiral waves in the parameter space are demonstrated. The predictions of the free-boundary approach are in good quantitative agreement with results from numerical reaction-diffusion simulations.

Vladimir Zykov

Max Planck Institute for Dynamics and Self-Organization
vladimir.zykov@ds.mpg.de

Noriko Oikawa, Eberhard Bodenschatz

MPI DS Goettingen

noriko.oikawa@ds.mpg.de,

eberhard.bodenschatz@ds.mpg.de

MS55

Population Scale Physiologic Measurement, Dynamics, Prediction, and Control

In this talk I will discuss various methodologies for deriving and explaining data-driven physiologic signals derived from clinically collected physiologic data and some of the results that these methodologies have generated. The particular results will be primarily related to endocrine (e.g., glucose/insulin) and neurophysiologic dynamics. The methodologies range from signal processing, information theory and nonlinear time series analysis to mechanistic physiologic modeling that hints at potential applications of data assimilation and control theory.

David J. Albers

Columbia University

david.albers@dbmi.columbia.edu

MS55

Capturing Intermittent and Low-frequency Variability in High-dimensional Data through Nonlinear Laplacian Spectral Analysis

Nonlinear Laplacian spectral analysis (NLSA) is a method for spatiotemporal analysis of high-dimensional data, which represents spatial and temporal patterns through singular value decomposition of a family of maps acting on scalar functions on the nonlinear data manifold. Through the use of orthogonal basis functions (determined by means of graph Laplace-Beltrami eigenfunction algorithms) and time-lagged embedding, NLSA captures intermittency, rare events, and other nonlinear dynamical features which are not accessible through classical linear approaches such as singular spectrum analysis. We present applications of NLSA to detection of decadal and intermittent variability in the North Pacific sector of comprehensive climate models, and multiscale physical modes of the Madden-Julian Oscillation in infrared brightness temperature satellite data.

Dimitris Giannakis

New York University

dimitris@cims.nyu.edu

MS55

Data Assimilation of Biological Dynamics

We have successfully applied a Data Assimilation (UKF) framework centered on the Unscented Kalman Filter (UKF) to track and reconstruct dynamics from biologically-inspired models of both sleep regulation and of glucose. Tools we've implemented include a ranked assessment of observability, optimization of UKF covariance inflator, parameter estimation and tracking. The next steps to apply to read data streams are to address how to differentiate between models to best observe real systems.

Bruce J. Gluckman

Penn State University

brucegluckman@psu.edu

MS55

Random Dynamics from Time Series: An Overview in Relation to Noise-induced Phenomena

Interaction between deterministic chaos and stochastic randomness has been an important problem in nonlinear dynamical systems studies. Noise-induced phenomena are understood as drastic change of natural invariant densities by adding external noise to a deterministic dynamical systems, resulting qualitative transition of observed nonlinear phenomena. Stochastic resonance, noise-induced synchronization, and noise-induced chaos are typical examples. The simplest mathematical model for these phenomena is one-dimensional map stochastically perturbed by noise. In this presentation, we discuss typical behavior of noised dynamical systems based on numerically observed noise-induced phenomena. Applications of these phenomenologies to time-series analysis are also exhibited.

Yuzuru Sato

RIES, Hokkaido University

ysato@math.sci.hokudai.ac.jp

MS56

New Developments in Evans Function Computation and Shock Layer Stability

We examine some of our latest techniques in Evans function computation and apply them to problems in compressible fluid flow. Specifically, we describe a new way to locate and track roots of the Evans function and apply them to problems in combustion. We also describe some of our latest results in the computation of viscous shock layers in compressible Navier-Stokes and other related models. Finally, we discuss some recent changes to our numerical STABLAB toolbox.

Jeffrey Humpherys

Brigham Young University

jeffh@math.byu.edu

Blake Barker

Indiana University

BYU

bhbarker@gmail.com

Gregory Lyng

Department of Mathematics

University of Wyoming

glyng@uwyo.edu

Joshua Lytle

Brigham Young University
jwlyte@gmail.com

Kevin Zumbrun
Indiana University
USA
kzumbrun@indiana.edu

MS56

The Morse and Maslov Indices for Matrix Hill's Equations

For Hill's equations with matrix valued periodic potential, we discuss relations between the Morse index, counting the number of unstable eigenvalues, and the Maslov index, counting the number of signed intersections of a path in the space of Lagrangian planes with a fixed plane. We adapt to the one dimensional periodic setting the strategy of a recent paper by J. Deng and C. Jones relating the Morse and Maslov indices for multidimensional elliptic eigenvalue problems.

Christopher Jones
University of North Carolina and University of Warwick
ckrtj@email.unc.edu

Yuri Latushkin

Department of Mathematics
University of Missouri-Columbia
latushkiny@missouri.edu

Robert Marangell
University of Sydney
robertmarangell@gmail.com

MS56

Coherent Structures in a Model for Mussel-algae Interaction

We consider a model for formation of mussel beds on soft sediments. The model consists of coupled nonlinear pdes that describe the interaction of mussel biomass on the sediment with algae in the water layer overlying the mussel bed. Both the diffusion and the advection matrices in the system are singular. We use Geometric Singular Perturbation Theory to capture nonlinear mechanisms of pattern and wave formation in this system.

Vahagn Manukian
Miami University Hamilton
manukive@muohio.edu

Anna Ghazaryan
Department of Mathematics
Miami University and University of Kansas
ghazarar@muohio.edu

MS56

Linear Stability and Instability of Water Waves

In this talk, I will discuss linear stability and instability regions for several water-wave models such as the Benney-Luke equation and the Klein-Gordon periodic waves. The results take advantage of the abstract stability criteria developed recently to compute the threshold speed of the stable waves when explicit solutions are known. In cases when explicit formulas for the waves are not available, we

compute the stability regions numerically.

Milena Stanislavova

University of Kansas, Lawrence
Department of Mathematics
stanis@math.ku.edu

MS57

Microscale Granular Crystals and Surface Acoustic Waves

Granular crystals are densely packed arrays of elastic particles that interact nonlinearly via Hertzian contact. Studies have demonstrated myriad nonlinear dynamical phenomena to occur in granular crystals, and shown how such phenomena can be utilized in acoustic engineering applications. Thus far, granular crystals are generally macroscopic, and affect sonic-frequency acoustic waves. In this work, we study the interaction of surface acoustic waves (with frequencies in the hundreds of MHz), with two-dimensional microscale granular crystals.

Nicholas Boechler

California Institute of Technology
boechler@mit.edu

MS57

On the Existence of Breathers in Periodic Media: An Approach via Inverse Spectral Theory

The concept of breathers, i.e. time-periodic, spatially localized excitations, has been introduced in the context of the Sine-Gordon equation, which, however, seems to be the only (constant coefficient) nonlinear wave equation to support such solutions. In this sense, breathers have been considered a rare phenomenon. Surprisingly, a nonlinear wave equation with spatially periodic step potentials has been found recently to support breathers (Blank et al. 2011) by using a combination of spatial dynamics, center manifold reduction and bifurcation theory. Via inverse spectral theory, we aim towards characterizing a larger class of potentials that allow breathers. The research is motivated by the quest of using photonic crystals as optical storage.

Martina Chirilus-Bruckner, C.E. Wayne

Boston University
mchb@math.bu.edu, cew@math.bu.edu

MS57

Multi-dimensional Stability of Travelling Waves through Rectangular Lattices

We consider general reaction diffusion systems posed on rectangular lattices in two or more spatial dimensions. We show that travelling wave solutions to such systems that propagate in rational directions are nonlinearly stable under small perturbations. We employ recently developed techniques involving point-wise Green's functions estimates for functional differential equations of mixed type (MFDEs), allowing our results to be applied even in situations where comparison principles are not available.

Hermen Jan Hupkes

University of Leiden
Mathematical Institute
hhupkes@math.leidenuniv.nl

Aaron Hoffman
Franklin W. Olin College of Engineering

aaron.hoffman@olin.edu

Erik Van Vleck
Department of Mathematics
University of Kansas
evanvleck@math.ku.edu

MS57

Macroscopic Analysis of Traveling Waves in Microscopic Traffic Models

The traffic jam dynamics of a microscopic model is analyzed on a macroscopic level, i.e., for characteristic low-dimensional quantities, using an implicit equation-free approach. These methods are used to analyze the qualitative system behaviour by coarse bifurcation diagrams. The transitions from free flow to different traffic jam regimes, i.e., traveling waves on the ring road, are investigated, including one pulse and two pulse solutions.

Christian Marschler
Danmarks Tekniske Universitet
Institut for Matematik
c.marschler@mat.dtu.dk

Jan Sieber
University of Exeter
j.sieber@exeter.ac.uk

Jens Starke
Technical University of Denmark
Department of Mathematics
j.starke@mat.dtu.dk

MS58

Melnikov Theory for Planar Hybrid Systems: Invariant Cones in Piecewise Linear Systems

We extend the Melnikov theory to a class of two-zonal planar hybrid piecewise smooth systems. In these systems, each zone of differentiability is separated by a straight line. When an orbit reaches the separation line then a reset map applies before entering the orbit in the other zone. By using Melnikov functions we analyze the existence of limit cycles. The results will be applied to the study of invariant cones in 3D piecewise linear systems.

Victoriano Carmona
Departamento de Matemática Aplicada II
Universidad de Sevilla, Spain
vcarmona@us.es

Soledad Fernandez-Garcia
Departamento Matematica Aplicada II
University of Seville, Spain
soledad@us.es

Emilio Freire, Francisco Torres
Departamento Matematica Aplicada II
Universidad de Sevilla, Spain
efrem@us.es, ftorres@us.es

MS58

On the Splitting of Heteroclinic Manifolds in Coupled Systems with Impacts

In this work we consider two coupled impact systems ob-

tained by a generalization of the model of the rocking block. After introducing a general perturbation, which includes both the coupling and an external periodic forcing, we extend Melnikov's method to this type of system to provide conditions for the persistence of heteroclinic manifolds. We also study properties regarding the energy accumulated along trajectories located in these manifolds.

Albert Granados
IPVS, University of Stuttgart
alberto.granados_corsellas@inria.fr

Tere M. Seara
Univ. Politecnica de Catalunya
Tere.M-Seara@upc.edu

John Hogan
Bristol Centre for Applied Nonlinear Mathematics
Department of Engineering Mathematics, University of Bristol
s.j.hogan@bristol.ac.uk

MS58

Application of the Subharmonic Melnikov Method to Piecewise Smooth Systems

We extend a refined version of the subharmonic Melnikov method to piecewise-smooth systems and demonstrate the theory for bi- and trilinear oscillators. Fundamental results for approximating solutions of piecewise-smooth systems by those of smooth systems are given and used to obtain the main result. Special attention is paid to degenerate resonance behavior, and analytical results are illustrated by numerical ones. Further results on perturbation approaches for piecewise-smooth systems will also be announced.

Kazuyuki Yagasaki
Department of Mathematics
Hiroshima University, Japan
yagasaki@hiroshima-u.ac.jp

MS59

Memory Effects of Inertial Particles in Chaotic Advection

We study the effect of the history force in the von Kármán flow, a paradigmatic model flow of chaotic advection. We find strong qualitative changes in the dynamics induced by the history force. Attractors are typically suppressed and more generally we find a weaker tendency for accumulation and for caustics formation. Furthermore the Lyapunov exponent increases with the history force and the escape rates are strongly altered.

Anton Daitche
University of Munster
Germany
a.daitche@gmail.com

Tamas Tel
Eötvös Loránd University, Hungary
Inst for Theoretical Physics
tel@general.elte.hu

MS59

The Influence of the History Force on the Motion of Inertial Particles in Chaotic Advection: Gravi-

tational Effects and Horizontal Diffusion

In this work we analyze the effect of the Basset force on the sedimentation of inertial particles in a two-dimensional convection flow. When the memory effects are neglected, the system's dynamics exhibits periodic, quasi-periodic and chaotic attractors. With the history force we find that the attractors and their basins of attraction are drastically altered. We also highlight the strong influence of memory on the horizontal transport and vertical trapping of the particles.

Ksenia Guseva

University of Oldenburg
Oldenburg, Germany
ksenia.guseva@uni-oldenburg.de

Ulrike Feudel

University of Oldenburg
ICBM, Theoretical Physics/Complex Systems
ulrike.feudel@uni-oldenburg.de

MS59

Memory Effects in Chaotic Advection and Snapshot Attractors

The presence of the history force in the Maxey-Riley equations makes the equation of motion to be an integro-differential equation. Viewed from the usual phase space of inertial particles, the dynamics is non-autonomous. After a short overview of recent results, we concentrate on the problem of how, say, periodic attractors can emerge in such systems. In the general theory of driven, time-dependent dissipative systems, an emerging tool is that of the so-called snapshot (or pullback) attractors. Such an attractor is the instantaneous location, in the phase space, of the elements of an ensemble of trajectories initiated in the remote past. To any single snapshot attractor there belongs a unique natural distribution that typically changes with time. This concept has been proven to be useful in climate models. We claim it to be also applicable to the problem of particle advection with history force. In the traditional single particle picture, a periodic attractor is reached after a power-law decay, while the convergence to the (still slowly moving) snapshot attractor is exponentially fast.

Tamas Tel

Eötvös Loránd University, Hungary
Inst for Theoretical Physics
tel@general.elte.hu

MS60

Randomized Algorithms for Very Large-Scale Linear Algebra

Low-rank matrix approximations, such as partial spectral decompositions, play a central role in data analysis and scientific computing. The talk will describe a set of recently developed randomized algorithms for computing such approximations. These techniques exploit modern computational architectures more fully than classical methods and open the possibility of dealing with truly massive matrices. The algorithms described are supported by a rigorous mathematical analysis that exploits recent work in random matrix theory.

Gunnar Martinsson

Univ. of Colorado at Boulder
per-gunnar.martinsson@colorado.edu

MS60

The Dynamic Mode Decomposition: Extensions and Variations

Dynamic mode decomposition (DMD) represents an effective means for capturing the essential features of numerically or experimentally generated flow fields. We will discuss various extensions of and variations on the standard algorithms to promote sparsity by combining tools and ideas from linear algebra, convex optimization and compressive sensing. Several examples of flow fields resulting from simulations and experiments are used to illustrate the effectiveness of the developed method.

Peter Schmid

École Polytechnique Paris, France
Laboratoire d'Hydrodynamique (LadHyX)
peter.schmid@ladhyx.polytechnique.fr

Mihailo R. Jovanovic

Electrical and Computer Engineering
University of Minnesota
mihailo@umn.edu

MS60

Data-driven Modeling Approach for Olfaction Dynamics

In this talk I will introduce a data-driven approach for the combination of dynamical systems and data-reduction for neural networks. The approach is particularly relevant to neurobiological networks that underlie sensory systems, e.g., olfaction, for which neural activity is recorded while actual sensory modality is being processed. Specifically, we will show how to construct the network wiring, i.e., connectivity and dynamics, from the data via a reduced model.

Eli Shlizerman

University of Washington, Seattle
shlizee@uw.edu

MS60

Dynamic Mode Decomposition with Sub-Nyquist-Rate Data Samples

Dynamic mode decomposition (DMD) is an increasingly popular tool for identifying oscillatory structures in fluid flows. However, it requires time-resolved data, which are often impossible to capture experimentally. We present a new algorithm that can identify temporally oscillatory structures from sub-Nyquist rate data. This is accomplished using compressed sensing, taking advantage of the sparsity observed in many flows. As a proof of concept, we apply our method to experimental data from a bluff body wake.

Jonathan Tu

Princeton University
jhtu@princeton.edu

MS61

Energy Exchanges in Embedded Granular Media

We discuss experimentally energy exchange phenomena in coupled granular chains embedded in poly-di-methylsiloxane (PDMS) matrix. Specifically, we consider two rows of chains embedded in PDMS matrix and show that

in spite of the fact that applied impulse is provided to one chain, the resulting pulse gets partially transferred to neighboring chain and energy distributes among the granular network. Based on the experimental measurements we validate a theoretical model and then use it for predictive design.

M. Arif Hasan, Shinhu Cho, Waltraud Kriven, Alexander Vakakis

University of Illinois
mhasan5@illinois.edu, cho119@illinois.edu,
kriven@illinois.edu, avakakis@illinois.edu

MS61

Long Lived Solitary Waves in a 1D Granular Chain

Kinetic energy fluctuations of a non-dissipative 1D granular chain held between reflecting walls with various pre-compressions are investigated. The dynamics is explored for a weakly precompressed chain which admits only solitary waves that break into secondary waves under wall collisions, for a strongly precompressed chain which exhibits acoustic waves, and for intermediate precompression. The last case accommodates a nearly stable solitary wave that travels unaffected through the acoustic waves for extremely long times.

Surajit Sen
University of Buffalo
sen@buffalo.edu

Yoichi Takato
SUNY Buffalo
Physics Dept
ytakato@buffalo.edu

MS61

Nonlinear Wave Propagation in the Arrays of Coupled Granular Chains

Dynamics of granular scalar models comprising the array of the arbitrary number of weakly coupled granular chains subject to on-site perturbations is considered. Analytical procedure depicting the transmission of strongly nonlinear, localized pulses through the granular array is developed. Results of analytical model and numerical simulations are found to be in a spectacular correspondence. Effect of on-site perturbations on the primary pulse transmission and redirection in the general scalar model is discussed.

Yuli Starosvetsky
Technion, Israel Institute of Technology
staryuli@tx.technion.ac.il

MS61

Existence of Bell-shaped Traveling Waves in Monomer Chains with Precompression

In a series of joint works with P. Kevrekidis, we show the existence and bell-shapedness of traveling waves for monomer chains. The novelty is the bell-shapedness of the waves, which is achieved by recasting as an equivalent constrained maximization problem, where we constraint over the unit spheres of certain Orlicz spaces. We will also mention some open problems (and possible approaches) like uniqueness and stability of these waves.

Atanas Stefanov
University of Kansas

stefanov@ku.edu

MS62

Modeling Early Events in HIV Infection

In order to prevent and/or control infections it is necessary to understand their early-time dynamics. However this is precisely the phase of HIV about which the least is known. To investigate the initial stages of HIV within-host we have developed multi-type, continuous-time branching process models. We will present these models and discuss predictions pertinent to clinical factors associated with HIV such as per-exposure risk of infection and post-exposure time to infection detection.

Jessica M. Conway
University of British Columbia
Department of Mathematics
conway@lanl.gov

MS62

SIV Infection Dynamics in Macaques After Interruption of Intensified Treatment

HIV infection is well controlled by anti-retroviral drug therapy (ART) but virus persists and viremia returns upon treatment cessation. Recent studies on SIV infected monkeys showed a complete suppression of viral load during intensified ART. After treatment stopped, occasional viral blips occur but the viral load always returns to undetectable levels. We used models based on continuous-time branching processes to study the viral blips and make inferences about the re-activation dynamics of latently infected cells.

Alejandra Herrera Reyes, Jessica M. Conway
University of British Columbia
Department of Mathematics
donaji@math.ubc.ca, conway@lanl.gov

Daniel Coombs
University of British Columbia
coombs@math.ubc.ca

MS62

A Branching Process Model of Prion Dynamics

Prions are infectious agents composed of misfolded proteins, responsible for illnesses such as mad cow disease in cattle and Creutzfeldt-Jakob disease in humans. We create a branching process model for yeast cells to describe how prions grow inside the cell and how they are transmitted from mother to daughter cell. We compare our model predictions to laboratory data and use it to estimate unknown parameters.

Peter Olofsson
Trinity University
Department of Mathematics
polofsso@trinity.edu

MS62

Brisk Introduction to Branching Processes with a Model of Gene Expression

I will provide a very brief overview of what branching processes are and what they are useful for modelling. I will then discuss one novel application to the phenomenon of

gene expression with diffusion in the cellular environment. The latter is joint work with David Cottrell and Peter Swain.

Paul Tupper
Department of Mathematics
Simon Fraser University
pft3@sfu.ca

MS63

Fatigue Accumulation Under Chaotic Loading is Slower than Under Statistically and Spectrally Similar Stochastic Excitation

New fatigue testing apparatus was used to show different rates of fatigue damage accumulation under chaotic and stochastic loading, even when both excitations possess same spectral and statistical signatures. Furthermore, the conventional rainfall method considerably overestimates damage in case of chaotic forcing. Important nonlinear loading characteristics, which can explain the observed discrepancies, are identified and suggested to be included as loading parameters in new fatigue models.

David Chelidze, Son Hai Nguyen, Mike Falco, Ming Liu
University of Rhode Island
Department of Mechanical, Industrial & Systems
Engineering
chelidze@mail.uri.edu, —, —, —

MS63

Localized Spikes and Flats on the Surface of Magnetic Liquids

An experimental model for formation of spatially localized states in dissipative systems is a layer of viscous magnetic liquid subjected to a magnetic field oriented normally to the fluid surface. When the field passes a critical threshold, a hexagonal pattern of liquid spikes emerges. Localized spikes and flats were generated and studied experimentally and numerically. In contrast to spikes, the location of flats is arrested by the hexagonal pattern.

Reinhard Richter
University of Bayreuth
reinhard.richter@uni-bayreuth.de

M Szech
University of Bayreuth
Department of Physics
—

Ingo Rehberg
Experimentalphysik V, Universitaet Bayreuth
95440 Bayreuth, Germany
ingo.rehberg@uni-bayreuth.de

MS63

Bifurcation Analysis in a Mechanical Impact Oscillator Experiment

We use control-based continuation to obtain one-parameter bifurcation diagrams (e.g. frequency response) directly from an experiment of a periodically forced impact oscillator. Branches of periodic solutions, including unstable ones, are traced by applying a feedback control and using a predictor-corrector type path-following algorithm. The experimental findings are reproduced by a piecewise-linear

model. It is smoothed to determine its bifurcation structure and the effect of the smoothening is investigated.

Jens Starke
Technical University of Denmark
Department of Mathematics
j.starke@mat.dtu.dk

Emil Bureau
Technical University of Denmark
embu@mek.dtu.dk

Frank Schilder, Michael Elmegaard
Technical University of Denmark
Department of Mathematics
f.schilder@mat.dtu.dk, M.Elmegaard@mat.dtu.dk

Jon Juel Thomsen, Ilmar Santos
Technical University of Denmark
Department of Mechanical Engineering
jjt@mek.dtu.dk, ifs@mek.dtu.dk

Hinke M. Osinga, Bernd Krauskopf
University of Auckland
Department of Mathematics
H.M.Osinga@auckland.ac.nz, b.krauskopf@auckland.ac.nz

MS63

Control of Nonlinear Lateral Dynamics in a Rotor-Stator System

In this combined experimental and numerical effort, a rotor contained within a stator is studied. An excitation input with high frequency content is superimposed on the motor rotation input provided to the rotor-stator system to examine how the lateral motions of the rotor can be steered among different solutions of the system, which include forward whirling solutions without rotor contact and forward and backward whirling solutions with contact.

Nicholas Vljajic, Balakumar Balachandran
Dept. of Mechanical Engineering
University of Maryland
vljajic@umd.edu, balab@umd.edu

MS64

Collective Effects and Cascading Dynamics for Systems Defined on Complex Networks

Dynamical systems defined on networks have applications in many scientific fields. In particular, it is important to understand when networks exhibit synchronous or other types of coherent collective behaviors. Other questions include whether such coherent behavior is stable with respect to random perturbation, or what the detailed structure of this behavior is as it evolves. We will examine several prototypical models of networked dynamical systems and present a mixture of results that range from rigorous theorems for abstract models to quantitative comparisons of models and data.

Lee DeVille
University of Illinois, Department of Math
rdeville@illinois.edu

MS64

Reliable and Unreliable Behavior in Balanced Spik-

ing Networks

This talk concerns the reliability of networks of excitable neurons driven by sustained, fluctuating stimuli. Reliability here means that a signal elicits essentially identical responses upon repeated presentations, regardless of the network's initial condition; it is of interest in computational neuroscience because the degree to which a network is reliable constrains its ability to encode information in temporal spike patterns. Using a combination of qualitative theoretical ideas and numerical simulations, we have studied the dynamics of networks of excitable neurons with balanced excitatory and inhibitory connections. I will report our main findings, including the coexistence of unreliable and reliable dynamics in time and within the network, and (time permitting) how the correlation structure of the stimulus and intrinsic network dynamics together affect the reliability of a network. Qualitative explanations are proposed for the phenomena observed.

Kevin K. Lin

Department of Mathematics
University of Arizona
klin@math.arizona.edu

Guillaume Lajoie, Eric Shea-Brown
Department of Applied Mathematics
University of Washington
glajoie@amath.washington.edu, etsb@washington.edu

MS64

Spike-based Coding in Chaotic Neural Networks

Large, randomly coupled networks of excitatory and inhibitory neurons are ubiquitous in neuroscience, and are known to autonomously produce chaotic dynamics. This produces an obvious threat to the reliability of network responses: if the same signal is presented many times with different initial conditions, there is no guarantee that the system will entrain to the signal in a repeatable way. However, we find that intermittent periods of highly reliable spiking nevertheless occur in the networks at hand. We give a geometrical explanation, and discuss the consequences for encoding and decoding of model sensory signals.

Eric Shea-Brown

Department of Applied Mathematics
University of Washington
etsb@washington.edu

MS64

Maximized Reliability Despite Maximized Variability in Sensory Cortex

An identical sensory stimulus presented many times does not typically evoke identical responses among neurons in sensory cortex. It is commonly thought that such variability of response is detrimental to reliable encoding of sensory information. Studying rat cortex slice cultures, we demonstrate that variability need not come at the cost of reliability. Pharmacologically tuning excitability of the cortical network we found that maximum reliability and variability emerge together under the same conditions at criticality.

Woodrow Shew

University of Arkansas
woodrowshew@gmail.com

MS65

Defibrillation Mechanisms on a One-dimensional Ring of Cardiac Tissue

In this paper we compare quantitatively the efficiency of three different defibrillation protocols commonly used in commercial defibrillators. We have built a simplified one-dimensional model of cardiac tissue using the bidomain formulation that is the standard model for describing cardiac tissue. With this model, we have shown that biphasic defibrillators are significantly more efficient (about 25 percents) than the corresponding monophasic defibrillators. We identify that the increase in efficiency of the biphasic defibrillators is rooted in the higher proportion of excited tissue at high electric fields.

Jean Bragard

Depto de Física y Matemática Aplicada
Universidad de Navarra, Pamplona, Spain
jbragard@unav.es

MS65

Mechanisms of Ventricular Arrhythmias

Complex behavior in the heart often is associated with electrical abnormalities called arrhythmias that lead to compromised mechanical function. Such complexity includes dynamics typical of excitable and oscillatory systems, including period-2 (and higher-order) behavior along with single and multiple spiral or scroll waves. In many cases, dynamical instabilities either produce or exacerbate arrhythmias. In this talk, we use mathematical modeling and numerical simulation to elucidate mechanisms that can initiate and maintain cardiac arrhythmias.

Elizabeth M. Cherry

Rochester Institute of Technology
School of Mathematical Sciences
excsma@rit.edu

MS65

Cardiac Arrhythmia Prediction Using a 1D Dynamical Model

A nonlinear mathematical model of a cardiac fiber has been developed to gain improved understanding of the role of premature beats in the formation of ventricular fibrillation (VF), a lethal cardiac arrhythmia. The model predictions have been compared with *in vitro* data from canine right ventricles, confirming that the model is able to determine which sequences of premature beats are more likely to produce VF.

Laura Munoz

Department of Biomedical Sciences
Cornell University
lm288@cornell.edu

Niels F. Otani

Dept. of Biomedical Sciences
Cornell University
nfo1@cornell.edu

Anna Gelzer

Department of Biomedical Sciences
Cornell University
arg9@cornell.edu

Flavio Fenton

Georgia Institute of Technology
flavio.fenton@physics.gatech.edu

Weiye Lin, Min Chul Shin, Andrea Liu
Department of Biomedical Sciences
Cornell University
wyl7@cornell.edu, ms929@cornell.edu, al569@cornell.edu

Robert Gilmour, Jr.
University of Prince Edward Island
rgilmour@upe.ca

MS65

Spiral Wave Generation and Instabilities in Cardiac Systems with Pacemaker-obstacle Interactions

We performed experiments on annular domains of cardiac monolayers with embedded pacemakers composed of ventricular cells from 8-day-old embryonic chick hearts. We tracked the wave propagation using an intracellular calcium dye and a CCD camera. The monolayers with wider annular domains generated more complex behaviour, including reentrant wave dynamics. Numerical simulations using a simplified FitzHugh-Nagumo model coupled in space provided insight into the dynamics.

Thomas D. Quail
McGill University
thomas.quail@mail.mcgill.ca

MS66

Mathematical Models of Crime and Energy Use in Urban Societies

Abstract not available at time of publication.

Luis Bettencourt
Santa Fe Institute
bettencourt@santafe.edu

MS66

Rate Effects on the Growth of Centres

Much of the mathematical modelling of urban systems revolves around the use spatial interaction models, derived from information theory and entropy-maximisation techniques and embedded in dynamic difference equations. This class of models have wide reaching applications: from trade and migration flows to the spread of riots and understanding the spatio-temporal patterns of burglaries. When framed in the context of a retail system, the dynamics of centre growth poses an interesting mathematical problem, with bifurcations and phase changes, which may be analysed analytically. In this contribution, we present some analysis of the continuous retail model and corresponding discrete version, which yields insights into the effect of space on the system, and an understanding of why certain retail centers are more successful than others.

Hannah Fry
Centre for Advanced Spatial Analysis.
University College London
hannah.fry@ucl.ac.uk

Frank Smith
Department of Mathematics, University College London
f.smith@ucl.ac.uk

MS66

What can Dynamical Systems Tell Us About Urban Energy Systems?

Cities account for over two-thirds of the world's primary energy consumption and 71% of global energy-related greenhouse gas emissions. To understand and improve the performance of urban energy systems, a range of modelling techniques have been used but dynamical systems methods are not widely employed. This paper will consider why this might be the case and suggest specific applications where dynamical systems offer the greatest potential.

James Keirstead
Department of Civil and Environmental Engineering
Imperial College London
j.keirstead@imperial.ac.uk

MS66

Mathematics of Crime

This lecture uses crime as a case study for using applied mathematical techniques in a social science application and covers a variety of mathematical methods that are applicable to such problems. We will review recent work on agent based models, methods in linear and nonlinear partial differential equations, variational methods for inverse problems and statistical point process models. From an application standpoint we will look at problems in residential burglaries and gang crimes. Examples will consider both 'bottom up' and 'top down' approaches to understanding the mathematics of crime, and how the two approaches could converge to a unifying theory. We will cover specific examples where urban geography plays an important role in the models.

Martin Short
UCLA
mbshort@math.ucla.edu

Andrea L. Bertozzi
UCLA Department of Mathematics
bertozzi@math.ucla.edu

MS67

Periodic Waves in Fire-diffuse-fire Model of Calcium Dynamics in Cardiac Cells

Calcium dynamics plays an important role in intracellular communication in living cells. The fire-diffuse-fire model, which accounts for the effects of diffusion, absorption, and localized release of calcium, has been successfully used to model the initiation, propagation and failure of calcium waves and other spatio-temporal patterning of intracellular calcium. Previous theoretical studies were usually performed under the assumption of a linear absorption mechanism. In this talk I will present a simple approach for studying periodic traveling waves in one-dimensional fire-diffuse-fire models with an arbitrary absorption mechanism. I will then describe dynamics of such waves and discuss their stability and robustness.

Peter Gordon
New Jersey Institute of Technology
pgordon@uakron.edu

Louis Tao
Peking University
taolt@mail.cbi.pku.edu.cn

MS67

A Simple Criterion of Transverse Linear Instability for Nonlinear Waves

Transverse stability refers to the stability of a nonlinear wave which is homogeneous in one spatial direction with respect to non-homogeneous perturbations. Relying upon a spatial dynamics formulation in which the time-like variable is the spatial direction in which the wave is homogeneous, we give a sufficient condition for transverse linear instability. We apply this criterion to solitary and periodic gravity-capillary water waves.

Mariana Haragus
Laboratoire de Mathématiques de Besançon
Université de Franche-Comté, France
mariana.haragus@univ-fcomte.fr

MS67

Nonlinear Schrodinger Models and PT-Symmetry: Living at the Interface between Hamiltonian and Dissipative

This talk concerns a theoretical analysis of some aspects of a theme that has received particular attention recently, namely parity-time (PT) symmetric media. Such media have recently been realized in nonlinear optics, where they often feature a cubic nonlinearity. In this talk, we will see how this special PT-symmetric interface between the underlying Hamiltonian problem and the presence of the gain/loss leads to interesting modifications of the system's bifurcations, to the emergence of new, so-called ghost states and to rather unexpected dynamical implications in both one and two dimensions.

Panayotis Kevrekidis
Department of Mathematics and Statistics
University of Massachusetts
kevrekid@gmail.com

MS67

Stability of Traveling Waves on Vortex Filaments

We develop a general framework for studying the stability of solutions of the Vortex Filament Equation (VFE), based on the correspondence between the VFE and the nonlinear Schrödinger (NLS) equation provided by the Hasimoto map. This method is used to investigate the (linear and orbital) stability of periodic and soliton solutions. In the periodic case, we show that the solutions associated to cnoidal wave solutions of the NLS are stable only in the case where they take the form of an unknotted torus knot.

Stephane Lafortune, Annalisa M. Calini
College of Charleston
Department of Mathematics
lafortunes@cofc.edu, calinia@cofc.edu

MS68

Of Slugs and Snakes: Moving Localized Structures in Fluid Flows

In this talk I will describe the origin and properties of moving spatially localized convection found in different doubly diffusive systems. Two systems will be described in detail: binary fluid convection in a horizontal layer and natural doubly-diffusive convection in a vertically extended cavity. Although the motion of these structures is generally sluggish their collisions may lead to new types of dynamical

behavior. The numerical results will be related to the phenomenon of homoclinic snaking in spatially reversible systems. The talk will be based on ongoing work with A. Alonso, O. Batiste, C. Beaume, A. Bergeon and I. Mercader.

Edgar Knobloch
University of California at Berkeley
Dept of Physics
knobloch@berkeley.edu

MS68

Unstable Solitons in Inhomogeneous Nonlinear Schrodinger Equations

I will discuss the (in)stability of solitons arising in models used to create a Bose-Einstein Condensate. I will outline how the Maslov index can be used to establish the instability of standing waves to inhomogeneous NLS equations. Instability will be established by simple observations of the initial soliton's orbit in the phase plane. This technique can be used to show instabilities in excited states, asymmetric states, gap solitons, and solitons on a nonzero background.

Robert Marangell
The University of Sydney
robert.marangell@sydney.edu.au

Russell Jackson
US Naval Academy
rkjackson@usna.edu

Christopher Jones
University of North Carolina and University of Warwick
ckrtj@email.unc.edu

Hadi Susanto
The University of Nottingham
United Kingdom
hadi.susanto@nottingham.ac.uk

MS68

Nonlocal Interactions and Localized Patterns

Localized patterns may occur in bistable systems, or from interactions with large-scale modes, or due to nonlocal interactions. This work explores the third of these mechanisms, which has received relatively little attention. Nonlocal equations with an integral convolution term arise naturally in many applications, including neural field modeling and predator-prey systems. We derive amplitude equations for such systems that can themselves be pattern-forming, leading to a "patterns on patterns" structure or strongly localized states.

Paul C. Matthews, Madallah Alenazi
University of Nottingham
paul.matthews@nottingham.ac.uk,
pmxma4@nottingham.ac.uk

Stephen M. Cox
University of Nottingham
School of Mathematical Sciences
stephen.cox@nottingham.ac.uk

MS68

Oscillons Near Hopf Bifurcations of Planar Reac-

tion Diffusion Equations

Oscillons are planar, spatially localized, temporally oscillating, radially symmetric structures. They have been observed in various experimental contexts, including fluid systems, granular systems, and chemical systems. Oscillons often arise near forced Hopf bifurcations, which are modeled mathematically with the forced complex Ginzburg-Landau (FCGL) equation. We present a proof of the existence of oscillons in the forced planar complex Ginzburg-Landau equation through a geometric blow-up analysis. Our analysis is complemented by a numerical continuation study of oscillons in the forced Ginzburg-Landau equation using Matlab and AUTO.

Kelly McQuighan, Bjorn Sandstede
Brown University
kelly_mcquighan@brown.edu, bjorn_sandstede@brown.edu

MS69

Fluctuations and Equipartition in the Dynamics of Granular Ratchets

We examine the motion of a macroscopic wedge-shaped particle (constrained to only move along the x-axis) encountering dissipative collisions with granular gas particles. Based on a general stochastic model, we derive the full PDF of the wedge's motion. Contrary to what is observed for a Maxwell-Boltzmann gas, vanishingly small perturbations to the gas velocity PDF (e.g. via shaking) result in a steady-state drift velocity independent of wedge mass in the limit of a massive particle.

Johannes P. Blaschke, Jürgen Vollmer
Max Planck Institute for Dynamics and Self-Organization
johannes.blaschke@ds.mpg.de, juergen.vollmer@ds.mpg.de

MS69

Symmetry Breaking Induced Rotating Spirals in Agitated Wet Granular Matter

Pattern formation of a thin layer of vertically agitated wet granular matter is investigated experimentally. Due to the strong cohesion arising from the capillary bridges formed between adjacent particles, agitated wet granular matter exhibits a different scenario as its dry counterpart. Rotating spirals with three arms, which correspond to the kinks between regions with different colliding phases, are the dominating pattern. This preferred number of arms are found to be related to the period tripling of the agitated granular layer, which breaks the spatiotemporal symmetry and drives the rotation. As symmetry is retained in a narrow regime of the control parameter, period doubling pattern with frozen wave fronts arise. The phase diagram of patterns with breaking and non-breaking symmetries, as well as the shape and rotating speed of spirals will be addressed.

Lorenz Butzhammer, Ingo Rehberg
Experimentalphysik V, Universität Bayreuth
95440 Bayreuth, Germany
lo-@gm.de, ingo.rehberg@uni-bayreuth.de

Kai Huang
Universität Bayreuth
kai.huang@uni-bayreuth.de

MS69

Momentum Transfer in Non-equilibrium Steady States

An anisotropic and inelastic Brownian object can show steady nonequilibrium motion in an equilibrium ideal gas. Despite many ad hoc calculations, the essential mechanism of this motion was only recently understood using the concept of momentum transfer deficit due to dissipation [Fruleux et al. Phys Rev Lett.(2012)]. By this concept, many hitherto unrelated phenomena, like adiabatic piston or Brownian ratchet are also shown to be variants of a class of nonequilibrium steady states.

Ken Sekimoto
ESPCI
CNRS
ken.sekimoto@espci.fr

Antoine Fruleux
Gulliver, ESPCI, France
antoine.fruleux@espci.fr

Ryoichi Kawai
Department of Physics
University of Alabama at Birmingham
kawai@uab.edu

MS69

A Granular Ratchet: Spontaneous Symmetry Breaking and Fluctuation Theorems in a Granular Gas

We experimentally construct a ratchet of the Smoluchowski-Feynman type, consisting of four vanes that rotate freely in a vibrofluidized granular gas. We show that a steady state fluctuation relation holds for the work injected to the system, and that its entropy production satisfies a detailed fluctuation theorem. Surprisingly, the above relations are satisfied even when a convection roll has developed with a strong coupling between the motion of the vanes and the granular gas.

Devaraj van der Meer
University of Twente
d.vandermeer@utwente.nl

MS70

Exact Solution to Estimation Problems in Scalar Conservation Laws and Hamilton-Jacobi PDEs. Applications to Transportation Engineering

In this talk, we investigate scalar conservation laws (or equivalently Hamilton Jacobi equation) with concave flux, in which initial, boundary and internal conditions are uncertain. Using the properties of the Lax-Hopf solution, we write the problem of reconstructing the initial, boundary and internal conditions as mixed integer convex programming. The resulting framework is very flexible, and can compute solutions to various problems associated with transportation engineering: estimation, boundary control, privacy analysis, cybersecurity.

Christian Claudel
King Abdullah University of Science and Technology (KAUST)
Electrical Engineering and Mechanical Engineering
christian.claudel@kaust.edu.sa

MS70

Set-Valued Iteration Schemes for the Computation of Invariant Sets

Dynamically interesting invariant sets of dynamical systems are typically approximated either by geometric construction or by fixed-point type iteration. We approach this problem in a Banach space setting which allows to employ Newton-type iterations that do not feature typical drawbacks of the aforementioned methods. Limitations to the applicability initially arising from the technical setup can be overcome using a covering approach that represents invariant sets as (subsets of) unions of convex sets.

Mirko Hessel-von Molo
Institute for Mathematics
University of Paderborn
mirkoh@uni-paderborn.de

MS70

Deterministic Numerical Continuation for Stochastic Dynamical Systems

Continuation methods for deterministic dynamical systems have been one of the most successful numerical tools in applied dynamical systems theory. We show how to extend these ideas to metastable equilibrium points of stochastic differential equations by combining results from probability, dynamical systems, numerical analysis, optimization and control theory. The algorithm naturally augments classical deterministic continuation and provides ellipsoidal confidence neighborhoods and distances between.

Christian Kuehn
Vienna University of Technology
ck274@cornell.edu

MS70

Robust Optimal Control Problems: Extending Differential Approaches via Sets

In "robust" control problem, two types of controls occur and, the user can choose only one of them whereas the other one is not known exactly (i.e. some uncertainty). This talk focuses on the analytical situation when the latter perturbations have an unknown or uncertain strategy. It leads to non-standard (set-valued) initial value problems for states and controls. Finally we discuss the existence of solutions and their computability in principle.

Thomas Lorenz
Goethe University Frankfurt
lorenz@math.uni-frankfurt.de

MS71

Flow Map Composition for Non-autonomous Dynamical Systems

The flow map of a dynamical system plays a major role in the computation of finite-time Lyapunov exponents, the Perron-Frobenius operator, and in uncertainty quantification using generalized polynomial chaos. However, the flow map calculation is expensive, both in computation time and memory requirement. In this talk, we continue to develop the theory of flow map composition, whereby long-time flow maps are constructed as the composition of multiple short-time flow maps. In addition, spectral interpolation is introduced to dramatically reduce the memory requirement of storing intermediate flow maps. A care-

ful error analysis demonstrates the benefit of short-time compositions. Long-time flow maps are characterized by significant stretching and folding of trajectories, whereas short-time intermediate flow maps have less distortion and are more accurately represented by low-order basis functions. These ideas are illustrated on numerical examples.

Steven Brunton
University of Washington
sbrunton@uw.edu

MS71

Coherent Structure Identification Using Flow Map Composition and Spectral Interpolation

We propose an efficient method for computing the propagation of a probability density function through the long-time flow map associated with an uncertain velocity field. Uncertain initial conditions and parameters are both addressed. We employ spectral representations for short-time flow maps, and construct long-time flow maps by composing them. The long-time flow map is used to compute stochastic quantities, which are shown to be correlated to coherent structures in the velocity field.

Dirk Martin Luchtenburg
Princeton University
dluchten@princeton.edu

MS71

Koopman Mode Analysis of Networks

Spectral analysis of a dynamical system's associated Koopman operator has proven fruitful in a number of areas. The so-called Koopman Mode analysis focuses on the point spectrum (especially the eigenvalues on the unit circle), providing a "skeleton" of the dynamics, with little attention given to the continuous part of the spectrum. This talk focuses on constructing the operator's spectral measure directly from data allowing the analysis of the continuous spectrum.

Ryan Mohr
University of California, Santa Barbara
mohrrm@engr.ucsb.edu

MS71

Coherent Sets from Data: Bifurcations, Braiding, and Predicting Critical Transitions

We discuss some results regarding identification of coherent sets, regions with long residence time, using a transfer operator approach, which are appropriate for systems of arbitrary time dependence defined by data, e.g., fluid flows. A topological analysis based on spatiotemporal braiding of coherent sets might be possible for analyzing chaos in such systems. Furthermore, by considering changes in the transfer operator modes, prediction of dramatic changes in system behavior may be possible.

Shane D. Ross
Virginia Tech
Engineering Science and Mechanics
sdross@vt.edu

MS72

Mixed-mode Oscillations in the

Belousov-Zhabotinsky Reaction

In stirred reactors, the Belousov-Zhabotinsky reaction displays mixed mode oscillations in which small and large amplitude oscillations alternate with one another. This lecture will describe studies of a six dimensional vector field formulated by Gyorgyi and Field as a model of the BZ reaction which fits empirical data well. Extending results in the thesis of Chris Scheper, we use geometric singular perturbation theory to analyze mixed mode oscillations in this model.

John Guckenheimer
Cornell University
jmg16@cornell.edu

MS72**Canard Cycles in Aircraft Ground Manoeuvres**

We show that the sudden loss of lateral stability of a mid-size passenger aircraft turning on the ground is due to a canard explosion.

James Rankin
INRIA Sophia-Antipolis
James.Rankin@inria.fr

Mathieu Desroches
INRIA Paris-Rocquencourt
France
mathieu.desroches@inria.fr

Bernd Krauskopf
University of Auckland
Department of Mathematics
b.krauskopf@auckland.ac.nz

Mark Lowenberg
Dept. of Aerospace Engineering
University of Bristol
m.lowenberg@bristol.ac.uk

MS72**Spike-adding Mechanisms in Transient Bursts**

Dynamical systems tools are designed to explain the long-term behaviour of a system, that is, what happens after transients have died out. In many applications, however, it is more important to understand the transient rather than asymptotic behaviour. In this talk we employ standard tools from dynamical systems in order to analyse transient bursting behaviour. To illustrate these ideas, we use the example of an excitable cell model that is subject to a brief perturbation.

Jakub Nowacki
Tessella
Abingdon Science Park, UK
j.s.nowacki@gmail.com

Hinke M. Osinga
University of Auckland
Department of Mathematics
H.M.Osinga@auckland.ac.nz

Krasimira Tsaneva-Atanasova
Department of Engineering Mathematics
University of Bristol
K.Tsaneva-Atanasova@bristol.ac.uk

MS72**Canard- and Hopf-induced Mixed-mode Oscillations in Pituitary Cells**

It has been shown that large conductance potassium (BK) current tends to promote bursting in pituitary cells. This requires fast activation of the BK current, otherwise it is inhibitory to bursting. In this work, we analyze a pituitary cell model to answer the question of why BK activation must be fast to promote bursting. In particular, we show that the bursting can arise from either canard dynamics or slow passage through a dynamic Hopf bifurcation.

Theodore Vo
University of Sydney
theo@maths.usyd.edu.au

Joel Tabak
Dept of Biological Sciences
Florida State University
joel@neuro.fsu.edu

Richard Bertram
Department of Mathematics
Florida State University
bertram@math.fsu.edu

Martin Wechselberger
University of Sydney
wm@maths.usyd.edu.au

MS73**Iterated Birth and Death Markov Branching Processes as a Model of Irradiated Cancer Cell Survival**

We solve, under realistic assumptions, the following problem in radiation biology and oncology: finding the distribution of the number of tumor cells surviving fractionated radiation. Based on birth and death Markov branching process model of tumor cell population kinetics we find an explicit formula for the distribution in question and identify two of its limiting forms: the Poisson distribution and the generalized Poisson distribution. We also estimate the rate of convergence to the Poisson distribution.

Leonid G. Hanin
Department of Mathematics
Idaho State University
hanin@isu.edu

MS73**Multiscale Stochastic Reaction-diffusion Algorithms Combining Markov Chain Models with SPDEs**

In this talk, I will introduce a multiscale algorithm for stochastic simulation of reaction-diffusion processes. The algorithm is applicable to systems which include regions with a few molecules and regions with a large number of molecules. A domain of interest is divided into two subsets where continuous-time Markov chain models and stochastic partial differential equations (SPDEs) can be respectively used. Several examples with simulation results will be shown. This is a joint work with Radek Erban at the University of Oxford.

Hye-Won Kang
Ohio State University
Mathematical Biosciences Institute

kang.235@mbi.osu.edu

MS73

Multistage Carcinogenesis and Cancer Evolution as a Branching Process

Stochastic models of multistage carcinogenesis, cancer evolution at the cellular level, have played an important role in the analysis of cancer epidemiology data since the 1950s. By being biologically-based, multistage models can be used to test hypothesis about carcinogens mechanisms of action and to gauge their effects on cancer risk. In this talk I will show how to analyze multistage carcinogenesis models as continuous branching processes and the advantages of doing so versus alternative approaches.

Rafael Meza

UBC Centre for Disease Control
Division of Mathematical Modeling
rmeza@umich.edu

MS73

HPV and Cervical Cancer: A Stochastic Model at Tissue Level

Infection with the Human Papilloma Virus (HPV) is a prerequisite for cervical cancer. While $\sim 80\%$ of women get infected during their lifetime, most clear the virus within 2 years. If the infection persists, it can lead to malignant cancer. Various aspects of the carcinogenesis remain poorly understood at the cellular level. We develop a stochastic model of the cervical epithelium, coupling the dynamics of HPV infection to a multi-stage model of cancer evolution.

Marc D. Ryser

Department of Mathematics and Statistics
McGill University, Canada
ryser@math.duke.edu

MS74

Uncertainty Quantification and Decisions in Markovian Dynamics

Abstract not available at time of publication.

Roger Ghanem

University of Southern California
Aerospace and Mechanical Engineering and Civil Engineering
ghanem@usc.edu

MS74

Linking Diffusion Maps with Coarse-graining Complex System Dynamics

Abstract not available at time of publication.

Ioannis Kevrekedis

Princeton University
yannis@princeton.edu

MS74

Patch Dynamics for Macroscale Modelling of Dif-

fusion in Heterogeneous Media

Abstract not available at time of publication.

Anthony J. Roberts

University of Adelaide
anthony.roberts@adelaide.edu.au

MS74

Accurate Bifurcation Diagrams of an Agent-based Sociological Model Using Variance-reduced Jacobian-vector Products

Abstract not available at time of publication.

Giovanni Samaey

Department of Computer Science, K. U. Leuven
giovanni.samaey@cs.kuleuven.ac.be

MS75

Mesoscopic Structure and Social Aspects of Human Mobility

The individual movements of large numbers of people are important in many contexts, from urban planning to disease spreading. Datasets that capture human mobility are now available and many interesting features have been discovered, including the ultra-slow spatial growth of individual mobility. However, the detailed substructures and spatiotemporal flows of mobility – the sets and sequences of visited locations – have not been well studied. I'll discuss an empirical project where we found that individual mobility is dominated by small groups of frequently visited, dynamically close locations, forming primary habitats capturing typical daily activity, along with subsidiary habitats representing additional travel. These habitats do not correspond to typical contexts such as home or work. The temporal evolution of mobility within habitats, which constitutes most motion, is universal across habitats and exhibits scaling patterns both distinct from all previous observations and unpredicted by current models. The delay to enter subsidiary habitats is a primary factor in the spatiotemporal growth of human travel. Interestingly, habitats correlate with non-mobility dynamics such as communication activity, implying that habitats may influence processes such as information spreading and revealing new connections between human mobility and social networks.

James Bagrow

Engineering Sciences and Applied Mathematics
Northwestern University
james.bagrow@northwestern.edu

Yu-Ru Lin

College of Computer and Information Science
Northeastern University
yuruliny@gmail.com

MS75

The English Language has a Self-similar, Positively-biased Emotional Spectrum

We show that the emotional content of individual English words exhibits a spectrum with a strong positive bias, largely independent of word usage frequency. Our findings suggest a deep linguistic encoding of the pro-social, cooperative nature of people, and hold broadly across four diverse large-scale text corpora: Twitter, the New York Times, Google Books, and music lyrics. Our Mechan-

cal Turk measurements for over 10,000 words statistically agree with but greatly expand upon previous, limited studies.

Peter Dodds
University of Vermont
pdodds@uvm.edu

Isabel Kloumann
Department of Mathematics
Cornell University
imk36@cornell.edu

Chris Danforth
Mathematics and Statistics
University of Vermont
chris.danforth@uvm.edu

Kameron D. Harris
University of Washington
kamerondeckerharris@gmail.com

Catherine A. Bliss
University of Vermont
Department of Mathematics and Statistics
catherine.bliss@uvm.edu

MS75

Unraveling Daily Human Mobility Motifs

We uncover daily mobility patterns and identify the underlying mechanism responsible for the observed behavior. By using the concept of motifs from network theory, we show that despite the existence of millions of possible networks, only a few networks are present, following simple rules. Only 17 networks, called here motifs, are sufficient to capture up to 90% of the population in datasets obtained from both surveys and anonymized mobile phone data for different countries.

Marta Gonzalez, Christian Schneider, Vitaly Belik
Civil and Environmental Engineering
MIT
martag@mit.edu, schnechr@mit.edu, belik@mit.edu

MS75

Revealing the Character of Cities Through Data and Hedonometrics

We investigate how geographical location influences individual happiness, using a novel algorithm applied to word frequencies collected from Twitter messages. We examine differences in word usage between US cities, and using census data explain how happiness relates to underlying physical and social factors in those cities. Furthermore, we attempt to categorize cities in a data-driven way based on differences in word use and demographics.

Lewis Mitchell
The University of Vermont
Department of Mathematics and Statistics
Lewis.Mitchell@uvm.edu

Chris Danforth
Mathematics and Statistics
University of Vermont
chris.danforth@uvm.edu

Peter Dodds
Department of Mathematics and Statistics
The University of Vermont
peter.dodds@uvm.edu

Morgan R. Frank
University of Vermont, Complex Systems Center
mrfrank@uvm.edu

MS76

Using Neural Mass Models and Bifurcation Theory to Understand Transitions to Pathological Oscillations in Neural Systems

Neural mass models (NMMs) are employed as a means of capturing the bulk properties of interacting populations of neurons. The response of each population is governed by a differential equation. The equations are coupled together according to the schematic structure of the model and solved numerically. Bifurcation analysis can then be used to understand the range of solutions and the transitions between them. We examined a NMM of cortical tissue to better understand focal-onset epilepsy.

Alex Blenkinsop
Department of Neuroscience
University of Sheffield
cop10ab@sheffield.ac.uk

John Terry
University of Exeter.
j.terry@exeter.ac.uk

MS76

Use of Mesoscale Models to Understand Data on Sleep and Seizures, and to Investigate Options for Seizure Control

A method is presented for probabilistically tracking the evolution of measured electroencephalogram data in the sleep parameter space of a mean-field cortical model. This algorithm is then applied to track the parameter evolution of seizures.

Extending the seizure applications, the effect on seizure dynamics of a control algorithm using a charge balanced optogenetics actuator is studied. Optogenetics enable optical stimulation of neurons with high spatial and temporal resolution.

Vera Dadok
Department of Mechanical Engineering
University of California, Berkeley
vdadok@berkeley.edu

Prashanth Selvaraj, Andrew Szeri
University of California, Berkeley
pselvaraj@me.berkeley.edu, andrew.szeri@berkeley.edu

MS76

Mean Field Models of the EEG: Physiological Relevance and Mathematical Challenges

We will give a brief overview of a number of important mean field approaches to modelling brain activity that have been applied with varying degrees of fidelity to articulating the genesis of rhythmic electroencephalographic activity in health and disease. This brief survey will conclude with a discussion of the mathematical challenges, particularly

the simulation, bifurcation analysis and parameter estimation, that these theories will need to negotiate in order to progress as neurobiologically effective explanatory frameworks.

David Liley
Swinburne University of Technology
dliley@groupwise.swin.edu.au

MS76

Bifurcation and Pattern Formation in a Mean-field Model of the Electroencephalogram

We study a model of the electrical potentials generated by excitatory and inhibitory neuron populations in the cortex. The model takes the form of a system of semilinear, hyperbolic PDEs, that allow for oscillatory solutions and travelling waves. We implemented the model in the open-source software PETSc, which allows for the continuation of equilibria and periodic orbits, and re-analyzed results by Bojak & Liley on the onset of self-organised 40Hz oscillations near a Hopf-Turing bifurcation.

Lennaert van Veen, Kevin R. Green
UOIT
lennaert.vanveen@uoit.ca, kevin.green@uoit.ca

MS77

On the Maxwell-Bloch Equations with Non-zero Boundary Conditions

The initial-boundary value problem for the Maxwell-Bloch equations with non-zero fields at infinity is considered. The inverse scattering transform is formulated and is used to investigate the behavior of the solutions.

Gino Biondini
State University of New York at Buffalo
Department of Mathematics
biondini@buffalo.edu

MS77

Light Propagation in Lambda-configuration Metamaterials with Mixed Positive and Negative Refractive Index

We study numerically the propagation of two-color light pulses through a metamaterial doped with active atoms such that the carrier frequencies of the pulses are in resonance with two atomic transitions in the Λ configuration and that one color propagates in the regime of positive refraction and the other in the regime of negative refraction. In such a metamaterial, one resonant color of light propagates with positive and the other with negative group velocity. We investigate nonlinear interaction of these forward- and backward-propagating waves, and find self-trapped waves, counter-propagating radiation waves, and hot spots of medium excitation.

Alexander O. Korotkevich
Dept. of Mathematics & Statistics, University of New Mexico
L.D. Landau Institute for Theoretical Physics RAS
alexkor@math.unm.edu

MS77

Dynamics of Light Propagating through Active Op-

tical Media

The Maxwell-Bloch equations describe resonant interaction between light and active optical media, whose many mechanisms are captured by their lossless limit. They include random polarization switching in randomly prepared media and light pulses slowed down to a fraction of the speed of light, solvable by the inverse-scattering transform. A non-integrable variation of the Maxwell-Bloch equations describes propagation of light through meta-materials with negative and positive refractive indices for two resonant frequencies of the light pulses.

Gregor Kovacic
Rensselaer Polytechnic Inst
Dept of Mathematical Sciences
kovacg@rpi.edu

Katherine Newhall
Courant Institute of Mathematical Science
New York University
newhall@cims.nyu.edu

Ethan Atkins
Courant Institute
atkins@cims.nyu.edu

Kathryn Rasmussen
Mathematics Department
Brevard College
rasmuske@brevard.edu

Alexander O. Korotkevich
Dept. of Mathematics & Statistics, University of New Mexico
L.D. Landau Institute for Theoretical Physics RAS
alexkor@math.unm.edu

Peter R. Kramer
Rensselaer Polytechnic Institute
Department of Mathematical Sciences
kramep@rpi.edu

Gino Biondini
State University of New York at Buffalo
Department of Mathematics
biondini@buffalo.edu

Ildar R. Gabitov
Department of Mathematics, University of Arizona
gabitov@math.arizona.edu

MS77

On the Coupled Maxwell-Bloch Equations with Inhomogeneous Broadening for a 3-level System

The initial value problem (IVP) for the propagation of a pulse through a resonant 3-level optical medium can be solved by Inverse Scattering. While the scattering problem is the same as for the coupled NLS, the time evolution depends on asymptotic values of the material polarizability envelopes and is highly nontrivial. This talk will address the solution of the IVP for the coupled Maxwell-Bloch equations with inhomogeneous broadening for generic preparation of the medium.

Barbara Prinari
University of Colorado, Colorado Springs
University of Salento, Lecce (Italy)

bprinari@uccs.edu

kazagistar@gmail.com

MS78**Hydrodynamic Mean-field Solutions of 1D Exclusion Processes with Spatially Varying Hopping Rates**

Abstract not available at time of publication.

Thomas ChouUniversity of California, Los Angeles
tomchou@ucla.edu**MS78****Novel Features in an Accelerated Exclusion Process Towards Modeling Transcription**

Inspired by the cooperative speed-up observed in transcribing RNA polymerases, we introduce distance-dependent interactions in an accelerated exclusion process (AEP). Each particle moves to the neighboring site if vacant. Additionally, if reaching another cluster of particles, it can kick up the frontmost particle in that cluster. The steady state of AEP shows a discontinuous transition, from being homogeneous (with augmented currents) to phase-segregated. More surprisingly, the current-density relation in the phase-segregated state is simply $J = 1 - \rho$, indicating the particles (or holes) are moving at unit velocity despite the inclusion of long-range interactions.

JiaJia DongDepartment of Physics
Bucknell University
jiajia.dong@bucknell.edu

Stefan Klumpp

Max Planck Institute of Colloids and Interfaces
stefan.klumpp@mpikg.mpg.de

R.K.P. Zia

Virginia Tech
Iowa State University
rkpzia@vt.edu**MS78****Traffic Flow Model for Bio-Polymerization Processes**

Bio-polymerization processes like transcription and translation are central to a proper function of a cell. The speed at which the bio-polymer grows is affected both by number of pauses of elongation machinery, as well their numbers due to crowding effects. In order to quantify these effects in fast transcribing ribosome genes, we rigorously show that a classical traffic flow model is a limit of mean occupancy ODE model. We compare the simulation of this model to a stochastic model and evaluate the combined effect of the polymerase density and the existence of pauses on transcription rate of ribosomal genes.

Tomas GedeonMontana State University
Dept of Mathematical Sciences
gedeon@math.montana.edu

Lisa G. Davis, Jennifer Thorensen, Jakub Gedeon

Montana State University
davis@math.montana.edu, caffeineisfun@hotmail.com,**MS78****Random Hydrolysis Controls the Dynamic Instability in Microtubules**

One of the most fascinating phenomena associated with cytoskeleton proteins is dynamic instability in microtubules, when these biopolymers can be found in growing or shrinking dynamic phases. Despite multiple efforts, mechanisms of this phenomenon are still not well understood. Here we present a microscopic stochastic model of dynamic instability which explicitly takes into account all relevant biochemical processes. It provides a comprehensive description of the dynamic instability of microtubules. Our theoretical results are supported by Monte Carlo simulations, and they also agree with all available experimental observations.

Anatoly B. KolomeiskyRice University
tolya@rice.edu**MS79****Lamprey Locomotion Driven by Non-linear Muscle Mechanics and Work-dependent Deactivation**

The swimming behavior observed in lampreys is the result of the balance of forces from activated muscle, from the response of different tissues of the body and from reactions of the surrounding fluid environment. Here we examine some of the effects of nonlinear muscle mechanics and neural activation on the forces generated along the body of the organism. Implications of the force generation pattern on swimming efficiency and performance of the organism are discussed.

Christina HamletTulane University
New Orleans LA
chamlet@tulane.edu

Lisa J. Fauci

Tulane University
Department of Mathematics
fauci@tulane.edu

Eric Tytell

Tufts University
Department of Biology
eric.tytell@tufts.edu**MS79****Optimal Open- and Closed-loop Control of Anguilliform Swimming**

We study optimal control of an existing model of anguilliform swimming developed by McMillen and Holmes in which the body is approximated by a finite number of linked segments. We minimize a cost function that penalizes both positive and negative work. We consider both the open-loop problem in which muscle torques are specified and the closed-loop problem in which muscle torques depend on the motion of the body perturbed by noise.

Tim KiemelUniv. of Maryland
kiemel@umd.edu

Kathleen Hoffman
University of Maryland Baltimore County
khoffman@umbc.edu

MS79

Lamprey Swimming, a Hydrodynamic Approach

We use a robotic lamprey to investigate the wake structure during anguilliform swimming. 11 servomotors produce a traveling wave along the lamprey body. The waveform is based on kinematic studies of living lamprey. PIV measurements show that a 2P structure dominates the wake. The phase-averaged surface pressure distribution along the centerline of the robot increases toward the tail, indicating that thrust is produced mainly at the tail. The phase relationship between these signals is also examined.

Megan C. Leftwich
Mech. & Aerospace Eng.
George Washington University
mleftwich@gwu.edu

MS79

Strategies for Swimming: Explorations on the Behaviour of a Neuro-musculo-mechanical Model of the Lamprey

Fish swim by generating waves of muscle activation that pass down the body toward the tail. Such activation produces traveling waves of lateral curvature, which develop forward thrust from the surrounding water. Increased swimming speed is brought about by increasing both the frequency of the waves and the strength of muscle activation. We use a combined model of the body in which a recently developed model for the muscle forces is employed, and coupled with forces due to the surrounding fluid. We show that over a range of ratios between the wave speeds of activation and curvature, the ratio that is observed experimentally in the lamprey gives rise in the model to the maximum forward speed. This was true over a wide range of model parameters.

Tyler McMillan
Department of Mathematics
Californian State University at Fullerton
tmcmillan@fullerton.edu

Thelma Williams
Department of Mechanical and Aerospace Engineering
Princeton University, Princeton, NJ
thelma.louise.williams@gmail.com

MS80

Stationary Co-dimension 1 Structures in the Functionalized Cahn-Hilliard Model

The functionalized Cahn-Hilliard equation appeared recently in the study of polymer-electrolyte membranes. It generates an intriguing variety of evolving thin structures. Here, we focus on simple stationary structures and their bifurcations: flat plates and spherical/cylindrical shells. The existence problem corresponds to constructing homoclinic solutions in a perturbed integrable Hamiltonian system. The stability is established by a careful analysis of a (projected) 4th-order operator in which two potential destabilization mechanisms - meandering and pearling - must be

controlled.

Arjen Doelman
Mathematisch Instituut
doelman@math.leidenuniv.nl

Keith Promislow
Michigan State University
kpromisl@math.msu.edu

MS80

Stability of Multi-Bump, Blowup Solutions of the Ginzburg-Landau Equation with Respect to Non-Radially Symmetric Perturbations

In this talk we study, the stability of radially symmetric blowup solutions of the Ginzburg-Landau equation with respect to radially symmetric and non-radially symmetric perturbations. Upon writing the Ginzburg-Landau equation as a small perturbation of the nonlinear Schrödinger equation, the existence of multi-bump blowup solutions, especially of ring-like solutions, has already been established. So far, the stability of these blowup solutions had only been examined numerically. We use Evans function techniques developed for perturbations of Hamiltonian systems to study the stability of the ring-type solutions depending on the parameters in the system.

Vivi Rottschäfer
Leiden University
Department of Mathematics
vivi@math.leidenuniv.nl

Martin Van Der Schans
Leiden University
martinvanderschans@gmail.com

Arjen Doelman
Mathematisch Instituut
doelman@math.leidenuniv.nl

MS80

Stability of Multiple Solutions in a Convection-diffusion-reaction PDE

In this talk we will discuss the stability of non-unique steady-state solutions of a time-dependent convection-diffusion-reaction PDE. Its stationary version can be recognized as an extended Bratu-model with damping. Depending on the form of the reaction term, we can identify zero, one, two, or even infinitely many steady-states. Stability analysis of the evolutionary PDE shows that only one of these solutions can be stable.

Paul A. Zegeling
Dept. of Mathematics
Utrecht University
P.A.Zegeling@uu.nl

MS80

Unstable Spots in a FitzHugh-Nagumo System

In this talk, I will look at several destabilizing scenarios for planar localized structures such as spots and stripes in a generalized FitzHugh-Nagumo equation. We are especially interested in the bifurcation of a stationary spot into a travelling spot. Using formal analysis and the numerical continuation package AUTO-07p, we determine the

location of this pitchfork bifurcation, its criticality and the shape and speed of the bifurcating traveling spot. This is joint work with B. Sandstede.

Peter van Heijster
Department of Mathematics and Statistics
Boston University
petrus.vanheijster@qut.edu.au

Bjorn Sandstede
Brown University
bjorn_sandstede@brown.edu

MS81

A Novel Model for Collective Behavior in Groups of Predators

In this work, we present a novel model of a multi-agent system inspired by the phenomenon of bat swarming. The model is unique in the coupling between agents, interaction modalities, and communication mechanisms. We define an order parameter based on navigation and foraging success to explore the emergence of collective behavior.

Yuan Lin
Virginia Polytechnic Institute and State University
yuanlin@vt.edu

Nicole Abaid
VirginiaTech
nabaid@vt.edu

MS81

Evolution of Networks of Multi-agent Systems on Low-dimensional Manifolds

In this work, we use a nonlinear dimensionality-reduction technique called Isomap to infer the complexity of a networked multi-agent system. Using image streams of interacting-particle models as input to the Isomap algorithm, the dimensionality of the resulting submanifold is used to determine the degree of alignment between agents. We further exploit local linearity of the input high-dimensional manifold to detect phase transitions in collective motion. Finally, we validate this approach on real datasets comprising raw videos of zebrafish schools.

Sachit Butail
University of Maryland
Department of Aerospace Engineering
sbutail@poly.edu

Nicole Abaid
Virginia Polytechnic Institute and State University
nicoleabaid@hotmail.com

Erik Bollt
Clarkson University
bolltem@clarkson.edu

Maurizio Porfiri
Dept. of Mechanical, Aerospace and Manufacturing Engineering
Polytechnic University
mporfiri@poly.edu

MS81

Dynamics of Delocalized Consensus Formation

Many systems in Science and Engineering need to process information collectively, with examples ranging from neural networks, to biological swarms, and decentralized sensor nets. In this talk I present a series of analytically tractable network models of decision dynamics that are used to identify beneficial and detrimental factors in collective decision-making. In particular, I will show that already very simple models make predictions that can be verified in experiments with humans and animals.

Thilo Gross
University of Bristol, UK
thilo2gross@gmail.com

MS81

Computation from Adaptive Synchronization

It is generally accepted that the brain transmit and process information by means of synchronization. For instance, neural assemblies are known to organize their dynamics in a balance between synchronization and desynchronization, and modifications of such balance have been associated with a number of neurological illnesses, including schizophrenia and Alzheimers disease. Yet, how to conciliate computation and synchronization, when the latter can be seen as a destruction of information, is still an open problem. Here, we present a framework for the spontaneous emergence of computation from adaptive synchronization of networked dynamical systems. The fundamentals are nonlinear elements, interacting in a directed graph via a coupling that adapts itself to the synchronization level between two input signals. We demonstrate how these units can emulate different Boolean logics, and perform any computational task in a Turing sense, each specific operation being associated with a given network's motif.

Massimiliano Zanin
Technical University of Madrid
massimiliano.zanin@ctb.upm.es

MS82

Attractors Near Grazing-sliding Bifurcations

We will present a method of analysis of grazing-sliding bifurcation scenarios, that may lead to the birth of multiple attractors from a single attractor in three dimensional Filippov type flows, by appropriate reduction to one-dimensional discontinuous maps. Three, qualitatively different, scenarios will be presented. A constructed example of a Filippov type flow, displaying the analysed cases, will be shown. We will then verify the presence of attractors, using the model example, numerically.

Piotr Kowalczyk
Dept. Engineering Mathematics
University of Bristol
p.kowalczyk@mmu.ac.uk

Paul Glendinning
the University of Manchester
paul.glendinning@manchester.ac.uk

Arne Nordmark
Department of Mechanics
Royal Institute of Technology

nordmark@mech.kth.se

MS82

Bifurcation Analysis of an Intermittent Control Model During Human Quiet Stance: A Possible Mechanism of Postural Sway

Ground reaction force during human quiet stance is known to be modulated with the cardiac cycle through hemodynamics, inducing a tiny periodic disturbance torque to the ankle joint. Can it be a major source of perturbation inducing postural sway? Here we consider postural sway dynamics of an inverted pendulum with an intermittent control strategy, and show that, based on a bifurcation analysis, the model with the hemodynamic perturbation can exhibit human-like postural sway.

Taishin Nomura, Yasuyuki Suzuki, Tomohisa Yamamoto, Ken Kiyono
Osaka University, Japan
taishin@bpe.es.osaka-u.ac.jp, suzuki@bpe.es.osaka-u.ac.jp, yamamoto@bpe.es.osaka-u.ac.jp, kiyono@bpe.es.osaka-u.ac.jp

Pietro Morasso
Italian Institute of Technology, Italy
pietro.morasso@unige.it

MS82

Dynamics Near Incomplete Chattering

The dynamics of mechanical models with impact is considered. In particular, the dynamics for trajectories that are close to the border between complete and incomplete chattering is studied. In the single degree of freedom situation, a limit mapping is derived as the border is approached, that apart from scaling only depends on the coefficient of restitution. The multi-degree of freedom case is also discussed.

Arne Nordmark
Department of Mechanics
Royal Institute of Technology
nordmark@mech.kth.se

MS82

Transient Dynamics in Impacting Systems

It is well known that mechanical systems with impacts can undergo chattering, a large number or even an infinite number of impacts in finite time. There are successful attempts at trying to explain the local behaviour of chattering but global analysis is still somewhat missing. Here we will discuss the global dynamics of an impact oscillator that can undergo chattering through analysis of the transient dynamics as the position of the impacting surface is varied.

Petri T. Piiroinen
School of Mathematics, Statistics and Applied Mathematics
National University of Ireland, Galway
petri.piiroinen@nuigalway.ie

Arne Nordmark
Department of Mechanics
Royal Institute of Technology
nordmark@mech.kth.se

David Chillingworth
Mathematics
University of Southampton
d.r.chillingworth@soton.ac.uk

MS83

A Deterministic Perspective on Stochastic Thermodynamics: Local Equilibrium and Information Theory

Stochastic thermodynamics (ST) extends equilibrium thermodynamics to treat nonequilibrium processes on much smaller, so-called mesoscopic scales. Its consistency relies on local equilibrium (LE). The most prominent results of ST are nonequilibrium fluctuation relations (cf. Rondoni's talk). However, LE is a strong assumption which does not always apply. This is the case for systems without a clear separation of scales (cf. Lucarini's talk) or strongly dissipative systems (cf. Swift's talk). In my talk, I will present a deterministic approach to ST and discuss routes towards a dynamical picture of LE.

Bernhard Altaner
Max-Planck-Institute for Dynamics and Self-Organization
bernhard.altaner@ds.mpg.de

Jürgen Vollmer
Max Planck Institute for Dynamics and Self-Organization
juergen.vollmer@ds.mpg.de

MS83

Statistical Physics of the Climate System

The investigation of the climate system is one of the grand challenges of contemporary science. Such a problem is gaining more and more relevance as exoplanets are being discovered at an accelerating rate and rather exotic atmospheric circulations are being conjectured, due to the vast variety of possible astronomical and astrophysical configurations. In this contribution we will discuss how nonequilibrium statistical mechanics allows framing in a rigorous and efficient way classical problems of climate science such as the understanding of the climatic response to forcings of general nature and the parametrization of unresolved processes.

Valerio Lucarini
University of Reading, Reading, UK
valerio.lucarini@zmau.de

MS83

Gravity-Wave Detectors and Nonequilibrium Statistical Physics of Very Cold Systems

The detection of gravitational waves requires exceedingly accurate measurement tools, capable of recording microscopic fluctuations in macroscopic objects. Recently, these tools have been found to operate in non-equilibrium conditions, thus allowing direct tests of the non-equilibrium fluctuation relations developed in the past two decades. We will review the relevant well established results, and we will present novel analysis concerning response and non-equilibrium temperature relations.

Lamberto Rondoni
Politecnico di Torino, Torino, Italy
lamberto.rondoni@polito.it

MS83**Phase Coexistence and Surface Tension in Vibrated Granular Fluids**

We describe experiments and simulations carried out to investigate phase separation in a vibrated, dry granular system. The dynamics is found to be controlled by curvature driven diffusion, which suggests the presence of an effective surface tension. We find behaviour consistent with Laplace's equation and detailed measurements of the pressure tensor in the interfacial region show that the surface tension results predominantly from an anisotropy in the kinetic energy part alone.

Michael Swift

The University of Nottingham, Nottingham, UK
michael.swift@nottingham.ac.uk

MS84**Bayesian Data Assimilation with Optimal Maps**

We develop a novel, map-based schemes to sequential data assimilation, i.e., nonlinear filtering and smoothing. One scheme involves pushing forward a fixed reference measure to each filtered state distribution, while an alternative scheme computes maps that push forward the filtering distribution from one stage to the other. The main advantage is that the map approach inherently avoids issues of sample impoverishment, since it explicitly represents the posterior as the pushforward of a reference measure, rather than with a particular set of samples. The computational complexity of our algorithm is comparable to state-of-the-art particle filters. We demonstrate the efficiency and accuracy of the map approach via data assimilation in several canonical dynamical models, e.g., the Lorenz-63 and Lorenz-96 systems.

Tarek El Moselhy

Massachusetts Institute of Technology
tmoselhy@mit.edu

MS84**Estimating Global Electric and Magnetic Fields in Plasma Experiments and Particle-in-Cell Codes in the presence of noise for the Purpose of Predicting Incipient Magnetic Reconnection**

Diagnosing magnetic reconnection from experimental data, from particle-in-cell (PIC) simulations, or from space observations involves making measurements, which are easily obtained in PIC data, sparse in experiments and very sparse in observations. The latter two measurements have high noise levels and the PIC data has inherent PIC noise. We have developed methods of estimating the electric and magnetic fields and associated global structures such as stable and unstable manifolds to diagnose reconnection and incipient reconnection.

John M. Finn

Los Alamos National Laboratory
finn@lanl.gov

MS84**Propagating Uncertainty About Gas EOS to Performance Bounds for an Ideal Gun**

For any strongly connected directed graph, a particular set of branching probabilities maximizes the entropy rate of the resulting Markov process. Calculating those proba-

bilities can yield probability measures for constrained sets of functions. Curiously, the calculation is equivalent to one of Shannon's early Information Theory results. I motivate the problem by the challenge of characterizing uncertainty about the performance of a gas driven gun and compare that to the application Shannon addressed.

Andrew M. Fraser

Los Alamos National Laboratory
andy@fraserphysics.com

MS84**Coarse-graining Emergent Behavior from Complex Models**

Mathematical models are often extremely complex and involve many unknown parameters; however, the collective behavior of the system is often surprisingly comprehensible. We consider the manifold of all possible predictions in data space and find that it is typically bounded with a hierarchy of widths. Long directions describe emergent behavior while narrow directions correspond to irrelevant details. Approximating the model manifold by its boundary coarse-grains away the microscopic details producing models of emergent behavior.

Mark K. Transtrum

Cornell University
mkt26@cornell.edu

MS85**Surfactant-induced Gradients in the Three-dimensional Belousov-Zhabotinsky Reaction**

Experimentally, scroll wave dynamics is often studied by optical tomography in the Belousov-Zhabotinsky reaction, which produces CO₂ as an undesired product. Addition of small concentrations of a surfactant to the reaction medium suppresses or retards bubble formation. We show that in closed reactors even these low concentrations of surfactants are sufficient to generate vertical gradients of excitability. In reactors open to the atmosphere such gradients can be avoided. The gradients induce a twist on vertically oriented scroll waves, while a twist is absent in scroll waves in a gradient-free medium. These findings are reproduced by a numerical study, using an extended Oregonator that accounts for CO₂ production and for its advection against the direction of gravity.

Markus Bär

Physikalisch-Technische Bundesanstalt
Fachbereich Mathematische Modellierung und Datenanalyse
Markus.Baer@ptb.de

Sergio Alonso

Physikalisch-Technische Bundesanstalt
Berlin, Germany
sergio.alonso@ptb.de

Dennis Kupitz

Institut of Experimental Physics
dennis.kupitz@gmx.de

Marcus Hauser

Institute of Experimental Physics
Otto-von-Guericke-Universität
marcus.hauser@ovgu.de

MS85**Geometrically Constrained Wave Propagation in Excitable Media**

It is well-known that domain size may strongly influence dynamics and stability of travelling excitation waves. I report on theoretical and experimental results about scroll ring evolution constrained to thin layers with no-flux conditions imposed at the boundaries. Results include boundary-induced suppression of negative line-tension instability accompanied by formation of stable autonomous pacemakers. Experiments were performed in thin transparent layers of the Belousov-Zhabotinsky reaction.

Harald Engel

Institut für Theoretische Physik, Technische Universität
Ber
10623 Berlin, Germany
h.engel@physik.tu-berlin.de

MS85**Twists of Opposite Handedness on a Scroll Wave**

The interaction of a gradient of excitability and a scroll wave of the Belousov-Zhabotinsky reaction oriented (almost) perpendicular to the vertical gradient is studied. Filaments with a component parallel to the gradient twist, whereas scrolls with U-shaped filaments develop twists from both ends of the filaments. These filaments display a pair of twists of opposite handedness, which are separated by a nodal plane where the filament remained untwisted. The experimental findings were reproduced by numerical simulations.

Marcus Hauser

Institute of Experimental Physics
Otto-von-Guericke-Universität
marcus.hauser@ovgu.de

Patricia Dähmlow

Institute of Experimental Physics
Otto-von-Guericke University Magdeburg
divingpaddy@web.de

Sergio Alonso

Physikalisch-Technische Bundesanstalt
Berlin, Germany
sergio.alonso@ptb.de

Markus Bär

Physikalisch-Technische Bundesanstalt
Fachbereich Mathematische Modellierung und
Datenanalyse
Markus.Baer@ptb.de

MS86**Stability Analysis of Flock Rings for 2nd Order Models in Swarming**

In this work we consider second order models in swarming in which individuals interact pairwise with a power-law repulsive-attractive potentials. We study the stability for flock ring solutions and we show how the stability of these solutions is related to the stability of a first order model. In unstable situations it is also possible to observe formation of clusters and fat rings.

Daniel Balague

Departament de Matemàtiques

Universitat Autònoma de Barcelona
dbalague@mat.uab.cat

Giacomo Albi

Dipartimento di Matematica e Informatica
Università di Ferrara
giacomo.albi@unife.it

Jose Carrillo

Department of Mathematics
Imperial College London
carrillo@imperial.ac.uk

James von Brecht

University of California, Los Angeles
jub@math.ucla.edu

MS86**Instability and Bifurcation in a Trend Depending Price Formation Model**

A model for the formation of prices proposed by Lasry-Lions presents the evolution of such prices as a motion of a free boundary in a nonlinear parabolic problem. Its analysis has received a lot of attention: the dynamics show a smooth evolution into a stable time-independent price. Inspired by the older work by Guidotti-Merino on the appearance of stable oscillations in a thermal control problem, we modify the model in order to produce a Hopf bifurcation and existence of stable periodic solutions.

Maria Del Mar Gonzalez

Universitat Politècnica de Catalunya
mar.gonzalez@upc.edu

Maria Gualdani

The University of Texas at Austin
gualdani@gwu.edu

Joan Sola-Morales

Universitat Politècnica de Catalunya
jc.sola-morales@upc.edu

MS86**Computing Stationary States of Kinetic Swarming Models**

We consider a second-order self-propelled interacting particle system, which has been frequently used to model complex behavior of swarms such as fish schools or birds flocks. We present recent advances in the explicit computation of particular solutions of the associated kinetic equation, such as flocks and rotating mills. For so-called Quasi-Morse potentials, such density profiles can be expressed in terms of a linear combination of special functions (in 2D and 3D).

Stephan Martin

Department of Mathematics
Imperial College, London
stephan.martin@imperial.ac.uk

MS86**Smoothing Transformations and Wealth Distributions**

We discuss Kac-like kinetic equations modeling wealth distribution in simplified economies. Our models are derived

from "microscopic" descriptions, in which wealth is exchanged between agents in binary trades. Unlike the kinetic energy in the original Kac equation, wealth is conserved only in the statistical mean. Extending McKean's probabilistic approach, we identify the Pareto-Index of the stationary state and the rate of convergence to equilibrium in terms of the model parameters.

Daniel Matthes

Department of Mathematics
Technische Universitaet Muenchen
matthes@ma.tum.de

Federico Bassetti
Universita di Pavia
Dipartimento di Matematica
federico.bassetti@unipv.it

MS87

Modeling the Host Response to Inhalation Anthrax

Bacillus anthracis, the causative agent of anthrax, can exist in the form of highly robust spores, thus making it a potential bio-terror threat. Once inhaled, the spores can germinate into vegetative bacteria capable of quick replication, leading to progressive disease and death. This presentation discusses ongoing work on the development of mathematical models that explore the host response to inhalation anthrax and provide insight into the mechanisms that drive the risk of disease.

Judy Day

University of Tennessee
judyday@utk.edu

MS87

Innate Immune Response in Healthy and Immuno-compromised Host

The innate immune response to bacterial infection in a tissue compartment is modeled using an axiomatic approach, resulting in a three dimensional ODE system that describes the dynamics of bacteria, neutrophils and G-CSF (the neutrophils growth factor) in the site of infection. The modeling provide insights into the importance of killing mechanisms other than the neutrophils. Moreover, we suggest an interplay between the concentrations of macrophages in the tissue and neutrophil concentration in the blood.

Roy Malka

The Weizmann Institute
Applied Math & Computer Sci
Roy_Malka@hms.harvard.edu

MS87

Systems Biology of the Pulmonary Infection Process in Humans

We have developed the capability to non-invasively acquire aerosolized droplets of alveolar lining fluid (AALF) from the human lung. The droplets can contain pathogens and pathogen secreted ligands. The droplets also contain biomolecules from the host airway. Using AALF time series we have begun to investigate two avenues. Our primary interest is to predict which patients will progress to develop pneumonia in the 72 hours prior to the manifestation of clinical symptoms. Our secondary interest is to develop a sound analytic framework from which we can regress early

treatment gains.

Erik M. Boczeko

Department of Biomedical Informatics
Vanderbilt University Medical Center
erik.m.boczeko@vanderbilt.edu

Todd Young

Ohio University
Department of Mathematics
youngt@ohio.edu

MS88

Clock-Driven Intermittent Controller and Model Based Predictive Controller for Human Balancing Models

Stabilizability of unstable equilibria in the presence of reflex delay is investigated, such as stick balancing at the fingertip or postural sway during quiet standing. Two types of control concepts are investigated with respect to the critical reflex delay, for which stable balancing is possible: (1) the act-and-wait controller is a special version of clock-driven intermittent controllers; (2) the finite spectrum assignment approach is a kind of model based predictive feedback controller.

Tamas Insperger

Budapest University of Technology and Economics
Department of Applied Mechanics
insperger@mm.bme.hu

John Milton

Claremont College
jmilton@jsd.claremont.edu

MS88

Intermittent Open Loop Control in Humans: Can the Hypothesis be Tested?

Intermittent open loop control, otherwise known as serial ballistic control, has been proposed repeatedly during the last 60 years as a paradigm for human motor control. In the absence of rigorous, model based investigation and key experimental tests, this question has remained open. Here we present recent model based experimental results supporting the case that sustained human control is serial ballistic in nature and we consider explanations of why serial ballistic control is relevant.

Ian Loram

Manchester Metropolitan University
i.loram@mmu.ac.uk

Peter Gawthrop

University of Glasgow, UK &
University of Melbourne, Australia
peter.gawthrop@unimelb.edu.au

Henrik Gollee

University of Glasgow, UK
henrik.gollee@glasgow.ac.uk

Martin Lakie

University of Birmingham, UK
m.d.lakie@bham.ac.uk

Cornelis van de Kamp

Manchester Metropolitan University, UK
c.vandekamp@mmu.ac.uk

MS88

Evidence for Continuous Versus Intermittent Control Mechanisms Contributing to Control of Human Upright Stance

Controversy exists regarding whether human balance control is regulated using a continuous feedback mechanism versus intermittent control mechanism. Several recent studies present experimental results that purport to demonstrate the contribution of intermittent control. We show that all these experimental results are in good agreement with a simple continuous feedback model that has been used before to describe spontaneous sway properties of healthy young and elderly subjects as well as responses to various external perturbations.

Robert Peterka
Oregon Health & Science University
peterkar@ohsu.edu

Christoph Maurer
Department of Neurology
University of Freiburg
maurer@nz11.ukl.uni-freiburg.de

MS88

An Intermittent Control of a Double Inverted Pendulum: Roles of Hip Motions Examined with Human Postural Sway

Human upright quiet standing is stabilized by neural feedback control with a relatively large transfer delay. To better understand the neural strategy for stabilization, we considered dynamics of a double inverted pendulum model with an intermittent feedback controller. In-phase and anti-phase coordination between hip and ankle joints in the model was compared with those in human. We then discuss roles played by hip joint motion during human quiet stance.

Yasuyuki Suzuki, Taishin Nomura
Osaka University, Japan
suzuki@bpe.es.osaka-u.ac.jp, taishin@bpe.es.osaka-u.ac.jp

Maura Casadio
University of Genoa
Dept. of Informatics, Systems, Telecom.
maura.casadio@unige.it

Pietro Morasso
Fondazione Istituto Italiano di Tecnologia
RBCS Department
pietro.morasso@iit.it

MS89

Modeling Stochastic Neural Dynamics: Approaches and Mathematical Issues

This talk will provide an overview of several approaches to studying stochastic dynamics of neuronal networks, highlighting and comparing approaches that will appear in other talks of the minisymposium while placing these in a broader context. Issues discussed will include choices of random graph models, when a random graph is unnecessary or inappropriate, and models for stochastic processes

on the nodes. A particular focus will be on mathematical approaches to analyzing the network dynamics.

Janet Best
The Ohio State University
Department of Mathematics
jbest@math.ohio-state.edu

MS89

Interaction of Biochemical and Neural Networks in the Brain

The standard electrophysiological perspective is that the brain consists of networks of neurons that influence each other through the biochemistry of neurotransmitter synthesis, release, and reuptake, viewing biochemistry as simply a means of neuron-to-neuron communication. However, many groups of neurons distantly release diffusing neurotransmitters that alter target biochemistry: the electrophysiology is the means by which the neurons project biochemical changes over long distances. The dynamics of interacting biochemical and electrophysiological networks provide interesting mathematical challenges.

Michael Reed
Duke University
reed@math.duke.edu

Janet Best
The Ohio State University
Department of Mathematics
jbest@math.ohio-state.edu

H Frederik Nijhout
Duke University
hfn@duke.edu

MS89

Optimal Reduction of Complexity for Ornstein-Uhlenbeck Processes on Random Graphs

Extending Schmandt and Galan's stochastic shielding approximation, we consider the optimal complexity reducing mapping from a stochastic process on a graph to an approximate process on a smaller sample space, as determined by the choice of a particular measurement functional on the graph. We quantify the error introduced by the approximation and provide an analytical justification for the method. We focus on the case of ion channel state partitioning into conducting versus nonconducting states.

Deena Schmidt
Case
dschmidt@case.edu

MS89

Jigsaw Percolation: Which Networks Can Solve a Puzzle?

Jigsaw percolation is a process with the following dynamics: groups of individuals merge if they are directly connected on an underlying social network, and if they have complementary information, i.e. compatible "puzzle pieces" which are connected via an auxiliary network. We analyze the probability of a total population merger, where a puzzle network is given and the social network is an Erdos-Renyi random network with given edge probability

p.

David Sivakoff
Mathematics Department
Duke University
djsivy@math.duke.edu

MS90**Subdiffusive Fractional Equations with Space-dependent Anomalous Exponents**

We show that subdiffusive fractional equations are not structurally stable with respect to spatial perturbations to the anomalous exponent. To rectify this problem we propose the inclusion of the random death process into the random walk scheme from which we arrive at the modified fractional master equation. We analyze the asymptotic behavior of this equation, both analytically and by Monte Carlo simulation, and apply it to the problem of morphogen gradient formation.

Sergei Fedotov
School of Mathematics
University of Manchester, UK
Sergei.Fedotov@manchester.ac.uk

MS90**Propagation of Fronts in Subdiffusive Media**

We consider two kinds of fronts in systems with subdiffusion, reaction fronts and fronts of phase transitions. For the analysis of reaction fronts, we use exactly solvable models with piecewise linear reaction functions. For fronts between stable states, a drastic difference from the case of normal diffusion is revealed. Exact solutions corresponding to propagating phase transition fronts are also found, and their transverse instability is investigated.

Alexander Nepomnyashchy
Technion
Israel Institute of Technology
nepom@math.technion.ac.il

Vladimir A. Volpert
Northwestern University
v-volpert@northwestern.edu

Yulia Kanevsky, Mohammad Abu Hamed
Technion - Israel Institute of Technology
yuliyakanevsky@gmail.com,
mohammad@techunix.technion.ac.il

MS90**Models and Tests for Anomalous Diffusion in Crowded Environment**

Many experiments on the motion of particles in crowded environments hint towards anomalous diffusion, mostly subdiffusion. The nature of this subdiffusion can be quite diverse, and therefore needs for description within theoretical models based on different physical assumptions. The difference between time-inhomogeneous, non-ergodic models and ergodic ones is deeply rooted in the thermodynamics of the corresponding processes, and it can be done either by running a test for ergodicity or a one for time homogeneity. The distinction within the ergodic class can be based on specific tests of homogeneity of filling of the space by the corresponding trajectory and will be discussed in some

detail based on analytical and numerical examples.

Igor Sokolov
Institut fuer Physik
Humboldt-Universitaet zu Berlin
sokolov@physik.hu-berlin.de

MS90**Weakly Nonlinear Analysis of the Superdiffusive Brusselator Model near a Codimension-two Turing-Hopf Bifurcation Point**

A weakly nonlinear analysis is performed near a codimension-two Turing-Hopf point of the superdiffusive Brusselator model in one spatial dimension. Two coupled amplitude equations describing the slow time evolution of Turing and Hopf modes are derived. The dependence of stability criteria of pure Turing, pure Hopf, and mixed mode solutions to long-wave perturbations on the anomalous diffusion exponents is discussed and compared to regular diffusion.

Justin Tzou
Israel Institute of Technology, Haifa, Israel
tzou.justin@gmail.com

MS91**Nonautonomous Control of Invariant Manifolds**

It is well-known that the temporal evolution of stable and unstable manifolds play a significant role in transport in nonautonomous dynamical systems. As a first step towards understanding how to control such manifolds, this talk addresses the control problem of determining the nonautonomous velocity perturbation in two dimensions required to ensure that a one-dimensional heteroclinic manifold splits into stable and unstable manifolds whose primary segments lie along *specified* time-varying curves in space.

Sanjeeva Balasuriya
Connecticut College
Department of Mathematics
sanjeeva.balasuriya@conncoll.edu

Kathrin Padberg-Gehle
Institute of Scientific Computing
TU Dresden
kathrin.padberg@tu-dresden.de

MS91**A Stable Principle Manifold of a Separable Attractor of the Nonautonomous Chaotic Beam System**

An elastic beam subject to moving contact loads models external forcing of fluids in internal ship tanks. The modeling PDE has chaotic solutions with an attractor with a decomposable form that identifies dimensionality reduction that encapsulates a Cartesian product, of a principle manifold corresponding to spatial regularity against a temporal low-dimensional chaotic attractor at a fixed site on the beam. The principle manifold serves to translate complex low-dimensional information at one site to other sites.

Erik Bollt, Joseph Skufca
Clarkson University
bolltem@clarkson.edu, jskufca@clarkson.edu

MS91**Finite-Size Lyapunov Exponents (FSLE) and Lagrangian Coherent Structures**

Finite-Size Lyapunov Exponents (FSLE) have proven to be effective indicators of hyperbolic Lagrangian Coherent Structures (LCS) in dynamical systems. However, computing FSLE involves integration of different trajectories over different time intervals, thus an exact mathematical connection between FSLE and LCS has been unknown. Here we establish such a connection, which turns FSLE from a heuristic indicator into a rigorous LCS detection tool under certain conditions. We illustrate our results on simple unsteady flow examples.

Daniel Karrasch

ETH Zurich, Switzerland
karrasch@imes.mavt.ethz.ch

George Haller
ETH, Zurich, Switzerland
georgehaller@ethz.ch

MS91**Invariant Manifolds in Non-autonomous Equations**

Economic models often lead to deep mathematical problems. For example, classical solutions of economic growth models induce implicit, non-autonomous differential equations, that are supplemented by *transversality* conditions. From a certain perspective, it is possible to relate the solutions of these equations to the existence of stable manifolds. Time dependence arises whenever models include discount factors. We explore the existence of invariant manifolds in this context and its relation to non-autonomous Hamilton-Jacobi problems.

Hector E. Lomeli

Instituto Tecnológico Autónomo De México (ITAM)
University of Texas at Austin
lomeli@itam.mx

MS92**Plankton Bloom Front Meets Chain of Vortices in a Flow**

Plankton blooms, particularly harmful algal blooms, can be described by excitable systems. We study the impact of a laminar one-dimensional flow as well as chain of vortices on diffusion fronts which develop from a phytoplankton-zooplankton system. We discuss the emergence of different plankton patterns depending on the different growth rates of the species, the relation between the front velocity, the mean flow velocity and the strength of the vortices.

Ulrike Feudel

University of Oldenburg
ICBM, Theoretical Physics/Complex Systems
ulrike.feudel@uni-oldenburg.de

MS92**A Chemical Front in the Faraday Flow**

We investigate the transport in a turbulent quasi two-dimensional laboratory flow induced by capillary Faraday waves on a thin fluid layer. In experiments with an excitable autocatalytic chemical reaction in this flow, propagating chemical waves with a highly wrinkled front have

been observed. These observations demand for a detailed study of the underlying advective transport. We first characterize the vortex patterns in the flow in the Eulerian frame and relate them to the geometric pattern of the Faraday waves. In a second part, we compute Lagrangian coherent structures (LCS) that determine the spatiotemporal mixing patterns. Simultaneous experimental measurement of the velocity fields and the chemical concentration allow for a superposition of the LCS onto the concentration field. This reveals that the LCS shape the advancing reaction fronts.

Alexandra Von Kameke
Facultad de Fisicas
Univ. de Santiago de Compostela
alexandravonkameke@yahoo.de

Florian Huhn

Institute for Mechanical Systems
ETH Zurich
florian.huhn@imes.mavt.ethz.ch

Vicente Perez-Munuzuri, Alberto P. Munuzuri
Faculty of Physics
University of Santiago de Compostela, Spain
vicente.perez@meteogalicia.es,
alberto.perez.munuzuri@usc.es

George Haller
ETH, Zurich, Switzerland
georgehaller@ethz.ch

MS92**Pinning and Invariant Barriers in Advection-reaction-diffusion Systems**

Invariant manifolds are important barriers to passive tracers in 2D time-independent and time-periodic flows. Although these manifolds are no longer defined for time-aperiodic flows, the past decade of research has demonstrated the significance of finite-time-lyapunov-exponents (FTLE) and lagrangian coherent structures (LCS). Recently barriers to front-propagation in (time-independent and time-periodic) fluid flows have been identified - so called burning invariant manifolds (BIMs). We define an analog of the FTLE for front-propagation in time-aperiodic flows using a dimension reduction. This type of analysis may find application in the analysis of oceanic plankton blooms, turbulent combustion, and industrial chemistry.

John R. Mahoney

University of California, Merced
jmahoney3@ucmerced.edu

MS92**Experimental Studies of Barriers to Front Propagation in Vortex-dominated Flows**

We present experiments on the behavior of propagating reaction fronts in laminar fluid flows. This is an issue with applications to a wide range of systems including combustion dynamics in flows with chaotic advection, microfluidic chemical reactors, and blooms of phytoplankton and algae in the oceans. To analyze and predict the behavior of the fronts, we generalize tools developed to describe passive mixing. In particular, the concept of an invariant manifold is expanded to account for reactive burning. "Burning invariant manifolds" (BIMs) are defined in a three-dimensional phase space. When projected into two spa-

tial dimensions, these BIMs provide barriers that retard the motion of reaction fronts. Unlike invariant manifolds for passive transport, however, the BIMs are barriers for front propagation in one direction only. These ideas are tested and illustrated experimentally in a chain of alternating vortices and an extended, spatially-random pattern of vortices.

Thomas H. Solomon

Department of Physics & Astronomy
Bucknell University
tsolomon@bucknell.edu

MS93

Transport and Flow in Complex Networks: Cascading Overload Failures in Networks with Distributed Flows

In complex information or infrastructure networks, even small localized disruptions can give rise to congestion, large-scale correlated failures, or cascades, – a critical vulnerability of these systems. Here, we study cascades of overload failures for distributed flows in spatial and non-spatial random graphs, and in empirical networks (internet and power grid). We review and investigate a few recently proposed schemes to mitigate such failures (e.g., preemptive node/edge removal, edge weighting, and assigning excess capacities).

Gyorgy Korniss

Department of Physics, RPI
korniss@rpi.edu

Andrea Asztalos, Sameet Sreenivasan, Boleslaw Szymanski

RPI
asztala@rpi.edu, sameet.sreenivasan@gmail.com,
boleslaw.szymanski@gmail.com

MS93

Walking and Searching in Time-Varying Networks

We study random walks in time varying networks considering the regime of time-scale mixing. We derive analytically the stationary state and the mean first passage time of such processes. The findings show striking differences with respect to the well-known results obtained in quenched and annealed networks, emphasizing the effects of dynamical connectivity patterns in the definition of proper strategies for search, retrieval and diffusion processes in time-varying networks.

Nicola Perra

Northeastern University
Department of Physics
nicolaperra@gmail.com

MS93

Predicting Traffic Changes in the Wake of Geo-Localized Damages in Large-Scale Transportation Networks

Traffic flows obey a path-cost minimization principle, generating a heterogeneous use of network paths. Validated on a US highway transportation data-set we present a novel method for computing network flows using the radiation law [F. Simini et.al., Nature 484, 96 (2012)] and a range-limited, weighted betweenness centrality measure

[M. Ercsey-Ravasz et.al. PhysRevE 85, 066103 (2012)]. We then use this method to quantify the non-local effects of geo-localized damages in the US highway transportation network.

Yihui Ren

Department of Physics and iCeNSA
University of Notre Dame
yren2@nd.edu

Maria Ercsey-Ravasz

Faculty of Physics
Babes-Bolyai University, Romania
ercsey.ravasz@phys.ubbcluj.ro

Zoltan Toroczkai

University of Notre-Dame
toro@nd.edu

MS93

Power Grid Vulnerability to Geographically Correlated Failures

We consider line outages in the power grid, which are caused by a natural disaster or a large-scale attack. We present a model of such geographically correlated failures, investigate its properties, and show that it differs from models used to analyze cascades in the power grid. We show how to identify the most vulnerable locations in the grid and perform extensive numerical experiments with grid data to investigate the various effects of geographically correlated outages.

Gil Zussman

Columbia University
Department of Electrical Engineering
gil@ee.columbia.edu

MS94

Population Dynamics and Preferential Segregation

It is well-known that particles segregate in turbulent flows. If, however particles of different Stokes number react with each other, segregation of particles into different spatial regions may have a dramatic effect on population dynamics. We present first results on this topic by qualitative analysis and simple 2D numerical modeling.

Markus Abel

University of Potsdam
markus.abel@physik.uni-potsdam.de

MS94

Interaction of Droplets and Turbulence in Rayleigh-Benard Convection

Responses of a droplet ensemble during an entrainment and mixing process at the edge of a cloud are investigated by means of three-dimensional direct numerical simulations. We combine the Eulerian description of the turbulent velocity, temperature and vapor content fields with a Lagrangian ensemble of cloud water droplets which are advected in the flow and shrink or grow in correspondence with the supersaturation at their position.

Bipin Kumar

Technische Universitat Ilmenau
bipin.kumar@tu-ilmenau.de

Raymond Shaw
MichiganTech
rashaw@mtu.edu

Joerg Schumacher
Technische Universität Ilmenau
joerg.schumacher@tu-ilmenau.de

MS94

Revisiting the Scaling Analysis of Irreversible Aggregation Dynamics

The analysis of the size distribution of droplets condensing on a substrate is a test ground for scaling theories. Surprisingly, a faithful description of its evolution must explicitly address microscopic nucleation and growth mechanisms of the droplets. In view of this we discuss here, how this breaking of universality relates to other systems with vastly polydisperse droplet size distributions, as they will be discussed in subsequent talks.

Jürgen Vollmer
Max Planck Institute for Dynamics and Self-Organization
juergen.vollmer@ds.mpg.de

MS94

Understanding Rainfall: Collisional Versus Non-collisional Mechanisms for Droplet Growth

I shall discuss the possible mechanisms for the growth of microscopic water droplets in clouds into rain drops. Collisional mechanisms are not effective in a critical range of droplet sizes. Two non-collisional routes for droplet growth will be considered: these are Ostwald ripening, and a new theory for growth due to fluctuations in supersaturation termed 'convective ripening'. Both mechanisms can be illuminated by experiments. I shall discuss experiments by Juergen Vollmer and co-workers on a 'test-tube' model for rainfall in a convectively stable atmosphere, which are nicely explained by invoking Ostwald ripening.

Michael Wilkinson
Dept. of Applied Math.
The Open University, Milton Keynes - UK
m.wilkinson@open.ac.uk

MS95

Bifurcation Phenomena in a 2D Discontinuous Map

The physical situations that give rise to discontinuous maps are discussed and their 2D normal forms are explored. The character of the normal form depends on the derivatives of the map functions with respect to the parameters. Earlier work explored the bifurcations in this system under some assumptions. Here we report some results on the most general case of 2D discontinuous map.

Soumitro Banerjee
Indian Institute of Science Education & Research,
Kolkata, India
soumitro.banerjee@gmail.com

MS95

Multistability and Arithmetically Period-adding Bifurcations in Piecewise Smooth Dynamical Systems

Multistability, as characterized by the coexistence of multi-

ple attractors, is common in nonlinear dynamical systems. In such a case, starting the system from a different initial condition can result in a completely different final or asymptotic state. The behavior thus has implications to fundamental issues such as repeatability in experimental science. Existing works on multistability in nonlinear dynamics focus mostly on smooth systems. A typical scenario for multistability to arise is when a Hamiltonian system becomes weakly dissipative so that a large number of Kolmogorov-Arnold-Moser (KAM) islands become sinks, or stable periodic attractors. There has also been an interest in nonsmooth dynamical systems. For example, piecewise smooth systems have been known to arise commonly in physical and engineering contexts such as impact oscillators and switching circuits. Previous works have shown that nonsmooth dynamical systems can exhibit bifurcations that have no counterparts in smooth systems. The aim of this paper is to explore general phenomena associated with multistability in nonsmooth dynamical systems. We shall use a generic class of piecewise smooth maps that are representative of nonsmooth dynamical systems. By focusing on the weakly dissipative regime near the Hamiltonian limit, we find that multistability can arise as a result of various saddle-node bifurcations. A striking phenomenon is that, as a parameter characterizing the amount of the dissipation is decreased, the periods of the stable periodic attractors created at the sequence of saddle-node bifurcations follow an arithmetic order. We call such bifurcations arithmetically period-adding bifurcations. We provide physical analyses, numerical computations, and mathematical proofs to establish the occurrence of these bifurcations. Our work reveals that multistability can be common in nonsmooth dynamical systems, and its characteristics can be quite different from those in smooth dynamical systems.

Younghae Do
Kyungpook National University
yhdo@knu.ac.kr

MS95

Codimension Two Border Collision Bifurcations in Piecewise Monotone Discontinuous Maps

We consider the bifurcation structures which originate from the intersection point of two border collision bifurcation curves. The classification of possible structures can be done by using the first return map in a suitable interval around the discontinuity point. This first return map is continuous at the codimension-2 point and the possible bifurcation structures depend on the shape of its branches (increasing or decreasing). Additionally, the connection to the Lorenz-like flows is emphasized.

Laura Gardini
University of Urbino
Department of Economics, Society and Politics
laura.gardini@uniurb.it

MS95

Bifurcation Structure in a Piecewise Smooth Map with Two Kink Points

We consider a family of one-dimensional piecewise smooth maps with two kink points. The map comes from an economic application. The bifurcation structure of the parameter space is studied. Using the skew tent map as a normal form for border collision bifurcations (BCB) we define the types of attractors which appear due the BCB of the fixed

point. Peculiarities of the bifurcation structure related to the horizontal branch of the map are described.

Iryna Sushko

National Academy of Sciences of Ukraine, Kiev, Ukraine
ira_sushko@hotmail.com

MS96

Marine Bioinvasion in the Network of Global Shipping Connections

Transportation networks play a crucial role for the spread of invasive species. Here, we combine the network of worldwide cargo ship movements with environmental conditions and biogeography, to develop a model for marine bioinvasion. We classify marine ecoregions according to their total invasion risk and the diversity of their invasion sources. Our predictions agree with observations in the field and reveal that invasion risks are highest for intermediate geographic distances. Our findings suggest that network-based invasion models facilitate the development of targeted mitigation strategies.

Bernd Blasius

ICBM, University of Oldenburg
blasius@icbm.de

MS96

Successful Strategies for Competing Networks

We investigate competition between networks and how to design optimal strategies for the connection between them. Specifically, we consider two networks interacting through connector links and competing for centrality. We show how each network can improve the outcome of this competitive interaction by carefully selecting the type of connector links or reorganizing its internal structure. We also introduce a competition parameter, which quantifies which network is taking advantage of the other in real situations.

Javier Buldu

Universidad Politécnica de Madrid, Spain &
Universidad Rey Juan Carlos, Madrid, Spain
javier.buldu@urjc.es

Jacobo Aguirre

Centro de Astrobiología, CSIC-INTA, Spain
aguirrea.j@cab.inta-csic.es

David Papo

Universidad Politécnica de Madrid, Spain
papo@papo@gmail.com

MS96

Extreme Vulnerability of Network of Networks

Network science focused on studying a single isolated network that does not interact with other networks. In reality, many real-networks interact and depend on each other. I will present an analytical framework for the cascading failures, critical threshold and the giant component of a network of networks. Such systems have many novel features that are not present in classical network theory. Moreover, interdependent networks embedded in space are significantly more vulnerable compared to random networks.

Shlomo Havlin

Bar-Ilan University

havlin@ophir.ph.biu.ac.il

MS96

Network of Networks and the Climate System

We introduce a novel graph-theoretical framework for studying the interaction between subnetworks within a network of networks which allows us to quantify the structural role of single vertices or whole subnetworks concerning the interaction of subnetworks on local, mesoscopic and global scales. Applying this to climate data uncovers interesting features of the atmospheres vertical stratification, to identify interrelations of Indian and East Asian Summer Monsoon or to detect paleo-climatic variability transitions related to human evolution.

Juergen Kurths

Humboldt Univ, Germany, Potsdam Institute for Climate Impact Research, Germany, and Aberdeen University, UK
juergen.kurths@pik-potsdam.de

Jonathan Donges, Reik Donner, Norbert Marwan, Kira Rehfeld

Potsdam Institute for Climate Impact Research
donges@pik-potsdam.de, redonner@pik-potsdam.de,
marwan@pik-potsdam.de, rehfeld@pik-potsdam.de

MS96

Synchronization in Populations of Chemical Oscillators: Quorum Sensing, Phase Clusters and Chimeras

We have studied large, heterogeneous populations of discrete chemical oscillators ($\sim 100,000$) to characterize two different types of density-dependent transitions to synchronized oscillatory behavior. For different chemical exchange rates between the oscillators and the surrounding solution, we find with increasing oscillator number density (1) the gradual Kuramoto synchronization or (2) the sudden quorum sensing switching on. We also describe the formation of phase clusters and chimera states and their relation to other synchronization states. M. R. Tinsley, S. Nkomo, and K. Showalter, Nature Physics 8, 662 (2012).

Kenneth Showalter

West Virginia University
Department of Chemistry
kshowalt@wvu.edu

MS97

Modeling the Response of Coastal Ecosystems to Nutrient Loading, Climate Change, and Shellfish Aquaculture

Aquatic simulation models have emerged in recent decades as critical tools for the heuristic study of ecosystem structure and function. These models are also increasingly being used to inform management decisions on a variety of issues, particularly the effects of nitrogen abatement on the cultural eutrophication of estuaries. These two goals (research and management) often present contrasting requirements for model resolution, parameterization, and accuracy. The trend in both areas has been towards increasingly complex and highly resolved models. Limitations of these models, however, include their long run times, extensive time and resources required for model development, lack of user-friendliness, and large number of state vari-

ables and parameters which can be difficult to constrain, especially in systems without adequate data for verification of both state concentrations and rate processes. A growing body of literature is calling for development of simple and intermediate-complexity models as alternatives to these complex approaches, and new approaches are being developed for use in parallel with more complex models in a move towards ensemble predictions much like weather and hurricane forecasts. I will present results from a variety of simple and intermediate-complexity modeling approaches in U.S. East coast estuaries with a focus on predicting system response to changes in anthropogenic nutrient loading, ongoing climate change, expansion of shellfish aquaculture, and shellfish restoration. In addition to generating heuristic understanding, these models are being used to develop management recommendations and restoration alternatives, and are being deployed online for direct use by managers, educators, and other stakeholders.

Mark Brush

Virginia Institute of Marine Science
brush@vims.edu

MS97

Size- and Stage-structured Population Model to Assess the Growth-mediated Effect of Environmental Conditions on Population Dynamics

Population abundance fluctuates over time. The fluctuation is caused by changes in survival and/or reproductive rates (vital rates). Determining how vital rates fluctuate and how they in turn affect population abundance is one of the main objectives of population biology. One of my current research focuses on investigating the effects of environmental conditions on population dynamics of white shrimp in the Gulf of Mexico. Previous studies have demonstrated that environmental conditions in an estuary affect individual growth of post-larval and marsh-stage juvenile shrimp. From a field experimental study, age-size relationship was determined. In addition, shrimps were sampled in situ to determine their size distribution. From these two data sets, size-specific instantaneous mortality of young shrimp was estimated. Then, a size- and stage-structured population model was used to assess the effects of variable individual growth rates on annual population growth rate. The result shows that the finite annual population growth rate can range from 0.4 to 1.1 based on the observed range of individual growth rate. Finally, the implication of the result on transient and asymptotic yield is discussed.

Masami Fujiwara

Texas A&M University
fujiwara@tamu.edu

MS97

Nonlinear Effects in Size-structured Models of Zooplankton Communities

There exist many challenges, both biological and modeling, inherent in marine ecosystems. The talks in this mini-symposium cover a wide-range of topics, from shellfish to phytoplankton. This introductory talk will introduce the topics that will be covered throughout this mini-symposium and some of the common modeling strategies that will be employed. Many of the overarching questions will be discussed, such as the effect of nutrient availability and climate change on population dynamics. The final part of the talk will explore some of these themes in a specific

size-structured model of zooplankton communities.

M. Drew LaMar

College of William and Mary
mdlama@wm.edu

MS97

The Response of a Size-structured Plankton Community to Environmental Variability

The influence of fluctuating environmental conditions on plankton community structure is investigated in an idealized model for size-dependent phytoplankton-zooplankton interactions. When the model is forced with periodic nutrient pulses, the phytoplankton total abundance and size distribution are both controlled by the allometric relationships describing growth and grazing and by the amplitude and frequency of pulses. Results are compared to observed relationship between total chlorophyll and the relative abundance of small/large phytoplankton cells.

Ariane Verdy

Scripps Institution of Oceanography
averdy@ucsd.edu

MS98

Time-delayed Switching Control of Structures with Uncertainties

Models of balance with on-off control have attracted recent attention, in mechanics, robotics, and biology. We consider the influence of noise in these on-off systems through canonical models of balance, considering different noise sources in the setting of act-and-wait control, and contrast with randomness in feedback (state-dependent) control. Conditions for noise-sustained transients, typically undesirable in balance, are provided using numerical and analytical approaches.

Rachel Kuske

University of British Columbia
rachel@math.ubc.ca

MS98

Oscillators with Large Delay

Differential equations with a large delay in one of their arguments show features reminiscent of spatially extended systems. Eigenvalues of equilibria and periodic orbits tend to form bands, for which one can derive easily computable formulas. This permits us to draw conclusions for a system with given coefficients but increasing delay. For example, one can find criteria, which ensure the co-existence of large numbers of stable periodic orbits for large delays.

Jan Sieber

University of Exeter
j.sieber@exeter.ac.uk

Serhiy Yanchuk

Humboldt University Berlin
yanchuk@math.hu-berlin.de

Matthias Wolfrum

WIAS Berlin
matthias.wolfrum@wias-berlin.de

MS98

Dynamic Contact Problems Modeled by Delayed Oscillators

Dynamic contact problems are in the forefront of mechanical engineering research due to the expensive laboratory experiments and high-performance computing used at industrial R&D level. These multi-scale problems can successfully be transformed to delayed oscillators; this opens way to their analytical study needed for model validation and for testing numerical codes. Rolling of elastic wheels and cutting of metals are discussed as relevant examples leading to non-autonomous delay-differential equations like the delayed Mathieu equation paradigm.

Gabor Stepan

Department of Applied Mechanics

Budapest University of Technology and Economics

stepan@mm.bme.hu

MS98

Irregular Motion Caused by State-dependent Delay

For $\frac{\pi}{2} < \alpha < \frac{5\pi}{2}$ the simple linear equation

$$x'(t) = -\alpha x(t-1) \quad \in \mathbf{R}$$

has only non-real characteristic values, 2 in the right half-plane and the others in the left halfplane. We construct a state-dependent delay

$$d_U : C \supset U \rightarrow (0, 2)$$

with $d_U(\phi) = 1$ for ϕ close to $0 \in C = C([-2, 0], \mathbf{R})$ in such a way that the equation

$$x'(t) = -\alpha x(t - d_U(x_t))$$

has a homoclinic solution $x = h$,

$$h(t) \rightarrow 0 \quad \text{as } |t| \rightarrow \infty, 0 \neq h_t = h(t+\cdot) \in C^1 = C^1([-2, 0], \mathbf{R}).$$

The flowline

$$\begin{aligned} \mathbf{R} \ni t \mapsto h_t &\in X \\ &= \{\phi \in U \cap C^1 : \phi'(0) = -\alpha \phi(-d_U(\phi))\} \end{aligned}$$

is a minimal intersection of the stable and unstable manifolds at equilibrium in the solution manifold X . This should imply chaotic motion close to the homoclinic loop.

Hans-Otto Walther

University of Giessen

hans-otto.walther@math.uni-giessen.de

MS98

Delayed Control of Self-excited Vibrations in Elastic Structures

Flutter is an aeroelastic self-excited oscillation of aircraft wing with high frequency and large amplitude; it can cause a loss of structural integrity in wings. As active control has become a major method for flutter suppression of aircraft wings, it results in some new problems induced by the time delay in the controllers and filters. Both the negative and positive effects of the time delay on the flutter suppression of aircraft wings are discussed in this talk, but the positive effect is emphasized.

Zaihua Wang

Nanjing University of Aeronautics and Astronautics

zhwang@nuaa.edu.cn

MS99

Zonal Jets and Meridional Transport Barriers in Planetary Atmospheres

Theoretical results relating to KAM theory have led to the expectation that associated with zonal (west-east) jet streams in planetary atmospheres should be barriers which inhibit meridional (south-north) transport. Evidence will be provided for this expectation based on the analysis of: 1) winds produced by an idealized model of Jupiter's weather layer; and 2) winds produced by a comprehensive model of the Earth's stratosphere. This will follow a review of the relevant KAM theory results.

Francisco J. Beron-Vera

University of Miami

fberon@rsmas.miami.edu

MS99

Periodic Orbits and Transition to Chaos in Many-degrees-of-freedom, Mean-field Hamiltonian Systems

A study of transition to chaos in many-degrees-of-freedom systems is presented in the context of mean-field-coupled symplectic maps. The coupling is motivated by weakly nonlinear descriptions of plasmas and fluids. We focus on reversible twist and nontwist systems, and use continuation methods to compute symmetric periodic orbits with given rotation vectors. Preliminary ideas are presented on approximation of N-dimensional tori by periodic orbits, and the transition to chaos due to the destruction of the tori.

Diego Del-Castillo-Negrete

Oak Ridge National Laboratory

delcastillod@ornl.gov

Arturo Olvera

IIMAS-UNAM, Mexico

aoc@uxmym1.iimas.unam.mx

MS99

Singularity Theory for Non-twist KAM Tori: A Methodology

We present a novel methodology to find and classify non-twist KAM tori in degenerate Hamiltonian systems. The classification of KAM tori which is based on Singularity Theory. The results are presented in an a posteriori format that let us to deal with far from integrable Hamiltonian systems. Remarkably, the proofs lead to numerical algorithms for computing non-twist KAM tori. This talk aims to illustrate the main ideas of our approach, including some numerical examples.

Alex Haro

Universitat de Barcelona

Universitat de Barcelona Gran Via 58508007 Barcelona

(Spain)

alex@maia.ub.es

Rafael de la Llave

Georgia Institute of Technology, USA

rafael.delallave@math.gatech.edu

Alejandra Gonzalez-Enriquez

Universitat de Barcelona
gonzalez@maia.ub.es

MS99

Breakup of Invariant Tori of Volume Preserving Maps

KAM theory predicts that Diophantine, two-tori of 3D volume-preserving maps are robust. Though a torus with fixed rotation vector is fragile, robustness pertains to one-parameter families. We show that the breakup threshold can be predicted using an extension of Greene's residue criterion. Another of Greene's conjectures is that noble circles are locally most robust. We study the 3D analogue by investigating the robustness of tori with rotation vectors from cubic fields.

James D. Meiss
University of Colorado
Dept of Applied Mathematics
jdm@colorado.edu

Adam M. Fox
University of Colorado, Boulder
adam.fox@colorado.edu

MS99

Numerical Extension of the Center-stable and Center-unstable Manifolds of the Collinear Libration Points of the Spatial, Circular Restricted Three-body Problem

Results will be presented on the computation of the families of 2-dimensional invariant tori around the collinear equilibrium points of the restricted three-body problem, that span most of the center manifolds of these points. The linear approximation of their stable and unstable manifolds will also be covered. The different families of tori involved will be extended up to their natural termination or the computational limit of the numerical methodology used, that will also be discussed.

Josep-Maria Mondelo
Universitat Autònoma de Barcelona
jmm@mat.uab.cat

Esther Barrabes
Universitat de Girona
barrabes@ima.udg.es

Gerard Gomez
Departament de Matematica Aplicada
Universitat de Barcelona
gerard@maia.ub.es

Merce Olle
Universitat Politècnica de Catalunya
merce.olle@upc.edu

MS100

Geometric Methods Applied to Non-holonomic Mechanics

In this talk we discuss some of the geometry behind the theory of nonholonomic systems. In particular we discuss when measure is preserved in various systems and the nature of the ensuing dynamics. We also discuss analogies of

such systems with certain optical systems.

Anthony M. Bloch
University of Michigan
Department of Mathematics
abloch@umich.edu

MS100

Integrability and Quantization: A Geometric Approach

Abstract not available at time of publication.

Oscar Fernandez
IMA, University of Minnesota
ferna007@ima.umn.edu

MS100

Geometry of the Three Body Problem

Abstract not available at time of publication.

Richard Montgomery
University of California at Santa Cruz
rmont@ucsc.edu

MS100

Geometric Mechanics of Elastic Rods in Contact

One of the most challenging and basic problems in elastic rod dynamics is a description of rods in contact that prevents any unphysical self-intersections. Most previous works addressed this issue through the introduction of short-range potentials. We study the dynamics of elastic rods with perfect rolling contact which is physically relevant for rods with rough surface. Such dynamics cannot be described by the introduction of any kind of potential. We show that, surprisingly, the presence of rolling contact in rod dynamics leads to highly complex behavior even for evolution of small disturbances.

Vakhtang Putkaradze
Colorado State University
putkarad@ualberta.ca

MS101

Measure Solutions for Some Models in Population Dynamics

We give a direct proof of well-posedness of solutions to general selection-mutation and structured population models with measures as initial data. This is motivated by the fact that some stationary states of these models are measures and not L^1 functions, so the measures are a more natural space to study their dynamics. Our techniques are based on distances between measures appearing in optimal transport and common arguments involving Picard iterations. These tools provide a simplification of previous approaches and are applicable or adaptable to a wide variety of models in population dynamics.

Jose A. Cañizo
Department of Pure Mathematics and Mathematical Statistics
University of Cambridge
j.a.canizo@bham.ac.uk

José Carrillo

Department of Mathematics
Imperial College London
carrillo@imperial.ac.uk

Sílvia Cuadrado
Departament de Matemàtiques
Universitat Autònoma de Barcelona
silvia@mat.uab.cat

MS101

Kinetic Models for Opinion Formation

We discuss nonlinear kinetic models for opinion formation. The evolution is described by systems of Boltzmann-like equations. We show that at suitably large times, in presence of a large number of interactions in each of which individuals change their opinions/positions only little, the nonlinear systems of Boltzmann-type equations are well-approximated by systems of Fokker-Planck type equations, which admit different, non-trivial steady states.

Bertram Düring
University of Sussex
b.during@sussex.ac.uk

MS101

Flocking Dynamics and Mean-field Limit in the Cucker-Smale-type Model with Topological Interactions

Motivated by recent observations of real biological systems, we introduce a Cucker-Smale-type model with interaction between agents depending on their topological distance, measured in units of agents' separation. We study the conditions leading to asymptotic flocking, i.e., finding a velocity consensus. Moreover, introducing the concept of topological distance in continuum descriptions, we show how to pass to the mean-field limit, recovering kinetic and hydrodynamic descriptions.

Jan Haskovec
RICAM
Austrian Academy of Sciences
jan.haskovec@kaust.edu.sa

MS101

Mathematical Modeling and Simulation of Pedestrian Motion

We present different modeling approaches for the motion of large pedestrian crowds and their efficient numerical simulation. We start on the microscopic level and discuss the transition to the corresponding meso- and macroscopic models. Here we focus on the particular interactions between pedestrians and other specific modeling aspects, like motion in congested areas. Pedestrian crowds show a complex dynamical behavior, which can be observed in the mathematical models. These equations are in general nonlinear and require flexible and efficient discretization techniques like discontinuous Galerkin methods. We illustrate this versatile behavior with numerical simulations.

Marie-Therese Wolfram
Department of Mathematics, University of Vienna
marie-therese.wolfram@univie.ac.at

MS102

Mathematical and Statistical Modeling of Human Lymphocyte Proliferation with CFSE Data

Partial differential equation (PDE) models are presented to describe lymphocyte dynamics in a CFSE proliferation assay. Previously poorly understood physical mechanisms accounting for dye dilution by division, auto fluorescence and label decay are included. The new models provide quantitative techniques that are useful for the comparison of CFSE proliferation assay data across different data sets and experimental conditions. Variability and uncertainty in data and modeling are discussed.

H. T. Banks
CRSC, NC State University
htbanks@ncsu.edu

MS102

The Interaction of Antibiotic Drug Combinations is Dynamic: the Genomic and Theoretical Basis of Rapid Synergy Loss in Edible E.coli

When antibiotic efficacy & multi-drug antibiotic interactions are measured in standard pharmacological procedures, their inhibitory effect is usually measured over one day especially in academic studies. This is too short if we are to understand how drug efficacy changes over time because of evolution to treatment. The use of intensive procedures like "colony counting" produce data based on cell yield at 24h & not on growth rate measures throughout the 24h period. So we evaluated drug interactions on a continuous basis, observing hundreds of generations in experiments lasting days. Studies like this readily reveal evolutionary dynamics and highlight the dynamically unstable drug interactions. For example, the drug pair erythromycin & doxycycline kill synergistically over a 24-hour period & antagonise over longer periods. We show, using mathematical models & whole-genome analyses that rapid gene duplication of several drug-resistance operons is responsible for synergy loss.

Robert Beardmore
Department of Mathematics
Imperial College London
r.beardmore@imperial.ac.uk

MS102

Ensemble Modeling of Immune Response to Influenza A Virus Infection

Human body responds to influenza infection by initiating a spectrum of immune responses, ranging from innate to adaptive cellular and antibody, which are regulated by an intricate network of signaling interactions that have not yet been completely characterized. In the talk I will outline a series of models that provide qualitative and quantitative prediction of the time course of the disease, aid in understanding of the mechanisms of the immune response, and have been utilized in the study the effects of an antiviral drug treatment. Our latest effort has been focused on ensemble models that reflect the uncertainty about parameter values, data sparseness, and the likely variation of the disease outcome across a population exposed to IAV. The technique is useful when the model contains many unknown parameters, such as reaction rate constants of biochemical processes, which are poorly constrained and their direct

measurement *in vivo* is not feasible.

David Swigon
Department of Mathematics
University of Pittsburgh
swigon@pitt.edu

MS102

Optimal Self-Sacrifice Facilitates Pathogen Invasion of the Gut

The interior lining of the human intestine is inhabited by populations of commensal microbiota, which provide defense against invasive bacteria. Surprisingly, *Salmonella Typhimurium* gains an environmental advantage over the commensals by provoking the hosts inflammatory defenses. Two hypotheses have been proposed to explain how *S. Typhimurium* gains this advantage: the food hypothesis and differential killing hypothesis. We develop and analyze a model for how these effects interact to determine optimal strategies for the Salmonella population.

Glenn S. Young
University of Pittsburgh
Department of Mathematics
gsy2@pitt.edu

MS103

Networks from the Bottom Up

Using a statistical physics exact formulation of transfer of information from measurements to a model, we show how to complete Hodgkin-Huxley models of individual neurons through estimation of fixed parameters and unobserved states. The application of this to models of neurons in the avian song system will be presented.

Henry D. Abarbanel
Physics Department
Univ of California, San Diego
habarbanel@ucsd.edu

MS103

Scale-invariant Brain Dynamics: Theory Versus Experiments

The idea that the brain as a dynamical system fluctuates around a critical point received compelling support when *neuronal avalanches* were experimentally observed, their distributions of size and duration being compatible with power laws [Beggs & Plenz, *J. Neurosci.* **23** 11167 (2003)]. Since then, other signatures of scale-invariant brain dynamics were obtained in a variety of experimental setups. While models have been able to reproduce some of these features, many challenges remain and will be reviewed.

Mauro Copelli
Universidade Federal de Pernambuco
Department of Physics
mcopelli@df.ufpe.br

MS103

How Synaptic Potentiation Balances Plasticity and Stability Within An *In Vitro* Network of Neurons

Long-term potentiation (LTP) is widely believed to be the physiological basis of learning and memory. Mechanisms underlying LTP have been studied extensively at the

monosynaptic level, but the effects of LTP on larger scale networks of neurons remain poorly understood. We chemically induce LTP in a cultured network of hippocampal neurons and show that after synaptic potentiation, a network of *in vitro* hippocampal neurons returns to a homeostatic state after widespread increases in firing.

Rhonda Dzakpasu
Georgetown University
Department of Physics
dzakpasu@physics.georgetown.edu

MS103

Using Dynamical Information from One Node to Estimate the States and Parameters of Small Networks of Coupled Neuronal Oscillators

We consider small dynamical networks of coupled oscillators for which the network topology is unknown. Using partial knowledge of the oscillators' dynamics we estimate the coupling and state of each node. We focus on the case where the state time evolution from only one oscillator is available. We propose an adaptive strategy that uses synchronization between the true network and a replica network to estimate these features and apply it to small neuronal networks.

Francesco Sorrentino
University of New Mexico
Department of Mechanical Engineering
fsorrent@unm.edu

MS104

Stochastic Switching and Alternating Activity Bouts Resulting from Reciprocal Inhibition and Applications to Sleep-Wake Cycling

'Sleep-active' and 'wake-active' neurons in the brains of mammals are thought to inhibit each other resulting both in discrete states of sleep and wake and switching between the two states. New behavioral data sheds light on the underlying neurophysiology. In infants, both sleep and wake bout durations have an exponential distribution with independent regulation of bout means. This suggests stochastic switching in a bistable system, and so we modeled this system as a pair of coupled, mutually inhibitory neurons receiving noisy driving currents. We examined bout durations of the two neurons, switching mechanisms, and dependence on system parameters. Regardless of parameter choices, we found that bout durations of a neuron are always exponentially distributed. Furthermore, bout switches were found to be primarily a consequence of release from inhibition rather than escape via excitation, and we found that inhibition allows independent control over bout lengths of the two neurons.

Badal Joshi
Duke University
joshi@umdn.edu

Mainak Patel
Duke University
Department of Mathematics
mainak@math.duke.edu

MS104

Mutually Inhibiting Two Cluster Model for Sleep-

Wake Transitions

Sleep and wake states are governed by competitive interactions between neuronal networks, resulting in a power law distribution of wake bout durations. We modeled two mutually-inhibiting random graphs where each neuron can be in an excited, basal or inhibited state and fire according to a poisson process. Dynamics of the stochastic mean field equations for population of each state neuron is investigated to understand possible mechanisms of the power law behavior of bout durations.

Jung Eun Kim, Janet Best
The Ohio State University
Department of Mathematics
jkim@math.ohio-state.edu, jbest@math.ohio-state.edu

Fatih Olmez
Department of Mathematics
The Ohio State University
olmez@math.ohio-state.edu

Deena Schmidt
Case
dschmidt@case.edu

John Mcsweeney
Rose-Hulman Institute of Technology
mcsweene@rose-hulman.edu

Peter R. Kramer
Rensselaer Polytechnic Institute
Department of Mathematical Sciences
kramerp@rpi.edu

MS104

Characterizing Bistability in Stochastic Processes on Modular Neural Networks

Many real-world networks, including neuronal networks, exhibit modularity: their nodes can be partitioned into subsets with few links between, but many within. For a stochastic process on a network with two mutually inhibiting modules, we expect to observe bistability – alternating time intervals where each cluster is highly activated. In this talk we establish quantitative links between these vague notions of “bistability” and “modularity”, as they relate to sleep-wake cycling dynamics.

John McSweeney
samsi
mcsweene@rose-hulman.edu

MS105

Experimental Study of Electrothermal 3D Mixing using 3D MicroPIV

In lab-on-chips, micro-mixing is a keystone to perform fast and reproducible reactions. For the last thirty years, dynamical system community has demonstrated that chaotic mixing must involve at least 3 dimensions. Yet, microfluidic research community has scarcely studied 3D mixing. Meanwhile, electrokinetics has emerged as an elegant way to drive vortices. By overlapping vortices in 3 dimensions, we present an original time dependent (3D+1) micro-mixer. Flows periodically stretch and fold, inducing chaotic advection, which is characterized by 3D μ PIV.

Paul Kauffmann

University of California, Santa Barbara
kauffmann@engr.ucsb.edu

Sophie Loire
University of California Santa Barbara
sloire@engr.ucsb.edu

Igor Mezic
UCSB
mezic@engr.ucsb.edu

MS105

Chaotic Fluid Mixing for AC Electrothermal Flows by Blinking Vortices

We present an experimental and theoretical study of AC electrothermal chaotic mixing using blinking of asymmetric 2D and 3D electrothermal vortices. Electrothermal flows are modelled by finite element method using COMSOL software based on an enhanced electrothermal model. We use the mix-variance coefficient (MVC) and mix-norm on experimental particle detection data and numerical trajectory simulations to evaluate mixing at different scales including the layering of fluid interfaces by the flow, a key-point for efficient mixing. The blinking vortices method greatly improve mixing efficiency. The effect of blinking frequency and particle size is studied. Theoretical, experimental and simulation results of the mixing process will be presented.

Sophie Loire
University of California Santa Barbara
sloire@engr.ucsb.edu

MS105

Creation and Manipulation of Lagrangian Flow Structures in 3D ACEO Micro-flows

Flow forcing by AC electro-osmosis (ACEO) is a promising technique for the actuation of micro-flows. Its utilization to date mainly concerns pumping and mixing. However, emerging micro-fluidic applications often demand multiple functionalities within one device. This is typically achieved via complex system designs. The present study explores first ways by which this may be accomplished in a standard micro-channel via systematic creation and manipulation of 3D Lagrangian flow structures using ACEO.

Michel Speetjens
Laboratory for Energy Technology, Dept. Mech. Eng.
Eindhoven University of Technology
m.f.m.speetjens@tue.nl

Hans de Wispelaere
Eindhoven University of technology
h.n.l.d.wispelaere@gmail.com

Anton van Steenhoven
Eindhoven University of Technology
a.a.v.steenhoven@tue.nl

MS105

Understanding Chaotic Mixing and Reversal Using Linear Flow Models

It has long been known that convective diffusive irreversibility in reversing Stokes flows can be used to separate solutes based on diffusion. We consider a reversal

process in Stokes flows in the presence of weak diffusion using chaotic and non-chaotic flows. We seek to understand the distinct effects that chaotic flows have on the loss of reversibility relative to non-chaotic flows using rate-independent observables. I will present results from numerical simulation for comparison of the two classes of Stokes flows. Using linear flows as models, I will show that the decay of reversibility presents universal properties. In non-linear flows, I will show that this breaks down due to the distribution of strain rates. In the limit of infinitesimal diffusivity, chaotic flows exhibit qualitatively distinct behavior with complete loss of sensitivity to the level of noise. Finally, I will discuss the relevance of the study of convective diffusive irreversibility in reversing flows to mixing.

Pavithra Sundararajan
Cornell University
ps333@cornell.edu

Joseph Kirtland
Alfred University
jdk44@cornell.edu

Donald Koch
Cornell University
School of Chemical and Biomolecular Engineering
dlk15@cornell.edu

Abraham Stroock
Cornell University
ads10@cornell.edu

MS106

Elongated Swimming Particles in a Chaotic Advecting Flow

We investigate the dynamics of self-propelled, point-like particles advected in a two-dimensional chaotic flow. Swimming is modeled as a combination of fixed intrinsic speed and stochastic terms in translational and rotational equations of motion. Interaction of active particles with the dynamical structures of flow leads to macroscopic effects on particle transport. We work with both spherical and ellipsoidal swimmers and compare the two cases. We show that elongated swimmers with high speed get attracted to the unstable manifolds of hyperbolic fixed points; and their transport is enhanced relative to swimming spheres.

Nidhi Khurana
Yale University
nidhi.khurana@yale.edu

Nicholas T. Ouellette
Yale University
Department of Mechanical Engineering and Materials Science
nicholas.ouellette@yale.edu

MS106

Burning Manifolds in the Wake of a Cylinder

Passive chaotic advection in open flows, like in the flow around a cylindrical obstacle, is governed by an invariant chaotic set. The long-time trajectories cover the unstable manifold of the chaotic set, while its stable manifold separates the trajectories of different long-time behaviour. When an active process associated with front propagation

takes place in such flows, a possible approach to model the front motion concerns the particles on the front as fluid elements having an orientation besides their position. Their motion can then be investigated as a low order dynamical system, in the spirit of burning manifolds that serve as transport barriers in such “chemical flows”. Now we aim at investigating the behaviour of this extended dynamical system, taking the orientation of the front as an independent variable. We expect to gather information on how the location of the burning manifold depends on the initial front angle and velocity.

György Károlyi
Budapest University of Technology and Economics
karolyi@reak.bme.hu

Tamas Tel
Eötvös Loránd University, Hungary
Inst for Theoretical Physics
tel@general.elte.hu

MS106

Front Propagation in Fluid Flows: A Swimmer’s Perspective

This talk considers the generalization of passive advective transport to “active” media, specifically to media that support some kind of front propagation: for example, the expansion of chemical reaction fronts in microfluidic mixers or plankton blooms in large-scale oceanic flows. A low-dimensional nonlinear dynamics model, in which the front element can be viewed as a “swimmer” in the flow, is used to predict the existence—and to explain the properties—of robust, one-sided barriers to front propagation. We call these barriers burning invariant manifolds (BIMs). BIMs play a central role in guiding the propagating fronts through the medium, determining the patterns formed by the fronts, and in determining the average propagation speeds. We compare our theory to table-top experiments in magneto-hydrodynamically driven flows, and we highlight the role of BIMs for experimental phenomena, such as the mode-locking and pinning of reaction fronts.

Kevin A. Mitchell
Univ of California, Merced
School of Natural Sciences
kmitchell@ucmerced.edu

John R. Mahoney
University of California, Merced
jmahoney3@ucmerced.edu

MS106

Navigating the Lagrangian Flow Map – Globally Optimal Feedback Control of Underpowered Vehicles in Time-varying Flow Fields

The optimal feedback control problem of interest takes the form of a time-varying HJB PDE. The solution of this PDE – the “value function” – is the optimal cost-to-go as a function of space and time. In the simplest case, the vehicle speed is fixed, the value function depends solely on the position of the vehicle at the fixed final time (making it constant along optimal trajectories), and the optimal control is simply to steer down the gradient of the value function. Solving for the value function is difficult because it is neither C^1 nor C^0 , due to the presence of locally optimal trajectories and the small vehicle speed, respectively. Nevertheless, we compute the value function backwards in time

using a Godunov, semi-Lagrangian finite difference scheme. Moreover, we explain the relationship between the optimal control and the Lagrangian structure of the flow itself, observing the flow's mapping of optimal trajectories from 3D space-time to the 2D time slice of interest.

Blane Rhoads

University of California Santa Barbara
blane.rhoads@gmail.com

Igor Mezic

University of California, Santa Barbara
mezic@engineering.ucsb.edu

Andrew Poje

Mathematics
CUNY-Staten Island
poje@math.csi.cuny.edu

MS107

Time Delay and Symmetries in Antigenic Networks

In the studies of host-pathogen interactions, an important role is played by the structure of antigenic variants associated with a pathogen, as well as the properties of immune response. Using a model of antigenic variation in malaria, we illustrate how the methods of equivariant bifurcation theory can be used to analyse symmetry properties of antigenic networks and draw insightful conclusions about possible dynamical behaviours. Particular attention is paid to the role played by immune delay.

Konstantin Blyuss

University of Sussex
k.blyuss@sussex.ac.uk

MS107

Time Delays and Clustering in Neural Networks

We study the existence and stability of cluster states in a network of inherently oscillatory neurons with time delayed, all-to-all coupling. Cluster states are periodic solutions where the network splits into groups. Neurons within a group are synchronized, while neurons in different groups are phase-locked with a fixed phase difference. We reduce the system of delay differential equations to a phase model where the time delay enters as a phase shift and use this phase model to show how the time delay affects the stability of various symmetric cluster states. Analytical results are compared with numerical bifurcation studies of the full system of delay differential equations.

Sue Ann Campbell

University of Waterloo
Dept of Applied Mathematics
sacampbell@uwaterloo.ca

Ilya Kobelevskiy

Imaging Research
Sunnybrook Health Sciences Centre
ilya_kob@rogers.com

MS107

Designing Connected Vehicle Systems with Time Delays

Arising wireless communication technologies allow us establish interactions between distant vehicles. Incorporat-

ing such information in nonlinear vehicle controllers may extinguish nonlinear congestion waves triggered by human drivers. On the other hand, these connections usually include long delays which makes the design very challenging. In this talk we investigate the dynamics of connected vehicle systems at the linear and nonlinear level and lay out an experimental setup that allows one to test the designed algorithms.

Gabor Orosz

University of Michigan, Ann Arbor
Department of Mechanical Engineering
orosz@umich.edu

MS107

Spatio-temporal Patterns in Lattices of Delay-coupled Systems

In our recent publications [Phys. Rev. Lett. 107 (2011) 228102, Chaos 21 (2011) 047511] we show how spatio-temporal spiking patterns can be created in a ring of unidirectionally delay-coupled neurons. This talk reports about a higher-dimensional extension of this technique. In particular, arbitrary stable two-dimensional patterns can be created by a lattice of unidirectionally coupled neurons with periodic boundary conditions (torus) with appropriately adjusted time delays.

Serhiy Yanchuk

Humboldt University Berlin
yanchuk@math.hu-berlin.de

MS108

Synchronizing Frequency Selective Maps

In cognitive radio, it is frequently desirable to avoid interfering with other transmitters by removing certain frequencies from a signal to be transmitted. I show here that it is possible to design chaotic maps in which certain frequencies are absent, and that these maps may be self-synchronized. The synchronized maps are resistant to interference within the excluded frequency bands.

Thomas L. Carroll

Naval Research Laboratory
thomas.carroll@nrl.navy.mil

MS108

Chaotic Signals for Digital Communications

In this paper we present a system-level overview of the Chaos modem prototype that we have developed. Our Chaos modulation provides a BER lower than an uncoded BPSK and at the same time a bandwidth efficiency equal to that of BPSK with equivalent spreading. Improved LPI/LPD and AJ characteristics are also provided by our Chaos packets. Results on a communications video link developed on our FPGA Chaos hardware platform with A/D and D/A converters will be presented.

Roger Kuroda, Soumya Nag, Ning Kong, John Eldon
Datron World Communications, Inc.

Datron Advanced Technology Group
rkuroda@dtwc.com, snag@dtwc.com, nkong@dtwc.com, jeldon@dtwc.com

MS108**Harnessing Chaos for Digital Communications**

Chaotic signals have offered promise for secure communications for more than two decades, yet have faced challenges in terms of synchronization, computational precision, and modulation efficiency. Recent work at the Harris Corporation has harnessed the core chaotic processes via 'digital chaos' in both FPGA and DSP implementations to efficiently achieve the desired goals of secure chaotic communication systems within the bounds of practical software-defined hardware platforms.

Alan Michaels

Harris Corp.

Government Communications Systems Division
amicha01@harris.com

MS108**On the BER Performance of a Class of Chaotic Spreading Functions**

This paper aims to analyze the performance of a particular class of chaotic digital communication systems that uses a slice of a discrete-time chaotic function as the spreading sequence. Using the cubic map as the spreading function of choice, this paper investigates the temporal and statistical properties of the cubic map, and then derives an expression for the bit error rate probability for this class of systems. A similar analysis is performed for a digital communication system that uses a pseudorandom binary sequence as the spreading code. A comparison between the two systems shows that the latter possesses a lower probability of bit error at the expense of being easier to detect as compared to the chaotic digital communication system.

Ashitosh Swarup

AshRem Technologies

aswarup@ashremtech.com

MS109**Data Assimilation for Two Model Problems: Targeted Observations and Parameter Estimation**

We explore novel data assimilation (DA) techniques for two model problems, one forecasting the propagation of a front and the other a toy chaotic system. Using the local ensemble transform Kalman filter (LETKF) DA method, we demonstrate LETKF with targeted observations based on largest ensemble variance is *skillful* in outperforming LETKF with randomly located observations. We also apply the hybrid ensemble Kalman filter parameter estimation method LETKF+sEnKF to further improve state estimation skill.

Thomas Bellsky

Arizona State University

bellskyt@asu.edu

Eric J. Kostelich

Arizona State University

School of Mathematical & Statistical Sciences

kostelich@asu.edu

Alex Mahalov

departement of mathematics,

Arizona State University

mahalov@asu.edu

MS109**Lagrangian Data Assimilation for Point-Vortex Systems**

Assimilating Lagrangian data (e.g. those from ocean drifters) into point-vortex models to estimate the unobserved vortex centres is a challenging filtering problem due to nonlinear features of Lagrangian drifters that can fail the standard Kalman filter and its variants. Therefore, we adopt the particle filtering approach to assimilate information from different launching positions of tracers for various point vortex systems. The results will gain our understanding to the optimal launching positions to predict/track large-scale eddies.

Naratip Santitissadeekorn

North Carolina Chapel Hill

naratip.math@gmail.com

MS109**A Hybrid Ensemble Kalman/Particle Filter for Lagrangian Data Assimilation**

Lagrangian data assimilation involves using observations of the positions of passive drifters in a flow in order to obtain a probability distribution on the underlying Eulerian flow field. Several data assimilation schemes have been studied in the context of geophysical fluid flows, but many of these have disadvantages. In this talk I will give an overview of Lagrangian data assimilation and present results from a new hybrid filter scheme applied to the shallow water equations.

Laura Slivinski, Bjorn Sandstede

Brown University

laura_slivinski@brown.edu, bjorn_sandstede@brown.edu

Elaine Spiller

Marquette University

elaine.spiller@marquette.edu

MS109**Estimating Parameters in Stochastic Systems: A Variational Bayesian Approach**

Data assimilation can often be seen from a Bayesian perspective, however most operational implementations introduce approximations based on a very small number of samples (ensemble Kalman filter) to perform a statistical linearization of the system model, or seek an approximate mode of the posterior distribution (4DVAR). In statistics, alternative approaches are based on Monte Carlo sampling using particle filters or path sampling, neither of which is likely to scale well enough to be applied to realistic models in the near future. This work introduces a new approach to data assimilation based on a variational treatment of the posterior distribution over paths.

Michail D. Vrettas

Aston University

m.vrettas@berkeley.edu

MS110**The Influence of Local Interactions Between Plants and their Natural Enemies on Plant Diversity**

Seedling patterns resulting from plant mortality due to seed predators and pathogens are hypothesized to play a

key role in maintaining plant diversity, while limited seed dispersal may contribute to species coexistence. I investigate how different patterns of dispersal and plant mortality affect seedling spatial patterns, and how these patterns relate to plant coexistence using spatially explicit stochastic models that incorporate the multiple spatial and temporal scales over which these processes occur.

Noelle G. Beckman

The Ohio State University
beckman.57@mbi.osu.edu

MS110

Stochastic Automaton Model for Ant Foraging and Territorial Competition

We simulate cellular automaton with a set of individual-based rules to reproduce spatiotemporal dynamics arising from local interactions of ants in colony. Ants deposit diffusible chemical pheromone that modifies local environment for succeeding passages. Individual ants, then, respond to conspecific/heterospecific pheromone gradients, for example, by altering their direction of motion, or switching tasks. We describe ant's movement by reinforced random walk, and use game-theoretic framework for modeling territorial conflicts. We study patterns (foraging trails, territoriality, etc.) emerging from 'microscopic' interactions of individual ants. We derive macroscopic PDEs by considering continuum limits of the mechanistic microscopic dynamics, and compare the two models.

Arjun Beri, Arjun Beri

Mathematical Biosciences Institute
The Ohio State University
beri.3@mbi.osu.edu, beri.3@mbi.osu.edu

Debashish Chowdhury

Department of Physics
Indian Institute of Technology, Kanpur, India
debch@iitk.ac.in

Harsh Jain

Mathematical Biosciences Institute
The Ohio State University
hjain@fsu.edu

MS110

Trail Formation Based on Directed Pheromone Deposition

Ants are able to build trail networks on a very large scale. The trails are based on the deposition of small amount of chemicals called pheromones. In this talk, we introduce an Individual-Based Model to describe the formation of these networks. The novelty of the model is to consider deposited pheromones as small pieces of trails that each ant can follow. Numerically, we observe the emergence of large and flexible networks. We analyze how the trail patterns depend on the strength of the ant-pheromones interaction and show the existence of a phase transition. Finally, we introduce the kinetic and macroscopic limit of the model.

Sebastien Motsch

CSCAMM, University of Maryland
smotsch@cscamm.umd.edu

MS110

Derivation of Coarse-Grained Models of Bi-

Directional Pedestrian Traffic From Stochastic Microscopic Dynamics

Microscopic rules for pedestrian traffic in a narrow street or corridor are discussed and the corresponding stochastic system modeling the pedestrian bi-directional flow is introduced. Mesoscopic and macroscopic PDE models for the pedestrian density are derived. The macroscopic PDE model is a system of conservation laws which can change type depending on the strength of interaction between the pedestrian flows and initial conditions. Behavior of the stochastic and the coarse-grained models is compared numerically for several different regimes and initial conditions. Finally, nonlinear diffusive corrections to the PDE model are derived systematically. Numerical simulations show that the diffusive terms can play a crucial role when the conservative coarse-grain PDE model becomes non-hyperbolic.

Ilya Timofeyev

Dept. of Mathematics
Univ. of Houston
ilya@math.uh.edu

Alina Chertock

North Carolina State University
Department of Mathematics
chertock@math.ncsu.edu

Alexander Kurganov

Tulane University
Department of Mathematics
kurganov@math.tulane.edu

Anthony Polizzi

Tulane
apolizzi@math.tulane.edu

MS111

The Wiggling Trajectories of Bacteria

Many motile bacteria display wiggling trajectories, which correspond to helical swimming paths. We observe and quantify the helical wiggling trajectories of *Bacillus subtilis* and show that flagellar bundles with fixed orientation relative to the cell body are unlikely to produce wiggling trajectories with pitch larger than $4 \mu\text{m}$. On the other hand, multiple rigid bundles with fixed orientation, similar to those recently observed experimentally, are able to produce wiggling trajectories with large pitches.

Henry Fu

University of Nevada, Reno
Dept. Mechanical Engineering
hfu@unr.edu

MS111

Cellular Dynamics Involved in Immune Reactions During Healing Processes

We propose a partial differential equation model adapted from the principles of wound healing studies and analyze it to gain insights regarding the dynamics of immune cells/proteins following the insertion of a foreign body. Specifically we look at the multiple roles of macrophages and the conditions for stabilizing/destabilizing the equilibrium state. Furthermore, we investigate the impact of mesenchymal stem cells on the stability and the transient

behavior of the system.

Larrissa Owens

University of Texas at Arlington
larrissa.perkins@mavs.uta.edu

Jianzhong Su

University of Texas at Arlington
Department of Mathematics
su@uta.edu

Akif Ibragimov

Texas Tech University
akif.ibragimov@ttu.edu

MS111

Pairwise Interaction in Micro-swimming

A key observation in experiments and numerical simulations of suspensions of micro-swimmers is that 'pushing' organisms have a stronger tendency toward alignment compared to 'pulling' organisms. It is impossible to characterize the above phenomena without making reference to two-point statistics of the system such as orientational correlations of pairs of swimmers. It is therefore natural to seek an understanding of the behavior of an isolated pair of swimmers as a first step to understanding these systems. Such an analysis leads to a two way diffusion problem. Proper boundary conditions as well as approximate solution methods for this problem will be discussed. Subsequently the pairwise solution will be used to try to characterize the behavior of a multi-body suspension.

Kajetan Sikorski, Peter R. Kramer

Rensselaer Polytechnic Institute
Department of Mathematical Sciences
sikork@rpi.edu, kramep@rpi.edu

Patrick Underhill

Rensselaer Polytechnic Institute
Department of Chemical and Biological Engineering
underhill@rpi.edu

MS111

Multiscale and Hybrid Models of Bacterial Chemotaxis

Chemotaxis is the directed cell movement in response to external chemical signals. Bacterial chemotaxis is a critical process in bacterial infections and bioremediation. At the population level, bacterial chemotaxis has been modelled by macroscopic Patlak-Keller-Segel equations. However, these equations do not match recent experimental data in oscillatory signal fields. In this talk, I will present our recent progress in deriving PDE models of bacterial chemotaxis from descriptions of single-cell signalling and movement, and comparisons of PDE models with hybrid models that integrate more details of single cell signaling and movement. Through these results I will clarify the performance and applicability of PKS equations in modelling bacterial chemotaxis.

Chuan Xue

Ohio State University
cxue@math.osu.edu

MS112

A Time Since Last Infection-Dependent Epidemio-

logical Model

The aim of this work is to propose a model for infectious agents with transmission rates that vary during the infectious period, and/or that can cause reinfection. Existence, positivity, regularity, continuity of the solutions, and analysis of the existence and stability of equilibria is conducted using strongly continuous nonlinear semigroups. The model exhibits interesting outcomes, including existence of multiple endemic equilibria, backward bifurcations, and endemic equilibria even in the absence of vital dynamics.

Jorge Alfaro-Murillo

Department of Mathematics
Purdue University
alfaro@math.purdue.edu

MS112

Resistance to Larvicides in Mosquito Populations and How It Could Benefit Malaria Control

We model larviciding of mosquitoes taking into account the evolution of resistance to the larvicides, the evolutionary costs of resistance and the implications for malaria control. A possible malaria control strategy is to shorten this adult lifespan by larviciding with a potent larvicide to which mosquitoes become resistant. This novel strategy is studied using a mathematical model for the wild type and resistant mutants and by incorporating the malaria disease dynamics using an SEI type model with standard incidence that incorporates the latency period of the parasite in wild type and resistant mosquitoes.

Rongsong Liu

Departments of Mathematics and Department of Zoology
University of Wyoming
rliu1@uwyo.edu

MS112

Mathematical Modeling of the HIV/AIDS Epidemic in Cuba

HIV is a pandemic which has accounted for more than 30 million deaths since 1981. The Caribbean nation of Cuba, where HIV/AIDS prevalence is reported to be less than 0.1%, has remained remarkably unscathed. The success in Cuba can be attributed to its extremely effective national program for the prevention and control of HIV/AIDS, initiated in 1983. In this talk, I will discuss the strategies that the Cuban government has taken to monitor and manage the HIV/AIDS epidemic. I will present a detailed qualitative analysis of the governing nonlinear system of differential equations and then provide a more general model that divides the undiagnosed HIV-infected class into two classes, one containing individuals who acquired the infection via sexual transmission, and the other containing individuals who acquired the infection via nonsexual transmission, which can serve as a model for other regions of the world in which transmission by nonsexual means plays a substantial role.

Antonio Mastroberardino

Department of Mathematics
The Behrend College
axm62@psu.edu

MS112

Endemic Bubbles Generated by Delayed Behav-

Behavioral Response in Epidemic Models

Several models have been proposed to capture the phenomenon that individuals modify their behavior during an epidemic outbreak. This can be due to directly experiencing the rising number of infections, media coverage, or intervention policies. In this talk we show that a delayed activation of such a response can lead to some interesting dynamics. In the case of SIS type process, if the response is not too sharp, the system preserves global stability. However, for sharp delayed response, we can observe stability switches as the basic reproduction number is increasing. First, the stability is passed from the disease free equilibrium to an endemic equilibrium via transcritical bifurcation as usual, but a further increase of the reproduction number causes oscillations, which later disappear, forming a structure in the bifurcation diagram what we call endemic bubble.

Gergely Rost
Bolyai Institute, University of Szeged
Szeged, Aradi vértank tere 1, H-6720 Hungary
rost@math.u-szeged.hu

MS113

Computing Optimal Paths in Stochastic Dynamical Systems with Delay

Based on variational theory, we present a numerical method for computing optimal transition pathways in stochastic differential equations with delay. We compute the most probable transition path (represented as heteroclinic structures) resulting from the iterative solution of a two-point boundary value problem which minimizes the action in a corresponding deterministic Hamiltonian system. We apply it to continuous stochastic systems, such as noisy nonlinear oscillators, and large discrete systems, such as epidemic rare events.

Brandon S. Lindley
Naval Research Laboratory
blindley@nslsleah.nrl.navy.mil

MS113

Interplay of Bistability, Noise, and Time-delay in Semiconductor Lasers: Complex Dynamics and Potential Applications

I present experimental, numerical, and analytical results on noise induced square-wave (SW) switching in lasers with time-delayed feedback/coupling. The SWs are optically induced and controlled by the delay, making them attractive for applications. Stable SWs occur for adequate parameter regions; outside these regions the SWs are transient towards the model steady-states. Due to delay-noise interactions, we show that noise can be exploited to increase the duration of the SW transient.

Cristina Masoller
Universitat Politècnica de Catalunya (UPC)
Departament de Física i Enginyeria Nuclear (DFEN)
cristina.masoller@gmail.com

MS113

Synchronization of Degradate and Fire Oscillators by a Common Diffusible Activator

Delayed feedback has successfully been used to describe a variety of biological oscillators, both natural and synthetic.

A recent example is the application of a delayed negative feedback formalism (degrade and fire) to model a population of oscillators that are synchronized by a diffusible activating signal. We present analytical and computational results for the synchronization of an ensemble of degrade and fire oscillators which couple through a common delayed positive feedback signal.

William H. Mather
Virginia Tech
wmather@vt.edu

Jeff Hasty
Department of Bioengineering
University of California, San Diego
hasty@ucsd.edu

Lev S. Tsimring
University of California, San Diego
ltsimring@ucsd.edu

MS113

Statistical Multi-moment Bifurcations in Random Delay Coupled Swarms

We study randomly distributed time delay coupling on the dynamics of large systems of self-propelling particles. Bifurcation analysis reveals patterns with certain universal characteristics that depend on distinguished moments of the time delay distribution. We numerically and analytically show that complex bifurcating patterns depend on all of the moments of the delay distribution. Moreover, there is a noise intensity threshold that forces a transition of the swarm from a misaligned state into an aligned state.

Luis Mier-y-Teran
Johns Hopkins Bloomberg School of Public Health
lmier-y@jhsph.edu

Brandon S. Lindley
Naval Research Laboratory
blindley@nslsleah.nrl.navy.mil

Ira B. Schwartz
Naval Research Laboratory
Nonlinear Dynamical Systems Section
ira.schwartz@nrl.navy.mil

MS114

Leading from Within: New Leadership Models in Swarms

We report on efforts to analyze models of swarms with *covert leaders*. In three-zone swarming, individual behavior is driven by the position and orientation of neighboring individuals in each of three concentric zones, corresponding to repulsion, orientation and attraction respectively. The fundamental purpose of this research is to understand how leadership affects the underlying dynamics and information transfer within the swarm, and we discuss new stability boundaries for continuum models for swarming with leadership.

Louis F. Rossi
University of Delaware
rossi@math.udel.edu

MS114**A Nonlocal Continuum Model for Locust Phase Change and Swarming**

The desert locust *Schistocerca gregaria* has two interconvertible phases, solitary and gregarious. Solitary (gregarious) individuals are repelled from (attracted to) others, and crowding biases change towards the gregarious phase. We construct a model of the interplay between phase change and spatial dynamics leading to locust aggregations. The model is a system of nonlinear, nonlocal advection-reaction equations. We derive instability conditions for the onset of a locust aggregation, characterized by collective transition to the gregarious phase. Via a model reduction to ODEs describing the bulk dynamics of the two phases, we calculate the proportion of the population that will gregarize. Numerical simulations reveal transiently traveling clumps of insects and hysteresis.

Chad M. Topaz
Macalester College
ctopaz@macalester.edu

Maria D'Orsogna
CSUN
dorsogna@csun.edu

Leah Edelstein-Keshet
University of British Columbia
Department of Mathematics
keshet@math.ubc.ca

Andrew J. Bernoff
Harvey Mudd College
Department of Mathematics
ajb@hmc.edu

MS114**Social Intelligence: How Grouping Leads to Effective Information Use in Mobile Animals**

In this talk I will present some recent work on information and its use within swarming systems. I will outline some empirical results pertaining to information sharing in schooling fish. I will then present some reduced models based around simple coordination games, that capture the same qualitative features as the real systems, such as localized interaction, social influence, and rapid transitions to ordered states, but which allow some analytical treatment.

Colin Torney
Princeton University
ctorney@princeton.edu

MS114**Design and Prediction of Co-dimension One Pattern Formation of Non-local Collective Motion**

In this talk we present recent results on pattern formation of objects modeled by particles which obey non-local collective motion laws. More specifically, we develop a non-local linear stability analysis for particles which aggregate uniformly on a $d - 1$ sphere. Remarkably, linear theory accurately characterizes patterns in the ground states from the instabilities in the pairwise potential. This aspect of the theory allows us to design specified potentials which assemble into targeted patterns.

David T. Uminsky

University of San Francisco
Department of Mathematics
duminsky@usfca.edu

MS115**Efficient Computation of Invariant Tori in Volume Preserving Maps**

Volume preserving maps naturally arise in the study of incompressible fluid flows. Codimension one invariant tori play a fundamental role in the dynamics of these maps as they form boundaries to transport within the system. In this talk I will present a quasi-Newton scheme to compute the invariant tori of three-dimensional, volume-preserving maps. I will further show how this method can be used to predict the perturbation threshold for their destruction.

Adam M. Fox
University of Colorado, Boulder
adam.fox@colorado.edu

James D. Meiss
University of Colorado
Dept of Applied Mathematics
jdm@colorado.edu

MS115**Transport in a 3D + 1 Ocean**

A central theoretical difficulty in ring dynamics is the lack of unambiguous phenomenological criteria for quantifying their formation. We study the separation of Eddy Franklin, formed during the DeepWater Horizon incident, with the data assimilating Naval Research Laboratory RELO model. A strong hyperbolic region with intersecting stable and unstable 2D material surfaces marked ring separation. The hyperbolicity developed simultaneously at all levels. Intersecting stable and unstable manifolds provides an easily diagnosed signal of ring separation.

Denny Kirwan
University of Delaware
adk@udel.edu

Pat Hogan
Naval Research Laboratory, Stennis Space Center, MS
39529
pat.hogan@nrlssc.navy.mil

Helga S. Huntley
University of Delaware
helgah@udel.edu

Gregg Jacobs
NRL
gregg.jacobs@nrlssc.navy.mil

Bruce Lipphardt, Mohamed Sulman
SMSP, University of Delaware, Newark DE 19716
brucel@udel.edu, msulman@udel.edu

MS115**Finite-Time Transport in Aperiodic Volume-Preserving Flows**

We present a new method for computing the volumes of lobes comprising finite-time transport between arbitrarily-

defined regions in aperiodic volume-preserving flows. Compared to a standard volume integral approach, our method provides a reduction in dimension of the trajectory information necessary to compute these lobe volumes. We introduce the theory in 2D, and illustrate its application by computing transport within a simple model of a 3D aperiodic rotating Hills vortex.

Brock Mosovsky
Department of Applied Mathematics
University of Colorado, Boulder
brock.mosovsky@colorado.edu

MS115

Dynamical Systems Analysis of a Three-dimensional Time-dependent Ekman-driven Fluid Flow

Techniques from the dynamical systems theory are applied to study a 3-dimensional time-dependent fluid flow in a rotating cylinder. The circulation in this system is driven by a stress imposed at the upper surface. The motion in a radially symmetric steady background state is regular (non-chaotic), whereas the perturbed asymmetric time-dependent flow is characterized by the presence of both regular and chaotic fluid parcel trajectories, with regular regions acting as transport barriers. This is consistent with an extension of the KAM theorem. Chaotic motion arises as a result of resonances, and a formula for the resonance widths is derived. A simple kinematic model is used to study the geometry of barriers, manifolds, resonances, and other objects that provide a template for chaotic stirring in this flow. A high-resolution spectral element model is then used to check the validity of our results in realistic settings and to explore different parameter regimes.

Irina Rypina, Lawrence Pratt
Woods Hole Oceanographic Institution
irypina@whoi.edu, lpratt@whoi.edu

Tamay Ozgokmen
University of Miami/RSMAS
tozgokmen@rsmas.miami.edu

MS116

Observability-based Sensor Placement for Biological and Bio-inspired Systems

The focus of the work in this project is the exploration of the coupling of control and sensing in nonlinear dynamical systems. These methods are being developed with a focus on tracking of position and strength of vortices behind a pitching and heaving airfoil, strain sensor distribution in deformable insect wings for agile flight, and relative locations of sensors and actuators in engineered and biological systems.

Kristi Morgansen, Brian Hinson
Dept. of Aeronautics and Astronautics
U. of Washington
morgansen@aa.washington.edu,
bthinson@u.washington.edu

MS116

Designing Dynamics for Cooperative Learning by Multiple Agents

We consider the problem of designing distributed dynam-

ics capable of learning an unknown vector from intermittent, noisy measurements made by multiple agents subject to time-varying communication restrictions. We propose a simple individual agent dynamic and study performance of the interconnected system. Our main results bound the learning speed of these dynamics in terms of combinatorial measures of the time-varying graph sequence, which encodes the restricted communication among the agents.

Naomi E. Leonard
Princeton University
naomi@princeton.edu

Alexander Olshevsky
University of Illinois at Urbana-Champaign
aolshev2@illinois.edu

MS116

Distributed Control and Optimization for Spatiotemporal Sampling

This talk will present two approaches for optimization of spatiotemporal sampling with multiple vehicles. First, coordinated trajectories for sampling a parametrized flowfield are optimized using the empirical observability gramian from nonlinear observability. Second, sampling trajectories are designed for nonstationary fields in which the spatial and temporal statistics may vary in space and time. In both approaches, we use tools from nonlinear control, specifically Lyapunov-based control, to design decentralized algorithms for stabilization of multi-vehicle sampling formations.

Derek A. Paley, Levi DeVries, Nitin Sydney
University of Maryland
Department of Aerospace Engineering
dpaley@umd.edu, lddevrie@gmail.com,
sydney.nitin@gmail.com

MS116

Distributed Control of Mobile Sensing Resource Distribution in Flows

We consider distributed control policies to enable a team of homogeneous agents to maintain a desired spatial distribution in a geophysical flow environment. Stability properties of the ensemble dynamics of the distributed control policies are presented in the presence of uncertainty. Since realistic quasi-geostrophic ocean models exhibit double-gyre flow solutions, we use a wind-driven multi-gyre flow model to verify the proposed distributed control strategy and compare our control strategy with a baseline deterministic strategy.

Ira B. Schwartz
Naval Research Laboratory
Nonlinear Dynamical Systems Section
ira.schwartz@nrl.navy.mil

Ani Hsieh, Ken Mallory
Drexel University
mhsieh1@gmail.com, kmallory@gmail.com

MS117

Symmetries and Compositionality for Control in Complex Cyber-Physical Systems

This talk considers control of symmetric systems, which

are systems, typically cyber-physical systems, which are comprised of many diffeomorphically-related components that are interconnected in a regular manner. Specifically, we consider a set of generators, X , and an associated group, G . Two components are interconnected if $g_1 = sg_2$ with $s \in X$ and $g_1, g_2 \in G$. Two different systems, G_1 and G_2 , are defined as equivalent if they have the same generators and identical component dynamics (they will be different if they have different relations).

Bill Goodwine

University of Notre Dame
Department of Aerospace & Mechanical Engineering
jgoodwin@nd.edu

MS117

Incorporating Uncertainties in Dynamics and Observations for the Prediction Problems in Geophysical Systems

Abstract not available at time of publication.

Kayo Ide

Dept. of Atmospheric and Oceanic Sciences
University of Maryland, College Park
ide@umd.edu

MS117

Mixing with Natural Convection

The mixing properties of a natural convective flow inside a cubic box with time-dependent temperatures on the vertical walls are explored. We identify the symmetry planes, periodic lines and invariant surfaces for the corresponding Stokes problem following the methodology of Clercx and colleagues. Using Poincaré maps, elliptic and hyperbolic segments of the periodic lines are found. The topological changes introduced on the invariant surfaces due to a nonlinear perturbation, are briefly discussed.

Luis M. de la Cruz, Nicolas Rodriguez
Geophysics Institute
UNAM

luiggix@gmail.com, nick_corleone7@hotmail.com

Sebastian Contreras, Eduardo Ramos

Center for Energy Research
UNAM
sebastiancontrerasosorio@gmail.com, erm@cie.unam.mx

MS117

Nonlinear Effects of Electrostatics in Industrial Processes

Electrical charging of agitated grains is an archetypal example of a many-body system far from equilibrium that exhibits highly organized - and enormously powerful - collective behaviors such as multi-million volt lightning in sandstorms. In this talk, we present a simple yet predictive model for the charging of granular materials in collisional flows based on straightforward dynamical systems reasoning. We confirm the models predictions using discrete element simulations and a tabletop granular experiment.

Troy Shinbrot

Rutgers University
Chemical & Biochem Engineering
shinbrot@sol.rutgers.edu

MS118

Entire Solutions for Lattice Differential Equations with Obstacles

We construct entire solutions for scalar bistable lattice differential equations with obstacles in more than one spatial dimension. The method of proof is based on comparison principles. The anisotropy in the lattice complicates the construction of super-solutions as compared with the PDE case.

Aaron Hoffman

Franklin W. Olin College of Engineering
aaron.hoffman@olin.edu

Hermen Jan Hupkes

University of Leiden
Mathematical Institute
hhupkes@math.leidenuniv.nl

Erik Van Vleck

Department of Mathematics
University of Kansas
evanvleck@math.ku.edu

MS118

Positive Stationary Solutions and Spreading Speeds of KPP Equations in Locally Spatially Inhomogeneous Media

This paper mainly explores spatial spread and front propagation dynamics of KPP evolution equations with random or nonlocal or discrete dispersal in unbounded inhomogeneous and random media and reveals such an important biological scenario: the localized spatial inhomogeneity of the media does not prevent the population to persist and to spread, moreover, it neither slows down nor speeds up the spatial spread of the population. This is joint work with Dr. Wenxian Shen.

Liang Kong, Wenxian Shen

Auburn University
lzk0002@tigermail.auburn.edu, wenxish@mail.auburn.edu

MS118

Transition Fronts in Lattice Differential Equations

The purpose of this talk is two-fold. First we will provide an overview of the talks in both Part I and Part II of this minisymposium. Second we consider transition fronts for lattice differential equations in the presence of obstacles. Our interest is in both bistable and monostable dynamics. This is joint work with M. Brucal-Hallare, A. Hoffman, H.J. Hupkes, and A. Zhang.

Erik Van Vleck

Department of Mathematics
University of Kansas
evanvleck@math.ku.edu

MS119

Information Geometry and its Application in Space Tracking

Information geometry seeks to study the geometric structure of probability density function spaces. It is particularly useful when the uncertain system subject to study is neither Cartesian nor Gaussian. These features render

Cartesian and Gaussian classical approaches to uncertainty propagation ineffective. An example of such systems is tracking of space objects that satisfy Hamiltonian dynamics. This talk investigates the relationship between Hamiltonian dynamics-based uncertainty propagation and that dictated by the geodesic equation from information geometry.

Islam Hussein

Worcester Polytechnic Institute
ihussein@unm.edu

MS119

Symplectic Constraints with Applications to Spacecraft Navigation

We begin with an overview of symplectic constraints in Hamiltonian dynamical systems. We then discuss new results on the evolution of time-dependent symplectic cross-sections found in tube invariants of normally hyperbolic invariant manifolds, such as the libration points in the classic three-body problem. Finally, we discuss how these results might be applied to interplanetary space-mission design.

Jared M. Maruskin

San Jose State University
maruskin@math.sjsu.edu

MS119

Symplectic Semiclassical Wave Packet Dynamics

I will talk about the geometry and dynamics of semiclassical wave packets, which provide a description of the transition regime from quantum to classical mechanics. I will show how to formulate semiclassical mechanics from the symplectic-geometric point of view by exploiting the geometric structure of quantum mechanics; this approach effectively “strips away” quantum effects from quantum mechanics and incorporates them into the classical description of mechanics.

Tomoki Ohsawa

University of Michigan
Department of Mathematics
ohsawa@umich.edu

Melvin Leok

University of California, San Diego
Department of Mathematics
mleok@math.ucsd.edu

MS119

Mapping Probability Distributions Nonlinearly in Symplectic Dynamical Systems

The dynamical evolution of probability distributions in symplectic dynamical systems are studied, with an emphasis on systems mapped by Hamiltonian Dynamics. Fundamental conservation laws and constraints for symplectic systems are expressed in tangible ways for probability distributions, these include Liouville's Theorem, Gromov's Non-Squeezing Theorem, and the Integral Invariants of Poincaré-Cartan. These connections lead to implications and applications for the prediction of deterministic systems with uncertain initial conditions.

Daniel Scheeres

University of Colorado, Boulder
scheeres@colorado.edu

MS120

Diffusion-mapped Delay Coordinates for Time Scale Separation

An under-appreciated fact about attractor reconstruction is that the induced geometry of time-delay coordinates increasingly biases the reconstruction toward the stable directions as delays are added. This bias can be exploited, using the diffusion maps approach to dimension reduction, to extract dynamics on desired time scales from high-dimensional observed data. We discuss the technique and its application to video data from experiments.

Tyrus Berry

George Mason University
tyrus.berry@gmail.com

Timothy Sauer

Department of Mathematics
George Mason University
tsauer@gmu.edu

MS120

Diffusion Maps as Invariant Functions of Dynamical Systems

We apply diffusion maps to obtain a representation of the ergodic quotient of a dynamical system. The ergodic quotient is the joint image set of all flow-invariant functions, numerically approximated by averages of Fourier harmonics along trajectories. The dominant elements of the diffusion map act as flow-invariant functions whose level-sets are invariant regions of homogeneous dynamics, e.g., resembling integrable systems. We discuss the potential to use diffusion geometry in obtaining a model-free bifurcation analysis.

Marko Budisic

Department of Mechanical Engineering
University of California, Santa Barbara
mbudisic@engr.ucsb.edu

Igor Mezic

University of California, Santa Barbara
mezic@engineering.ucsb.edu

MS120

Diffusion Embeddings of Parameterized Difference Equations

In this talk I will present some results on how one can use diffusion maps to embed parameterized difference equations. As the parameters of the difference equation are changed, the geometry of the system changes as well. In joint work with Ronald Coifman and Roy Lederman, we use a single low dimensional embedding space to track changes in the intrinsic geometry of the system as the parameters are changed.

Matthew J. Hirn

University of Maryland
College Park
matthew.hirn@yale.edu

Roy Lederman

Yale University
roy.lederman@yale.edu

Ronald Coifman

Yale University
Department of Computer Science
coifman@math.yale.edu

MS120

Diffusion Maps for Model Reduction of Dynamics with Symmetries

In the first part of this talk we will review the diffusion maps framework for non-linear dimensionality reduction of data. We then introduce vector diffusion maps, which is a recent generalization of diffusion maps that is based on vector fields instead of scalar functions, and is particularly useful for data with underlying symmetries, with and without dynamics.

Amit Singer, Ioannis Kevrekidis
Princeton University
amits@math.princeton.edu, yannis@princeton.edu

MS121

Cascades in Interdependent Networks

Abstract not available at time of publication.

Raissa D'Souza
UC Davis
raissa@cse.ucdavis.edu

MS121

Approximation Methods for Dynamics on Networks

I will briefly review several analytical approaches for dynamics on networks, with a special focus on cascade dynamics.

James P. Gleeson
University of Limerick
Dept. of Mathematics and Statistics
james.gleeson@ul.ie

MS121

Limited Imitation Social Contagion as a Model of Fashions

We study binary state contagion dynamics on a social network where nodes act in response to the average state of their neighborhood. We model the competing tendencies of imitation and non-conformity by incorporating an off-threshold into standard threshold models of behavior. In this way, we attempt to capture important aspects of fashions and general societal trends. Allowing varying amounts of stochasticity in both the network and node responses, we find different outcomes in the random and deterministic versions of the model. In the limit of a large, dense network, however, these dynamics coincide. The dynamical behavior of the system ranges from steady state to chaotic depending on network connectivity and update synchronicity. We construct a mean-field theory for general random networks. In the undirected case, the mean-field theory predicts that the dynamics on the network are a smoothed version of the average node response dynamics. We compare our theory to extensive simulations on Poisson random graphs with node responses that average to the chaotic tent map.

Kameron D. Harris

University of Washington
kamerondeckerharris@gmail.com

Chris Danforth
Mathematics and Statistics
University of Vermont
chris.danforth@uvm.edu

Peter Dodds
Department of Mathematics and Statistics
The University of Vermont
peter.dodds@uvm.edu

MS121

Dynamics on Modular Networks with Heterogeneous Correlations

Abstract not available at time of publication.

Sergey Melnik
University of Limerick, Ireland
sergey.melnik@ul.ie

MS122

A Framework for Approximate Reduced Models of Multiscale Systems with Nonlinear and Multiplicative Coupling

We develop a new framework for approximate reduced models of multiscale processes. This framework approximates the parameterized coupling terms in a reduced model through their first-order Taylor expansion, which, in turn, is computed via the Fluctuation-Dissipation theorem. We demonstrate computationally that this framework is suitable for multiscale systems with nonlinear and multiplicative coupling.

Rafail Abramov
Department of Mathematics, Statistics and Computer Science
University of Illinois at Chicago
abramov@math.uic.edu

MS122

Local Learning of Stochastic Dynamical Systems

In Chemistry and Biology many people are interested in simulating how a system of molecules interacts over a large period of time. In order to obtain a long path of the molecules in the system, the standard method is to compute all the forces between all the atoms at each time step and move forward in time. Unfortunately this dynamical system is very stiff, and so we have to take very small time steps (on the order of 10^{-15} s). I will outline a procedure that uses machine learning techniques to automatically learn a SDE that well represents the dynamics of the system. The SDE we learn will no longer depend upon doing expensive force field computations and can take larger time steps.

Miles Crosskey
Rensselaer Polytechnic Institute
mmc31@duke.edu

MS122

Dimension Reduction in Systems with Moderate

Separation of Time Scales

We develop effective stochastic models for moderately separated "slow-fast" systems by eliminating non-essential fast modes. Two approaches of the stochastic mode-reduction strategy are presented. One is to reduce the dimension of the original full system through a slow manifold, the other is homogenization. We present some examples and numerical simulations motivated by the shallow-water equation.

Xingye Kan
Illinois Institute of Technology
xykan@ima.umn.edu

MS122

Dynamics of Nanomagnets with Spin-transfer Torques

Driving nanomagnets by spin-polarized currents offers exciting prospects in magnetoelectronics, but the response of the magnets to such currents remains poorly understood. We show that an averaged equation describing the diffusion of energy on a graph captures the low-damping dynamics of these systems, and agrees with experimental observations. We then extend this averaging technique to spatially extended systems described by stochastic partial differential equations.

Katherine Newhall
Courant Institute of Mathematical Science
New York University
newhall@cims.nyu.edu

Eric Vanden-Eijnden
Courant Institute
New York University
eve2@cims.nyu.edu

MS123

Modeling Age and Size Based Division of Labor in Fire Ant Workers

The size of single-queen, or monogyne colonies of fire ant may contain as many as a quarter million of workers of various sizes. Worker polymorphism in the fire ant (*Solenopsis invicta*) is common and there is a correlation between the body size/age and tasks of workers. Young workers tend to spend more time within the nest by feeding or grooming larvae/queen. As workers get older, their duties shift from the brood-tending to foraging which is the most dangerous job of worker ants. Since the size of colony is the primary factor to determine the survival of the queen, if the foragers are selected from all workers at random without regard to age, it would lower the average lifespan of workers. Therefore, more resources must be invested toward worker production. This means a reduction in sexual alate production. In this project, we construct models to examine how the physical and temporal castes of workers affect the colony size compared to a colony of random-age foragers.

Erika Asano
Department of Environmental Science, Policy and Geography
University of South Florida St.Petersburg
easano@mail.usf.edu

MS123

Disease Spread on Long Distance Travel Networks

Recent epidemics like the SARS outbreak and the 2009 pandemic influenza A(H1N1) highlighted the role of the global human transportation network played in the worldwide spread of infectious diseases. We introduce an SIR-based model to describe the temporal evolution of an epidemic in regions connected by long distance travel, such as intercontinental flights. Literature study of revealed on-board transmission of influenza in flights even with a duration of less than 8 hours, hence we include the possibility of transmission of the disease during travel. We obtain that an age structured model where age is the time elapsed since the start of the travel leads to a nonlinear system of functional differential equations. We determine some fundamental properties of the model and the reproduction number. We parametrize the model and use real demographic and air traffic data for specific regions. We validate our approach fitting the model to the first wave of the 2009 influenza pandemic.

Diana Knipf
Bolyai Institute
University of Szeged
knipf@math.u-szeged.hu

MS123

Age of Maturity and Threshold Phenomena in Age Dependent Populations

We consider an age structured population model having the special feature that the age of maturity of an individual at a given time depends on the history of the age of maturity, and the history of the population density, at that time. This is manifested as a threshold condition for the resource consumption of the immature population. Using this as motivation, we are led to a more general situation which takes the form of an abstract algebraic delay-differential system. We discuss the progress made on this project. This work is the result of a collaboration with Dr. Felicia Magpantay and Dr. Jianhong Wu.

Nemanja Kosovalic
Department of Mathematics and Statistics
York University
nemanjak@mathstat.yorku.ca

MS123

Disease Permeability of a Dynamic Social Network

In this study, we investigate the capacity of a newly introduced infectious disease to destabilize a social contact process, and drive that process to a new steady state. Initially, we estimate a set of social contact parameters at the dyad level using empirical data from a well-studied herbivore. We then validate rule performance in recapturing empirically observed higher-order network properties through simulation of dynamic networks. Next, we examine the interacting effects of transmission probability, virulence, and infectious period on the efficiency with which a disease spreads through a dynamic (and evolving) social contact network. Finally, we assess the capacity of the introduced disease to push the social contact process to a new steady state.

Kezia Manlove
Penn State University
krm17@psu.edu

MS124**Synchronization of Small Networks of Electrochemical Oscillators on Macro- and Microscale**

Experimental results are presented in which the dynamical features of 2-20 electrochemical oscillating units are characterized as the network properties of coupling between units are tuned. In a macroscopic design the coupling is induced by cross-resistances between electrodes; in the lab-on-chip design the coupling is inherent determined by the geometry of the cell. The effects of network topology on identical synchronization, clustering, and formation of chimera states are investigated.

Istvan Z. Kiss

Dept. of Chemistry, Saint Louis University
Saint Louis, USA
izkiss@slu.edu

Mahesh Wickramasinghe
Saint Louis University
mwickram@slu.edu

Yanxin Jia

Department of Chemistry
Saint Louis University
yjia4@slu.edu

MS124**Realization of Chimera States in a Network of Mechanical Oscillators**

Chimeras are counterintuitive states where a population of identical oscillators splits into two parts, with one synchronizing and the other oscillating incoherently. While many theoretical studies have been performed, the origin and role of chimeras in nature and technology has remained elusive. We present the first purely mechanical realization of chimeras and show that chimeras emerge naturally in a competition of two antagonistic synchronization patterns, and analyze a model and its bifurcation scenarios in detail.

Erik Andreas Martens

Max Planck Institute for Dynamics & Self-Organization
eama@aqua.dtu.dk

Shashi Thutupalli

Dept. of Mech. & Aerospace Eng., Princeton University
Princeton, USA
shashi@princeton.edu

Antoine Fourrière, Oskar Hallatschek

Max Planck Institute of Dynamics & Self-Organization
antoine.fourriere@ds.mpg.de,
oskar.hallatschek@ds.mpg.de

MS124**Quasiperiodic Dynamics in Ensemble of Nonlinearly Coupled Electronic Oscillators**

We perform experiments with 72 electronic limit-cycle oscillators with global nonlinear coupling. With increase of coupling we observe a desynchronization transition to a quasiperiodic state. In this state the mean field is, however, non-zero, but the mean field frequency is larger than frequencies of all oscillators. We analyze effects of common periodic forcing of the ensemble and demonstrate regimes

when the mean field is entrained by the force whereas the oscillators are not.

Michael Rosenblum

Potsdam University
Department of Physics and Astronomy
mros@uni-potsdam.de

Amirkhan Temirbayev, Yerkebulan Nalibayev

al-Farabi Kazakh National University
Almaty, Kazakhstan
amirkhant@gmail.com, ednalibaev@gmail.com

Zeinulla Zhanabaev

al-Farabi Kazakh National University
Kazakhstan
kenvp@kazsu.kz

Vladimir Ponomarenko

Institute of Radio-Engineering and Electronics, RAS
Saratov, Russia
ponomarenkovi@gmail.com

MS124**Collective Dynamics of Self Propelled Droplet Populations**

Self propelled particles (SPPs) typically carry their own energy and are not propelled simply by the thermal buffeting due to the environment. As non-equilibrium entities, they are not restricted to classical equilibrium constraints. We developed microscale self-propelled droplets which can be produced in large numbers and with high monodispersity, allowing us to perform experiments on large ensembles of such SPPs. We will discuss their non-equilibrium statistical mechanics and collective dynamics such as flocking and rectification.

Shashi Thutupalli

Dept. of Mech. & Aerospace Eng., Princeton University
Princeton, USA
shashi@princeton.edu

Stephan Herminghaus

Max Planck Institute for Dynamics and Self-Organization
stephan.herminghaus@ds.mpg.de

MS125**Predator-prey Interactions Using Particle Models**

We discuss an aggregation model of predator-prey interactions. In the absence of predators, prey are represented by a particle system for which the steady state consists of a swarm of uniform density. Adding a predator introduces interesting dynamics into the system. We give some analytical results concerning the shape of the resulting swarm and stability of the predator-prey interactions. Joint work with Yuxin Chen.

Theodore Kolokolnikov

Dalhousie University
tkolokol@mathstat.dal.ca

MS125**Inferring Individual Rules Through the Dynamics of Phase Transitions in Collective Motion**

Connecting observations of collective motion in animal

groups to individual-based models usually involves averaging over time and space to obtain a clear signal from each for comparison. However, many dynamic processes require the temporal component to be maintained in order for models to shed light on the process. Here, I study the evolution of order from disordered states in both models, and in actual observations of collective motion in an aquatic duck, to (a.) determine signatures of the transition, and (b.) determine what model components and parameters reproduce properties of the transition. We find evidence reinforcing previous observations on relative magnitudes of interaction forces in this biological system.

Ryan Lukeman
Department of Mathematics, Statistics and Computer Science
St. Francis Xavier University
rlukeman@stfx.ca

MS125

Field Experiments and Tracking of Animal Groups in 3d

The key to comprehend the mechanisms of collective animal motion is to obtain quantitative empirical data of individual trajectories of group members. We present new results both for flocks of starlings and swarms of midges recorded in the field using a stereographic camera system and tracked in the 3dimensional space using a built in home algorithm. In this talk I will describe our experimental setup and show main results of the tracking algorithm.

Stefania Melillo
Institute for Complex Systems Sapienza University of Rome
stefania.melillo79@gmail.com

MS125

Emergent Dynamics of Laboratory Insect Swarms

Emergent collective behavior, in flocks, swarms, schools, or crowds, is exhibited throughout the animal kingdom. Many models have been developed to describe swarming and flocking behavior using systems of self-propelled particles obeying simple rules or interacting via various potentials. Little empirical data, however, exists for real biological systems that could be used to benchmark these models. To fill this gap, we report measurements of laboratory swarms of flying *Chironomus riparius* midges, using stereomaging and particle tracking techniques to record three-dimensional trajectories for all the individuals in the swarm. We present a statistical characterization of the emergent behavior of the swarms, as well as a characterization of the small-scale interactions.

Nicholas T. Ouellette
Yale University
Department of Mechanical Engineering and Materials Science
nicholas.ouellet@yale.edu

MS126

Probabilistic Source Regions and the Role of Lagrangian Coherent Structures

For many applications, particle back-trajectories are essential. Recent results show that a new interpretation of the FTLE field can explain the varied origin of particles sampled sequentially at a geographically fixed location. By in-

cluding subgrid turbulence, a stochastic process, the notion of probabilistic source regions emerge. A related important notion is the persistent barrier, connected to instantaneous saddle points of the Eulerian field, which may lead to the most diverse samples in terms of origins.

Amir Ebrahim Bozorg Magham
Virginia Tech
aebm@vt.edu

Shane D. Ross
Virginia Tech
Engineering Science and Mechanics
sdross@vt.edu

MS126

The Ecology of Mixing

Detailed understanding of biophysical transport in coastal upwelling systems is critical for effective ecosystem management. Using an ocean model of the California Current system, we discuss kinematics of patchiness generation for buoyant Lagrangian particles (plankton). Particle aggregation is strongly controlled by coherent structures and particularly eddy merging. We review and compare metrics to quantify patchiness (or mixedness) of this biophysical flow, including variance based and fractal metrics, which give surprisingly similar results for this system.

Cheryl Harrison
College of Earth, Ocean and Atmospheric Science
Oregon State University
chsharrison@gmail.com

MS126

Grand Lagrangian Deployment (glad): Dispersion Characteristics in the Northern Gulf of Mexico

Initial dispersion, residence time, and advective pathway results obtained from the nearly simultaneous deployment of some 300 surface drifters in the vicinity of the DeSoto Canyon are reported. The goal of the GLAD experiment was to characterize, with unprecedented statistical significance, multi-point and multi-scale dispersion properties of the flow in the region of the Deepwater Horizon spill site including demarcation of the advective pathways between the Canyon and larger-scale flow features in the Gulf. For the initial time period considered, relative dispersion is found to be controlled by local dynamics. Very limited exchange, either across-shelf or with nearby mesoscale features, was observed.

Tamay Ozgokmen
University of Miami/RSMAS
tozgokmen@rsmas.miami.edu

Andrew Poje
CUNY / College of Staten Island
andrewpoje@gmail.com

Bruce Lipphardt
SMSP, University of Delaware, Newark DE 19716
brucel@udel.edu

Brian Haus
University of Miami
bhaus@rsmas.miami.edu

Gregg Jacobs
NRL
gregg.jacobs@nrlssc.navy.mil

Ad Reniers, M. Josefina Olascoaga, Edward Ryan,
Guillaume Novelli
University of Miami
areniers@rsmas.miami.edu, jolascoaga@rsmas.miami.edu,
eryan@rsmas.miami.edu, gnovelli@rsmas.miami.edu

MS126

Trajectory Complexity Methods and Lagrangian Coherent Structures in 3D Fluid Flows

We consider methods for identifying Lagrangian coherent structures (LCS) in both 2D and 3D geophysical fluid flows using individual trajectory complexities. Particular two complexity methods - the correlation dimension and ergodicity defect - are discussed in the context of several examples. The theoretical and practical advantages and disadvantages of the complexity methods in comparison to other standard methods is also discussed.

Sherry Scott
Department of Mathematics
Marquette University
sherry.scott@mu.edu

Irina Rypina, Lawrence Pratt
Woods Hole Oceanographic Institution
irypina@whoi.edu, lpratt@whoi.edu

Mike Brown
RSMAS
Miami University
mbrown@rsmas.miami.edu

MS127

Functional Relevance of Activity Propagation in V1

Combining optical imaging of voltage-sensitive dye in awake behaving monkey with appropriate denoising and signal processing methods, we prove the existence of activity propagation at single-trial level. Such propagations generate dynamic lateral interactions within cartographic representations that have strong functional implications. For instance, interactions between feedforward waves of activity and lateral interactions can be at the origin of context-dependent dynamic input normalization linked to the emergence of global mesoscopic signal.

Frederic Chavane
CNRS
Institut de Neurosciences de la Timone
frederic.chavane@univ-amu.fr

Alexandre Reynaud
Mc Gill University
alexandre.reynaud@gmx.com

Lyle Muller, Alain Destexhe
CNRS UNIC
lyle.e.muller@gmail.com, destexhe@unic.cnrs-gif.fr

MS127

Complex Oscillatory Patterns in a Neuronal Net-

work with Adaptation and Lateral Inhibition

Recent studies of a firing rate model for two mutually inhibitory neuronal populations show the existence of several dynamical regimes, including mixed-mode oscillations. We extend these results to a spatially distributed network characterized by local excitatory and long-range inhibitory connections and firing rate neuronal adaptation. We show that intricate spatio-temporal patterns derived from the mixed-mode solutions seen in the reduced model can occur in certain parameter regimes.

Rodica Curtu
University of Iowa
Department of Mathematics
rodica-curtu@uiowa.edu

MS127

Spatially Coherent Dynamics in a Pair of Interacting Neural Field Layers

Given the ubiquity of interconnected regions in the brain, we present a model for a pair of interacting neural field layers which could represent two different reciprocally connected layers of brain tissue, brain regions, or pools of neurons within the same layer. We study the existence and stability of stationary solutions and explore bifurcations to stationary and spatially-coherent oscillatory solutions in neural fields with excitation and inhibition, including effects of adaptation and inhomogeneous inputs.

Stefanos Folias
Department of Mathematical Sciences
University of Alaska Anchorage
sfolias@uaa.alaska.edu

MS127

Waves in Random Neural Media

While travelling waves in homogeneous neural media are relatively well-studied, little work has been done on spatially and/or temporally heterogeneous media. I will show some recent results in this direction obtained using numerical techniques developed for the study of stochastic partial differential equations.

Carlo R. Laing
Massey University
Auckland
c.r.laing@massey.ac.nz

MS128

Controlling Collective Behavior

A key problem is how to apply a efficient control strategies so that a network dynamics is exploited to obtain a desired ordered collective behavior. In this talk, we address this issue and also present an adaptive decentralized pinning control technique that impose a desired dynamics to the network. We also assess the interplay between the synchronization state stability and the controller action to achieve the desired controlled dynamics.

Elbert E. Macau
INPE - Brazilian National Institute for Space Research
LAC - Laboratory for Computing and Applied Mathematics
elbert@lac.inpe.br

MS128**Do the Functional Networks Reveal the Structural Organization?**

Experimental results typically do not access the network structure, which is then inferred by the node dynamics. From the dynamics one constructs a network of functional relations, termed functional network. A fundamental question towards the understanding of complex systems concerns the relation between functional and structural network. We show that the functional network can drastically differ from the topological network. We uncover the mechanism for this abrupt change between functional and structural networks.

Tiago Pereira
Department of Mathematics
Imperial College, London, UK
tiagophysics@googlemail.com

MS128**Dynamics of Synchronous Neurons**

Neural synchronization is of interest in the stages of sleeping, seizures, Parkinsons disease, depression, and more. Here we (1) describe neuron model equations based on the Huber and Braun (HB) work, (2) show their wide range firing regimes, (3) discuss how these neurons develop patterns of synchronous behavior, and (4) extend the model to the multi-compartment case applied to the crab stomatogastric neural system.

Epaminondas Rosa
Illinois State University
Department of Physics
erosa@ilstu.edu

MS128**How to Select Neighbors for Robust Consensus**

Network topology plays a critical role in collective behaviour, influencing the outcome, speed and robustness of group decision-making. We gain insight into the effects of a directed communication network on robustness of consensus to noise by extending the notion of effective resistance from undirected graphs. This allows us to relate structural features of the directed graph to the group robustness and derive rules by which individuals can change their neighbours to improve performance.

George F. Young
Department of Mechanics & Aerospace Engineering
Princeton University, Princeton, USA
gfyong@princeton.edu

Luca Scardovi
Department of Electrical and Computer Engineering
University of Toronto
scardovi@scg.utoronto.ca

Naomi E. Leonard
Princeton University
naomi@princeton.edu

MS129**Turing Patterns for Nonlocal Diffusive Systems**

Many physical and biological processes occur with long-

range interaction, giving rise to nonlocal in space operator equations. These operators are diffusive-like but are bounded rather than unbounded as is the case of the diffusion operator. We study systems which include such nonlocal operators and show that Turing instabilities also occur, producing patterned stable states.

Peter W. Bates
Michigan State University
Department of Mathematics
bates@math.msu.edu

Guangyu Zhao
University of The West Indies, Barbados
gzhao@math.miami.edu

MS129**Solitary Waves in the FPU Chain: A New Exact Solution**

We consider solitary wave solutions in the Fermi-Pasta-Ulam problem with piecewise linear nearest-neighbor interactions. We show that in this case the problem reduces to a Fredholm integral equation of the second kind, which can be solved explicitly using the Wiener-Hopf method. Taking advantage of the availability of an exact solution, we test the limits of applicability of the simplest quasicontinuum approximations of the discrete problem. We show that in agreement with the results of Friesecke and Matthies (2002), atomic-scale localization occurs in the high-energy limit. Numerical simulations suggest stability of the obtained solutions above a certain velocity threshold.

Lev Truskinovsky
Laboratoire de Mechanique des Solides
Ecole Polytechnique
trusk@lms.polytechnique.fr

Anna Vainchtein
Department of Mathematics
University of Pittsburgh
aav4@pitt.edu

MS129**Traveling Wave Solutions with Mixed Dispersal for Spatially Periodic Fisher-KPP Equations**

Traveling wave solutions to a spatially periodic nonlocal/random mixed dispersal equation with KPP nonlinearity are studied. By constructions of super/sub solutions and comparison principle, we establish the existence of traveling wave solutions with all propagating speeds greater than or equal to the spreading speed in every direction. For speeds greater than the spreading speed, we further investigate their uniqueness and stability.

Aijun Zhang
University of Kansas
azhang@math.ku.edu

MS130**Topological Changes in Chaotic Invariant Sets**

In this talk we reveal the existence of a new codimension-1 curve that involves a topological change in the structure of the chaotic invariant sets (attractors and saddles) in generic dissipative systems with Shilnikov saddle-foci. This curve is related to some spiral-like structures that appear

in the biparameter phase plane. We show how this curve configures the spiral structure (via the doubly-superstable points) originated by the existence of Shilnikov homoclinics and how it separates two regions with different kind of chaotic attractors or chaotic saddles. Inside each region, the topological structure is the same for both, chaotic attractors and saddles.

Sergio Serrano, Roberto Barrio
University of Zaragoza, SPAIN
sserrano@unizar.es, rbarrio@unizar.es

Fernando Blesa
University of Zaragoza
fblesa@unizar.es

MS130

Global Study of 2D Dissipative Diffeomorphisms with a Homoclinic Figure-eight

We consider 2D diffeomorphisms having a homoclinic figure-eight to a dissipative saddle. We study the rich dynamics that they exhibit under a periodic forcing. Generically the manifolds split and undulate giving rise to a large bifurcation diagram. Many tools to study it and to detect the (co)existent attractors will be presented. The qualitative description of the global dynamics in a fundamental domain is complemented with the analysis of a return model that provides quantitative data.

Arturo Vieiro
University of Barcelona
SPAIN
vieiro@maia.ub.es

Sergey V. Gonchenko
University of Nizhny Nodgorov
gonchenko@pochta.ru

Carles Simó
University of Barcelona
carles@maia.ub.es

MS130

Symbolic Tools for Deterministic Chaos

Computational technique based on the symbolic description utilizing kneading invariants is proposed for explorations of parametric chaos in three exemplary systems with the Lorenz attractor: the iconic Lorenz equations from hydrodynamics, the Shimizu-Morioka model - a normal model from mathematics, and a laser model from nonlinear optics. The technique allows for uncovering the stunning complexity and universality of the patterns discovered in the bi-parametric scans of the given models and detects their centers organizing a plethora of spiral structures codimension two T(erminal)-points and separating saddles in intrinsically fractal regions corresponding to complex chaotic dynamics.

Tingli Xing
Georgia State University
USA
txing1@student.gsu.edu

Jeremy Wojcik
GSU
wojcik.jeremy@gmail.com

Roberto Barrio
University of Zaragoza, SPAIN
rbarrio@unizar.es

Andrey Shilnikov
Neuroscience Institute and Department of Mathematics
Georgia State University
ashilnikov@gsu.edu

MS131

A Practical Mathematical Model of Intermittent Androgen Suppression for Prostate Cancer

Prostate cancer is an ideal target for preparing mathematical tools to treat diseases because there is a commonly used tumor marker and a good but temporarily effective hormone therapy. In this talk, we summarize the recent advancements of mathematical modeling of prostate cancer. Our special focus is on robustly personalizing a treatment schedule of intermittent androgen suppression. Some general mathematical problems that should be considered in the future will be also discussed.

Yoshito Hirata
Institute of Industrial Science
The University of Tokyo
yoshito@sat.t.u-tokyo.ac.jp

Koichiro Akakura
Department of Urology, Tokyo Kosei Nenkin Hospital,
Japan
akakurak@tkn-hosp.gr.jp

Celestia Higano
Department of Medicine, University of Washington and
Fred Hutchinson Cancer Research Center
thigano@u.washington.edu

Nicholas Bruchovsky
Vancouver General Hospital
nbeinc@telus.net

Kazuyuki Aihara
JST/University of Tokyo, Japan
Dept of Mathematical Sciences
aihara@sat.t.u-tokyo.ac.jp

MS131

A Model of Personalized Androgen Ablation Therapy for Metastatic Prostate Cancer

Metastatic prostate cancer is treated with continuous androgen ablation. However, this approach eventually fails due to progression to a castration-resistant state. Here, we present a biochemically-motivated model of prostate cancer growth that incorporates a number of personalized parameters. The model is used to retrospectively analyze patient case histories in order to: (i) investigate the benefits of continuous versus intermittent androgen ablation; and (ii) to evaluate the potential of these parameters as biomarkers for significant disease.

Harsh Jain
Mathematical Biosciences Institute
The Ohio State University
hjain@fsu.edu

MS131**Immunotherapy with Androgen Deprivation Therapy May Stabilize Prostate Cancer**

A mathematical model of advanced prostate cancer treatment is developed to examine the combined effects of androgen deprivation therapy and immunotherapy. The model presented in this paper examines the efficacy of dendritic cell vaccines when used with continuous or intermittent androgen deprivation therapy schedules. Numerical simulations of the model suggest that immunotherapy can successfully stabilize prostate cancer growth using either continuous or intermittent androgen deprivation.

Yang Kuang
Arizona State University
Department of Mathematics
kuang@asu.edu

MS131**The Evolution of Androgen-receptor Expression in Prostate Cancer**

In previous research we investigated natural selection acting on androgen receptor expression in prostate cancer using a multi-scale model. This model outlined conditions under which aggressive, hormone-resistant tumors arise. Here we extend the model by generalizing its strategy space to allow androgen expression to vary continuously. We analyze the extended model using adaptive dynamics. The results of this extended model are used to refine the predictions of the original investigation.

John D. Nagy
Scottsdale Community College
Arizona State University
john.nagy@scottsdalecc.edu

Steffen Eikenberry
Keck School of Medicine
University of Southern California
seikenbe@asu.edu

Yang Kuang
Arizona State University
Department of Mathematics
kuang@asu.edu

MS132**Evolution Systems on Time-dependent Domains: Study of Dynamics, Stability, and Coarsening**

In this talk we discuss the key differences in the stability picture between extended systems on time-fixed and time-dependent spatial domains. As a paradigm, we use the complex Swift-Hohenberg equation to study dynamic pattern formation and evolution on time-dependent spatial domains. In particular, we discuss the effects of a time-dependent domain on the stability of spatially homogeneous and spatial periodic base states as well as on pattern coarsening.

Rouslan Krechetnikov
Department of Mechanical Engineering
University of California at Santa Barbara
rkrechet@engineering.ucsb.edu

Edgar Knobloch
University of California at Berkeley

Dept of Physics
knobloch@berkeley.edu

MS132**Front Motion, Pinning and Depinning in One and Two Spatial Dimensions**

The 1:1 forced complex Ginzburg-Landau equation exhibits bistability between spatially homogeneous equilibria and thus admits traveling fronts in both one and two dimensions. When one equilibrium becomes Turing unstable, the front can be pinned to Turing patterns (e.g. rolls and hexagons) bifurcating from this equilibrium. Depinning processes outside the parameter interval of pinning involve stretching of the pattern wavelength accompanied by creation or destruction of cells at a preferred distance from the front.

Yi-Ping Ma
University of Chicago, Department of Geophysical Sciences
Chicago, IL 60615 USA
yiping.m@gmail.com

Edgar Knobloch
University of California at Berkeley
Dept of Physics
knobloch@berkeley.edu

MS132**Linear Stability of Time-dependent Flows**

We present a general theory and two examples for the linear stability of non-autonomous systems and present two example of its use. The technique essentially identifies the spectral radius of the propagator of the linear operator as the appropriate measure for the amplification of initial perturbations by the linearized dynamics. The technique connects and generalizes the classical modal stability theory using eigenvalues and the non-modal approaches using optimal growth of energy.

Shreyas Mandre
Brown University, School of Engineering
184 Hope Street, Box D, Providence RI 02912
shreyas_mandre@brown.edu

Xinjun Guo
Brown University
xinjun_guo@brown.edu

Anja Slim
Schlumberger-Doll Research center
Cambridge MA
anja.slim@gmail.com

MS132**Dynamic Bifurcations and Melting-boundary Convection**

This talk focuses on a simple physically motivated model of time-dependent changes in stability. The talk presents a model for weakly nonlinear thermal convection in a fluid layer with a melting top boundary. This leads to the derivation of a new set of non-autonomous envelope equations as a dynamic generalization to the well-known Ginzburg-Landau equation. However, because of the interaction of two destabilizing mechanisms (convection and morpholog-

ical dynamics), this new system possesses a number of interesting properties not found in systems close to a traditional dynamic bifurcation. The presentation will highlight some of the properties of this system both analytically and numerically; specifically, we'll find the robust "locking in" of spatially complex patterns, and show this is a general feature of systems of this nature.

Geoffrey M. Vasil

Canadian Institute for Theoretical Astrophysics, Uni
60 St. George Street, Toronto, ON, Canada M5S 3H8
geoffrey.m.vasil@gmail.com

Michael Proctor

DAMTP

University of Cambridge

mrep@cam.ac.uk

MS133

How Do Cells Detect the Frequency of Pulsatile Chemical Signals?

A hallmark of the endocrine system is pulsatile hormone secretion. Target cells often respond to pulsatile hormones differentially depending on pulse frequency. To distinguish responses to pulse frequency from responses to changing hormone dose, we consider the frequency response of target cells to a family of dose normalized input signals. We show that simple nonlinear feedforward systems can show increasing, decreasing, or non-monotonic frequency responses to pulsatile signals with constant mean dose.

Patrick A. Fletcher

Department of Mathematics

Florida State University, Tallahassee, FL

pflatche@math.fsu.edu

Joel Tabak

Dept of Biological Sciences

Florida State University

joel@neuro.fsu.edu

Richard Bertram

Department of Mathematics

Florida State University

bertram@math.fsu.edu

MS133

(Exploiting the) Fast and Slow Time Scales in Cellular Signalling

Oscillations and bursts act as signals in many cell types, including those involved in neuronal firing and cell secretion. A key feature of the dynamics in these cells is that some physiological processes evolve much faster than others. We can take advantage of this separation in timescales to analyse models using geometric singular perturbation techniques. These techniques allow us to explain 'transient' responses as well as long-term dynamics by identifying canards and invariant manifolds that organise the phase space.

Emily Harvey

University of Auckland

emily.harvey@coe.montana.edu

MS133

Population Spiking Dynamics and Signal Process-

ing in Vasopressin Neurons

The magnocellular vasopressin neurons of the hypothalamus act to maintain osmotic pressure by regulating kidney function. Experiments show a robust linear relationship between osmotic pressure and vasopressin hormone secretion despite the very non-linear properties of spike generation and stimulus-secretion coupling in the vasopressin neurons. Here we simulate the spiking and secretion mechanisms, and use a population model to examine how cell heterogeneity interacts with the spiking and secretion properties to produce a linear population response.

Duncan J. MacGregor, Gareth Leng

Centre for Integrative Physiology

University of Edinburgh

duncan.macgregor@ed.ac.uk, gareth.leng@ed.ac.uk

MS133

Modeling the Glucagon Secreting Alpha Cell

While pancreatic β -cells release insulin in response to high glucose levels, α -cells release glucagon when blood glucose is low. Both insulin and glucagon work together to maintain glucose homeostasis. While the mechanisms leading to insulin secretion are fairly well understood, how glucagon secretion is suppressed at high glucose levels is still debated. We developed a mathematical model of the α -cell and investigated intrinsic mechanisms that lead to the suppression of glucagon secretion.

Margaret A. Watts

Department of Mathematics

Florida State University

margaret.watts@nih.gov

Arthur Sherman

Laboratory of Biological Modeling

National Institutes of Health

sherman@helix.nih.gov

MS134

Heterogeneity and Correlation Transfer in Noise-Driven Oscillators

We consider the ability of two uncoupled heterogeneous oscillators to synchronize when driven with colored partially correlated noise. We derive equations for the stationary density of the phase difference assuming small noise and find two surprising results :

1. at low correlations it is possible for pairs of heterogeneous oscillators to synchronize better than a pair of homogeneous oscillators;
2. if the oscillators have different frequencies, there is a nonzero time scale of the noise that maximizes synchrony

Bard Ermentrout

University of Pittsburgh

Department of Mathematics

bard@math.pitt.edu

Pengcheng Zhou

Carnegie Mellon University

zhoupc1988@gmail.com

MS134

Infering Phase Dynamics from Observations of Os-

illatory Networks

It is described, how the interconnections in a network of coupled oscillators can be detected from the processing of the observed multivariate time series. The procedure suggested leads to invariant description in terms of phases, independent on the observables and embedding used, and delivers phase equations in the form used in theory. The method is illustrated with the analysis of experimental data.

Arkady Pikovsky
Department of Physics
University of Potsdam, Germany
pikovsky@uni-potsdam.de

Michael Rosenblum
Potsdam University
Department of Physics and Astronomy
mros@uni-potsdam.de

MS134

Geometry of Irregular Oscillations and Applications

Phase of irregular oscillations in nonlinear and non-equilibrium systems becomes arbitrary with fluctuations in amplitude. The problem amounts to correctly identifying those system states that are in the same phase. For limit-cycle oscillators, states are identified by hypersurfaces called isochrones. We propose a generalization of isochrones for an application to irregular oscillations. The dynamics of the resultant phase is on average decoupled of the amplitude dynamics. The approach is illustrated by applications to pulmonary respiration.

Justus C. Schwabedal
Division of Sleep Medicine, Brigham & Women's Hospital
Harvard Medical School
jschwabedal@gmail.com

MS134

Bifurcations of Bursting Polyrhythms in 3-Cell Central Pattern Generators

We identify and describe the principal bifurcations of bursting rhythms in multifunctional central pattern generators (CPG) composed of three neurons connected by fast inhibitory or excitatory synapses. We develop a set of computational tools that reduce high-order dynamics in biologically relevant CPG models to low-dimensional return mappings that measure the phase lags between cells. We examine bifurcations of fixed points and invariant curves in such mappings as coupling properties of inhibitory and excitatory synapses are varied. These bifurcations correspond to changes in the availability of the network's phase locked rhythmic activities such as periodic and aperiodic bursting patterns. As such, our findings provide a systematic basis for understanding plausible biophysical mechanisms for the regulation of, and switching between, motor patterns generated by various animals.

Andrey Shilnikov
Neuroscience Institute and Department of Mathematics
Georgia State University
ashilnikov@gsu.edu

Jeremy Wojcik, Aaron Kelley
GSU

wojcik.jeremy@gmail.com, aarnkelley@gmail.com

Robert Clewley
Georgia State University
Department of Mathematics and Statistics, and
Neuroscience
rclewley@gsu.edu

MS135

Sensory Encoding Mechanisms in Neuronal Dynamics

In sensory systems, it has been widely observed that receptor cells outnumber the neurons in the immediate downstream layer by several orders of magnitude. Thus, a natural question to ask is how much information is lost because of this reduction? We answer this question using compressed sensing theory as a tool for quantifying information retention in an idealized retinal model. Via numerical simulations and mathematical analysis, we demonstrate several necessary conditions for data compression.

Victor Barranca
Rensselaer Polytechnic Institute
barrav@rpi.edu

Gregor Kovacic
Rensselaer Polytechnic Inst
Dept of Mathematical Sciences
kovacg@rpi.edu

David Cai
New York University
Courant institute
cai@cims.nyu.edu

MS135

Low-dimensional Descriptions of Neural Networks

Biological neural circuits display both spontaneous asynchronous activity, and complex, yet ordered activity while actively responding to input. When can model neural networks demonstrate both regimes? Recently, researchers have demonstrated this capability in large, recurrently connected neural networks, or "liquid state machines", with chaotic activity. We study the transition to chaos in a family of such networks, and use principal orthogonal decomposition techniques to provide a low-dimensional description of network activity. We find that key characteristics of this transition depend critically on whether a fundamental neurobiological constraint — that most neurons are either excitatory *or* inhibitory — is satisfied.

Andrea K. Barreiro
Department of Applied Mathematics
University of Washington
abarreiro@smu.edu

MS135

Information Transmission in Discrete Feedforward Networks

We study the emergence of neutral stability and rate propagation in stochastic feedforward networks. Spectral properties of a mean-field approximation can reveal when complex dynamics and high levels of information transmission co-occur in these networks. A key issue is robustness to connection parameters, which can be improved by adding

biological factors such as noise and inhibition. We further examine how biophysically motivated learning rules can control network connectivity to improve information transmission.

Natasha A. Cayco Gajic, Yoni Browning, Eric Shea-Brown
University of Washington
Department of Applied Mathematics
caycogajic@gmail.com, yonib@uw.edu, etsb@uw.edu

MS135

Wave Patterns in an Excitable Neuronal Network

This talk describes a study of spiral- and target-like waves traveling in a two-dimensional network of integrate-and-fire neurons with close-neighbor coupling. Individual neurons are driven by Poisson spike trains. Waves begin as a target or a spiral, and evolve into a straight "zebra"-like grating. The wavelength and wave speed of the patterns were investigated, as were the temporal power spectra of the oscillations experienced by the individual neurons as waves were passing through them.

Christina H. Lee
Rollins College
Rensselaer Polytechnic Institute
leec@tcnj.edu

MS136

Multistable Dynamics of Stochastically Switching Networks

We consider multistable dynamical networks whose connections switch stochastically according to a given rule. The stochastic switching can be a sequence of independent random vectors or a Markov vector process. We study dynamical properties of the multistable switching networks as a function of the switching frequency. We also analyze how the switching network topology of dynamical networks can enhance the performance of networks with static connections.

Igor Belykh
Department of Mathematics and Statistics
Georgia State University
ibelykh@gsu.edu

MS136

On Convergence and Synchronization in Piecewise Smooth Networks

Switching in complex networks can be undesired when the goal is to guarantee emergence of coordinated motion. Conversely, it can be usefully exploited to design distributed control laws for the emergence of desired coordinated behaviour. We consider hybrid-switched networks of dynamical systems and present new tools to study convergence of all agents towards the same evolution. We use these tools to develop novel switched strategies to control the emergence and properties of such coordinated behaviour.

Davide Liuzza
University of Naples Federico II
davide.liuzza@unina.it

Mario Di Bernardo
University of Bristol

Dept of Engineering Mathematic
m.dibernardo@bristol.ac.uk

MS136

Neighborhood Gossip: Exploiting Structure in Moving Neighborhood Networks to Discover Global Environmental Variables

We consider a network of mobile agents that act as point environmental sensors, where agents communicate only locally. Suppose the network task is to approximately describe some environmental state over the domain of movement, where typically global information is required (such as transport problems). We describe techniques to exploit the Moving Neighborhood Network structure and topology to resolve the function using local processing information.

Joseph Skufca
Clarkson University
jskufca@clarkson.edu

MS136

Information Transfer in Coupled Oscillator Networks: Uncertainty, Influence, and Effects of Blinking Channels

Causality inference is central in nonlinear time series analysis. A popular approach to infer causality between two processes is to measure the information transfer between them, a notion termed as transfer entropy. Using networks of coupled oscillators, we show that the presence of indirect interactions, common drivers, and blinking channels often results in erroneous identification of network connections. We overcome these limitations by developing an entropy reduction approach, whose effectiveness is tested against various networks.

Jie Sun, Erik Bollt
Clarkson University
sunj@clarkson.edu, bolltem@clarkson.edu

PP0

The Transport Through Nontwist Barriers in a Model Describing Magnetic Field Lines in Tokamaks

We use a symplectic map to model magnetic field lines in tokamaks perturbed by ergodic magnetic limiter. Particularly, we are interested in the transport of trajectories under the influence of nonmonotonic safety factor profiles, leading to nontwist scenarios characterized by the presence of a robust invariant torus (shearless). In the present work we study a parameter space profile and the shearless breakup that marks the onset of the transport of trajectories towards the boundary.

Celso Abud
University of Sao Paulo
cabud@if.usp.br

Ibere L. Caldas
Institute of Physics
University of Sao Paulo
ibere@if.usp.br

PP0

Dynamics of Short Desynchronization Episodes in

the Brain

While neural synchronization is widely observed in neuroscience, neural oscillations are rarely in perfect synchrony and go in and out of phase in time. We found that neural synchronization in different circuits of the brain follows qualitatively similar temporal pattern: desynchronization episodes are very short, but frequent. We explore the mechanisms responsible for these patterns in simple conductance-based models. We show that short desynchronizations may allow for higher levels of synchrony with weaker synaptic connections.

Sungwoo Ahn

Indiana University Purdue University Indianapolis
sahn@math.iupui.edu

Leonid Rubchinsky

Department of Mathematical Sciences

Indiana University Purdue University Indianapolis
leo@math.iupui.edu

PP0

Localized Pattern in Periodically Forced Systems

Oscillons, spatially localized oscillatory patterns, were discovered in the Faraday wave experiment in the 1990s. We reduce a simple model PDE [A.M.Rucklidge & M.Silber, SIADS 8 (2009) 298-347] with parametric forcing to the forced complex Ginzburg-Landau equation where it is known [J.Burke, A.Yochelis & E.Knobloch, SIADS 7 (2008) 651-711] that oscillons can be found, and are able to demonstrate a quantitative connection between the oscillons found numerically in the model PDE and those from the forced complex Ginzburg-Landau equation.

Abeer Al-Nahdi

University of Leeds
ab.nahdi@gmail.com

PP0

The Swarm and the Mosquito: Information Transfer, Co-Operation and Decision Making in a Group

Mosquitoes form swarms which serve selected functions during mating behavior. Males fly together in a "coherent" group, which attracts the attention of nearby females. Communication between individuals is observed to rely on acoustic interaction; each mosquito dynamically adjusts its wing beat frequency in response to the sound of its neighbors. We present experimental data investigating the nature of these interactions, and discuss them in the broader context of swarm structure, dynamics and stability.

Andy Aldersley

University of Bristol
andy.aldersley@bristol.ac.uk

Martin Homer

University of Bristol

Engineering Mathematics Dept
martin.homer@bristol.ac.uk

Alan R. Champneys, Daniel Robert

University of Bristol

a.r.champneys@bristol.ac.uk, d.robert@bristol.ac.uk

PP0

Algorithm for Interval Linear Programming Involving Interval Constraints*

In real optimization, we always meet the criteria of useful outcomes increasing or expenses decreasing and demands of lower uncertainty. Therefore, we usually formulate an optimization problem under conditions of uncertainty. In this paper, a new method for solving linear programming problems with fuzzy parameters in the objective function and the constraints based on preference relations between intervals is investigated. To illustrate the efficiency of the proposed method, a numerical example is presented.

Ibraheem Alolyan

King Saud University
ialolyan05@yahoo.com

PP0

Travelling Waves in a Fractional Fisher Equation Using the Homotopy Analysis Method

In this poster, the Homotopy Analysis Method (HAM), which is a powerful tool to solve nonlinear equations and originally proposed by Liao, is applied to traveling waves in the fractional Fisher equation. Different from traditional perturbation techniques, HAM does not rely on small parameters. HAM makes use of an auxiliary convergence parameter to provide an efficient way to determine the convergence region of the series. Numerical examples are given to support the idea.

Inan Ates, Paul A. Zegeling

Dept. of Mathematics
Utrecht University
I.Ates@uu.nl, P.A.Zegeling@uu.nl

PP0

Mesoscale Symmetries Explain Dynamical Equivalence of Food Webs

A goal of complex system research is to identify dynamical implications of network structure, such as small motifs influencing the dynamics on the network as a whole. Here, we investigate ecological food webs, complex heterogeneous networks of interacting populations. We show that certain mesoscale symmetries imply the existence of localized dynamical modes. If unstable they cause dynamical instability regardless of the embedding network; if stable their removal results in a smaller but dynamically equivalent network.

Helge Aufderheide

University of Bristol,
Merchant Venturers School of Engineering
he.adh@biond.org

Lars Rudolf

University of Bristol

MV School of Math Engineering
rudolfars@gmail.com

Thilo Gross

University of Bristol, UK

thilo2gross@gmail.com

PP0

Investigating Physical Experiments with Control-

Based Continuation

We present a general method for systematically investigating the dynamics and bifurcations of a physical nonlinear experiment. In particular, we show how the odd-number limitation inherent in a popular non-invasive control scheme, (Pyragas) time-delayed feedback control, can be overcome for experiments with periodic forcing. To demonstrate the use of our non-invasive control, we trace out experimentally the resonance surface of a nonlinear oscillator near the onset of instability, around two saddle-node bifurcations (folds) and a cusp bifurcation.

David A. Barton

University of Bristol, U.K.
david.barton@bristol.ac.uk

Jan Sieber

University of Exeter
j.sieber@exeter.ac.uk

PP0

Analysis of Fluid Systems from the Optical Flow-Approximate Vector Fields

Analysis of fluid systems such as the ocean and atmosphere is important topics in current research. To analyze global dynamics of such systems, such as coherent pairs and transport barriers, the vector fields of the systems are required. In the absence of a prior model, multi-time step optical flow technique can be employed on remote data to determine the vector fields. In this work, the transport barriers for the Jupiters atmospheric data are explained.

Ranil Basnayake, Erik Bollt

Clarkson University
basnayrk@clarkson.edu, bolltem@clarkson.edu

PP0

Spatiotemporal Dynamics of Alternans Nodes in Heterogeneous Cardiac Tissue

We study the behavior of electrical alternans, a period-2 cardiac rhythm resulting in beat-to-beat alternations in action potential duration (APD). In extended tissue, alternans may become spatially discordant, characterized by out-of-phase regions in APD alternation separated by nodes where APD remains constant from beat to beat. We investigate the effects that continuous and discontinuous gradients of electrophysiological properties have on nodal formation, position and motion.

Michael Bell

Rochester Institute of Technology
mmbmsa@rit.edu

Elizabeth M. Cherry

Rochester Institute of Technology
School of Mathematical Sciences
excsma@rit.edu

PP0

Coarse-Graining of Bursting Dynamics

We have developed a numerical method that maps between the variables of a bursting neural network (for which the equations are known) and the variables of a simplified model (for which the equations are unknown). By simu-

lating the neural network for short periods of time we can estimate the dynamics the simplified model should retain and gain a better understanding of the restrictions on the parameters domain for which the simplification is valid.

Alona Ben-Tal

Massey University
Institute of Information & Mathematical Sciences
a.ben-tal@massey.ac.nz

Ioannis Kevrekidis

Dept. of Chemical Engineering
Princeton University
yannis@princeton.edu

Joshua Duley

Massey University
josh_duley@hotmail.com

PP0

Why People Walk in Circles?

People use their senses, most dominantly sight and hearing, to interpret geographical cues in order to navigate to a target location. How does the process work if no cues are present and the only information is the initial direction towards the target location? Experiments suggest that people are not capable of walking straight and form surprisingly small looped trajectories. The analysis of experimental data infers a parametric family of stochastic difference models with individual-based set of parameters reflecting the directional bias and other properties of individual's motion. We analyze the stochastic process in terms of the first exit time problem.

Katarina Bodova

Comenius University Bratislava
bodova@fmph.uniba.sk

Michal Janosi

Comenius University, Bratislava
misojanosi@gmail.com

PP0

Use of Quasi-Steady-State Assumptions in the Analysis of Biophysical Models

Many biological systems have the property that some processes evolve much faster than others. Mathematical models of such systems often possess different time scales. A common first step in the analysis of these models is to remove fast variables by making quasi-steady-state assumptions. Unfortunately, quasi-steady-state reduction can sometimes cause significant changes in dynamics. We discuss progress on establishing conditions under which quasi-steady-state reduction is mathematically justifiable and will not disrupt the dynamics of the model.

Sebastian D. Boie

University of Auckland
s.boie@auckland.ac.nz

James Sneyd

University of Auckland
Department of Mathematics
sneyd@math.auckland.ac.nz

Vivien Kirk

University of Auckland
v.kirk@auckland.ac.nz

PP0

Entrainment of Neuronal Models in Noise

We study properties of entrainment of stochastic neuronal models to periodically-modulated inputs. We consider spike phases as generated by a Markov chains on the circle, and analyze path-wise dynamic properties, such as stochastic periodicity (or phase-locking) and stochastic quasiperiodicity. We show how these properties are read off of the geometry of the spectrum of the transition operator in representative model examples, and investigate how the entrainment properties change with parameters.

Alla Borisyuk
University of Utah
Dept of Mathematics
borisyuk@math.utah.edu

PP0

Calcium Dynamics in Airway Smooth Muscle Cells

Free cytoplasmic calcium ions in human airway smooth muscle cells are quite important in regulating the airway contraction that contributes to our normal breath. Experiments show in the present of agonist calcium changes in form of oscillations and propagates in waves. Here we construct a dynamical model to explore what leads to the oscillatory behavior, which is a way to understand how the calcium affects our breath and will be very useful to the research of pathology of asthma.

Pengxing Cao
Maths department of the University of Auckland
pcao002@aucklanduni.ac.nz

PP0

Bifurcations in Bifurcations: a Dynamical Analysis of An Impacting T-Junction Flow

Fluid flows through pipe T-junctions appear commonly, for instance, in industrial systems and blood vessels. We consider a junction with square cross-section, where fluid splits to two side channels. A local bifurcation analysis—using numerical continuation on the Reynolds number Re —reveals a supercritical pitchfork bifurcation at $Re \approx 430$, beyond which the outflow pipes contain asymmetric counter-rotating vortices. A supercritical Hopf bifurcation next occurs at $Re \approx 540$.

Kevin K. Chen
Princeton University
kkchen@princeton.edu

Clarence Rowley
Princeton University
Department of Mechanical and Aerospace Engineering
cwrrowley@princeton.edu

Howard A. Stone
Mechanical and Aerospace Engineering
Princeton University
hastone@princeton.edu

Stefan Radl
Graz University of Technology

radl@tugraz.at

Daniele Vigolo
Princeton University
dvigolo@princeton.edu

PP0

Regulation of Electrical Bursting in a Spatio-Temporal Model of a GnRH Neuron

Gonadotropin-releasing hormone (GnRH) neurons are hypothalamic neurons that control the pulsatile release of GnRH that governs fertility and reproduction in mammals. The mechanisms underlying the pulsatile release of GnRH are not well understood. We construct a spatio-temporal model to understand how the soma and dendrite of the GnRH neuron interact to control bursting, which is initiated in a region approximately 100 micrometers away from the soma, but is controlled by the mechanisms in the soma.

Xingjiang Chen
Department of Mathematics, The University of Auckland
xche163@aucklanduni.ac.nz

PP0

Acoustic Detection and Ranging Using Solvable Chaos

Acoustic experiments demonstrate a novel approach to detection and ranging that exploits the properties of a solvable chaotic oscillator. This nonlinear oscillator includes an ordinary differential equation and a discrete switching condition and provides the wideband transmitted waveform. The hybrid system admits an exact analytic solution as the linear convolution of binary symbols and a single basis function, which enables coherent reception using a simple analog matched filter and without need for digital sampling or signal processing. An audio frequency implementation of the transmitter and receiver is described, and successful acoustic detection and ranging measurements demonstrate the viability of the approach.

Ned J. Corron
U.S. Army RDECOM
ned.corron@us.army.mil

Mark Stahl
NASA Marshall Space Flight Center
mark.t.stahl@nasa.gov

Jonathan N. Blakely
US Army RDECOM
Jonathan.Blakely@us.army.mil

PP0

The Lorenz System Near the Loss of the Foliation Condition

We study the Lorenz system in a parameter regime where the foliation condition fails, which means the reduction to a one-dimensional map is not possible. We consider a transition where the one-dimensional stable manifolds of two secondary equilibria undergo a sudden dramatic change. We explain the effect of this change on the two-dimensional stable manifold of the origin and its role in the loss of the foliation condition.

Jennifer Creaser

University of Auckland
j.creaser@auckland.ac.nz

Bernd Krauskopf, Hinke M. Osinga
University of Auckland
Department of Mathematics
b.krauskopf@auckland.ac.nz, H.M.Osinga@auckland.ac.nz

PP0

Symmetry Breaking in Colliding Disk Systems

We develop an alternative collision rule to those developed in current work on hard disk systems (Dellago, Posch, et. al). The proposed collision rule leads to symmetry breaking and the invalidation of the conjugate pairing rule for Lyapunov exponents. Comparison of numerical results to those obtained using existing methods is discussed. The approach is considered as one way of taming chaos in problems of interacting systems with a high number of degrees of freedom.

Joseph Dinius
University of Arizona
Program in Applied Mathematics
jdinius@math.arizona.edu

Joceline Lega
University of Arizona, USA
lega@math.arizona.edu

PP0

Spatially-Shifted Feedback Control of Turbulent Behavior in Advection Diffusion Systems

We present experimental and theoretical results related to the control of actively mode-locked lasers, using delayed feedback, a problem that is equivalent to the control of advection-diffusion systems with spatially shifted feedback. Tiny feedback levels ($1e-8$ in our experiment) lead to spectacular efficiencies, although the process is different from OGY-type control. This method is efficient when large transient growth is present in the system.

Christophe Szwaj, Clement Evain
Lab. PhLAM, Univ. Lille1 (France)
christophe.szwaj@univ-lille1.fr,
clement.evain@univ-lille1.fr

Serge Bielawski
PhLAM/Université Lille I,
France
serge.bielawski@univ-lille1.fr

Masahito Hosaka
Nagoya University, Nagoya, Japan
m-hosaka@nusr.nagoya-u.ac.jp

Akira Mochihashi
JASRI/SPRING-8, Hyogo-ken
mochi@spring8.or.jp

Masahiro Katoh
UVSOR, IMS (Japan)
mkatoh@ims.ac.jp

Marie-Emmanuel Couprie
Synchrotron SOLEIL, France
marie-emmanuelle.couprie@synchrotron-soleil.fr

PP0

Happiness and Movement on Twitter

Using status updates collected from Twitter's gardenhose feed, we explore population-level happiness. We employ a simple real time hedonometer that is effective on large quantities of text. Many Twitter users enable geo-location of their tweets. For these users, we explore the relationship between their location, average movement, and happiness.

Morgan R. Frank
University of Vermont, Complex Systems Center
mrfrank@uvm.edu

Chris Danforth
Mathematics and Statistics
University of Vermont
chris.danforth@uvm.edu

Peter Dodds
University of Vermont
pdodds@uvm.edu

PP0

Random and Regular Dynamics of Stochastically Driven Neuronal Networks

Dynamical properties of Integrate-and-Fire neuronal networks with multiple time scales of excitatory and inhibitory neuronal conductances driven by random Poisson trains of external spikes will be discussed. Both the asynchronous regime in which the network spikes arrive at completely random times and the synchronous regime in which network spikes arrive within periodically repeating, well-separated time periods, even though individual neurons spike randomly will be presented.

Pamela B. Fuller
Rensselaer Polytechnic Institute
Fullep@rpi.edu

PP0

Formation of Localized Hot Spots of Criminal Activity in a Model Incorporating Non-Local Effects

A ubiquitous feature of crime is the spatially and temporally patterned hot spot or local region of high levels of criminal activity. Understanding the dynamics and mechanisms underlying the formation and dissipation of hot spots is of importance in modern policing. We analyze a spatially structured model of criminal activity that incorporates non-local interactions in the environment. We demonstrate conditions for the formation and stability of hot spots in a partial differential integral model.

Evan Haskell
Division of Math Science and Technology
Nova Southeastern University
haskell@math.utah.edu

Dean Gardner
Division of Math, Science, and Technology
Nova Southeastern University
dg960@nova.edu

PP0**Stochastic Simulation of RNAP Elongation**

Motion of a polymerase in a transcription process experiences multiple short pauses, which, together with high density of transcribing polymerases, may effect overall transcription rate. We developed a new algorithm to simulate one-dimensional Total Asymmetric Simple Exclusion Process (TASEP) with open boundaries where the hopping rates between neighboring sites are allowed to change both in space and time. Our implementation uses multiple runs of a discrete event simulator with each run having a time complexity $O(mn \log n)$ where m is the total number of simulated polymerases and n is the length of the DNA strand. We compare our algorithm to a classical algorithm of Boortz and Lebowitz which is being used for simulations of stationary distribution for TASEP with hopping rates that depend on space only.

Jakub Gedeon

Montana State University
kazagistar@gmail.com

Tomas Gedeon
Montana State University
Dept of Mathematical Sciences
gedeon@math.montana.edu

PP0**Traveling Waves in a Gasless Combustion Model with Heat Loss**

We consider a model of gasless combustion with heat loss, where the heat loss from the system to the environment is formulated according to Newton's law of cooling. The pde system that describes evolution of the temperature and remaining fuel contains two small parameters, a diffusion coefficient for the fuel and a heat loss parameter. We use geometric singular perturbation theory to show existence of traveling waves in this system and then study their spectral and nonlinear stability.

Anna Ghazaryan

Department of Mathematics
Miami University and University of Kansas
ghazarar@muohio.edu

Stephen Schecter
North Carolina State University
Department of Mathematics
schecter@ncsu.edu

Peter L. Simon
Institute of Mathematics
Eötvös Loránd University
simonp@cs.elte.hu

PP0**Bifurcation Analysis of a Civil Transport Aircraft's Upset Behaviour**

Unintended and/or extreme dynamics outside the design flight envelope of an aircraft are referred to as upset behaviour. An upset can induce a loss-of-control accident — the leading cause of civil aviation fatalities — if the pilot does not respond correctly. We present a bifurcation analysis of the NASA generic airliner model that identifies attractors that correspond to various upset behaviour,

including different types of spin.

Stephen J. Gill

University of Bristol
stephen.gill@bristol.ac.uk

Mark Lowenberg
Dept. of Aerospace Engineering
University of Bristol
m.lowenberg@bristol.ac.uk

Bernd Krauskopf
University of Auckland
Department of Mathematics
b.krauskopf@auckland.ac.nz

Simon Neild
Dept. of Mechanical Engineering
University of Bristol
simon.neild@bristol.ac.uk

Guilhem Puyou
Airbus in France
guilhem.puyou@airbus.com

Etienne Coetzee
Airbus in the UK
etienne.coetzee@bristol.ac.uk

PP0**Approximate Deconvolution for Large-eddy Simulation (LES) on Adaptive Grids**

LES and adaptive grids reduce the computational cost of turbulence modeling, but combining these techniques generates errors. Inaccuracies in subfilter models limit LES solution reliability at the grid scale, contaminating the interpolated solution at grid interfaces. The grid interface also reflects high wavenumber solution components. Approximate deconvolution can improve the grid scale solution. Results from isotropic turbulence advected past a grid interface show approximate deconvolution reduces interface perturbations and hastens convergence to the downstream solution.

Lauren Goodfriend

UC Berkeley
lgoodfriend@berkeley.edu

Fotini K. Chow
University of California, Berkeley
tinakc@berkeley.edu

Marcos Vanella, Elias Balaras
George Washington University
mvanella@gwu.edu, balaras@gwu.edu

PP0**Interplay Between Energy-Market Dynamics and Physical Stability of a Smart Power Grid**

A smart power grid is currently being envisioned for the future in which, among other features, users would be able to play the dual role of consumers as well as producers and traders of energy, thanks to emerging renewable energy production and energy storage technologies. As a complex dynamical system, any power grid is subject to physical instabilities. With existing grids, such instabilities tend to

be caused by natural disasters, human errors, or weather-related peaks in energy demand. We analyze the impact, upon the stability of a smart grid, of the energy-market dynamics arising from users ability to buy from and sell energy to other users. The stability analysis of the resulting dynamical system is performed assuming different proposed models for this market of the future, and the corresponding stability regions in parameter space are identified. We test our theoretical findings by comparing them with data collected from some existing prototype systems.

Jeffrey R. Gordon
University of New Mexico
jgordo01@unm.edu

Francesco Sorrentino
University of New Mexico
Department of Mechanical Engineering
fsorrent@unm.edu

Andrea Mamoli
University of New Mexico
andrea.mammoli1@gmail.com

Sergio Picozzi
University of Maryland
sergio.picozzi@gmail.com

PP0

Using the Ensemble Kalman Filter to Track Links in Neuronal Networks

We demonstrate the use of the unscented Kalman filter for the detection and tracking of network links using time series data generated from a network of Hindmarsh-Rose neurons. We show the ability of the filter to identify the links when confronted with increasing amounts of noise as well as model error. Additionally, the filter is shown to have the ability to track non-stationary connections even when an incorrect assumption of their dynamics is assumed.

Franz Hamilton
George Mason University
fhamilto@masonlive.gmu.edu

PP0

Shock-Fronted Travelling Wave Solutions Arising in a Model of Tumour Invasion

Within mathematical biology there exists a class of advection-reaction-diffusion (ARD) models that support travelling wave solutions and demonstrate a possible transition from smooth to shock-fronted waves. We present results for one particular ARD model describing malignant tumour invasion. Numerical solutions indicate that both smooth and shock-fronted travelling wave solutions exist for this model. We verify the existence of these solutions using techniques from geometric singular perturbation and canard theory and provide results on stability.

Kristen Harley
Queensland University of Technology
ke.harley@student.qut.edu.au

Graeme Pettet
Queensland University of Technology
School of Mathematical Sciences
g.pettet@qut.edu.au

Peter van Heijster
Department of Mathematics and Statistics
Boston University
petrus.vanheijster@qut.edu.au

PP0

Observability of Nonlinear Dynamics of Elastic Flight Vehicle

In this paper, global observability analysis of nonlinear dynamics of a flexible supersonic flight vehicle based on rank condition method is presented. The observability algorithm under the input action is clarified and implemented. Singular value variations of flight vehicles observability space is used as a criteria expressed applicable definition for mathematical concept of observability in critical regions where singular values are near to zero. Mathematical relations between different types of observability for nonlinear dynamics is studied. Using SOSTOOLS and Yalmip, a novel method is presented to find continuous observable regions of variables. The average of condition numbers for observability space constructed at operational points of flight system states, is compared in rigid and elastic models of flight vehicles to exhibit the aeroelasticity effect on the observability of flight vehicle. Singular points created when dimension of observability space is reduced. An Algebraic nonlinear equation set is offered to find all local singular points of nonlinear dynamics.

Hossein Hashemi

Amirkabir University of Technology(AUT-Tehran
polytechnic)
hussein.hashemi@yahoo.com

PP0

Delay Induced Dynamics of Adaptive Epidemic Models

An extension of an epidemiological susceptible-infected-susceptible (SIS) model on an adaptive network, featuring constant sojourn times in the infected state is investigated. Moment expansion, pair approximation and survival analysis are applied for mapping the high dimensional discrete model based on local rules onto a set of continuous macroscopic observables. The resulting nonlinear delay differential equations capturing the emergent level behavior of the model are analyzed; revealing complex dynamical behavior such as bistability, oscillations and bursting.

Cathleen Heil

Technical University Dresden
Institute of Scientific Computing
cathleen.heil@googlemail.com

Kathrin Padberg-Gehle
Institute of Scientific Computing
TU Dresden
kathrin.padberg@tu-dresden.de

Thilo Gross
Department of Chemical Engineering
Princeton University
thilo.gross@physics.org

PP0

Analysis of Size Structured Population Models in

Marine Ecosystems

We investigate size structured population models to describe specific aspects of marine ecosystems. The evolution of the density size distribution of a population as function of time and individual size is described by an integro-PDE. The biological questions which motivate our mathematical investigations are predator-prey cycles and coexistence of several species depending on e.g. resource level. We determine regions in parameter space with different qualitative behavior of the solution and present their biological interpretation.

Irene Heilmann, Jens Starke
Technical University of Denmark
Department of Mathematics
i.heilmann@mat.dtu.dk, j.starke@mat.dtu.dk

Ken Andersen, Uffe Thygesen
Technical University of Denmark
National Institute of Aquatic Resources
kha@aqu.dtu.dk, uht@aqu.dtu.dk

Mads Peter Sørensen
Technical University of Denmark
Department of Mathematics
m.p.soerensen@mat.dtu.dk

Thomas Lorenz
Goethe University Frankfurt
lorenz@math.uni-frankfurt.de

PP0

Characterization and Observations of Nonlinear Charged Particle Dynamics and Chaos in the Magnetotail

The use of nonlinear dynamics modeling and satellite measurements of an ion distribution function signature is used to infer the meso-scale structure of the magnetotail. Additionally, we discuss quantitative measurements of particle chaos in the magnetotail focusing on the Lyapunov exponent and the fractal structure of the basin boundary between forward and back-scattered particles. The resonance phenomena that produces the ion signature is also apparent in the Lyapunov exponent and the fractal dimensionality.

Daniel L. Holland
Illinois State University
Department of Physics
holland@phy.ilstu.edu

Richard Martin
Illinois State University
rfm@phy.ilstu.edu

Hiroshi Matsuoka
Illinois State University
Department of Physics
hmb@phy.ilstu.edu

PP0

Effects of Freeplay on the Dynamic Stability of An Aircraft Main Landing Gear

We study the occurrence of (unwanted) shimmy oscillations of a dual-wheel aircraft main landing gear, which is modelled with torsional, lateral, longitudinal and axial degrees

of freedom, as well as freeplay in the torque-link. By means of a bifurcation study in dependence on forward velocity and loading force on the gear, we show that the occurrence or not of shimmy oscillations depends very sensitively on the amount of freeplay.

Chris Howcroft
University of Bristol
C.Howcroft@bris.ac.uk

Bernd Krauskopf
University of Auckland
Department of Mathematics
b.krauskopf@auckland.ac.nz

Mark Lowenberg
Dept. of Aerospace Engineering
University of Bristol
m.lowenberg@bristol.ac.uk

Simon Neild
Dept. of Mechanical Engineering
University of Bristol
simon.neild@bristol.ac.uk

Duncan Patrick
Airbus in the UK
duncan.patrick@airbus.com

PP0

Computing Stability of Mosquito Motion

We use the rigid body simulation software TREP to create a computational model of a mosquito. Using quasi-steady assumptions for the wing aerodynamics, along with an imposed periodic wing motion drawn from measurements of mosquitoes, we perturb the wing motion and body initial conditions to find steadily translating states of the insect's body motion. We then examine the stability characteristics of these states, finding pitch and roll instabilities, along with a non-self adjoint structure to the Jacobian matrix.

Sarah Iams
University of Cambridge
Cambridge, UK
smi6@cornell.edu

PP0

Synchronization of Hypernetworks: Dimensionality Reduction Through Simultaneous Block-Diagonalization of Matrices

We present a general framework to study stability of the synchronous solution for a hypernetwork of coupled dynamical systems. We are able to reduce the dimensionality of the problem by using simultaneous block-diagonalization of matrices. Under certain conditions, this technique may yield a substantial reduction of the dimensionality of very large systems. We apply our reduction technique to a number of different examples.

Daniel Irving
University of New Mexico
Mechanical Engineering Dept.
dirving25@gmail.com

Francesco Sorrentino
University of New Mexico

Department of Mechanical Engineering
fsorrent@unm.edu

PP0

2- θ Neuron Model for 3-Cell Inhibitory Central Pattern Generators

We examine bifurcations and stability of multi-patterns in 3-cell CPGs of inhibitory bursting neurons using 2- θ neuron models. Reducing the Hodgkin-Huxley models to 1D 2- θ models allows comprehensive analysis of the system. The model was tested for the transitions to specific robust bursting patterns as found in plausible Hodgkin-Huxley models and follow pattern formations with duty-cycle and asymmetric connections. Pattern detection and stability are determined using return maps for phase-lags on 2D tori.

Aaron Kelley
GSU
aarnkelley@gmail.com

Andrey Shilnikov
Neuroscience Institute and Department of Mathematics
Georgia State University
ashilnikov@gsu.edu

Joesph Youker
GSU
jyouker@gmail.com

PP0

Interaction Between Aircraft Landing Gear Dynamics and Fuselage Modes

Cockpit vibrations experienced by pilots during aircraft take off and landing are thought to be caused by shimmy oscillations of the nose landing gear that feed into the fuselage. To test this hypothesis and to investigate the nature of the mutual interaction involved, a mathematical model is presented that couples the nose landing gear dynamics with horizontal and vertical modes of the fuselage.

Sarah E. Kewley
University of Bristol
aesek@bristol.ac.uk

Bernd Krauskopf
University of Auckland
Department of Mathematics
b.krauskopf@auckland.ac.nz

Mark Lowenberg
Dept. of Aerospace Engineering
University of Bristol
m.lowenberg@bristol.ac.uk

Simon Neild
Dept. of Mechanical Engineering
University of Bristol
simon.neild@bristol.ac.uk

Thomas Wilson, Robert Jung
Airbus
thomas.wilson@airbus.com, robert.jung@airbus.com

PP0

Distributive Zooplankton Digestion Delay on Planktonic Dynamic

A mathematical model is proposed to study of the distributive zooplankton digestion delay on planktonic dynamic. The model includes three state variables viz., nutrient concentration, phytoplankton biomass and zooplankton biomass. The release of toxic substance by phytoplankton species reduces the growth of zooplankton and this plays an important role in plankton dynamics. In this paper, we introduce a delay (time-lag) in the digestion of phytoplankton by zooplankton. The stability analysis of all the feasible equilibria are studied and the existence of Hopf-bifurcation for the interior equilibrium of the system is explored. From the above analysis, we observe that the supply rate of nutrient and delay parameter play important role in changing the dynamical behaviour of the underlying system. Further we have derived the explicit algorithm which determine the direction and the stability of Hopf-bifurcation solution. Finally numerical simulation is carried out to support the theoretical result.

Swati Khare
Hindustan College of Science & Technology, Farah
swati9482@gmail.com

PP0

A Closed Npz Model With Delayed Nutrient Recycling

We consider a closed Nutrient-Phytoplankton-Zooplankton (NPZ) model that allows for a delay in the nutrient recycling. Mathematical properties that come from such a model are discussed, as well as their biological implications. Biomass is conserved in the system in a way that relates to the delay distribution of the nutrient recycling. The stability of the equilibrium solutions depends on the quantity of biomass in the system as well as on the length of delay.

Matt Kloosterman
University of Waterloo
mklooste@uwaterloo.ca

Sue Ann Campbell
University of Waterloo
Dept of Applied Mathematics
sacampbell@uwaterloo.ca

Francis Poulin
Department of Applied Mathematics
University of Waterloo
fpoulin@uwaterloo.ca

PP0

Chaos and Reliability in Fluctuation-Driven, Balanced Spiking Networks

The question of reliability arises for any dynamical system driven by an input signal: if the same signal is presented many times with different initial conditions, will the system entrain to the signal in a repeatable way? Reliability is of particular interest in large, randomly coupled networks of excitatory and inhibitory units. Such networks are ubiquitous in neuroscience, but are known to autonomously produce strongly chaotic dynamics an obvious threat to reliability. Here, we show that such chaos also occurs in the presence of weak and strong stimuli. However, even in the chaotic regime, intermittent periods of highly reliable

spiking often coexist with unreliable activity. We propose a framework to better understand these complex dynamics, leveraging results from random dynamical systems (RDS) theory, by establishing the effect of the underlying chaotic attractor's geometry on output spike trains.

Guillaume Lajoie
Department of Applied Mathematics
University of Washington
glajoie@amath.washington.edu

Kevin K. Lin
University of Arizona
klin@math.arizona.edu

Eric Shea-Brown
Department of Applied Mathematics
University of Washington
etsb@amath.washington.edu

PP0

Isochrons in the Fitzhugh-Nagumo Model

An isochron is the set of all points in the basin of an attracting periodic orbit that converge to the periodic orbit with the same asymptotic phase. We will demonstrate how, via the continuation of suitable orbit segments, isochrons can be computed accurately and reliably. As a concrete example we determine the isochrons of the Fitzhugh-Nagumo model as studied by Arthur Winfree in 1980.

Peter Langfield
University of Auckland
p.langfield@auckland.ac.nz

Bernd Krauskopf, Hinke M. Osinga
University of Auckland
Department of Mathematics
b.krauskopf@auckland.ac.nz, H.M.Osinga@auckland.ac.nz

PP0

Aggressive Shadowing of a Low-Dimensional Model of Atmospheric Dynamics

Predictions of atmospheric dynamics suffer from the consequences of chaos: models quickly diverge from observations, as initial state uncertainty is amplified by nonlinearity. Using the Lorenz '96 coupled system, we extend a technique called inflation, whereby the ensemble of forecasts is regularly expanded artificially along contracting dimensions. Targeted inflation is shown to increase the length of time for which the best ensemble member remains close to the truth. Utilized appropriately, inflation may improve predictions for the future states of physical phenomena.

Ross Lieb-Lappen
Dartmouth
ross.lieb-lappen@dartmouth.edu

Chris Danforth
Mathematics and Statistics
University of Vermont
chris.danforth@uvm.edu

PP0

Numerical Continuation of Invariant Solutions of

Pdes with Symmetries

We consider the problem of numerically continuing solutions of partial differential equations (PDEs) with symmetries. In particular, we work with the 1D complex Ginzburg-Landau equation (CGLE) and will present a numerical study designed to continue a set of invariant solutions of the CGLE from one chaotic regime into another.

Vanessa Lopez-Marrero
IBM T. J. Watson Research Center
lopezva@us.ibm.com

PP0

Asymmetric Coherent Structures in One and Two Space Dimensions

We consider the effects of symmetry breaking perturbations on localized structures in one and two space dimensions. In particular, we develop a general framework for understanding the effects of such perturbations on pattern formation, construct a scenario under which isolas are predicted to bifurcate from a snaking solution branch, and demonstrate numerically that the solutions of such a system evolve as predicted.

Elizabeth J. Makrides
Brown University
Division of Applied Mathematics
elizabeth_makrides@brown.edu

Bjorn Sandstede
Brown University
bjorn_sandstede@brown.edu

PP0

Assimilation of Lagrangian Ocean Data

Lagrangian instruments which are carried by the flow have become popular tools for providing measurements of ocean dynamics. Ocean dynamics are often modeled as nonlinear processes, and this nonlinearity creates a sensitivity to initial conditions and model parameters that can ruin forecasts even with relatively small errors in estimates of these parameters. This work focuses on assimilating Lagrangian tracer data into nonlinear models of ocean dynamics to improve estimates of initial conditions and model parameters.

Adam B. Mallen
Marquette University
adam.mallen@marquette.edu

PP0

Asynchronous Inhibition and Small Neuronal Network Dynamics

In cortical neuronal network models, basket cells are assumed to mediate a fast phasic inhibitory signal through GABA-A synapses via synchronous release of neurotransmitter vesicles. Recent experiments have studied a class of basket cells that release asynchronous neurotransmitter release. In this study we investigate the dynamics of a small neuronal network with excitatory, fast-spiking inhibitory and a novel class of inhibitory neurons that can release neurotransmitter vesicles asynchronously.

Sashi Marella

University of Pittsburgh
Center for Neuroscience
skm21@pitt.edu

PP0

Voltage-Dependent Stochastic Gating Models Of Tric-B Channels

TRIC-A and TRIC-B are two, related, trimeric intracellular cation channels present in sarcoplasmic reticulum (SR) and are thought to provide counter-current for SR Ca^{2+} -release that is crucial for muscle contraction. We present stochastic models of the voltage-regulated gating of TRIC-B channels based on single channel data. We analyse the effects of different connectivity schemes on model behaviour in order to better evaluate and understand the role of this ion channel in intracellular calcium release and control.

Antoni Matyjaszkiewicz, Elisa Venturi
University of Bristol
antoni.matyjaszkiewicz@bristol.ac.uk,
elisa.venturi@gmail.com

Daiju Yamazaki, Miyuki Nishi, Hiroshi Takeshima
Kyoto University
daiju-y@pharm.kyoto-u.ac.jp,
mtakeshi@pharm.kyoto-u.ac.jp,
takeshim@pharm.kyoto-u.ac.jp

Krasimira Tsaneva-Atanasova
Department of Engineering Mathematics
University of Bristol
K.Tsaneva-Atanasova@bristol.ac.uk

Rebecca Sitsapasan
University of Bristol
r.sitsapasan@bristol.ac.uk

PP0

Dynamics, Networks and Energy Efficiency

Models of innovation uptake can be based on various factors: a) rational decision-making with regards to the intrinsic value of a product; b) social spreading of technology or ideas induced by peer-to-peer communication of information; c) interaction with the “market” via a global feedback. For certain innovative technologies or behaviours the decision to adopt may be based on a combination of these factors. This is particularly the case for energy-related innovations, where some are more visible and socially desirable (such as solar panels) compared to others which are hidden (such as home insulation). We introduce a threshold diffusion model for the dynamics of the adoption of such innovations that is based on a combination of all three factors, along with dynamical-systems inspired methods for analysing and understanding the numerically observed diffusion behaviour.

Nick McCullen
Architecture and Civil Engineering
University of Bath
N.J.McCullen@bath.ac.uk

Alastair M. Rucklidge
Department of Applied Mathematics
University of Leeds
A.M.Rucklidge@leeds.ac.uk

Catherine Bale
Energy Research Institute
University of Leeds
c.s.e.bale@leeds.ac.uk

Timothy Foxon
School of Earth and Environment
University of Leeds
t.j.foxon@leeds.ac.uk

William Gale
School of Process, Environmental and Materials
Engineering,
University of Leeds
w.f.gale@leeds.ac.uk

PP0

Optimal Control in Lagrangian Data Assimilation

Inferring the state of an ocean flow is an integral part of environmental monitoring, conservation efforts, and mitigation strategies for weather events. Autonomous vehicles with a limited capacity for locomotion are increasingly being used for data assimilation of quantities of interest in the ocean, including the time-dependent velocity field. We assess the efficacy of optimal control techniques to guide Lagrangian data assimilation in 1- and 2-dimensional flows, focusing on assimilation of the velocity field itself.

Richard O. Moore
New Jersey Institute of Technology
rmoore@njit.edu

Damon McDougall
Institute for Computational Engineering Sciences
The University of Texas at Austin
damon@ices.utexas.edu

PP0

An Adaptive Algorithm for Estimation of Synaptic Strengths in a Network of Neurons

The behavior of interconnected neurons depends largely on the synaptic coupling and can be analyzed using nonlinear dynamical models. Finding the strength of connections requires developing a new system identification method to overcome problems of nonsmooth error function and unobservable states. We describe an adaptive algorithm to determine the connections in a self-oscillatory network of Izhikevich neurons. Individual membrane potentials are observed and the states of the model are estimated by the Unscented Kalman Filter.

Anish Mitra
Department of Electrical and Computer Engineering
George Mason University
amitra1@gmu.edu

Andre Manitiu
Faculty of Electrical and Computer Engineering
George Mason University
amanitiu@gmu.edu

PP0

Lobe Dynamics and Homoclinic Tangles in Atmospheric Flows

The primary concern for geophysical flows are the finite

time nature and the arbitrary time dependence in contrast to classical dynamical systems. Recent work on 2D quasi-horizontal approximations of atmospheric motion have demonstrated that there are aperiodic, finite-time analogs of homoclinic tangles and lobe dynamics, e.g., around hurricane boundaries, such as using FTLE based identification of coherent structures. We apply methods based on Lagrangian descriptors (due to Mancho and co-workers) to locate distinguished hyperbolic trajectories (DHTs) and generate corresponding finite-time stable and unstable manifolds to study lobe dynamics, as applied to atmospheric flow as well as fluid experiments. We compare the Lagrangian descriptor approach with the FTLE-based approach.

Shibabrat Naik
Engineering Science and Mechanics
Virginia Tech
shiba@vt.edu

Shane D. Ross
Virginia Tech
Engineering Science and Mechanics
sdross@vt.edu

PP0

Stability and Bifurcation Analysis of Rigid Spacecraft Spin Stabilization Using Delayed Feedback Control

The stability and bifurcation of closed loop delayed feedback control for spin stabilization of a rigid spacecraft is investigated, in which intermediate axis spin is stabilized. Linear stability is analyzed via the exponential-polynomial characteristic equation, while the normal form of the Hopf bifurcation is analytically obtained via the method of multiple scales and verified using continuation software. The obtained stability regions and bifurcations are verified with numerical simulations.

Eric A. Butcher
New Mexico State University
New Mexico State University
eab@nmsu.edu

Morad Nazari
New Mexico State University
morad@nmsu.edu

PP0

Bifurcations of Large Networks of Two Dimensional Integrate and Fire Neurons

Recently, a class of two-dimensional integrate and fire models has been used to faithfully model spiking neurons. This poster introduces a technique to reduce a full network of this class of neurons to a mean field model, consisting of a system of switching ordinary differential equations. The mean field equations are able to qualitatively and quantitatively describe the bifurcations that the full networks display. Extensions to heterogeneous networks of oscillators and other applications are discussed.

Wilten Nicola
University of Waterloo
wnicola@uwaterloo.ca

Sue Ann Campbell
University of Waterloo

Dept of Applied Mathematics
sacampbell@uwaterloo.ca

PP0

Pattern Formation in Small-world Networks

The Turing instability is a classic mechanism for the formation of spatial structures in non-equilibrium systems and has recently been investigated by Nakao and Mikhailov in the context of complex networks. Inspired by their work we investigate the Swift-Hohenberg equation when posed on a small-world network. We find a branch of solutions that snakes upward when a quintic term is included, just as in the PDE setting.

Jitse Niesen
University of Leeds
jitse@maths.leeds.ac.uk

PP0

Rigorous Numerical Verification of Uniqueness and Smoothness in a Surface Growth Model

We study three different methods, based on numerical data and a-posteriori analysis, to verify rigorously the uniqueness and smoothness of global solutions. The methods are applied to a scalar surface growth model and compared numerically. Despite of being scalar, this model is similar to 3D-Navier Stokes and serves as a toy problem.

Christian Nolde
Universität Augsburg
christian.nolde@math.uni-augsburg.de

Dirk Blömker
Universität Augsburg
Germany
dirk.bloemker@math.uni-augsburg.de

James Robinson
University of Warwick
j.c.robinson@warwick.ac.uk

PP0

Sleep-Wake Transition Dynamics

Regulation of sleep-wake transitions presents a unique mathematical challenge in understanding sleep. Competitive interactions between two mutually inhibitory neuronal networks are involved in these transitions and it is known that wake bout durations follow a power-law distribution in several species. Here we explore the role of network architecture in generating sleep-wake transitions and develop a statistical tool to analyze simulated distributions of activity bouts.

Fatih Olmez, Janet Best, Jung Eun Kim
The Ohio State University
olmez@math.osu.edu, jbest@math.osu.edu,
jkim@math.osu.edu

Deena Schmidt
Case
dschmidt@case.edu

Peter R. Kramer
Rensselaer Polytechnic Institute
Department of Mathematical Sciences

kramep@rpi.edu

John McSweeney
samsi
mcsweene@rose-hulman.edu

PP0

Bifurcations and Rhythms in a Mutually Inhibitory Three-Neuron Network

Inhibitory neuronal networks arise throughout the central nervous system and play an important role in rhythm generation. It is thus crucial to understand the mechanisms underlying the dynamics of these networks and how feedback signals from physiological components modulate their outputs. We consider a mutually inhibitory three-neuron network and analyze how intrinsic dynamic features, synaptic connections, and various inputs interact to affect complex bifurcation structures of the network and thereby modulate network outputs.

Choongseok Park
Department of Mathematics
University of Pittsburgh
21cspark@gmail.com

Jonathan Rubin
University of Pittsburgh
Pittsburgh, PA
jonrubin@pitt.edu

PP0

Saturated Perturbation in Pyragas Methods Through Nonlinear Feedback Control

Using time-continuous control for controlling chaos was stated by Pyragas. He introduced the proportional and delayed feedback control methods. He modified them by a saturated perturbation based on a piecewise linear control law to avoid large perturbations and multistability. We propose an alternative nonlinear bounded element into the feedback law. Local convergence is shown while the desired saturation of the perturbation is assured. Different aspects of our proposal are analyzed and confronted with Pyragas methods.

Verónica E. Pastor, Graciela Gonzalez
Faculty of Engineering
University of Buenos Aires
veronicapastor@gmail.com, ggonzal@fi.uba.ar

PP0

Prey Switching with a Linear Preference Trade-off

We study piecewise-smooth models of predator-prey interaction to describe predator's adaptive change of diet. We show that a 1 predator-2 prey system with a tilted switching manifold between the discontinuous vector fields goes through a Hopf-like bifurcation, followed by an adding-sliding bifurcation, and period doubling. Our model simulations capture the periodicity in the ratio between predator's preferred and alternative prey types exhibited by data on freshwater plankton.

Sofia Piltz, Mason A. Porter
University of Oxford
sofia.piltz@linacre.ox.ac.uk, porterm@maths.ox.ac.uk

Philip K. Maini
Oxford University, Mathematical Inst. 24-29 St. Giles
Oxford. OX1 3LB
maini@maths.ox.ac.uk

PP0

Global Dynamics of the Subcritical Hopf Normal Form Subject to Pyragas Time-Delayed Feedback Control

Pyragas time-delayed feedback control is designed to stabilize an unstable periodic orbit, such as the one in the widely used normal form of a subcritical Hopf bifurcation. Previous work focused primarily on the mechanism of stabilization. Here we present a global picture of the dynamics induced by the time-delayed feedback. In particular, we consider how infinitely many delay-induced Hopf bifurcation curves move as the 2π -periodic feedback phase is varied.

Anup S. Purewal, Claire Postlethwaite
University of Auckland
a.purewal@auckland.ac.nz,
c.postlethwaite@auckland.ac.nz

Bernd Krauskopf
University of Auckland
Department of Mathematics
b.krauskopf@auckland.ac.nz

PP0

A New Phase Space Method for Radar/acoustic Target Discrimination

We have developed a method for target discrimination employing chaos based waveforms and a nearest neighbor strand separation metric. Chaotic rf FDTD simulation or acoustic experimental waveform data reflected from several similar targets were embedded and nearest neighbor strands were identified. We distinguish between targets by choosing between optimized known strand configurations that minimize the average strand separation of unknown scattered waveforms. The method is robust in the presence of substantial noise and clutter.

Frederic J. Rachford
Naval Research Laboratory
Material Science
frederic.rachford@nrl.navy.mil

Thomas Carroll
Naval Research Laboratory
Material Science
thomas.carroll@nrl.navy.mil

PP0

Localised States and Pattern Formation in a Neural Field Model of the Primary Visual Cortex

The primary visual cortex has been shown to maintain localised patterns of activity when oriented stimuli are presented in the visual field. For specific choices of the connectivity function defining intra-cortical connections it is possible to derive a PDE reduction that allows for standard dynamical systems tools to be applied. We compute and path follow both radially-symmetric bump solutions and non-radially-symmetric patterns with D6 symmetry;

these solutions are linked to experimental observations.

James Rankin
INRIA Sophia-Antipolis
James.Rankin@inria.fr

David Lloyd
University of Surrey
d.j.lloyd@surrey.ac.uk

Gregory Faye
School of Mathematics
University of Minnesota
gfaye@umn.edu

Frederic Chavane
CNRS
Institut de Neurosciences de la Timone
frederic.chavane@univ-amu.fr

PP0

Mining Experimental Data from the Chaotic Waterwheel

A large collection of experimental data of the motion of a Malkus-Lorenz waterwheel is analyzed. Progress will be reported on a number of fronts: application of Gottwalds 0-1 test for chaos to the data; determining fixed point location from phase space trajectories; extracting the motion of the waters center of mass location from the time series data; and determining the variation of total water mass in the wheel (generally assumed constant) via dynamic force measurements.

George Rutherford
Department of Physics
Illinois State University
ghr@ilstu.edu

Richard Martin
Illinois State University
rfm@phy.ilstu.edu

PP0

Dynamics of An Seqihrs Epidemic Model with Media Awareness, Quarantine, Isolation and Cross-Protective-Immunity

An autonomous deterministic non-linear epidemic model SEQIHRS is proposed for the transmission dynamics of a highly contagious disease with quarantine, isolation and cross-protective-immunity. The DFE is GAS for $\mathcal{R}_0 < 1$ and for $\mathcal{R}_0 > 1$ the unique endemic equilibrium is LAS. The impact of non-pharmaceutical prophylaxis through media awareness is assessed and estimated through a new approach. It is observed that if the level of transmission by isolated individuals in hospitals is high enough, then the use of quarantine and isolation could offer a detrimental population-level impact.

Govind P. Sahu
ABV Indian Institute of Information Technology
& Management Gwalior, India
govind3012@gmail.com

Joydip Dhar
ABV Indian Institute of Information Technology & Management

Gwalior, India
jdhar@iiitm.ac.in

PP0

Delayed Feedback Attitude Stabilization of Rigid Body Motion on $SO(3)$ Via Liapunov-Krasovskii Functionals

This paper addresses the stabilization problem of rigid body motion on $SO(3)$ in presence of an unknown constant time delay in the measurements. By employing a Lyapunov-Krasovskii functional, a delay dependent stability condition is obtained in terms of a linear matrix inequality, which results in linear control gain matrices. In addition, an estimate of the region of attraction of the system is obtained. A set of simulations are performed and compared with previous works.

Ehsan Samiei
New Mexico State University
esamiei@nmsu.edu

Maziar Izadi, Amit Sanyal
New Mexico State University
mi@nmsu.edu, asanyal@nmsu.edu

Eric A. Butcher
New Mexico State University
New Mexico State University
eab@nmsu.edu

PP0

An Agent-Based Model for Stripe Formation in Zebra Fish

Zebra fish develop stripe patterns composed of pigmented cells during their early development. Experimental work by Kondo and his collaborators has shed much light on how stripes form and how they are regenerated when pigmented cells are removed. Theoretical work has focused on reaction-diffusion models. Here, we use an agent-based model for cell birth and movement to gain further insight into the processes and scales involved in stripe formation and regeneration.

Bjorn Sandstede, Alexandria Volkening
Brown University
bjorn_sandstede@brown.edu,
alexandria_volkening@brown.edu

PP0

Use of Optogenetics for Control of Cortical Seizures

The use of charge balanced feedback control for the suppression of seizure like activity has been successfully demonstrated in one and two dimensional cortical models. The controller works through control of bifurcations. Extending this, we study the bifurcations produced by charge balanced optogenetic control in a two dimensional cortical model by the optical stimulation of neurons, and its effect on the non-linear dynamics of seizures.

Prashanth Selvaraj, Andrew Szeri
University of California, Berkeley
pselvaraj@me.berkeley.edu, andrew.szeri@berkeley.edu

PP0

Modeling of Chaotic Time Series Using Chamfer Distance

We tried to make a mathematical model of low dimensional chaos by using Chamfer distance which is used in computer vision.

Masanori Shiro

National Institute of Advanced Industrial Science and Tech.
mm@shiros.net

trajectories and show how these yield sufficient conditions for reproduction of observed rhythms. A contraction argument leads to existence of a stable solution.

Abigail Snyder
University of Pittsburgh
acs73@pitt.edu

Jonathan Rubin
University of Pittsburgh
Pittsburgh, PA
jonrubin@pitt.edu

PP0

Dynamics of Vegetation Patterns under Slowly Varying Conditions

We consider an extension of the Klausmeier model for vegetation patterns, that incorporates nonlinear diffusion. With continuation software an overview of coexistent stable steady states can be constructed: the Busse balloon. It is found that patterns exhibited by the model repeatedly suffer from abrupt decreases in wavenumber ultimately leading to desert, as a parameter decreases. It will be shown that these abrupt changes correspond directly to interactions with the boundary of the Busse balloon.

Eric Siero

Leiden University, Mathematical Institute
esiero@math.leidenuniv.nl

Jens Rademacher
CWI, Amsterdam, NL
jens.rademacher@cwi.nl

Arjen Doelman
Mathematisch Instituut
doelman@math.leidenuniv.nl

PP0

Amplitude Equations for a Period-Doubling Bifurcation in a Neural-Field Model

We examine a two population neural-field model with temporal periodic forcing and a piecewise linear firing rate. We perform computer simulations and observe a period doubling bifurcation with non-zero wave-number. We then use the piecewise linear nature of the firing rate to construct analytically the underlying spatially homogeneous periodic orbit. Performing linear stability analysis allows us to predict the position of the bifurcation. Finally we formulate the amplitude equations for this model.

Ruth M. Smith

University of Nottingham
pmxrs3@nottingham.ac.uk

PP0

Multiple Rhythms from One Network: Phase Plane Analysis of Rhythmic Activity in Turtle Motor Circuits

We analyze a proposed central pattern generators ability to produce differing motor patterns from a single pool of neurons under different tonic drives. A key issue is a particular motoneurons response to different phasic synaptic inputs. We study the impact of these phasic inputs on motoneuron phase space and on properties of associated

PP0

Investigating Network Structure in Locomotor Models

Central pattern generators (CPGs) are neuronal networks that produce rhythmic activity in the absence of both rhythmic input and afferent feedback. These networks underlie various rhythmic animal movements, such as locomotion. We propose and analyze CPG networks that are able to replicate particular locomotor patterns. This extends previous modeling efforts by providing a more detailed description of the contribution of intrinsic neuronal dynamics and network structure to the mechanisms underlying rhythm generation in locomotion.

Lucy Spardy

Mathematical Biosciences Institute
spardy.1@mbi.osu.edu

PP0

Growth of Diffusion Limited Aggregation (DLA)-Grass like branched pattern via Turing pattern formation in a Belousov-Zhabotinskii (B-Z) type reaction system

Nanostructured growth DLA-Grass like branched pattern in a B-Z type reaction system by using ethyl acetoacetate-adipic acid as a dual organic substrate has been reported. The system in liquid phase has been found to show Turing type pattern. The solid phase nucleation has been found to occur in the colloidal phase (composed of nano size particles) and has been found to grow in symmetric crystal pattern with the progress of the reaction finally exhibit DLA morphology.

Rohit Srivastava, Prem Kumar Srivastava

Birla Institute of Technology Deoghar Campus-814142, India

rohit.srivastava4@gmail.com, pksrivastava@bitmesra.ac.in

PP0

Return Times and Rates of Fluid Mixing

Research in smooth ergodic theory is delivering results on rates of mixing in abstract dynamical systems. We report on the relevance of such results to fluid mixing problems.

Rob Sturman

University of Leeds
rsturman@maths.leeds.ac.uk

PP0

Stochastic Endemic Sir Model and Its Properties

We consider the stochastic endemic SIR model. This is a

generalization of the classic endemic SIR model in which the coefficients depend on a semi-Markov process describing a random media. Under stationary conditions of the semi-Markov media we study an averaging and diffusion principles for the perturbed stochastic endemic SIR model. In the case of averaging principle we get classic endemic SIR model with averaged coefficients, and in the case of diffusion approximation we obtain the diffusion endemic SIR model. We also study stability properties of the stochastic endemic SIR model.

Mariya Y. Svishchuk
Mount Royal University
msvishchuk@mtroyal.ca

PP0

Performance Evaluation of Indoor Power Line Communication Using Chaos CDMA

Power line communication is a technology that is used for data transmission on electric power lines. Because impedance mismatching and branched lines cause signal reflections, power line channels possess multi-pass fading characteristics. In this study, the performance of a synchronous code division multiple access (CDMA) using the chaotic spreading sequences with constant power is estimated in indoor power line channels.

Ryo Takahashi
Department of Electrical Engineering,
Graduate School of Engineering, Kyoto University
ryo@dove.kuee.kyoto-u.ac.jp

Ken Umeno
Department of Applied Mathematics and Physics
Graduate School of Informatics, Kyoto University
umeno.ken.8z@kyoto-u.ac.jp

PP0

Coupled Aircraft Nose Landing Gear and Fuselage Dynamics

Under certain conditions during take-off and landing, pilots may experience sometimes quite strong vibrations in the cockpit. We present a mathematical model for a coupled aircraft nose landing gear and fuselage system. A bifurcation analysis reveals that self-sustained shimmy oscillations of the landing gear can trigger considerable fuselage dynamics. The system behaviour depends strongly on the modal characteristics of the fuselage.

Nandor Terkovics
University of Bristol
nandor.terkovics@bristol.ac.uk

Simon Neild
Dept. of Mechanical Engineering
University of Bristol
simon.neild@bristol.ac.uk

Mark Lowenberg
Dept. of Aerospace Engineering
University of Bristol
m.lowenberg@bristol.ac.uk

Bernd Krauskopf
University of Auckland
Department of Mathematics
b.krauskopf@auckland.ac.nz

Sanjiv Sharma, Peter Hart
Airbus
sanjiv.sharma@airbus.com, peter.hart@airbus.com

PP0

A Discontinuous Galerkin Method for Modeling Transcription

A Discontinuous Galerkin Finite Element Method is used for the simulation of a nonlinear conservation law PDE which models traffic flow with several traffic lights. This is used to model the motion of polymerases on ribosomal RNA. Physically relevant pauses are incorporated into the model. These pauses result in delays during the transcription process, possibly affecting protein production. Using the DG solution, the average delay experienced by a polymerase is estimated.

Jennifer Thorenson, Lisa G. Davis
Montana State University
thorenso@math.montana.edu, davis@math.montana.edu

Tomas Gedeon
Montana State University
Dept of Mathematical Sciences
gedeon@math.montana.edu

PP0

Linear Frequency Response Theory for Autonomous, Chaotic Oscillators

We propose to define a linear frequency response function for autonomous, structurally stable chaotic oscillators, which measures the change of the average frequency under a stationary perturbation. We furthermore link this frequency response function to the field of zero Lyapunov vectors and discuss the applications and limitations of this approach.

Ralf Toenjes
Ochanomizu University,
Ochadai Academic Production
rahleph@gmail.com

Hiroshi Kori
Division of Advanced Sciences
Ochanomizu University
kori.hiroshi@ocha.ac.jp

Kazumasa Takeuchi
The University of Tokyo
kazumasa@daisy.phys.s.u-tokyo.ac.jp

PP0

Empirically Determined Adjoint Operators for the Coarse Control of Distributed Microscopic Processes

We present a method for the design of coarse-grained linear controllers for spatially distributed processes in a multi-scale, "equation-free" computational environment. This method is applied to two prototypical problems: a black-box linearized Ginzburg-Landau simulator and a FitzHugh-Nagumo simulator based on Lattice-Boltzmann methods. In both cases, short bursts of the full simulation are used to locate the steady state and approximate the adjoint of the Jacobian well enough for an effective coarse

controller to be designed.

Matthew O. Williams
Applied Mathematics
University of Washington
mow2@Princeton.edu

Ioannis Kevrekidis
Dept. of Chemical Engineering
Princeton University
yannis@princeton.edu

Clarence Rowley
Princeton University
Department of Mechanical and Aerospace Engineering
cwright@princeton.edu

PP0

Kneading Invariants for the Elucidation of Chaos

A computational technique based on the symbolic description utilizing kneading invariants is proposed for the exploration of parametric chaos in systems with the Lorenz attractor. The technique elucidates the stunning complexity and universality of the patterns discovered in the bi-parametric scans of given models and detects their organizing centers codimension-two T-points and separating saddles.

Jeremy Wojcik
Georgia State University
Dept. Mathematics and Statistics
jwojcik1@gsu.edu

Tingli Xing
Georgia State University
USA
txing1@student.gsu.edu

Roberto Barrio
University of Zaragoza, SPAIN
rbarrio@unizar.es

Andrey Shilnikov
Neuroscience Institute and Department of Mathematics
Georgia State University
ashilnikov@gsu.edu

Organizer and Speaker Index

SIAM Conference on Applications of Dynamical Systems

Figure courtesy J. Meiss and D. Simpson, DSWeb media gallery.



May 19-23, 2013
Snowbird Ski and Summer Resort
Snowbird, Utah, USA

A

Abaid, Nicole, MS81, 5:20 Tue
 Abarbanel, Henry D., MS103, 6:15 Wed
Abramov, Rafail, MS122, 9:30 Thu
 Abramov, Rafail, MS122, 9:30 Thu
 Abrams, Daniel, CP25, 10:00 Tue
 Abud, Celso, PP1, 8:30 Tue
 Agladze, Konstantin, MS43, 5:35 Mon
Aguirre, Pablo, MS37, 8:00 Mon
 Aguirre, Pablo, MS37, 8:00 Mon
Ahn, Sungwoo, MS11, 8:00 Sun
 Ahn, Sungwoo, PP1, 8:30 Tue
Aihara, Kazuyuki, MS131, 9:30 Thu
Alben, Silas, MS40, 2:30 Mon
 Alben, Silas, MS40, 2:30 Mon
Albers, David J., MS55, 8:00 Tue
 Albers, David J., MS55, 8:00 Tue
 Aldersley, Andy, PP1, 8:30 Tue
 Alfaro-Murillo, Jorge, MS112, 8:20 Thu
 Ali, Ishtiaq, CP36, 10:15 Wed
 Allshouse, Michael, CP1, 9:30 Sun
 Al-Nahdi, Abeer, PP1, 8:30 Tue
 Alonso, Sergio, MS28, 8:20 Mon
Altaner, Bernhard, MS83, 4:20 Tue
 Altaner, Bernhard, MS83, 4:20 Tue
 Amann, Andreas, MS37, 8:20 Mon
 Ameli, Sivash, CP1, 10:00 Sun
 Anderies, Marty, MS38, 3:55 Mon
 Anderson, Patrick, MS31, 8:40 Mon
 Anselmo, Peter C., CP29, 9:45 Tue
 Ansmann, Gerrit, MS20, 5:50 Sun
 Antoneli, Fernando, MS8, 9:00 Sun
 Aoki, Takaaki, CP7, 9:30 Sun
 Appleby, John, MS1, 8:00 Sun
 Appleby-Wu, Huizhong, MS1, 9:00 Sun
 Asano, Erika, MS123, 10:30 Thu
 Ates, Inan, PP1, 8:30 Tue
 Atsaves, Louis C., CP15, 10:00 Mon

Aufderheide, Helge, PP1, 8:30 Tue
 Avedisov, Sergei S., CP37, 9:30 Wed
 Avitabile, Daniele, MS51, 6:15 Mon
 Avrutin, Viktor, MS7, 8:20 Sun

B

Bagheri, Shervin, CP17, 10:00 Mon
 Bagrow, James, MS75, 5:00 Tue
 Baker, James, MS29, 8:20 Mon
 Bakker, Lennard F., CP28, 9:30 Tue
 Balague, Daniel, MS86, 9:00 Wed
Balasuriya, Sanjeeva, MS91, 8:00 Wed
 Balasuriya, Sanjeeva, MS91, 8:20 Wed
Banerjee, Soumitro, MS95, 8:00 Wed
 Banerjee, Soumitro, MS95, 8:00 Wed
 Banks, H. T., MS102, 5:35 Wed
 Bär, Markus, MS85, 8:40 Wed
 Barranca, Victor, MS135, 2:25 Thu
Barreiro, Andrea K., MS135, 1:45 Thu
 Barreiro, Andrea K., MS135, 1:45 Thu
 Barreto, Ernest, CP16, 10:15 Mon
 Barrio, Roberto, MS37, 8:40 Mon
Barrio, Roberto, MS130, 9:30 Thu
Barry, Anna M., MS7, 8:00 Sun
 Barry, Anna M., CP6, 9:30 Sun
Barry, Anna M., MS22, 5:30 Sun
Barton, David A., MS63, 8:00 Tue
 Barton, David A., PP1, 8:30 Tue
 Basnayake, Ranil, PP1, 8:30 Tue
 Bassett, Danielle S., MS30, 8:20 Mon
 Basu, Sukanya, CP33, 10:00 Wed
 Bates, Peter W., MS129, 10:10 Thu
 Batista, Adriano A., CP27, 9:45 Tue
 Bazhenov, Maxim, MS39, 3:05 Mon
 Beardmore, Robert, MS102, 5:55 Wed
 Beaume, Cedric, CP13, 10:00 Mon
 Beckman, Noelle G., MS110, 5:55 Wed
 Beggs, John M., MS39, 3:30 Mon

Bell, Michael, PP1, 8:30 Tue
Bellsky, Thomas, MS109, 5:15 Wed
 Bellsky, Thomas, MS109, 5:15 Wed
Belykh, Igor, MS136, 1:45 Thu
 Belykh, Igor, MS136, 2:05 Thu
Ben-Gal, Nitsan, MS7, 8:00 Sun
 Ben-Gal, Nitsan, MS7, 8:40 Sun
Ben-Gal, Nitsan, MS22, 5:30 Sun
 Ben-Tal, Alona, PP1, 8:30 Tue
Beri, Arjun, MS110, 5:15 Wed
 Beri, Arjun, MS110, 6:15 Wed
Beron-Vera, Francisco J., MT1, 4:20 Tue
 Beron-Vera, Francisco J., MT1, 4:20 Tue
 Beron-Vera, Francisco J., MS99, 4:20 Wed
 Berry, Tyrus, MS120, 8:40 Thu
 Berwald, Jesse, CP3, 10:15 Sun
Best, Janet, MS89, 8:00 Wed
 Best, Janet, MS89, 8:00 Wed
Best, Janet, MS104, 5:15 Wed
 Bettencourt, Luis, MS66, 2:30 Tue
 Bianco, Simone, CP14, 9:30 Mon
 Bick, Christian, CP33, 10:30 Wed
 Biggs, James, MS41, 3:30 Mon
Biktashev, Vadim N., MS28, 8:00 Mon
 Biktashev, Vadim N., MS28, 8:00 Mon
Biktasheva, Irina, MS43, 5:15 Mon
 Biktasheva, Irina, MS43, 5:15 Mon
Biktasheva, Irina, MS54, 8:00 Tue
 Billings, Lora, IP8, 1:30 Wed
 Biondini, Gino, MS77, 4:40 Tue
 Bittihn, Philip, MS2, 9:00 Sun
Blackmore, Denis, MS29, 8:00 Mon
 Blackmore, Denis, MS29, 8:00 Mon
Blackmore, Denis, MS44, 5:15 Mon
Blaschke, Johannes P., MS69, 2:30 Tue

Blaschke, Johannes P., MS69, 2:30 Tue
 Blasius, Bernd, MS96, 3:30 Wed
 Blazeovski, Daniel, MS48, 5:35 Mon
 Blenkinsop, Alex, MS76, 4:40 Tue
 Bliss, Catherine A., CP29, 9:30 Tue
 Bloch, Anthony M., MS100, 5:35 Wed
 Blömker, Dirk, CP22, 10:30 Tue
Blyuss, Konstantin, MS19, 5:30 Sun
 Blyuss, Konstantin, MS107, 6:15 Wed
 Boatto, Stefanella, MS42, 5:35 Mon
 Boczek, Erik M., CP11, 10:00 Mon
 Bodova, Katarina, PP1, 8:30 Tue
 Boechler, Nicholas, MS57, 8:20 Tue
 Boie, Sebastian D., PP1, 8:30 Tue
 Boltt, Erik, MS91, 8:40 Wed
Boltt, Erik, MS136, 1:45 Thu
Booth, Victoria, MS13, 2:45 Sun
Booth, Victoria, MS39, 2:30 Mon
 Booth, Victoria, MS39, 2:30 Mon
 Borisyuk, Alla, PP1, 8:30 Tue
 Borisyuk, Roman M., CP32, 10:00 Wed
 Bozorg Magham, Amir Ebrahim, MS126, 10:10 Thu
 Bragard, Jean, MS65, 3:30 Tue
Braverman, Elena, MS1, 8:00 Sun
Braverman, Elena, MS16, 5:30 Sun
 Braverman, Elena, MS1, 8:20 Sun
 Bressloff, Paul C., MS53, 8:00 Tue
 Bright, Ido, CP9, 10:00 Sun
Brons, Morten, MS26, 5:30 Sun
 Brons, Morten, MS26, 5:50 Sun
 Brunton, Steven, MS71, 2:50 Tue
 Brush, Mark, MS97, 3:30 Wed
 Buckalew, Richard, CP10, 9:30 Sun
 Budd, Chris, MS22, 5:30 Sun
Budisic, Marko, MS120, 8:00 Thu
 Budisic, Marko, MS120, 9:00 Thu
 Buldu, Javier, MS96, 3:55 Wed

Buono, Pietro-Luciano, MS23, 6:10 Sun
 Burke, Korana, CP19, 10:00 Mon
Burke, Korana, MS114, 8:00 Thu
Burke, Korana, MS125, 9:30 Thu
 Burton, Jackson, CP34, 10:00 Wed
 Butail, Sachit, MS81, 4:20 Tue
 Byrne, Greg, CP24, 10:30 Tue

C

Caldas, Ibere L., MS48, 6:15 Mon
 Callahan, Timothy K., CP24, 9:45 Tue
 Camassa, Roberto, MS21, 6:30 Sun
 Campbell, Donald O., CP20, 9:45 Mon
 Campbell, Sue Ann, MS107, 5:55 Wed
 Canadell, Marta, MS18, 5:50 Sun
 Cañizo, Jose A., MS101, 5:55 Wed
 Carmona, Victoriano, MS58, 8:00 Tue
 Carr, Thomas W., MS19, 5:50 Sun
Carroll, Thomas L., MS108, 5:15 Wed
 Carroll, Thomas L., MS108, 6:15 Wed
 Cayco Gajic, Natasha A., MS135, 2:05 Thu
 Champneys, Alan R., CP13, 9:30 Mon
 Chan, Ian, MS3, 8:40 Sun
 Chandre, Cristel, MS48, 5:55 Mon
 Chavane, Frederic, MS127, 9:30 Thu
 Chelidze, David, MS63, 8:00 Tue
 Chen, Kevin K., PP1, 8:30 Tue
 Chen, Xingjiang, PP1, 8:30 Tue
 Cheng, Chong-Qing, MS12, 4:35 Sun
Cherry, Elizabeth M., MS65, 2:30 Tue
 Cherry, Elizabeth M., MS65, 2:30 Tue
 Ching, ShiNung, MS39, 3:55 Mon
Chirilus-Bruckner, Martina, MS57, 8:00 Tue
 Chirilus-Bruckner, Martina, MS57, 9:00 Tue
Chirilus-Bruckner, Martina, MS68, 2:30 Tue
Chong, Christopher, MS57, 8:00 Tue

Chong, Christopher, MS68, 2:30 Tue
 Chou, Thomas, MS78, 5:00 Tue
 Choudhury, Roy, CP26, 10:15 Tue
 Chow, Carson C., MS53, 8:20 Tue
 Christov, Ivan C., MS44, 5:35 Mon
 Claudel, Christian, MS70, 2:50 Tue
Colombo, Alessandro, MS33, 8:00 Mon
 Colombo, Alessandro, CP27, 10:30 Tue
 Colonius, Fritz, CP27, 10:15 Tue
 Constantin, Adrian, IP3, 11:15 Mon
Conway, Jessica M., MS62, 8:00 Tue
 Conway, Jessica M., MS62, 8:40 Tue
Conway, Jessica M., MS73, 2:30 Tue
 Coombs, Daniel, MS42, 5:15 Mon
 Copelli, Mauro, MS103, 5:55 Wed
 Correia, Maria F., CP4, 10:30 Sun
 Corron, Ned J., PP1, 8:30 Tue
 Creaser, Jennifer, PP1, 8:30 Tue
 Crosskey, Miles, MS122, 10:30 Thu
 Curbelo, Jezabel, CP22, 9:30 Tue
 Curtu, Rodica, MS127, 9:50 Thu
 Cyranka, Jacek, CP36, 9:45 Wed

D

Dadok, Vera, MS76, 5:00 Tue
 Daitche, Anton, MS59, 8:20 Tue
 Danforth, Chris, MS38, 3:05 Mon
Danforth, Chris, MS75, 4:20 Tue
 Dankowicz, Harry, CP10, 9:45 Sun
 Das, Suddhasattwa, CP4, 9:45 Sun
 Dawes, Jonathan, MS14, 2:45 Sun
 Day, Judy, MS87, 8:40 Wed
De La Llave, Rafael, MS99, 2:30 Wed
 Dean, Andrew, MS14, 3:20 Sun
 Del Vecchio, Carmen, CP34, 9:45 Wed
 Del-Castillo-Negrete, Diego, MS99, 3:05 Wed
Dellnitz, Michael, MS45, 5:15 Mon
 Dellnitz, Michael, MS45, 6:15 Mon

Dena, Angeles, CP36, 9:30 Wed
Desroches, Mathieu, MS26, 5:30 Sun
 Desroches, Mathieu, MS26, 5:30 Sun
 DeVille, Lee, MS64, 3:30 Tue
 DeVries, Levi, CP9, 9:45 Sun
 D'Huys, Otti, MS19, 6:10 Sun
Di Bernardo, Mario, MS81, 4:20 Tue
 Di Michele, Federica, MS46, 6:15 Mon
Dias, Ana Paula S., MS8, 8:00 Sun
Dias, Ana Paula S., MS23, 5:30 Sun
 Dias, Ana Paula S., MS23, 5:50 Sun
 Dierckx, Hans, MS43, 5:55 Mon
Dillon, Michael, MS112, 8:00 Thu
Dillon, Michael, MS123, 9:30 Thu
 Dinius, Joseph, PP1, 8:30 Tue
 Do, Younghae, MS95, 9:00 Wed
Dodds, Peter, MS75, 4:20 Tue
 Dodds, Peter, MS75, 4:20 Tue
 Doelman, Arjen, MS80, 5:00 Tue
 Donahue, Matthew, CP34, 10:30 Wed
 Dong, JiaJia, MS78, 5:20 Tue
 Dsilva, Carmeline, MS120, 8:00 Thu
 D'Souza, Raissa, MS121, 8:20 Thu
Duane, Gregory S., MS10, 8:00 Sun
 Duane, Gregory S., MS10, 8:00 Sun
 Dubljevic, Stevan, MS2, 8:20 Sun
 Dumett, Miguel A., CP38, 10:00 Wed
 Düren, Philipp, CP5, 9:30 Sun
Düring, Bertram, MS86, 8:00 Wed
Düring, Bertram, MS101, 5:15 Wed
 Düring, Bertram, MS101, 6:15 Wed
Dzakupasu, Rhonda, MS103, 5:15 Wed
 Dzakupasu, Rhonda, MS103, 5:35 Wed

E

Ecobarria, Blas, MS17, 5:50 Sun
 Ehrnstrom, Mats, MS47, 5:55 Mon
 Eisenberg, Marisa, MS27, 9:00 Mon

Eisenman, Ian, MS36, 8:00 Mon
 El Moselhy, Tarek, MS84, 4:40 Tue
 El-Borai, Mahmoud M., CP26, 10:00 Tue
 Eldredge, Jeff D., MS40, 4:20 Mon
 Engel, Harald, MS85, 8:20 Wed
Ermentrout, Bard, MS53, 8:00 Tue
Ermentrout, Bard, MS64, 2:30 Tue
 Ermentrout, Bard, MS134, 2:05 Thu
 Evain, Clement, PP1, 8:30 Tue

F

Farazmand, Mohammad, CP1, 10:15 Sun
 Faye, Gregory, CP5, 10:15 Sun
Faye, Gregory, MS127, 9:30 Thu
Fedotov, Sergei, MS90, 8:00 Wed
 Fedotov, Sergei, MS90, 8:20 Wed
 Fellner, Klemens, MS46, 5:35 Mon
Fenton, Flavio M., MS17, 5:30 Sun
 Fenton, Flavio M., MS17, 5:30 Sun
 Fernandez, Oscar, MS100, 6:15 Wed
 Ferrari, Fabiano, CP12, 10:15 Mon
Feudel, Ulrike, MS20, 5:30 Sun
 Feudel, Ulrike, MS92, 8:20 Wed
 Field, Mike, MS23, 5:30 Sun
 Finke, Christian, CP8, 9:45 Sun
 Finn, John M., MS84, 5:20 Tue
 Fletcher, Patrick A., MS133, 2:25 Thu
 Folias, Stefanos, MS127, 10:10 Thu
 Follmann, Rosangela, CP23, 10:00 Tue
Forgoston, Eric, MS9, 8:00 Sun
 Forgoston, Eric, MS9, 8:00 Sun
Forgoston, Eric, MS24, 5:30 Sun
 Fox, Adam M., MS115, 8:40 Thu
 Franci, Alessio, CP30, 10:15 Tue
 Franco, Nuno, CP20, 10:15 Mon
 Frank, Morgan R., PP1, 8:30 Tue
Fraser, Andrew M., MS84, 4:20 Tue

Fraser, Andrew M., MS84, 4:20 Tue
 Freestone, Dean R., MS13, 4:35 Sun
Friedman, Eric, MS30, 8:00 Mon
 Friedman, Eric, MS30, 8:00 Mon
 Froyland, Gary, MS15, 3:20 Sun
Froyland, Gary, MS31, 8:00 Mon
 Fry, Hannah, MS66, 2:50 Tue
 Fryer, Dashiell, CP29, 10:15 Tue
 Fu, Henry, MS111, 8:00 Thu
 Fujiwara, Masami, MS97, 3:55 Wed
 Fuller, Pamela B., PP1, 8:30 Tue

G

Galanthay, Theodore E., CP25, 9:30 Tue
 Gameiro, Marcio, MS25, 6:10 Sun
 Ganesh, Mahadevan, CP22, 9:45 Tue
 Garcia-Morales, Vladimir, CP24, 10:00 Tue
Gardini, Laura, MS95, 8:00 Wed
 Gardini, Laura, MS95, 8:20 Wed
 Gardner, Dean, PP1, 8:30 Tue
 Garland, Joshua, CP27, 9:30 Tue
 Garzon, Alejandro, MS2, 8:40 Sun
Gasser, Ingenuin, MS46, 5:15 Mon
 Gasser, Ingenuin, MS46, 5:15 Mon
 Geddes, John B., CP14, 10:30 Mon
 Gedeon, Jakub, PP1, 8:30 Tue
Gedeon, Tomas, MS78, 4:20 Tue
 Gedeon, Tomas, MS78, 4:20 Tue
 Georgescu, Michael, CP17, 9:30 Mon
 Ghanem, Roger, MS74, 3:30 Tue
Ghazaryan, Anna, MS56, 8:00 Tue
Ghazaryan, Anna, MS67, 2:30 Tue
 Ghazaryan, Anna, PP1, 8:30 Tue
 Giannakis, Dimitris, MS55, 8:40 Tue
Gidea, Marian, MS12, 2:45 Sun
 Gidea, Marian, MS12, 2:45 Sun
 Gill, Stephen J., PP1, 8:30 Tue
Gleeson, James P., MS121, 8:00 Thu

Gleeson, James P., MS121, 8:00 Thu
 Glendinning, Paul, MS33, 8:40 Mon
 Gluckman, Bruce J., MS55, 9:00 Tue
 Gluhovsky, Alexander, CP23, 9:45 Tue
 Golubitsky, Martin, MS8, 8:00 Sun
Gomez, Gerard, MS41, 2:30 Mon
 Gong, Xue, CP10, 10:30 Sun
 Gonzalez, Maria Del Mar, MS86, 8:20 Wed
 Gonzalez, Marta, MS75, 4:40 Tue
 Goodfriend, Lauren, PP1, 8:30 Tue
 Goodman, Roy, MS12, 3:45 Sun
 Goodwine, Bill, MS117, 8:20 Thu
 Gordon, Jeffrey R., PP1, 8:30 Tue
 Gordon, Peter, MS67, 3:30 Tue
 Gowda, Karna V., CP3, 10:00 Sun
 Grabow, Carsten, MS10, 8:20 Sun
 Granados, Albert, MS58, 8:20 Tue
 Grebogi, Celso, MS49, 5:35 Mon
 Greguric Ferencek, Zrinka, CP15, 9:30 Mon
Grigoriev, Roman, MS2, 8:00 Sun
 Grigoriev, Roman, MS2, 8:00 Sun
 Gross, Thilo, MS81, 4:40 Tue
 Groves, Mark D., MS47, 6:15 Mon
 Guckenheimer, John, MS72, 3:30 Tue
 Gupta, Ashish, CP22, 10:00 Tue
 Guseva, Ksenia, MS59, 8:40 Tue

H

Haapala, Amanda, MS18, 6:30 Sun
 Hadjighasem, Alireza, CP1, 9:45 Sun
 Hagerstrom, Aaron M., MS4, 8:40 Sun
 Haller, George, MT1, 4:20 Tue
 Hamilton, Franz, PP1, 8:30 Tue
 Hamlet, Christina, MS79, 5:20 Tue
 Hanin, Leonid G., MS73, 2:50 Tue
Haragus, Mariana, MS32, 8:00 Mon
Haragus, Mariana, MS47, 5:15 Mon

Haragus, Mariana, MS67, 3:10 Tue
 Harley, Kristen, PP1, 8:30 Tue
Haro, Alex, MS99, 2:30 Wed
 Haro, Alex, MS99, 2:30 Wed
 Harris, Kameron D., MS121, 9:00 Thu
 Harrison, Cheryl, MS126, 10:30 Thu
 Harvey, Emily, MS133, 2:05 Thu
 Hasan, M. Arif, MS61, 8:20 Tue
 Hashemi, Hossein, PP1, 8:30 Tue
 Haskovec, Jan, MS101, 5:35 Wed
 Hasty, Jeff, IP9, 11:30 Thu
Hauser, Marcus, MS85, 8:00 Wed
 Hauser, Marcus, MS85, 8:00 Wed
Haut, Terry, MS3, 8:00 Sun
 Haut, Terry, MS3, 9:00 Sun
 Havlin, Shlomo, MS96, 3:05 Wed
 Haza, Angelique C., MS15, 4:35 Sun
 Heilmann, Irene, PP1, 8:30 Tue
 Hell, Juliette, MS7, 9:00 Sun
 Henderson, Michael E., MS18, 6:10 Sun
 Henry, David, CP2, 9:30 Sun
 Henry, Roland, MS30, 9:00 Mon
 Herrera Reyes, Alejandra, MS62, 8:20 Tue
 Hessel-von Molo, Mirko, MS70, 3:10 Tue
 Higuera, Maria, CP15, 9:45 Mon
Hirata, Yoshito, MS131, 9:30 Thu
 Hirata, Yoshito, MS131, 9:30 Thu
 Hirn, Matthew J., MS120, 8:20 Thu
Hittmeyer, Stefanie, MS37, 8:00 Mon
 Hittmeyer, Stefanie, MS37, 9:00 Mon
 Hobbs, Clare G., CP32, 9:30 Wed
 Hoffman, Aaron, MS118, 8:40 Thu
Hoffman, Kathleen A., MS79, 4:20 Tue
 Hogan, John, MS11, 8:20 Sun
Hogan, John, MS58, 8:00 Tue
 Holland, Daniel L., PP1, 8:30 Tue

Horenkamp, Christian, CP12, 10:00 Mon
 Hövel, Philipp, MS4, 8:20 Sun
 Howcroft, Chris, PP1, 8:30 Tue
 Howell, Kathleen C., MS41, 3:55 Mon
Hsieh, M. Ani, MS9, 8:00 Sun
Hsieh, M. Ani, MS24, 5:30 Sun
 Hsieh, M. Ani, MS24, 6:30 Sun
 Hu, Yu, CP39, 10:00 Wed
 Huang, Kai, MS69, 3:30 Tue
 Huddy, Stanley R., CP9, 9:30 Sun
 Huhn, Florian, MS92, 9:00 Wed
 Humpherys, Jeffrey, MS56, 8:40 Tue
 Hupkes, Hermen Jan, MS57, 8:00 Tue
 Hur, Vera Mikiyoung, MS47, 5:15 Mon
 Hussein, Islam, MS119, 8:40 Thu

I

Iams, Sarah, PP1, 8:30 Tue
 Ide, Kayo, MS117, 8:40 Thu
 Iliescu, Traian, MS35, 8:20 Mon
Insperger, Tamas, MS88, 8:00 Wed
 Insperger, Tamas, MS88, 8:00 Wed
 Irving, Daniel, PP1, 8:30 Tue
 Ishida, Kunio, CP19, 9:30 Mon

J

Jacobs, Henry O., MS5, 8:00 Sun
 Jacobs, Henry O., MS5, 8:00 Sun
Jain, Harsh, MS110, 5:15 Wed
 Jain, Harsh, MS131, 10:10 Thu
Jeffrey, Mike R., MS33, 8:00 Mon
 Jeffrey, Mike R., MS33, 8:00 Mon
 Joglekar, Madhura, CP33, 9:45 Wed
 Johnson, Paul, IP4, 1:30 Mon
 Joo, Jaewook, CP31, 10:00 Wed
 Joshi, Badal, MS104, 5:35 Wed
 Josic, Kresimir, MS53, 9:00 Tue
 Jovanovic, Mihailo R., CP17, 10:30

- Mon
 Judge, John, CP37, 9:45 Wed
 Julien, Keith, MS3, 8:20 Sun
 Junge, Oliver, MS45, 5:35 Mon
- K**
 Kadelka, Claus, CP14, 9:45 Mon
 Kahng, Byungik, CP33, 10:15 Wed
Kan, Xingye, MS122, 9:30 Thu
 Kan, Xingye, MS122, 9:50 Thu
 Kang, Hye-Won, MS73, 3:30 Tue
 Kanso, Eva, MS40, 3:55 Mon
 Kao, Hsien-Ching, CP13, 9:45 Mon
Kaper, Hans G., MS38, 2:30 Mon
 Kaper, Hans G., MS38, 2:30 Mon
 Karnatak, Rajat, MS20, 5:30 Sun
 Károlyi, György, MS106, 5:55 Wed
 Karrasch, Daniel, MS91, 8:00 Wed
 Katopodes Chow, Tina, MS35, 9:00 Mon
 Kauffmann, Paul, MS105, 5:35 Wed
 Kawan, Christoph, CP4, 9:30 Sun
 Kay, Peter, CP19, 9:45 Mon
 Keirstead, James, MS66, 3:30 Tue
 Kelley, Aaron, PP1, 8:30 Tue
 Kelly, Conall, MS16, 5:50 Sun
 Ketzmerick, Roland, MS49, 5:55 Mon
 Kevrekedis, Ioannis, MS74, 2:50 Tue
Kevrekidis, Panayotis, MS61, 8:00 Tue
 Kevrekidis, Panayotis, MS67, 2:30 Tue
 Kewley, Sarah E., PP1, 8:30 Tue
 Khare, Swati, PP1, 8:30 Tue
 Khurana, Nidhi, MS106, 6:15 Wed
 Kiemel, Tim, MS79, 4:40 Tue
Kilpatrick, Zachary, MS53, 8:00 Tue
 Kilpatrick, Zachary, CP21, 10:15 Tue
Kilpatrick, Zachary, MS64, 2:30 Tue
 Kim, Jung Eun, MS104, 5:55 Wed
 Kim, Peter S., MS27, 8:20 Mon
 Kimura, Masayuki, CP23, 10:15 Tue
- Kirwan, Denny, MS115, 8:20 Thu
 Kishor, Ram, CP28, 10:00 Tue
 Kiss, Istvan Z., MS124, 10:10 Thu
 Kloosterman, Matt, PP1, 8:30 Tue
 Knippl, Diana, MS123, 9:30 Thu
 Knobloch, Edgar, MS68, 2:30 Tue
Knobloch, Edgar, MS132, 9:30 Thu
 Kollar, Richard, CP4, 10:00 Sun
 Kolokolnikov, Theodore, MS125, 10:30 Thu
 Kolomeisky, Anatoly B., MS78, 4:40 Tue
 Koltai, Péter, MS31, 9:00 Mon
 Kong, Liang, MS118, 8:20 Thu
 Kopell, Nancy, Moser Lecturer, 8:30 Thu
Korniss, Gyorgy, MS93, 8:00 Wed
 Korniss, Gyorgy, MS93, 8:00 Wed
Korotkevich, Alexander O., MS77, 4:20 Tue
 Korotkevich, Alexander O., MS77, 5:20 Tue
 Kosovalic, Nemanja, MS123, 10:10 Thu
 Kovacic, Gregor, MS77, 4:20 Tue
Kowalczyk, Piotr, MS82, 4:20 Tue
 Kowalczyk, Piotr, MS82, 4:20 Tue
 Kramar, Miroslav, MS29, 8:40 Mon
 Kramer, Peter R., CP31, 9:45 Wed
Kramer, Peter R., MS111, 8:00 Thu
 Kramer, Sean, CP12, 9:45 Mon
Krauskopf, Bernd, MS72, 2:30 Tue
 Krauskopf, Bernd, MS72, 2:30 Tue
Krechetnikov, Rouslan, MS132, 9:30 Thu
 Krechetnikov, Rouslan, MS132, 9:30 Thu
 Krinsky, Valentin, MS43, 6:15 Mon
 Krischer, Katharina, IP5, 11:15 Tue
 Kristiansen, Kristian U., MS26, 6:10 Sun
- Kuang, Yang, MS131, 9:30 Thu*
 Kuang, Yang, MS131, 10:30 Thu
Kuehn, Christian, MS51, 5:15 Mon
 Kuehn, Christian, MS70, 2:30 Tue
 Kumar, Atul, CP18, 9:45 Mon
 Kurebayashi, Wataru, CP31, 10:15 Wed
 Kuroda, Roger, MS108, 5:55 Wed
Kurths, Juergen, MS96, 2:30 Wed
 Kurths, Juergen, MS96, 2:30 Wed
 Kuske, Rachel, MS98, 3:55 Wed
Kyrychko, Yuliya, MS19, 5:30 Sun
- L**
Lafortune, Stephane, MS56, 8:00 Tue
Lafortune, Stephane, MS67, 2:30 Tue
 Lafortune, Stephane, MS67, 2:50 Tue
Lai, Ying-Cheng, MS49, 5:15 Mon
 Lai, Ying-Cheng, MS49, 6:15 Mon
 Laing, Carlo R., MS127, 10:30 Thu
 Lajoie, Guillaume, PP1, 8:30 Tue
LaMar, M. Drew, MS97, 2:30 Wed
 LaMar, M. Drew, MS97, 2:30 Wed
 Lan, Yueheng, MS34, 8:20 Mon
Landsberg, Adam S., MS30, 8:00 Mon
 Langfield, Peter, PP1, 8:30 Tue
 Larger, Laurent, MS4, 9:00 Sun
 Larios, Adam, MS50, 5:55 Mon
 Latushkin, Yuri, MS56, 9:00 Tue
 Lee, Christina H., MS135, 2:45 Thu
 Lee, Joo Sang, CP38, 9:30 Wed
 Lefranc, Marc, CP31, 9:30 Wed
 Leftwich, Megan C., MS79, 5:00 Tue
Lehnertz, Klaus, MS20, 5:30 Sun
 Leok, Melvin, MS6, 8:40 Sun
Lessard, Jean-Philippe, MS25, 5:30 Sun
 Levi, Mark, IP1, 11:30 Sun
Lewandowski, Roger, MS35, 8:00 Mon
 Lewandowski, Roger, MS35, 8:00 Mon
Lewandowski, Roger, MS50, 5:15 Mon

Lewis, Debra, CP3, 9:45 Sun
 Li, Jr-Shin, MS13, 4:10 Sun
 Liao, Kang-Ling, CP38, 9:45 Wed
 Lieb-Lappen, Ross, PP1, 8:30 Tue
 Liley, David, MS76, 4:20 Tue
 Lin, Kevin K., MS64, 2:50 Tue
 Lindley, Brandon S., MS113, 8:40 Thu
 Lipton, Alexander, IP2, 1:45 Sun
 Litwin-Kumar, Ashok, CP21, 9:45 Tue
Liu, Rongsong, MS112, 8:00 Thu
 Liu, Rongsong, MS112, 8:40 Thu
Liu, Rongsong, MS123, 9:30 Thu
 Liuzza, Davide, MS136, 2:45 Thu
 Llewellyn Smith, Stefan, MS40, 3:30 Mon
 Lloyd, Alun, MS42, 5:55 Mon
Loire, Sophie, MS105, 5:15 Wed
 Loire, Sophie, MS105, 5:15 Wed
 Lomeli, Hector E., MS91, 9:00 Wed
 Lopes, Sergio R., CP18, 9:30 Mon
 Lopez, Jose Ignacio H., CP2, 10:15 Sun
 Lopez, Juan M., CP5, 10:00 Sun
 Lopez-Marrero, Vanessa, PP1, 8:30 Tue
 Loram, Ian, MS88, 8:20 Wed
Lorenz, Thomas, MS70, 2:30 Tue
 Lorenz, Thomas, MS70, 3:30 Tue
Luchtenburg, Dirk Martin, MS60, 8:00 Tue
Luchtenburg, Dirk Martin, MS71, 2:30 Tue
 Luchtenburg, Dirk Martin, MS71, 2:30 Tue
 Luke, Tanushree, CP39, 9:30 Wed
 Lukeman, Ryan, MS125, 9:30 Thu
 Lunasin, Evelyn, MS50, 5:15 Mon
 Luther, Stefan, MS28, 8:40 Mon
Lvov, Yuri V., MS21, 5:30 Sun
 Lvov, Yuri V., MS21, 5:30 Sun
 Lythe, Grant, MS51, 5:15 Mon

M
 Ma, Tian, MS9, 8:20 Sun
 Ma, Yi-Ping, MS132, 10:10 Thu
Macau, Elbert E., MS18, 5:30 Sun
 Macau, Elbert E., MS128, 10:30 Thu
 MacGregor, Duncan J., MS133, 2:45 Thu
 Machina, Anna, MS33, 9:00 Mon
 Maggia, Marco, CP26, 9:45 Tue
 Maginnis, Peter A., MS45, 5:55 Mon
 Magpantay, Felicia, CP3, 9:30 Sun
 Mahoney, John R., MS92, 8:40 Wed
Mahoney, John R., MS106, 5:15 Wed
Maistrenko, Yuri, MS4, 8:00 Sun
 Maistrenko, Yuri, MS4, 8:00 Sun
 Makrides, Elizabeth J., PP1, 8:30 Tue
 Malek-Madani, Reza, MS24, 5:30 Sun
 Malik, Nishant, CP27, 10:00 Tue
Malka, Roy, MS87, 8:00 Wed
 Malka, Roy, MS87, 8:00 Wed
Malka, Roy, MS102, 5:15 Wed
 Mallen, Adam B., PP1, 8:30 Tue
 Mancho, Ana M., MS9, 8:40 Sun
 Mandre, Shreyas, MS132, 9:50 Thu
 Manlove, Kezia, MS123, 9:50 Thu
Manukian, Vahagn, MS56, 8:00 Tue
 Manukian, Vahagn, MS56, 8:00 Tue
Manukian, Vahagn, MS67, 2:30 Tue
 Marangell, Robert, MS68, 3:30 Tue
 Marcus, Philip S., MS15, 4:10 Sun
 Marella, Sashi, PP1, 8:30 Tue
 Marschler, Christian, MS57, 8:40 Tue
Martens, Erik Andreas, MS124, 9:30 Thu
 Martens, Erik Andreas, MS124, 9:50 Thu
 Martin, Stephan, MS86, 8:40 Wed
 Martinsson, Gunnar, MS60, 8:40 Tue
Maruskin, Jared M., MS119, 8:00 Thu
 Maruskin, Jared M., MS119, 8:00 Thu

Masdemont, Josep, MS41, 2:30 Mon
 Masdemont, Josep, MS41, 2:30 Mon
 Masoller, Cristina, MS113, 8:20 Thu
 Mastroberardino, Antonio, MS112, 8:00 Thu
 Mather, William H., MS113, 9:00 Thu
Matthes, Daniel, MS86, 8:00 Wed
 Matthes, Daniel, MS86, 8:00 Wed
Matthes, Daniel, MS101, 5:15 Wed
 Matthews, Paul C., MS68, 2:50 Tue
 Matyjaszkiewicz, Antoni, PP1, 8:30 Tue
 Mauroy, Alexandre, MS34, 8:40 Mon
 McCalla, Scott, MS14, 4:10 Sun
 McCarthy, Michelle, MS11, 8:00 Sun
McCullen, Nick, MS66, 2:30 Tue
 McCullen, Nick, PP1, 8:30 Tue
 McDougall, Damon, PP1, 8:30 Tue
 Mcleman, Christina, CP31, 10:30 Wed
 McMillan, Tyler, MS79, 4:20 Tue
 McQuighan, Kelly, MS68, 3:10 Tue
McSweeney, John, MS89, 8:00 Wed
McSweeney, John, MS104, 5:15 Wed
 McSweeney, John, MS104, 5:15 Wed
 Medlock, Jan, MS27, 8:40 Mon
 Medvedev, Georgi S., MS16, 5:30 Sun
 Mehlig, Bernhard, MS94, 8:20 Wed
Meiss, James D., MS91, 8:00 Wed
 Meiss, James D., MS99, 3:30 Wed
 Melillo, Stefania, MS125, 10:10 Thu
 Melnik, Sergey, MS121, 8:40 Thu
 Meyries, Martin, MS52, 5:35 Mon
 Meza, Rafael, MS73, 3:10 Tue
Mezic, Igor, MS34, 8:00 Mon
 Mezic, Igor, MS34, 8:00 Mon
 Michaels, Alan, MS108, 5:15 Wed
Mier-y-Teran, Luis, MS113, 8:00 Thu
 Mier-y-Teran, Luis, MS113, 8:00 Thu
 Milton, John, MS13, 3:45 Sun
Milton, John, MS88, 8:00 Wed
 Mireles James, Jason, MS25, 5:50 Sun

Mitchell, Kevin A., MS106, 5:15 Wed
 Mitchell, Kevin A., MS106, 5:15 Wed
 Mitchell, Lewis, MS75, 4:20 Tue
 Mitchell, Lewis, MS75, 5:20 Tue
 Mitra, Anish, PP1, 8:30 Tue
 Mitry, John, CP38, 10:15 Wed
 Moeckel, Richard, MS12, 4:10 Sun
 Moehlis, Jeff, MS13, 2:45 Sun
 Moehlis, Jeff, MS13, 2:45 Sun
 Moehlis, Jeff, MS39, 2:30 Mon
 Mohr, Ryan, MS71, 3:30 Tue
 Mohseni, Kamran, CP22, 10:15 Tue
 Mondelo, Josep-Maria, MS99, 3:55 Wed
 Montgomery, Richard, MS100, 5:55 Wed
 Morgansen, Kristi, MS116, 8:20 Thu
 Mori, Fumito, CP35, 10:30 Wed
 Morrison, P. J., MS48, 5:15 Mon
 Moses, Gregory, CP10, 10:00 Sun
 Mosovsky, Brock, MS115, 9:00 Thu
 Motsch, Sebastien, MS110, 5:15 Wed
 Mummert, Anna, MS27, 8:00 Mon
 Mummert, Anna, MS27, 8:00 Mon
 Mummert, Anna, MS42, 5:15 Mon
 Munoz, Laura, MS65, 2:50 Tue

N

Nabi, Ali, CP30, 9:30 Tue
 Nagy, John D., MS131, 9:50 Thu
 Naik, Shibabrat, PP1, 8:30 Tue
 Nakao, Hiroya, CP13, 10:30 Mon
 Nazari, Morad, PP1, 8:30 Tue
Nepomnyashchy, Alexander, MS90, 8:00 Wed
 Nepomnyashchy, Alexander, MS90, 8:40 Wed
 Newhall, Katherine, MS122, 10:10 Thu
Newhall, Katherine, MS135, 1:45 Thu
 Nia, Payam M., CP9, 10:15 Sun
 Nicola, Wilten, PP1, 8:30 Tue

Niesen, Jitse, PP1, 8:30 Tue
 Nishimura, Joel D., CP16, 10:00 Mon
 Nishiura, Yasumasa, MS52, 5:15 Mon
 Nitsche, Monika, MS40, 3:05 Mon
 Nolde, Christian, PP1, 8:30 Tue
 Nomura, Taishin, MS82, 5:20 Tue
 Nordmark, Arne, MS82, 5:00 Tue
 Nykamp, Duane, MS53, 8:40 Tue

O

Oak, Neeraj, MS46, 5:55 Mon
 O'Farrell, Clara, MS5, 9:00 Sun
 Ohsawa, Tomoki, MS119, 9:00 Thu
 Okiro, Jared O., CP36, 10:30 Wed
Olascoaga, M. Josefina, MS15, 2:45 Sun
 Olascoaga, M. Josefina, MS15, 2:45 Sun
 Oliveras, Katie, MS32, 8:40 Mon
 Olmez, Fatih, PP1, 8:30 Tue
 Olofsson, Peter, MS62, 9:00 Tue
 Olshevsky, Alexander, MS116, 8:40 Thu
 Omel'chenko, Oleh, CP35, 10:15 Wed
 Onu, Kristjan, MT1, 4:20 Tue
Orosz, Gabor, MS107, 5:15 Wed
 Orosz, Gabor, MS107, 5:15 Wed
 Osinga, Hinke M., MS18, 5:30 Sun
Osinga, Hinke M., MS72, 2:30 Tue
 Otani, Niels F., MS54, 8:00 Tue
 Ouellette, Nicholas T., MS125, 9:50 Thu
 Owens, Larrissa, MS111, 9:00 Thu
 Ozgokmen, Tamay, MS126, 9:50 Thu

P

Pacheco-Vega, Arturo, MS117, 8:00 Thu
 Padberg-Gehle, Kathrin, MS31, 8:00 Mon
Paley, Derek A., MS116, 8:00 Thu
 Paley, Derek A., MS116, 8:00 Thu
 Panaggio, Mark J., CP35, 9:30 Wed

Park, Choongseok, PP1, 8:30 Tue
 Parlitz, Ulrich, CP23, 9:30 Tue
 Pastor, Verónica E., PP1, 8:30 Tue
 Pazo, Diego, CP35, 10:00 Wed
 Peacock, Thomas, MS24, 5:50 Sun
 Peckham, Bruce B., CP33, 9:30 Wed
Pecora, Louis, MS49, 5:15 Mon
 Pecora, Louis, MS49, 5:15 Mon
 Peng, Jian, CP16, 9:45 Mon
 Peng, Yuanyuan, MS6, 9:00 Sun
Pereira, Tiago, MS128, 9:30 Thu
 Pereira, Tiago, MS128, 9:30 Thu
 Perra, Nicola, MS93, 8:20 Wed
 Peterka, Robert, MS88, 9:00 Wed
Piironen, Petri T., MS82, 4:20 Tue
 Piironen, Petri T., MS82, 4:40 Tue
Pikovsky, Arkady, MS134, 1:45 Thu
 Pikovsky, Arkady, MS134, 2:45 Thu
 Piltz, Sofia, PP1, 8:30 Tue
 Polzin, Kurt, MS21, 5:50 Sun
 Ponce, Enrique, CP24, 9:30 Tue
 Popovych, Oleksandr, MS19, 6:30 Sun
Porfiri, Maurizio, MS81, 4:20 Tue
 Porter, Jeff, CP2, 9:45 Sun
 Porter, Mason A., CP39, 10:30 Wed
Porter, Mason A., MS121, 8:00 Thu
 Prants, S.V., MS15, 3:45 Sun
 Pratt, Lawrence, MS9, 9:00 Sun
 Prinari, Barbara, MS77, 5:00 Tue
 Pumir, Alain, MS54, 8:20 Tue
 Purewal, Anup S., PP1, 8:30 Tue
Putkaradze, Vakhtang, MS100, 5:15 Wed
 Putkaradze, Vakhtang, MS100, 5:15 Wed

Q

Qiao, Wei, CP7, 9:45 Sun
 Quail, Thomas D., MS65, 3:10 Tue

R

Rademacher, Jens, MS52, 5:15 Mon
 Raj, Ashish, MS30, 8:40 Mon
 Ramos, Eduardo, MS117, 9:00 Thu
 Rankin, James, PP1, 8:30 Tue
Rankin, James, MS127, 9:30 Thu
 Rebholz, Leo, MS35, 8:40 Mon
 Reed, Michael, MS89, 8:40 Wed
 Reinhardt, Christian, MS25, 6:30 Sun
 Reluga, Timothy C., MS42, 6:15 Mon
 Ren, Weiqing, MS51, 5:55 Mon
 Rhoads, Blane, MS106, 5:35 Wed
 Richter, Reinhard, MS63, 8:20 Tue
Rink, Bob, MS8, 8:00 Sun
 Rink, Bob, MS8, 8:20 Sun
Rink, Bob, MS23, 5:30 Sun
 Roberts, Andrew, MS22, 6:30 Sun
Roberts, Anthony J., MS74, 2:30 Tue
 Roberts, Anthony J., MS74, 2:30 Tue
 Roberts, Gareth E., CP28, 9:45 Tue
 Robinson, Gregory A., CP14, 10:15 Mon
 Rodkina, Alexandra, MS16, 6:10 Sun
 Rodriguez, Marcos, CP36, 10:00 Wed
 Rondoni, Lamberto, MS83, 4:40 Tue
Rosa, Epaminondas, MS128, 9:30 Thu
 Rosa, Epaminondas, MS128, 10:10 Thu
Rosato, Anthony, MS29, 8:00 Mon
Rosato, Anthony, MS44, 5:15 Mon
 Rose, Brian, MS36, 8:40 Mon
Rosenblum, Michael, MS124, 9:30 Thu
 Rosenblum, Michael, MS124, 9:30 Thu
 Ross, Shane D., MS71, 3:10 Tue
 Rossi, Louis F., MS114, 8:40 Thu
Rost, Gergely, MS112, 8:00 Thu
 Rost, Gergely, MS112, 9:00 Thu
Rost, Gergely, MS123, 9:30 Thu
Rottschafer, Vivi, MS80, 4:20 Tue
 Rottschafer, Vivi, MS80, 5:20 Tue

Rowley, Clarence, MS34, 9:00 Mon
Rubchinsky, Leonid, MS11, 8:00 Sun
 Rubchinsky, Leonid, MS11, 8:40 Sun
Rucklidge, Alastair M., MS14, 2:45 Sun
 Rucklidge, Alastair M., MS14, 4:35 Sun
 Rumpf, Benno, MS21, 6:10 Sun
 Rutherford, George, PP1, 8:30 Tue
Rypina, Irina, MS115, 8:00 Thu
 Rypina, Irina, MS115, 8:00 Thu
Rypina, Irina, MS126, 9:30 Thu
 Ryser, Marc D., MS73, 2:30 Tue

S

Sacré, Pierre, CP30, 9:45 Tue
 Sagaut, Pierre, MS50, 5:35 Mon
 Sah, Si Mohamed, CP32, 10:30 Wed
 Sahu, Govind P., PP1, 8:30 Tue
 Samaey, Giovanni, MS74, 3:10 Tue
 Samiei, Ehsan, PP1, 8:30 Tue
 Sandstede, Bjorn, PP1, 8:30 Tue
 Santittissadeekorn, Naratip, MS109, 5:55 Wed
 Sarma, Sridevi, MS39, 4:20 Mon
 Sato, Daisuke, MS17, 6:30 Sun
 Sato, Yuzuru, MS55, 8:20 Tue
Sauer, Timothy, MS120, 8:00 Thu
 Schecter, Stephen, CP24, 10:15 Tue
 Scheeres, Daniel, MS119, 8:20 Thu
 Schiff, Steven J., MS13, 3:20 Sun
 Schmid, Peter, MS60, 8:20 Tue
Schmidt, Deena, MS89, 8:00 Wed
 Schmidt, Deena, MS89, 9:00 Wed
Schmidt, Deena, MS104, 5:15 Wed
 Schmidt, Lennart, CP35, 9:45 Wed
 Schneider, Tobias, MS14, 3:45 Sun
Schöll, Eckehard, MS4, 8:00 Sun
 Schöll, Eckehard, MS19, 5:30 Sun
 Schumacher, Joerg, MS94, 9:00 Wed
 Schwabedal, Justus C., MS134, 2:25 Thu

Schwartz, Ira B., MS113, 8:00 Thu
 Schwartz, Ira B., MS116, 9:00 Thu
Scott, Sherry, MS115, 8:00 Thu
Scott, Sherry, MS126, 9:30 Thu
 Scott, Sherry, MS126, 9:30 Thu
Seara, Tere M., MS12, 2:45 Sun
 Seara, Tere M., MS33, 8:20 Mon
 Sekimoto, Ken, MS69, 3:10 Tue
 Selvaraj, Prashanth, PP1, 8:30 Tue
 Sen, Surajit, MS61, 8:00 Tue
 Serna, Susana, CP14, 10:00 Mon
 Serrano, Sergio, MS130, 9:50 Thu
 Sharma, Patanjali, CP20, 9:30 Mon
 Shaw, Leah, CP34, 10:15 Wed
Shaw, Leah, MS97, 2:30 Wed
 Shea-Brown, Eric, MS64, 2:30 Tue
 Shew, Woodrow, MS64, 3:10 Tue
Shilnikov, Andrey, MS134, 1:45 Thu
 Shilnikov, Andrey, MS134, 1:45 Thu
 Shinbrot, Troy, MS117, 8:00 Thu
 Shlizerman, Eli, MS60, 9:00 Tue
 Short, Martin, MS66, 3:10 Tue
 Showalter, Kenneth, MS96, 4:20 Wed
 Shukla, Priyanka, CP15, 10:15 Mon
Sieber, Jan, MS63, 8:00 Tue
 Sieber, Jan, MS98, 3:05 Wed
 Siero, Eric, PP1, 8:30 Tue
 Sikorski, Kajetan, MS111, 8:40 Thu
 Silber, Mary, MS38, 3:30 Mon
 Silva, Luis F., CP20, 10:30 Mon
Simpson, David J., MS7, 8:00 Sun
 Simpson, David J., CP6, 9:45 Sun
Simpson, David J., MS22, 5:30 Sun
 Sivakoff, David, MS89, 8:20 Wed
 Skardal, Per Sebastian, CP16, 9:30 Mon
 Skufca, Joseph, MS136, 2:25 Thu
 Slivinski, Laura, MS109, 5:35 Wed
 Smith, Hal L., CP11, 9:45 Mon
 Smith, Ruth M., PP1, 8:30 Tue

Snyder, Abigail, PP1, 8:30 Tue
 So, Paul, CP39, 9:45 Wed
 Sokolov, Igor, MS90, 8:00 Wed
Solomon, Thomas H., MS92, 8:00 Wed
 Solomon, Thomas H., MS92, 8:00 Wed
Sorrentino, Francesco, MS103, 5:15 Wed
 Sorrentino, Francesco, MS103, 5:15 Wed
 Spardy, Lucy, PP1, 8:30 Tue
 Speer, Kaitlin, CP13, 10:15 Mon
 Speetjens, Michel, MS105, 5:55 Wed
Speetjens, Michel, MS117, 8:00 Thu
 Spiller, Elaine, MS24, 6:10 Sun
 Squires, Shane A., CP7, 10:15 Sun
 Srivastava, Rohit, PP1, 8:30 Tue
 Stanislavova, Milena, MS56, 8:20 Tue
 Starke, Jens, MS63, 9:00 Tue
Starke, Jens, MS70, 2:30 Tue
 Starosvetsky, Yuli, MS61, 8:40 Tue
 Stefanov, Atanas, MS61, 9:00 Tue
 Steinbock, Oliver, MS28, 9:00 Mon
Stepan, Gabor, MS98, 2:30 Wed
 Stepan, Gabor, MS98, 2:30 Wed
 Stephen Tladi, Maleafisha, CP18, 10:00 Mon
 Stewart, Brian, MS41, 4:20 Mon
 Stremmler, Mark A., MS31, 8:20 Mon
 Sturman, Rob, PP1, 8:30 Tue
 Sun, Jie, MS136, 1:45 Thu
 Sun, Shu-ming, MS32, 8:20 Mon
 Sundararajan, Pavithra, MS105, 6:15 Wed
 Sushko, Iryna, MS95, 8:40 Wed
Susuki, Yoshihiko, MS34, 8:00 Mon
 Susuki, Yoshihiko, CP17, 10:15 Mon
 Suzuki, Yasuyuki, MS88, 8:40 Wed
 Svishchuk, Mariya Y., PP1, 8:30 Tue
 Swarup, Ashitosh, MS108, 5:35 Wed
 Swift, Michael, MS83, 5:00 Tue
 Swigon, David, MS102, 5:15 Wed

Svishchuk, Anatoliy, MS1, 8:40 Sun
 Szalai, Robert, CP26, 9:30 Tue
T
Tabak, Joel, MS133, 1:45 Thu
 Tabor, Whitney, CP29, 10:30 Tue
 Takahashi, Ryo, PP1, 8:30 Tue
 Takato, Yoichi, MS44, 5:55 Mon
 Tang, Wenbo, CP1, 10:30 Sun
 Taylor, Dane, CP7, 10:00 Sun
 Teixeira, Marco, MS22, 5:50 Sun
Tel, Tamas, MS59, 8:00 Tue
 Tel, Tamas, MS59, 8:00 Tue
 Terkovics, Nandor, PP1, 8:30 Tue
 Thiffeault, Jean-Luc, IP6, 1:30 Tue
 Thorenson, Jennifer, PP1, 8:30 Tue
 Thutupalli, Shashi, MS124, 10:30 Thu
 Timofeyev, Ilya, MS110, 5:35 Wed
Timofeyev, Ilya, MS122, 9:30 Thu
 Todd, Thomas, CP10, 10:15 Sun
 Toenjes, Ralf, PP1, 8:30 Tue
 Tolkacheva, Elena, MS17, 6:10 Sun
 Topaz, Chad M., MS114, 8:20 Thu
 Topputo, Francesco, MS41, 3:05 Mon
 Torney, Colin, MS114, 9:00 Thu
 Toroczka, Zoltan, MS93, 8:40 Wed
 Torres, Francisco, CP4, 10:15 Sun
Touboul, Jonathan D., MS53, 8:00 Tue
 Touboul, Jonathan D., CP21, 10:00 Tue
Touboul, Jonathan D., MS64, 2:30 Tue
 Transtrum, Mark K., MS84, 5:00 Tue
 Tribbia, Joseph J., MS10, 9:00 Sun
Tricoche, Xavier M., MS29, 8:00 Mon
Tricoche, Xavier M., MS44, 5:15 Mon
 Tricoche, Xavier M., MS44, 5:15 Mon
 Trotta, Laura, CP30, 10:00 Tue
 Tsaneva-Atanasova, Krasimira, MS72, 3:10 Tue
 Tsonis, Anastasios, MS10, 8:40 Sun
Tu, Jonathan, MS60, 8:00 Tue
 Tu, Jonathan, MS60, 8:00 Tue

Tu, Jonathan, MS71, 2:30 Tue
 Tufillaro, Nicholas, CP12, 9:30 Mon
Tupper, Paul, MS62, 8:00 Tue
 Tupper, Paul, MS62, 8:00 Tue
Tupper, Paul, MS73, 2:30 Tue
 Tzella, Alexandra, CP15, 10:30 Mon
 Tzitzili, Efthalia, MS51, 5:35 Mon
 Tzou, Justin, MS90, 9:00 Wed

U

Ueda, Kei-Ichi, CP16, 10:30 Mon
 Umbanhowar, Paul, MS29, 9:00 Mon
Uminsky, David T., MS114, 8:00 Thu
 Uminsky, David T., MS114, 8:00 Thu
Uminsky, David T., MS125, 9:30 Thu

V

Vainchtein, Anna, MS61, 8:00 Tue
 Vainchtein, Anna, MS129, 9:50 Thu
 Van Blarigan, Louis, CP19, 10:15 Mon
Van Den Berg, Jan Bouwe, MS25, 5:30 Sun
 Van Den Berg, Jan Bouwe, MS25, 5:30 Sun
van der Meer, Devaraj, MS69, 2:30 Tue
 van der Meer, Devaraj, MS69, 2:50 Tue
van Heijster, Peter, MS52, 5:15 Mon
 van Heijster, Peter, MS80, 4:40 Tue
van Veen, Lennaert, MS76, 4:20 Tue
 van Veen, Lennaert, MS76, 5:20 Tue
Van Vleck, Erik, MS118, 8:00 Thu
 Van Vleck, Erik, MS118, 8:00 Thu
Van Vleck, Erik, MS129, 9:30 Thu
 Vanden-Eijnden, Eric, IP7, 11:15 Wed
Vankerschaver, Joris, MS5, 8:00 Sun
 Vankerschaver, Joris, MS5, 8:20 Sun
 Varkonyi, Peter L., CP37, 10:00 Wed
 Vasil, Geoffrey M., MS132, 10:30 Thu
 Vasudevan, Ram, MS5, 8:40 Sun
 Veerman, Frits, MS52, 6:15 Mon
 Verdy, Ariane, MS97, 3:05 Wed

Viana, Ricardo L., CP8, 10:15 Sun
 Vieiro, Arturo, MS130, 10:10 Thu
 Vierhaus, Ingmar, CP9, 10:30 Sun
 Vishwakarma, Sumit K., CP2, 10:00 Sun
 Vlajic, Nicholas, MS63, 8:40 Tue
 Vo, Theodore, MS72, 2:50 Tue
Vo, Theodore, MS133, 1:45 Thu
Vollmer, Jürgen, MS94, 8:00 Wed
 Vollmer, Jürgen, MS94, 8:00 Wed
 Vrettas, Michail D., MS109, 6:15 Wed

W

Wackerbauer, Renate A., MS36, 8:00 Mon
 Wackerbauer, Renate A., MS36, 9:00 Mon
Wahlen, Erik, MS32, 8:00 Mon
 Wahlen, Erik, MS32, 8:00 Mon
Wahlen, Erik, MS47, 5:15 Mon
 Wainrib, Gilles, CP21, 9:30 Tue
 Walther, Hans-Otto, MS98, 4:20 Wed
 Wang, Yunjiao, MS8, 8:40 Sun
 Wang, Zaihua, MS98, 3:30 Wed
 Wang, Zhu, MS50, 6:15 Mon
 Watts, Margaret A., MS133, 1:45 Thu
Weiss, Howard, MS27, 8:00 Mon
 Weiss, Howard, CP11, 10:15 Mon
Weiss, Howard, MS42, 5:15 Mon
 Wells, John, CP17, 9:45 Mon
 Wesson, Elizabeth N., CP25, 9:45 Tue
West, Matthew, MS45, 5:15 Mon
 West, Matthew, MS45, 5:15 Mon
 Wettlaufer, John S., MS36, 8:20 Mon
 Wheeler, Miles, MS47, 5:35 Mon
Whitehead, Jared, MS3, 8:00 Sun
 Whitehead, Jared, MS3, 8:00 Sun
 Widiasih, Esther, MS22, 6:10 Sun
 Wiercigroch, Marian, MS7, 8:00 Sun
 Wilber, J. Patrick, CP5, 10:30 Sun
 Wilkening, Jon, MS32, 9:00 Mon

Wilkinson, Michael, MS94, 8:40 Wed
 Williams, Matthew O., PP1, 8:30 Tue
 Wilson, Dan D., CP8, 9:30 Sun
 Wiser, Justin, CP32, 9:45 Wed
 Witthoft, Alix, CP8, 10:00 Sun
 Wojcik, Jeremy, PP1, 8:30 Tue
 Wolfram, Marie-Therese, MS101, 5:15 Wed
 Woolley, Thomas E., MS52, 5:55 Mon
 Wu, Hao, MS44, 6:15 Mon
Wurm, Alexander, MS48, 5:15 Mon
 Wurm, Alexander, MS48, 5:15 Mon

X

Xing, Tingli, MS130, 10:30 Thu
 Xu, Junxiang, CP6, 10:00 Sun
 Xue, Chuan, MS111, 8:20 Thu

Y

Yadav, Neha, CP37, 10:15 Wed
 Yagasaki, Kazuyuki, MS58, 8:40 Tue
 Yanchuk, Serhiy, MS107, 5:35 Wed
 Yapple, Haley, CP5, 9:45 Sun
 Yorke, James A., CP11, 9:30 Mon
 Yoshimura, Hiroaki, MS6, 8:00 Sun
 Young, George F., MS128, 9:50 Thu
 Young, Glenn S., MS102, 6:15 Wed
Young, Todd, MS87, 8:00 Wed
 Young, Todd, MS87, 8:20 Wed
Young, Todd, MS102, 5:15 Wed
 Yu, Na, MS11, 9:00 Sun
 Yusuf, Tunde Tajudeen, CP29, 10:00 Tue

Z

Zagaris, Antonios, MS26, 6:30 Sun
 Zaks, Michael, CP32, 10:15 Wed
 Zamaro, Mattia, CP28, 10:15 Tue
 Zambrano, Samuel, CP11, 10:30 Mon
 Zanin, Massimiliano, MS81, 5:00 Tue
 Zeeman, Mary Lou, MS38, 4:20 Mon
Zegeling, Paul A., MS80, 4:20 Tue
 Zegeling, Paul A., MS80, 4:20 Tue

Zemlin, Christian, MS54, 8:40 Tue
 Zeng, Chongchun, MS12, 3:20 Sun
Zenkov, Dmitry, MS6, 8:00 Sun
 Zenkov, Dmitry, MS6, 8:20 Sun
Zhang, Aijun, MS118, 8:00 Thu
Zhang, Aijun, MS129, 9:30 Thu
 Zhang, Aijun, MS129, 9:30 Thu
 Zhang, Calvin, CP8, 10:30 Sun
 Zhang, Chuan, CP39, 10:15 Wed
 Zhang, Fubao, CP6, 10:15 Sun
 Zhao, Ruijun, CP34, 9:30 Wed
 Zharnitsky, Vadim, CP20, 10:00 Mon
Zochowski, Michal, MS13, 2:45 Sun
 Zochowski, Michal, MS20, 6:10 Sun
Zochowski, Michal, MS39, 2:30 Mon
 Zussman, Gil, MS93, 9:00 Wed
 Zykov, Vladimir, MS54, 9:00 Tue

Notes

DS13 Budget


Conference Budget SIAM Conference on Applications of Dynamical Systems May 19-23, 2013 Snowbird, Utah

Expected Paid Attendance	750	
Revenue		
Registration Income		\$202,780
	Total	<u>\$202,780</u>
Expenses		
Printing		\$9,000
Organizing Committee		\$5,000
Invited Speakers		\$20,000
Food and Beverage		\$30,000
AV Equipment and Telecommunication		\$20,500
Advertising		\$8,000
Conference Labor (including benefits)		\$39,680
Other (supplies, staff travel, freight, misc.)		\$10,900
Administrative		\$15,478
Accounting/Distribution & Shipping		\$10,861
Information Systems		\$14,794
Customer Service		\$5,571
Marketing		\$9,055
Office Space (Building)		\$6,076
Other SIAM Services		\$6,776
	Total	<u>\$211,691</u>
Net Conference Expense		(\$8,911)
Support Provided by SIAM		<u>\$8,911</u>
		<u>\$0</u>
Estimated Support for Travel Awards not included above:		
Post Docs and Students	40	\$28,700

Snowbird Ski and Summer Resort, Cliff Lodge Floor Plans


Snowbird The Cliff Lodge

Level B



Snowbird The Cliff Lodge

Level C



FSC logo text box indicating
size & layout of logo.
Conlins to insert logo.